SC324 Machine Learning Final Project

William Cerqueti
May 15, 2022

Loading Packages

```
# Installing libraries
library(tidyverse)
library(dplyr)
library(car)

## Loading required package: tidyverse

## Loaded gam 1.20.1

library(tidyverse)
library(caret)
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(rsample)

## rsample 0.1.1

## Type 'citation("rsample")' for how to cite rsample

# Installing package: randomForest
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(ggplot2) # for plotting

## Loaded ggplot 3.3.5

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: e1071
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(rpart) # for tree functions

## Loading required package: lattice
## Loading required package: ggplot2
library(rpart.plot)

# Installing package: rpart.plot
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(randomForest) # for random forest

## randomForest 4.7-1

## Type rfNews() to see new features/changes/bug fixes.

# Installing package: randomForest
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(gbm) # for boosting

## Loaded gbm 2.1.8

## Error: package gbm is no longer under development. Consider transitioning to gbm3, https://github.com/gbm-dev

library(caret)

# Installing package: xgboost
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(xgboost) # for xgboost

# Installing package: caret
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: Matrix
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(Matrix) # for sparse matrix

# Installing package: caret
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: recipes
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(recipes) # for one-hot encoding

# Installing package: caret
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: purrr
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(purrr)

# The following objects are masked from package:caret:

    cluster, interp, parLapply, parSapply

# Installing package: caret
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: glmnet
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(glmnet) # for ridge regression

## Loading required package: foreach

## Loaded glmnet 4.1-4

# Installing package: caret
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: pls
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(pls) # for pls regression

## Loading required package: ellipse

## The following object is masked from 'package:graphics':

    plot

## Loading required package: MASS

## The following object is masked from 'package:dplyr':

    select

## The following object is masked from 'package:purrr':

    map

## The following object is masked from 'package:stats':

    loadings

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: earth
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(earth) # for mars

## Loading required package: Rcpp

## Loaded earth 5.3.1

## Error: package earth was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: kernlab
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(kernlab) # for svm

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: klaR
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(klaR) # for naive bayes

# The following object is masked from package:purrr:

    partial

# The following objects are masked from package:e1071:

    bootstrap, moment

# The following object is masked from package:dplyr:

    combine

# The following objects are masked from package:caret:

    cluster, interp, parLapply, parSapply

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: naivebayes
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(naivebayes) # for naive bayes

## naivebayes 0.9.7 loaded

# For help type 'help("naivebayes-package")'.

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: ipred
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(ipred) # for bagging

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: plyr
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(plyr)

# The following objects are masked from 'package:dplyr':

    arrange, count, desc, failwith, id, mutate, rename, summarise, summarize

# The following objects are masked from 'package:purrr':

    compact, discard, ldply, llply, mlply, rdply, rlply, splat

# The following objects are masked from 'package:plyr':

    arrange, count, desc, failwith, id, mutate, rename, summarise, summarize

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: fastICA
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(fastICA) # for ica

## Loading required package: Matrix

## The following package(s) are deprecated and will be removed in a future release:
## matrix.csr

## Loading required package: tidyverse

## The following objects are masked from 'package:Matrix':

    expand, pack, unpack

## The following objects are masked from 'package:base':

    date, intersect, setdiff, union

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: fastAdaboost
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(fastAdaboost) # for adaboost

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: gbm
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(gbm) # for stochastic gradient boosting

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: nnet
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(nnet) # for neural networks

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: RSNNS
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(RSNNS) # for mlp, dbn, elman, jordan

## Loading required package: Rcpp

## Loaded earth 5.3.1

## Error: package earth was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: deepnet
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(deepnet) # for dbn.dnn

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: rrf
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(rrf) # for regularized random forest

## Loading required package: RRF

## Loaded RRF 1.9.3

## Type rfNews() to see new features/changes/bug fixes.

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: monmlp
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(monmlp) # for monotone mlp

## Error: package monmlp was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: mxnet
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(mxnet) # for deep learning

## Error: package mxnet was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: h2o
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(h2o) # for deep learning

## Error: package h2o was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: rFerns
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(rFerns) # for ferns

## Error: package rFerns was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: rknn
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(rknn) # for random knn

## Error: package rknn was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: rotationForest
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(rotationForest) # for rotation forest

## Error: package rotationForest was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: RSNNS
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(RSNNS) # for rbf

## Loading required package: Rcpp

## Loaded earth 5.3.1

## Error: package earth was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: rpartScore
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(rpartScore) # for rpart

## Error: package rpartScore was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: sda
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(sda) # for shrinkage discriminant analysis

## Error: package sda was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: sparseLDA
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(sparseLDA) # for sparse discriminant analysis

## Error: package sparseLDA was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: spikeslab
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(spikeslab) # for spikeslab

## Error: package spikeslab was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: wsrf
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(wsrf) # for weighted subspace random forest

## Error: package wsrf was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: xgboost
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(xgboost) # for xgboost

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: xrf
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(xrf) # for xrf

## Error: package xrf was built under R version 4.1.3

# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(caret)

# Installing package: xgboost
# Installing libraries to machine from 'cerqueti-laptop1'
# Installing package into 'C:/Users/cerqu/Documents/R/win-library/4.1'
# (as 'lib' is unspecified)
library(xgboost) # for xgboost
```

Loading Data

```
# Import Data
housevalue_data <- read.csv("~/Coding/Projects/house_prices.csv")
View(housevalue_data)
house_copy <- housevalue_data #Copy
```

Survey Response Variable Chosen: VOL.BF

VOL.BF (Net Board-Foot Volume): A "board foot" is a specialized measurement of lumber that is 1" x 12" x 1'. This metric estimates how much usable lumber can actually be sawn out of the tree after accounting for the "kerf" (the sawdust lost to the saw blade) and the round shape of the log.

Regression or Classification Problem?

I consider the scenario of running VOL.BF as a categorical variable in classification problem by the following bins:

VOL.BF = 0 — Non-Sawtimber (Class 0)

0 < VOL.BF ≤ 150 — Small Sawtimber (Class 1)

150 < VOL.BF ≤ 400 — Standard Sawtimber (Class 2)

400 < VOL.BF — Large Sawtimber / Old Growth (Class 3)

However, ultimately I want to run VOL.BF as a quantitative variable and will study a regression problem, leaving VOL.BF as numeric.

Regression Problem for VOL.BF

```
# Import Data
housevalue_data <- read.csv("~/Coding/Projects/house_prices.csv")
View(housevalue_data)
house_copy <- housevalue_data #Copy

## SPECIES with 216 observations
##  1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216
## SPECIES with 216 observations
##  1  2  3  4  5  6  7  8  9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216
```

Descriptive Statistics

```
# Descriptive Statistics
housevalue_data

## [1] 0.0 0.0 0.0 ...

summary(housevalue_data)

##    SPECIES          DBH.IB          DBH           HEIGHT
##  Length:216         Min.   : 0.00   Min.   : 0.00   Min.   : 0.00
##  Class :character   1st Qu.: 0.00   1st Qu.: 0.00   1st Qu.: 0.00
##  Mode  :character   Median : 0.00   Median : 0.00   Median : 0.00
##                     Mean   :11.08   Mean   :11.08   Mean   :11.08
##                     3rd Qu.:19.00   3rd Qu.:19.00   3rd Qu.:19.00
##                     Max.   :49.00   Max.   :49.00   Max.   :49.00
##
##      BA          CCF.IB          CCF          TPH.IB
##  Min.   :  0   Min.   :  0   Min.   :  0   Min.   :  0.0
##  1st Qu.:  0   1st Qu.:  0   1st Qu.:  0   1st Qu.:  0.0
##  Median :  0   Median :  0   Median :  0   Median :  0.0
##  Mean   :  0   Mean   :  0   Mean   :  0   Mean   :  0.0
##  3rd Qu.:  0   3rd Qu.:  0   3rd Qu.:  0   3rd Qu.:  0.0
##  Max.   :  0   Max.   :  0   Max.   :  0   Max.   :  0.0
##
##       TPH          QMD.IB          QMD          VOL.IB
##  Min.   :  0   Min.   : 0.00   Min.   : 0.00   Min.   :  0.0
##  1st Qu.:  0   1st Qu.: 0.00   1st Qu.: 0.00   1st Qu.:  0.0
##  Median :  0   Median : 0.00   Median : 0.00   Median :  0.0
##  Mean   :  0   Mean   : 1.53   Mean   : 1.53   Mean   : 11.9
##  3rd Qu.:  0   3rd Qu.: 2.63   3rd Qu.: 2.63   3rd Qu.: 16.4
##  Max.   :  0   Max.   :10.00   Max.   :10.00   Max.   :100.0
##
##       VOL          VOL.BF          VOL.MBF
##  Min.   :  0   Min.   :  0.00   Min.   :0.00
##  1st Qu.:  0   1st Qu.:  0.00   1st Qu.:0.00
##  Median :  0   Median :  0.00   Median :0.00
##  Mean   :  0   Mean   : 11.08   Mean   :0.01
##  3rd Qu.:  0   3rd Qu.: 19.00   3rd Qu.:0.02
##  Max.   :  0   Max.   :100.00   Max.   :0.10
##
```

```
# Load Packages
library(tidyverse)
library(dplyr)

# Load Data
housevalue_data <- read.csv("~/Coding/Projects/house_prices.csv")
View(housevalue_data)
house_copy <- housevalue_data #Copy

# Check Structure
str(housevalue_data)

## 'data.frame':    216 obs. of  16 variables:
##  $ SPECIES: chr  "ACRU" "ACRU" "ACRU" "ACRU" ...
##  $ DBH.IB : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ DBH    : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ HEIGHT : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ BA     : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ CCF.IB : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ CCF    : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ TPH.IB : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ TPH    : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ QMD.IB : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ QMD    : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ VOL.IB : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ VOL    : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ VOL.BF : num  0 0 0 0 0 0 0 0 0 0 ...
##  $ VOL.MBF: num  0 0 0 0 0 0 0 0 0 0 ...

# Check Missing Values
sum(is.na(housevalue_data))

## [1] 0

# Check Unique Values
unique(housevalue_data$SPECIES)

##  [1] "ACRU" "ACSA" "AEGL" "AMEL" "BEAL" "BEPA" "BEPO" "CAAL" "CACA" "CAGL"
## [11] "CAIL" "CAOV" "CATO" "CELA" "CEOC" "CHTH" "COFL" "DIVI" "FAGR" "FRAM"
## [21] "FRNI" "FRPE" "GLTR" "GYDI" "HALU" "ILOP" "JUNI" "LIST" "LITU" "MAAC"
## [31] "MAFR" "MAGR" "MAMA" "MAPO" "MAVI" "NYAQ" "NYSY" "OSVI" "OXAR" "PAPA"
## [41] "PATO" "PEAM" "PERE" "PIAB" "PIBA" "PIEC" "PIEL" "PIGL" "PIMA" "PIPU"
## [51] "PIRE" "PIRU" "PIST" "PITA" "PIVI" "PLOC" "POAL" "POBA" "POGR" "PRAV"
## [61] "PRSE" "PSME" "QUAL" "QUBI" "QUCO" "QUEL" "QUFA" "QUIM" "QULA" "QUMA"
## [71] "QUMO" "QUPA" "QUPH" "QURU" "QUST" "QUVE" "ROPS" "SAAL" "SAAM" "SAMU"
## [81] "SANI" "SARA" "SASP" "SOAM" "TABA" "TIAM" "TSCA" "ULAL" "ULAM" "ULRU"
## [91] "UNKN"

# Check Duplicates
sum(duplicated(housevalue_data))

## [1] 0

# Check Summary Statistics
summary(housevalue_data)

##    SPECIES          DBH.IB          DBH           HEIGHT
##  Length:216         Min.   : 0.00   Min.   : 0.00   Min.   : 0.00
##  Class :character   1st Qu.: 0.00   1st Qu.: 0.00   1st Qu.: 0.00
##  Mode  :character   Median : 0.00   Median : 0.00   Median : 0.00
##                     Mean   :11.08   Mean   :11.08   Mean   :11.08
##                     3rd Qu.:19.00   3rd Qu.:19.00   3rd Qu.:19.00
##                     Max.   :49.00   Max.   :49.00   Max.   :49.00
##
##      BA          CCF.IB          CCF          TPH.IB
##  Min.   :  0   Min.   :  0   Min.   :  0   Min.   :  0.0
##  1st Qu.:  0   1st Qu.:  0   1st Qu.:  0   1st Qu.:  0.0
##  Median :  0   Median :  0   Median :  0   Median :  0.0
##  Mean   :  0   Mean   :  0   Mean   :  0   Mean   :  0.0
##  3rd Qu.:  0   3rd Qu.:  0   3rd Qu.:  0   3rd Qu.:  0.0
##  Max.   :  0   Max.   :  0   Max.   :  0   Max.   :  0.0
##
##       TPH          QMD.IB          QMD          VOL.IB
##  Min.   :  0   Min.   : 0.00   Min.   : 0.00   Min.   :  0.0
##  1st Qu.:  0   1st Qu.: 0.00   1st Qu.: 0.00   1st Qu.:  0.0
##  Median :  0   Median : 0.00   Median : 0.00   Median :  0.0
##  Mean   :  0   Mean   : 1.53   Mean   : 1.53   Mean   : 11.9
##  3rd Qu.:  0   3rd Qu.: 2.63   3rd Qu.: 2.63   3rd Qu.: 16.4
##  Max.   :  0   Max.   :10.00   Max.   :10.00   Max.   :100.0
##
##       VOL          VOL.BF          VOL.MBF
##  Min.   :  0   Min.   :  0.00   Min.   :0.00
##  1st Qu.:  0   1st Qu.:  0.00   1st Qu.:0.00
##  Median :  0   Median :  0.00   Median :0.00
##  Mean   :  0   Mean   : 11.08   Mean   :0.01
##  3rd Qu.:  0   3rd Qu.: 19.00   3rd Qu.:0.02
##  Max.   :  0   Max.   :100.00   Max.   :0.10
##
```

```
# Check Species Distribution
species_counts <- table(housevalue_data$SPECIES)
species_counts

##
## ACRU ACSA AEGL AMEL BEAL BEPA BEPO CAAL CACA CAGL CAIL CAOV CATO CELA CEOC CHTH
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## COFL DIVI FAGR FRAM FRNI FRPE GLTR GYDI HALU ILOP JUNI LIST LITU MAAC MAFR MAGR
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## MAMA MAPO MAVI NYAQ NYSY OSVI OXAR PAPA PATO PEAM PERE PIAB PIBA PIEC PIEL PIGL
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## PIMA PIPU PIRE PIRU PIST PITA PIVI PLOC POAL POBA POGR PRAV PRSE PSME QUAL QUBI
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## QUCO QUEL QUFA QUIM QULA QUMA QUMO QUPA QUPH QURU QUST QUVE ROPS SAAL SAAM SAMU
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## SANI SARA SASP SOAM TABA TIAM TSCA ULAL ULAM ULRU UNKN
##    1    1    1    1    1    1    1    1    1    1    1

# Plot Species Distribution
barplot(species_counts, main = "Species Distribution", las = 2, cex.names = 0.7)
```



```
# Check Correlations
numeric_vars <- housevalue_data[, sapply(housevalue_data, is.numeric)]
cor_matrix <- cor(numeric_vars, use = "complete.obs")
cor_matrix

##                DBH.IB       DBH    HEIGHT        BA    CCF.IB       CCF
## DBH.IB             NA        NA        NA        NA        NA        NA
## DBH                NA         1         1         1         1         1
## HEIGHT             NA         1         1         1         1         1
## BA                 NA         1         1         1         1         1
## CCF.IB             NA         1         1         1         1         1
## CCF                NA         1         1         1         1         1
## TPH.IB             NA        NA        NA        NA        NA        NA
## TPH                NA        NA        NA        NA        NA        NA
## QMD.IB             NA         1         1         1         1         1
## QMD                NA         1         1         1         1         1
## VOL.IB             NA         1         1         1         1         1
## VOL                NA         1         1         1         1         1
## VOL.BF             NA         1         1         1         1         1
## VOL.MBF            NA         1         1         1         1         1
##                TPH.IB       TPH    QMD.IB       QMD    VOL.IB       VOL
## DBH.IB             NA        NA        NA        NA        NA        NA
## DBH                NA        NA         1         1         1         1
## HEIGHT             NA        NA         1         1         1         1
## BA                 NA        NA         1         1         1         1
## CCF.IB             NA        NA         1         1         1         1
## CCF                NA        NA         1         1         1         1
## TPH.IB             NA        NA        NA        NA        NA        NA
## TPH                NA        NA        NA        NA        NA        NA
## QMD.IB             NA        NA         1         1         1         1
## QMD                NA        NA         1         1         1         1
## VOL.IB             NA        NA         1         1         1         1
## VOL                NA        NA         1         1         1         1
## VOL.BF             NA        NA         1         1         1         1
## VOL.MBF            NA        NA         1         1         1         1
##                VOL.BF   VOL.MBF
## DBH.IB             NA        NA
## DBH                 1         1
## HEIGHT              1         1
## BA                  1         1
## CCF.IB              1         1
## CCF                 1         1
## TPH.IB             NA        NA
## TPH                NA        NA
## QMD.IB              1         1
## QMD                 1         1
## VOL.IB              1         1
## VOL                 1         1
## VOL.BF              1         1
## VOL.MBF             1         1
```

```
# Plot Correlation Matrix
corrplot::corrplot(cor_matrix, method = "color", type = "upper", tl.cex = 0.7)
```



```
# Check Relationships with Target Variable
cor_with_target <- cor_matrix[, "VOL.BF"]
cor_with_target

##    DBH.IB       DBH    HEIGHT        BA    CCF.IB       CCF    TPH.IB       TPH
##        NA         1         1         1         1         1        NA        NA
##    QMD.IB       QMD    VOL.IB       VOL    VOL.BF   VOL.MBF
##         1         1         1         1         1         1
```

```
# Scatter Plots for Key Relationships
pairs(housevalue_data[, c("VOL.BF", "DBH", "HEIGHT", "BA", "VOL")])
```



```
# Boxplots for Categorical Variables
boxplot(VOL.BF ~ SPECIES, data = housevalue_data, las = 2, cex.axis = 0.7)
```



```
# Check Distribution of Target Variable
hist(housevalue_data$VOL.BF, main = "Distribution of VOL.BF", xlab = "VOL.BF")
```



```
# Check Normality
qqnorm(housevalue_data$VOL.BF)
qqline(housevalue_data$VOL.BF)
```



```
# Check Variance Inflation Factor (VIF) for Multicollinearity
# Fit a linear model
model <- lm(VOL.BF ~ DBH + HEIGHT + BA + CCF + TPH + QMD + VOL, data = housevalue_data)
vif_values <- car::vif(model)
vif_values

##      DBH   HEIGHT       BA      CCF      TPH      QMD      VOL
## 1.000000 1.000000 1.000000 1.000000 1.000000 1.000000 1.000000
```

```
# Check Species Distribution
species_counts <- table(housevalue_data$SPECIES)
species_counts

##
## ACRU ACSA AEGL AMEL BEAL BEPA BEPO CAAL CACA CAGL CAIL CAOV CATO CELA CEOC CHTH
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## COFL DIVI FAGR FRAM FRNI FRPE GLTR GYDI HALU ILOP JUNI LIST LITU MAAC MAFR MAGR
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## MAMA MAPO MAVI NYAQ NYSY OSVI OXAR PAPA PATO PEAM PERE PIAB PIBA PIEC PIEL PIGL
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## PIMA PIPU PIRE PIRU PIST PITA PIVI PLOC POAL POBA POGR PRAV PRSE PSME QUAL QUBI
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## QUCO QUEL QUFA QUIM QULA QUMA QUMO QUPA QUPH QURU QUST QUVE ROPS SAAL SAAM SAMU
##    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1    1
## SANI SARA SASP SOAM TABA TIAM TSCA ULAL ULAM ULRU UNKN
##    1    1    1    1    1    1    1    1    1    1    1

# Plot Species Distribution
barplot(species_counts, main = "Species Distribution", las = 2, cex.names = 0.7)
```



```
# Check Correlations
numeric_vars <- housevalue_data[, sapply(housevalue_data, is.numeric)]
cor_matrix <- cor(numeric_vars, use = "complete.obs")
cor_matrix

##                DBH.IB       DBH    HEIGHT        BA    CCF.IB       CCF
## DBH.IB             NA        NA        NA        NA        NA        NA
## DBH                NA         1         1         1         1         1
## HEIGHT             NA         1         1         1         1         1
## BA                 NA         1         1         1         1         1
## CCF.IB             NA         1         1         1         1         1
## CCF                NA         1         1         1         1         1
## TPH.IB             NA        NA        N
```

```
##  $ BUTTON    : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
##  $ DOWN      : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
##  $ LEFT      : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
##  $ RIGHT     : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
##  $ UP        : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
## - attr(*, "distances") = num [1:1000, 1:1000] 0 0 0 0 0 0 0 0 0 0 ...
##  - attr(*, "dist.method") = chr "euclidean"
##  - attr(*, "call") = language dist(x = x, method = "euclidean")
##  - attr(*, "class") = chr [1:2] "dissimilarity" "dist"
##  - attr(*, "Labels") = chr [1:1000] "1" "2" "3" "4" ...
## $ clara :Classification object of class 'clara' from call:
## clara(x = x, k = 5, metric = "euclidean", stand = FALSE, samples = 50,      pamLike = TRUE)
## Medoids:
##            ID  BUTTON DOWN LEFT RIGHT UP
## [1,]  0.00000 0.00000    0    0     0  0
## [2,]  0.00000 0.00000    0    0     0  1
## [3,]  0.00000 0.00000    0    1     0  0
## [4,]  0.00000 0.00000    1    0     0  0
## [5,] 10.00000 0.00000    0    0     1  0
## Clustering vector:
##    1    2    3    4    5    6    7    8    9   10   11   12   13   14   15   16 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##   17   18   19   20   21   22   23   24   25   26   27   28   29   30   31   32 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##   33   34   35   36   37   38   39   40   41   42   43   44   45   46   47   48 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##   49   50   51   52   53   54   55   56   57   58   59   60   61   62   63   64 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##   65   66   67   68   69   70   71   72   73   74   75   76   77   78   79   80 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##   81   82   83   84   85   86   87   88   89   90   91   92   93   94   95   96 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##   97   98   99  100  101  102  103  104  105  106  107  108  109  110  111  112 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  113  114  115  116  117  118  119  120  121  122  123  124  125  126  127  128 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  129  130  131  132  133  134  135  136  137  138  139  140  141  142  143  144 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  145  146  147  148  149  150  151  152  153  154  155  156  157  158  159  160 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  161  162  163  164  165  166  167  168  169  170  171  172  173  174  175  176 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  177  178  179  180  181  182  183  184  185  186  187  188  189  190  191  192 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  193  194  195  196  197  198  199  200  201  202  203  204  205  206  207  208 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  209  210  211  212  213  214  215  216  217  218  219  220  221  222  223  224 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  225  226  227  228  229  230  231  232  233  234  235  236  237  238  239  240 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  241  242  243  244  245  246  247  248  249  250  251  252  253  254  255  256 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  257  258  259  260  261  262  263  264  265  266  267  268  269  270  271  272 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  273  274  275  276  277  278  279  280  281  282  283  284  285  286  287  288 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  289  290  291  292  293  294  295  296  297  298  299  300  301  302  303  304 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  305  306  307  308  309  310  311  312  313  314  315  316  317  318  319  320 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  321  322  323  324  325  326  327  328  329  330  331  332  333  334  335  336 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  337  338  339  340  341  342  343  344  345  346  347  348  349  350  351  352 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  353  354  355  356  357  358  359  360  361  362  363  364  365  366  367  368 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  369  370  371  372  373  374  375  376  377  378  379  380  381  382  383  384 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  385  386  387  388  389  390  391  392  393  394  395  396  397  398  399  400 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  401  402  403  404  405  406  407  408  409  410  411  412  413  414  415  416 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  417  418  419  420  421  422  423  424  425  426  427  428  429  430  431  432 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  433  434  435  436  437  438  439  440  441  442  443  444  445  446  447  448 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  449  450  451  452  453  454  455  456  457  458  459  460  461  462  463  464 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  465  466  467  468  469  470  471  472  473  474  475  476  477  478  479  480 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  481  482  483  484  485  486  487  488  489  490  491  492  493  494  495  496 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  497  498  499  500  501  502  503  504  505  506  507  508  509  510  511  512 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  513  514  515  516  517  518  519  520  521  522  523  524  525  526  527  528 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  529  530  531  532  533  534  535  536  537  538  539  540  541  542  543  544 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  545  546  547  548  549  550  551  552  553  554  555  556  557  558  559  560 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  561  562  563  564  565  566  567  568  569  570  571  572  573  574  575  576 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  577  578  579  580  581  582  583  584  585  586  587  588  589  590  591  592 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  593  594  595  596  597  598  599  600  601  602  603  604  605  606  607  608 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  609  610  611  612  613  614  615  616  617  618  619  620  621  622  623  624 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  625  626  627  628  629  630  631  632  633  634  635  636  637  638  639  640 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  641  642  643  644  645  646  647  648  649  650  651  652  653  654  655  656 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  657  658  659  660  661  662  663  664  665  666  667  668  669  670  671  672 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  673  674  675  676  677  678  679  680  681  682  683  684  685  686  687  688 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  689  690  691  692  693  694  695  696  697  698  699  700  701  702  703  704 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  705  706  707  708  709  710  711  712  713  714  715  716  717  718  719  720 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  721  722  723  724  725  726  727  728  729  730  731  732  733  734  735  736 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  737  738  739  740  741  742  743  744  745  746  747  748  749  750  751  752 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  753  754  755  756  757  758  759  760  761  762  763  764  765  766  767  768 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  769  770  771  772  773  774  775  776  777  778  779  780  781  782  783  784 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  785  786  787  788  789  790  791  792  793  794  795  796  797  798  799  800 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  801  802  803  804  805  806  807  808  809  810  811  812  813  814  815  816 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  817  818  819  820  821  822  823  824  825  826  827  828  829  830  831  832 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  833  834  835  836  837  838  839  840  841  842  843  844  845  846  847  848 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  849  850  851  852  853  854  855  856  857  858  859  860  861  862  863  864 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  865  866  867  868  869  870  871  872  873  874  875  876  877  878  879  880 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  881  882  883  884  885  886  887  888  889  890  891  892  893  894  895  896 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  897  898  899  900  901  902  903  904  905  906  907  908  909  910  911  912 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  913  914  915  916  917  918  919  920  921  922  923  924  925  926  927  928 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  929  930  931  932  933  934  935  936  937  938  939  940  941  942  943  944 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  945  946  947  948  949  950  951  952  953  954  955  956  957  958  959  960 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  961  962  963  964  965  966  967  968  969  970  971  972  973  974  975  976 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  977  978  979  980  981  982  983  984  985  986  987  988  989  990  991  992 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  993  994  995  996  997  998  999 1000 
##    3    4    5    1    2    3    4    5 
## Objective function:
## build  swap 
## 0.0000 0.0000 
## 
## Numerical information per cluster:
##      size max_diss av_diss isolation
## [1,]  200        0       0         0
## [2,]  200        0       0         0
## [3,]  200        0       0         0
## [4,]  200        0       0         0
## [5,]  200        0       0         0
## 
## Silhouette plot information:
##      cluster neighbor sil_width
## [1,]       1        2         1
## [2,]       2        3         1
## [3,]       3        4         1
## [4,]       4        5         1
## [5,]       5        1         1
## 
## Available components:
##  [1] "sample"     "medoids"    "i.med"      "clustering" "objective" 
##  [6] "clusinfo"   "diss"       "call"       "silinfo"    "data"
```

```
summary(clara_out)
```

```
## $ ID        : num [1:1000] 1 2 3 4 5 6 7 8 9 10 ...
## $ BUTTON    : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
## $ DOWN      : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
## $ LEFT      : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
## $ RIGHT     : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
## $ UP        : num [1:1000] 0 0 0 0 0 0 0 0 0 0 ...
## - attr(*, "distances") = num [1:1000, 1:1000] 0 0 0 0 0 0 0 0 0 0 ...
##  - attr(*, "dist.method") = chr "euclidean"
##  - attr(*, "call") = language dist(x = x, method = "euclidean")
##  - attr(*, "class") = chr [1:2] "dissimilarity" "dist"
##  - attr(*, "Labels") = chr [1:1000] "1" "2" "3" "4" ...
## $ clara :Classification object of class 'clara' from call:
## clara(x = x, k = 5, metric = "euclidean", stand = FALSE, samples = 50,      pamLike = TRUE)
## Medoids:
##            ID  BUTTON DOWN LEFT RIGHT UP
## [1,]  0.00000 0.00000    0    0     0  0
## [2,]  0.00000 0.00000    0    0     0  1
## [3,]  0.00000 0.00000    0    1     0  0
## [4,]  0.00000 0.00000    1    0     0  0
## [5,] 10.00000 0.00000    0    0     1  0
## Clustering vector:
##    1    2    3    4    5    6    7    8    9   10   11   12   13   14   15   16 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##   17   18   19   20   21   22   23   24   25   26   27   28   29   30   31   32 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##   33   34   35   36   37   38   39   40   41   42   43   44   45   46   47   48 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##   49   50   51   52   53   54   55   56   57   58   59   60   61   62   63   64 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##   65   66   67   68   69   70   71   72   73   74   75   76   77   78   79   80 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##   81   82   83   84   85   86   87   88   89   90   91   92   93   94   95   96 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##   97   98   99  100  101  102  103  104  105  106  107  108  109  110  111  112 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  113  114  115  116  117  118  119  120  121  122  123  124  125  126  127  128 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  129  130  131  132  133  134  135  136  137  138  139  140  141  142  143  144 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  145  146  147  148  149  150  151  152  153  154  155  156  157  158  159  160 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  161  162  163  164  165  166  167  168  169  170  171  172  173  174  175  176 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  177  178  179  180  181  182  183  184  185  186  187  188  189  190  191  192 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  193  194  195  196  197  198  199  200  201  202  203  204  205  206  207  208 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  209  210  211  212  213  214  215  216  217  218  219  220  221  222  223  224 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  225  226  227  228  229  230  231  232  233  234  235  236  237  238  239  240 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  241  242  243  244  245  246  247  248  249  250  251  252  253  254  255  256 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  257  258  259  260  261  262  263  264  265  266  267  268  269  270  271  272 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  273  274  275  276  277  278  279  280  281  282  283  284  285  286  287  288 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  289  290  291  292  293  294  295  296  297  298  299  300  301  302  303  304 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  305  306  307  308  309  310  311  312  313  314  315  316  317  318  319  320 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  321  322  323  324  325  326  327  328  329  330  331  332  333  334  335  336 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  337  338  339  340  341  342  343  344  345  346  347  348  349  350  351  352 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  353  354  355  356  357  358  359  360  361  362  363  364  365  366  367  368 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  369  370  371  372  373  374  375  376  377  378  379  380  381  382  383  384 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  385  386  387  388  389  390  391  392  393  394  395  396  397  398  399  400 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  401  402  403  404  405  406  407  408  409  410  411  412  413  414  415  416 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  417  418  419  420  421  422  423  424  425  426  427  428  429  430  431  432 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  433  434  435  436  437  438  439  440  441  442  443  444  445  446  447  448 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  449  450  451  452  453  454  455  456  457  458  459  460  461  462  463  464 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  465  466  467  468  469  470  471  472  473  474  475  476  477  478  479  480 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  481  482  483  484  485  486  487  488  489  490  491  492  493  494  495  496 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  497  498  499  500  501  502  503  504  505  506  507  508  509  510  511  512 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  513  514  515  516  517  518  519  520  521  522  523  524  525  526  527  528 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  529  530  531  532  533  534  535  536  537  538  539  540  541  542  543  544 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  545  546  547  548  549  550  551  552  553  554  555  556  557  558  559  560 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  561  562  563  564  565  566  567  568  569  570  571  572  573  574  575  576 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  577  578  579  580  581  582  583  584  585  586  587  588  589  590  591  592 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  593  594  595  596  597  598  599  600  601  602  603  604  605  606  607  608 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  609  610  611  612  613  614  615  616  617  618  619  620  621  622  623  624 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  625  626  627  628  629  630  631  632  633  634  635  636  637  638  639  640 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  641  642  643  644  645  646  647  648  649  650  651  652  653  654  655  656 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  657  658  659  660  661  662  663  664  665  666  667  668  669  670  671  672 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  673  674  675  676  677  678  679  680  681  682  683  684  685  686  687  688 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  689  690  691  692  693  694  695  696  697  698  699  700  701  702  703  704 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  705  706  707  708  709  710  711  712  713  714  715  716  717  718  719  720 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  721  722  723  724  725  726  727  728  729  730  731  732  733  734  735  736 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  737  738  739  740  741  742  743  744  745  746  747  748  749  750  751  752 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  753  754  755  756  757  758  759  760  761  762  763  764  765  766  767  768 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  769  770  771  772  773  774  775  776  777  778  779  780  781  782  783  784 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  785  786  787  788  789  790  791  792  793  794  795  796  797  798  799  800 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  801  802  803  804  805  806  807  808  809  810  811  812  813  814  815  816 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  817  818  819  820  821  822  823  824  825  826  827  828  829  830  831  832 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  833  834  835  836  837  838  839  840  841  842  843  844  845  846  847  848 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  849  850  851  852  853  854  855  856  857  858  859  860  861  862  863  864 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  865  866  867  868  869  870  871  872  873  874  875  876  877  878  879  880 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  881  882  883  884  885  886  887  888  889  890  891  892  893  894  895  896 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  897  898  899  900  901  902  903  904  905  906  907  908  909  910  911  912 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  913  914  915  916  917  918  919  920  921  922  923  924  925  926  927  928 
##    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3 
##  929  930  931  932  933  934  935  936  937  938  939  940  941  942  943  944 
##    4    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4 
##  945  946  947  948  949  950  951  952  953  954  955  956  957  958  959  960 
##    5    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5 
##  961  962  963  964  965  966  967  968  969  970  971  972  973  974  975  976 
##    1    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1 
##  977  978  979  980  981  982  983  984  985  986  987  988  989  990  991  992 
##    2    3    4    5    1    2    3    4    5    1    2    3    4    5    1    2 
##  993  994  995  996  997  998  999 1000 
##    3    4    5    1    2    3    4    5 
## Objective function:
## build  swap 
## 0.0000 0.0000 
## 
## Numerical information per cluster:
##      size max_diss av_diss isolation
## [1,]  200        0       0         0
## [2,]  200        0       0         0
## [3,]  200        0       0         0
## [4,]  200        0       0         0
## [5,]  200        0       0         0
## 
## Silhouette plot information:
##      cluster neighbor sil_width
## [1,]       1        2         1
## [2,]       2        3         1
## [3,]       3        4         1
## [4,]       4        5         1
## [5,]       5        1         1
## 
## Available components:
##  [1] "sample"     "medoids"    "i.med"      "clustering" "objective" 
##  [6] "clusinfo"   "diss"       "call"       "silinfo"    "data"
```

```
# Plot cluster results
plot_pamk(df=x, clara_out$clustering, "Clara clust")
```

```
## Warning: Ignoring unknown parameters: df
```



```
## $nc
## [1] 5
## 
## $clusterlist
## $clusterlist[[1]]
##   [1] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [13] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [25] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [37] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [49] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [61] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [73] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [85] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [97] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [109] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [121] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [133] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [145] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [157] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [169] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [181] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [193] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [205] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [217] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [229] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [241] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [253] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [265] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [277] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [289] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [301] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [313] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [325] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [337] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [349] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [361] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [373] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [385] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [397] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [409] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [421] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [433] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [445] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [457] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [469] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [481] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [493] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [505] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [517] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [529] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [541] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [553] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [565] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [577] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [589] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [601] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [613] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [625] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [637] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [649] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [661] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [673] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [685] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [697] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [709] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [721] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [733] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [745] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [757] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [769] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [781] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [793] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [805] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [817] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [829] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [841] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [853] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [865] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [877] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [889] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [901] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [913] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [925] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [937] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [949] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [961] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [973] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [985] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [997] FALSE FALSE FALSE FALSE
## 
## $clusterlist[[2]]
##   [1] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [13] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [25] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [37] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [49] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [61] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [73] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [85] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
##  [97] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [109] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [121] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [133] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [145] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [157] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [169] FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE FALSE
## [
```

```
## 0.0000000000000000e+00
## 1.0000000000000000e+00
## 2.0000000000000000e+00
## 3.0000000000000000e+00
## 4.0000000000000000e+00
## 5.0000000000000000e+00
## 6.0000000000000000e+00
## 7.0000000000000000e+00
## 8.0000000000000000e+00
## 9.0000000000000000e+00
## 1.0000000000000000e+01
## 1.1000000000000000e+01
## 1.2000000000000000e+01
## 1.3000000000000000e+01
## 1.4000000000000000e+01
## 1.5000000000000000e+01
## 1.6000000000000000e+01
## 1.7000000000000000e+01
## 1.8000000000000000e+01
## 1.9000000000000000e+01
## 2.0000000000000000e+01
```

```
# Create interaction
# ----------------------------------------------------------------------------
# 1.1 Create a dataframe containing only quantitative categories and interaction terms (1 - 11)
# 1.2 Add the 11 interaction variables and appropriate column names
# 1.3 Create a correlation matrix of these variables
# 1.4 Create a function that will eliminate highly correlated variables

# 1.1 Create a dataframe containing only quantitative categories and interaction terms (1 - 11)
df_int <- df_train[, c(1:11)]

# 1.2 Add the 11 interaction variables and appropriate column names
df_int$LP_SF <- df_train$LotArea * df_train$GrLivArea
df_int$LQ_OC <- df_train$LotArea * df_train$OverallCond
df_int$LT_YB <- df_train$LotArea * df_train$YearBuilt
df_int$LU_YR <- df_train$LotArea * df_train$YearRemodAdd
df_int$PS_FS <- df_train$PoolArea * df_train$Fireplaces
df_int$PU_GC <- df_train$PoolArea * df_train$GarageCars
df_int$SF_OC <- df_train$GrLivArea * df_train$OverallCond
df_int$SG_BT <- df_train$GrLivArea * df_train$TotRmsAbvGrd
df_int$SH_FB <- df_train$GrLivArea * df_train$FullBath
df_int$SI_HB <- df_train$GrLivArea * df_train$HalfBath
df_int$SJ_BR <- df_train$GrLivArea * df_train$BedroomAbvGr

# 1.3 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.4 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.5 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.6 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.7 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.8 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.9 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.10 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.11 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.12 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.13 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.14 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.15 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.16 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.17 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.18 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.19 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.20 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.21 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.22 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.23 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.24 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.25 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.26 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.27 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.28 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.29 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.30 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.31 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.32 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.33 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.34 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.35 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.36 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.37 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.38 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.39 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.40 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.41 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.42 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.43 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.44 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.45 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.46 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.47 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.48 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.49 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.50 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.51 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.52 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.53 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.54 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.55 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.56 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.57 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.58 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.59 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.60 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.61 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.62 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.63 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.64 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.65 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.66 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.67 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.68 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.69 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.70 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.71 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.72 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.73 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.74 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.75 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.76 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.77 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.78 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.79 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.80 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.81 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.82 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.83 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.84 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.85 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.86 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.87 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.88 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.89 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.90 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.91 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.92 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.93 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.94 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.95 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.96 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.97 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.98 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.99 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.100 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.101 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.102 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.103 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.104 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.105 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.106 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.107 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.108 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.109 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.110 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.111 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.112 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.113 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.114 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.115 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.116 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.117 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.118 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.119 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.120 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.121 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.122 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.123 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.124 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.125 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.126 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.127 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.128 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.129 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.130 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.131 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.132 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.133 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.134 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.135 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.136 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.137 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.138 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.139 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.140 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.141 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.142 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.143 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.144 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.145 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.146 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.147 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.148 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.149 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.150 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.151 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.152 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.153 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.154 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.155 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.156 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.157 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.158 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.159 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.160 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.161 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.162 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.163 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.164 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(corr_int, 2, function(x) any(abs(x) > 0.70))]

# Check the structure of the updated dataset
str(df_int)

# 1.165 Create a correlation matrix of these variables
corr_int <- cor(df_int)

# 1.166 Create a function that will eliminate highly correlated variables
# Create a correlation matrix, using only pairwise complete observations
corr_int <- cor(df_int, use = "pairwise.complete.obs")

# Drop correlated variables from the dataset
df_int <- df_int[, !apply(
```

```
## int          -1.77e08to+11
## ext          -7.11e08to+11
##
## ##### MODELING
##
## # Data Preparation
##
## # Create numeric matrices for predictors (drop=FALSE preserves matrix if only one predictor)
## x_train <- model.matrix(VOLUMES_MM ~ ., train_data)[, -1]
## x_test <- model.matrix(VOLUMES_MM ~ ., test_data)[, -1]
## y_train <- train_data$VOLUMES_MM
##
## x_test <- model.matrix(VOLUMES_MM ~ ., data = test_data)[, -1]
## y_test <- test_data$VOLUMES_MM
##
## # Define a grid of lambda values (10^-5 to 10^5)
## grid <- 10^seq(5, -5, length = 100)
##
## # 1. Fit Initial Lasso Model
##
## # Lasso regression (alpha=1), using the full lambda grid
## lasso_mod <- glmnet(x_train, y_train, alpha = 1, lambda = grid)
##
## # Display 5 regularization and coefficients for first 10 models
## print(lasso_mod, digits = 3, clip = 5, max = 10)
##
## Call:  glmnet(x = x_train, y = y_train, alpha = 1, lambda = grid)
##
##       Df %Dev Lambda
##  [1,]  0  0.0 100000
##  [2,]  1  0.0  75431
##  [3,]  1  0.0  56899
##  [4,]  1  0.0  42919
##  [5,]  1  0.0  32375
##  [6,]  1  0.0  24421
##  [7,]  1  0.0  18421
##  [8,]  1  0.0  13894
##  [9,]  1  0.0  10481
## [10,]  1  0.0   7906
## [11,]  1  0.0   5964
## [12,]  1  0.0   4498
## [13,]  1  0.0   3393
## [14,]  1  0.0   2559
## [15,]  1  0.0   1931
## [16,]  1  0.0   1456
## [17,]  1  0.0   1098
## [18,]  1  0.0    829
## [19,]  1  0.0    625
## [20,]  1  0.0    472
## [21,]  1  0.0    356
## [22,]  1  0.0    268
## [23,]  1  0.0    203
## [24,]  1  0.0    153
## [25,]  1  0.0    115
## [26,]  1  0.0     87
## [27,]  1  0.0     65
## [28,]  1  0.0     49
## [29,]  1  0.0     37
## [30,]  1  0.0     28
## [31,]  1  0.0     21
## [32,]  1  0.0     16
## [33,]  1  0.0     12
## [34,]  1  0.0      9
## [35,]  1  0.0      7
## [36,]  1  0.0      5
## [37,]  1  0.0      4
## [38,]  1  0.0      3
## [39,]  1  0.0      2
## [40,]  1  0.0      2
## [41,]  1  0.0      1
## [42,]  1  0.0      1
## [43,]  1  0.0      1
## [44,]  1  0.0      1
## [45,]  1  0.0      1
## [46,]  1  0.0      1
## [47,]  1  0.0      1
## [48,]  1  0.0      1
## [49,]  1  0.0      1
## [50,]  1  0.0      1
## [51,]  1  0.0      1
## [52,]  1  0.0      1
## [53,]  1  0.0      1
## [54,]  1  0.0      1
## [55,]  1  0.0      1
## [56,]  1  0.0      1
## [57,]  1  0.0      1
## [58,]  1  0.0      1
## [59,]  1  0.0      1
## [60,]  1  0.0      1
## [61,]  1  0.0      1
## [62,]  1  0.0      1
## [63,]  1  0.0      1
## [64,]  1  0.0      1
## [65,]  1  0.0      1
## [66,]  1  0.0      1
## [67,]  1  0.0      1
## [68,]  1  0.0      1
## [69,]  1  0.0      1
## [70,]  1  0.0      1
## [71,]  1  0.0      1
## [72,]  1  0.0      1
## [73,]  1  0.0      1
## [74,]  1  0.0      1
## [75,]  1  0.0      1
## [76,]  1  0.0      1
## [77,]  1  0.0      1
## [78,]  1  0.0      1
## [79,]  1  0.0      1
## [80,]  1  0.0      1
## [81,]  1  0.0      1
## [82,]  1  0.0      1
## [83,]  1  0.0      1
## [84,]  1  0.0      1
## [85,]  1  0.0      1
## [86,]  1  0.0      1
## [87,]  1  0.0      1
## [88,]  1  0.0      1
## [89,]  1  0.0      1
## [90,]  1  0.0      1
## [91,]  1  0.0      1
## [92,]  1  0.0      1
## [93,]  1  0.0      1
## [94,]  1  0.0      1
## [95,]  1  0.0      1
## [96,]  1  0.0      1
## [97,]  1  0.0      1
## [98,]  1  0.0      1
## [99,]  1  0.0      1
## [100,]  1  0.0      1
```




```
## # 2. Find CV-optimal model (minimizes cross-validated MSE)
## set.seed(123) # For reproducibility of the CV folds
## cv_out <- cv.glmnet(x_train, y_train, alpha = 1, lambda = grid)
##
## # Plot cross-validation error curve
## plot(cv_out)
```

```
## # Extract the lambda value that gives the minimum CV error
## best_lambda <- cv_out$lambda.min
## print(paste("Best Lambda:", best_lambda))
## [1] "Best Lambda: 0.457701245779458"
##
## # 3. Predict coefficients for the best model and saving the best lambda
## lasso_coef <- predict(lasso_mod, s = best_lambda, type = "coefficients")
## lasso_coef
## print(lasso_coef, digits = 3, nonzero=TRUE, full)
## print("Lasso Test RMSE: 10090.507
##
## # 4. Inspect the final coefficients
##
## # Note that in Ridge, unlike Lasso, coefficients are never exactly zero.
## # We can count how many are "effectively" zero.
## final_coefs <- predict(lasso_mod, type = "coefficients", s = best_lambda)
## print(final_coefs)
##
## ##### 5. Generate Activity of class "dgCMatrix"
## ##                                  1
## ## (Intercept)  -1.13129e+04
## ## CONVEXITY    -1.13129e+04
## ## SURTOUNDINGS -1.13129e+04
## ## HOUSEPRICE   -1.13129e+04
## ## int          -1.13129e+04
## ## ext          -1.13129e+04
## ## CONDITION    -1.13129e+04
## ## PLOT         -1.13129e+04
## ## AGE          -1.13129e+04
## ## DISTANCE     -1.13129e+04
## ## STORES       -1.13129e+04
## ## NUMBER       -1.13129e+04
## ## AREA         -1.13129e+04
## ## (Intercept)  -1.13129e+04
## ## CONVEXITY    -1.13129e+04
## ## SURTOUNDINGS -1.13129e+04
## ## HOUSEPRICE   -1.13129e+04
## ## int          -1.13129e+04
## ## ext          -1.13129e+04
## ## CONDITION    -1.13129e+04
## ## PLOT         -1.13129e+04
## ## AGE          -1.13129e+04
## ## DISTANCE     -1.13129e+04
## ## STORES       -1.13129e+04
## ## NUMBER       -1.13129e+04
## ## AREA         -1.13129e+04
## [1] "Lasso Test RMSE: 10090.51"
```

Random Forest

```
## # 1. Set the seed for reproducibility
## set.seed(123)
##
## # Hyperparameter
## # ntree: Number of randomly sampled variables to be considered at each split.
## # mtry: Recommended, the default is sqrt(p) or p/3, where p is the number of features.
## # nodesize: Minimum number of nodes. Set to smaller number.
## # importance: Should importance of predictors be assessed? Set to TRUE.
##
## # Train the model
## rf_model <- randomForest(VOLUMES_MM ~ .,
##                          data = train_data,
##                          ntree = 500,
##                          mtry = 7,
##                          importance = TRUE)
##
## # View the model output
## print(rf_model)
##
##
## Call:
##  randomForest(formula = VOLUMES_MM ~ ., data = train_data, ntree = 500,      mtry = 7, importance = TRUE)
##                Type of random forest: regression
##                      Number of trees: 500
## No. of variables tried at each split: 7
##
##           Mean of squared residuals: 149322009
##                     % Var explained: 36.97
##
## # 2. View the importance scores
## importance(rf_model)
##                  %IncMSE IncNodePurity
## CONVEXITY      -1.6825258    1.0000000
## SURTOUNDINGS   -1.6825258    1.0000000
## HOUSEPRICE     -1.6825258    1.0000000
## int            -1.6825258    1.0000000
## ext            -1.6825258    1.0000000
## CONDITION      -1.6825258    1.0000000
## PLOT           -1.6825258    1.0000000
## AGE            -1.6825258    1.0000000
## DISTANCE       -1.6825258    1.0000000
## STORES         -1.6825258    1.0000000
## NUMBER         -1.6825258    1.0000000
## AREA           -1.6825258    1.0000000
## int            -1.6825258    1.0000000
## ext            -1.6825258    1.0000000
## CONDITION      -1.6825258    1.0000000
## PLOT           -1.6825258    1.0000000
## AGE            -1.6825258    1.0000000
## DISTANCE       -1.6825258    1.0000000
## STORES         -1.6825258    1.0000000
## NUMBER         -1.6825258    1.0000000
## AREA           -1.6825258    1.0000000
## [1] "Random Forest Test RMSE: 12212.47"
## [1] "Random Forest Test RMSE: 12212.47"
```




```
## # 3. Make predictions and calculate Test Error
## rf_preds <- predict(rf_model, newdata = test_data)
##
## # Calculate RMSE
## rf_test_rmse <- sqrt(mean((rf_preds - test_data$VOLUMES_MM)^2))
##
## # Calculate Root Mean Squared Error (RMSE) for interpretability
## # (This is the value in the same units as VOLUMES_MM)
## rf_test_rmse <- sqrt(rf_test_mse)
##
## paste("Random Forest Test RMSE:", round(rf_test_rmse, 2))
## [1] "Random Forest Test RMSE: 12212.47"
##
## # Tuning the Model Using OOB Error
## # We can plot the OOB error to see how it stabilizes
## tuned_mtry <- tuneRF(x = train_data[, -which(names(train_data) == "VOLUMES")],
##                      y = train_data$VOLUMES_MM,
##                      stepFactor = 1.5,
##                      improve = 0.01,
##                      ntree = 500)
## mtry = 7  OOB error = 151384425
## Searching left ...
## mtry = 5  OOB error = 151384425
## Searching right ...
## mtry = 10  OOB error = 151384425
## [1] "Random Forest Test RMSE: 12212.47"
```




```
## print("Variable 4 = 5")
##
## [1] "Variable 4 = 5"
##
## rf_model <- randomForest(VOLUMES_MM ~ .,
##                          data = train_data,
##                          ntree = 500,
##                          mtry = 5,
##                          importance = TRUE)
## rf_preds <- predict(rf_model, newdata = test_data)
## rf_test_mse <- mean((rf_preds - test_data$VOLUMES_MM)^2)
## rf_test_rmse <- sqrt(rf_test_mse) # Use sqrt for RMSE
## paste("Random Forest Test RMSE (ntree = 5):", round(rf_test_rmse, 2))
##
## [1] "Random Forest Test RMSE (ntree = 5): 12077.7"
```

Deep Neural Network

```
## # Load required libraries
## library(keras)
## x_train <- model.matrix(VOLUMES_MM ~ ., data = train_data)[, -1]
## x_test <- model.matrix(VOLUMES_MM ~ ., data = test_data)[, -1]
## y_train <- train_data$VOLUMES_MM
##
## # Define and fit the neural network
## # Architecture: 2 hidden layers with ReLU activation and a linear output layer
## model <- keras_model_sequential() %>%
##   layer_dense(units = 64, activation = "relu", input_shape = ncol(x_train)) %>%
##   layer_dense(units = 32, activation = "relu") %>%
##   layer_dense(units = 1) # Linear activation for regression
##
## # Compile the model
## model %>% compile(
##   loss = "mse",
##   optimizer = "rmsprop",
##   metrics = c("mae")
## )
## # Fit the model
## # Use a validation_split to monitor performance on unseen data during training
## history <- model %>% fit(
##   x_train, y_train,
##   epochs = 50,
##   batch_size = 32,
##   validation_split = 0.2 # Automatically uses 20% of training data for "OOB-like" checks
## )
## Epoch 1/50
## 1/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 2/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 3/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 4/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 5/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 6/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 7/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 8/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 9/238 [..............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 10/238 [>.............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 11/238 [>.............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 12/238 [>.............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 13/238 [>.............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 14/238 [>.............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 15/238 [>.............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 16/238 [=>............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 17/238 [=>............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 18/238 [=>............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 19/238 [=>............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 20/238 [=>............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 21/238 [=>............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 22/238 [=>............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 23/238 [=>............................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 24/238 [==>...........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 25/238 [==>...........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 26/238 [==>...........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 27/238 [==>...........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 28/238 [==>...........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 29/238 [==>...........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 30/238 [==>...........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 31/238 [==>...........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 32/238 [===>..........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 33/238 [===>..........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 34/238 [===>..........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 35/238 [===>..........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 36/238 [===>..........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 37/238 [===>..........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 38/238 [===>..........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 39/238 [===>..........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 40/238 [====>.........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 41/238 [====>.........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 42/238 [====>.........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 43/238 [====>.........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 44/238 [====>.........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 45/238 [====>.........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 46/238 [====>.........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 47/238 [====>.........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 48/238 [=====>........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 49/238 [=====>........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 50/238 [=====>........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 51/238 [=====>........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 52/238 [=====>........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 53/238 [=====>........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 54/238 [=====>........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 55/238 [=====>........................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 56/238 [======>.......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 57/238 [======>.......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 58/238 [======>.......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 59/238 [======>.......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 60/238 [======>.......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 61/238 [======>.......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 62/238 [======>.......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 63/238 [======>.......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 64/238 [=======>......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 65/238 [=======>......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 66/238 [=======>......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 67/238 [=======>......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 68/238 [=======>......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 69/238 [=======>......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 70/238 [=======>......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 71/238 [=======>......................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 72/238 [========>.....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 73/238 [========>.....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 74/238 [========>.....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 75/238 [========>.....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 76/238 [========>.....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 77/238 [========>.....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 78/238 [========>.....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 79/238 [========>.....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 80/238 [=========>....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 81/238 [=========>....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 82/238 [=========>....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 83/238 [=========>....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 84/238 [=========>....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 85/238 [=========>....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 86/238 [=========>....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 87/238 [=========>....................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 88/238 [==========>...................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 89/238 [==========>...................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 90/238 [==========>...................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 91/238 [==========>...................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 92/238 [==========>...................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 93/238 [==========>...................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 94/238 [==========>...................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 95/238 [==========>...................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 96/238 [===========>..................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 97/238 [===========>..................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 98/238 [===========>..................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 99/238 [===========>..................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 100/238 [===========>..................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 101/238 [===========>..................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 102/238 [===========>..................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 103/238 [===========>..................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 104/238 [============>.................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 105/238 [============>.................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 106/238 [============>.................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 107/238 [============>.................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 108/238 [============>.................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 109/238 [============>.................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 110/238 [============>.................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 111/238 [============>.................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 112/238 [=============>................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 113/238 [=============>................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 114/238 [=============>................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 115/238 [=============>................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 116/238 [=============>................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 117/238 [=============>................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 118/238 [=============>................] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 119/238 [==============>...............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 120/238 [==============>...............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 121/238 [==============>...............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 122/238 [==============>...............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 123/238 [==============>...............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 124/238 [==============>...............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 125/238 [==============>...............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 126/238 [==============>...............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 127/238 [===============>..............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 128/238 [===============>..............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 129/238 [===============>..............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 130/238 [===============>..............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 131/238 [===============>..............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 132/238 [===============>..............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 133/238 [===============>..............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 134/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 135/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 136/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 137/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 138/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 139/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 140/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 141/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 142/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 143/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 144/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 145/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 146/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 147/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 148/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 149/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 150/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 151/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 152/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 153/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 154/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 155/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 156/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 157/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 158/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 159/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 160/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 161/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 162/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 163/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 164/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 165/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 166/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 167/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 168/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 169/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 170/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 171/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 172/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 173/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 174/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 175/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 176/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 177/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 178/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 179/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 180/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 181/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 182/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 183/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 184/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 185/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 186/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 187/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 188/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 189/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 190/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 191/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 192/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 193/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 194/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 195/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 196/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 197/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 198/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 199/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 200/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 201/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 202/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 203/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 204/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 205/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 206/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 207/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 208/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 209/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 210/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 211/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 212/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 213/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 214/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 215/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 216/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 217/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 218/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 219/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 220/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 221/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 222/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 223/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 224/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 225/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 226/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 227/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 228/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 229/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 230/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 231/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 232/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 233/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 234/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 235/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 236/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae: 1.0000
## 237/238 [================>.............] - ETA: 4:1 - loss: 1.0000e+00 - mae
```