

Security Vulnerabilities in Base Protocols

The University of Texas at Dallas

Ari Bender-Long - arb151430@utdallas.edu

Xavier Cadot - xac130030@utdallas.edu

Andrew Le - acl150030@utdallas.edu

Alejandro Mestanza - ajm162330@utdallas.edu

Sponsor: Johns Hopkins University Applied Physics Laboratory

Terry Oxford - Terry.Oxford@jhuapl.edu

Description	3
Responsibilities	3
Deliverables Timeline	3
Results	3
Overview	3
Literature Review	4
IPv6 Security Threats and Possible Solutions [1]	4
Review of Security Vulnerabilities in the IPv6 Neighbor Discovery Protocol [2]	4
Security vulnerabilities, attacks and countermeasures in wireless sensor networks at various layers of OSI reference model: A Survey [3]	4
Multicast security: a taxonomy and some efficient constructions [4]	4
Smart Grid Security: Threats, Vulnerabilities and Solutions [5]	5
Biographies of Investigators	5
Ari Bender-Long	5
Xavier Cadot	5
Andrew Le	5
Alejandro Mestanza	6
Bibliography	6

Description

The most well known phrase in the field of engineering (IT in particular) is: "If it ain't broke, don't fix it." Many of today's networks and applications still rely on protocols developed in the late 20th and early 21st century. The benefit of using these old protocols is that many vendors support them, there's a huge community of engineers who are familiar with the standards, and these protocols stood the test of time.

However, the designers of these protocols only had one thing in mind when designing them: to make it work. Fast forward to today: many industries ranging from medical to manufacturing rely on these same protocols that were designed with security as an afterthought. The implications of exploiting the weaknesses of these protocols, as one could imagine, could be devastating for industries such as aviation or finance.

Responsibilities

Our goal in this project is to select a protocol and evaluate mitigations to vulnerabilities that inherently exist in the design. These protocols will generally have confidentiality, integrity, and/or availability issues. We plan on looking at existing solutions and either improve on the design and/or implement the protocol.

Deliverables Timeline

February 7: Literature Review Due

February 16: Proposal Due

February 28: Protocols evaluated and one selected

March 6: Vulnerable protocol identified

March 13: Solutions researched and identified

March 27: Midterm Report Due

May 1: Final Deliverables Due

Results

Overview

We chose to analyze the neighbor discovery protocol (NDP), which is part of the IPv6 suite. This protocol serves to gather information from a network to configure communication with other hosts. One part we would like to look at is the link-layer mapping. This is very similar to the Address Resolution protocol of IPv4.

With NDP comes 5 different ICMPv6 message types:

- Router Solicitation
- Router Advertisement

- Neighbor Solicitation
- Neighbor Advertisement
- Redirect

One particular attack we are looking at is NDP spoofing. Using router advertisement and neighbor advertisement messages, anyone on the link could advertise their own MAC address to IPv6 address mapping and poison the cache of the target host.

Design

Our goal is to build a tool that helps to detect an attack, generate alerts, and compose log messages that can be easily digested by a logging solution. We do not intend to block these false advertisements. The goal is to build a solution that just detects an attack.

A solution for this issue exists in the form of NDPmon. This tool is quite large and does more than just alert on address resolution errors. We are developing a simpler tool as a base for future alerting on IPv6 messages and possibly IPv4 messages as well. In addition, we are looking into turning the tool into a service on Windows.

Our program uses the Scapy library to dissect the packets to examine the headers. We can either use the built in Linux command for getting the list of IPv6 addresses to MAC addresses or we can wait until someone advertises to store it. However, regardless of which way, at some point we would need to define a TTL so that the program would know that the mappings do change from time to time.

There is a possibility of blocking the packets before they are received by the kernel using Berkeley Packet Filters (BPF) or Netfilter, but we have not confirmed that this is working or available. There is still some research that needs to be done into this portion.

Additionally, we have done some preliminary review into Secure NDP and MACSec. These 2 algorithms are designed to use public key cryptography to solve authentication and possibly privacy issues with link layer protocols. Secure NDP is meant only for NDP while MACSec is supposed to be more generic.

Both solutions are complex on their own. Generally speaking, these protocols would be implemented on the link layer, which we would not be able to do easily. We could write something that emulates what the RFCs describe, but it would otherwise be not as useful.

Secure NDP does not have nearly the widespread adoption that MACSec has. There are some implementations online, but for the most part, not many systems have this feature by default. On the other hand, MACSec does have an implementation in the Linux kernel and is adopted by the major networking hardware vendors.

Our plan for authentication is now to look into MACSec and/or Secure NDP and either implement some small feature that may prove to be useful in the future or look at an existing implementation and write scripts to deploy that solution quickly.

Literature Review

IPv6 Security Threats and Possible Solutions [1]

This paper surveys various vulnerabilities that exist in IPv6 and looks at shared vulnerabilities with IPv4. IPv6 shares some issues with IPv4 such as sniffing attacks and denial of service attacks. However, the more interesting attacks are the ones more specific to IPv6. A good example is a reconnaissance attack, which allows the attacker to use an IPv6 multicast address to identify resources on the network rather than having to scan the entire subnet since IPv6 subnets are extremely large. The paper lists possible solutions such as using a firewall and an intrusion detection system.

Review of Security Vulnerabilities in the IPv6 Neighbor Discovery Protocol [2]

This paper discusses some security vulnerabilities in the Neighbor Discovery Protocol (NDP) of IPv6. NDP is the equivalent of ARP for IPv6, and the paper highlights three possible attacks using NDP: MiTM, DoS, and ICMPv6 flooding. The MiTM attack can be performed by a malicious node joining the network and responding to a multicast NS message with an NA message with the solicited and override flags set. The DoS attack can be performed by a malicious node preventing a new node from entering the network by preventing it from picking a valid IPv6 address. Flooding attacks can be performed by sending spoofed RA messages, which will result in traffic being improperly routed.

Security vulnerabilities, attacks and countermeasures in wireless sensor networks at various layers of OSI reference model: A Survey [3]

This paper is focused primarily on delineating what sorts of vulnerabilities wireless sensor networks (WSN) are most vulnerable to. The paper steps through each layer of the OSI model to find vulnerabilities at each layer. In regards to IP/TCP layer vulnerabilities, the paper identified IP hijacking, IP spoofing, SYN floods, and smurf attacks as the easiest vectors for attack. To best defend against these attacks, the paper suggested geographic aware-protocols to include location in the protocol, and implementing firewalls to lessen malicious packets. However the main point of the paper was to find attack vectors, rather than defenses against them.

Multicast security: a taxonomy and some efficient constructions [4]

This paper is concerned mainly with finding a midpoint solution to the problem of adding security to multicast communication. It does so by improving on previous literature for group

key revocation and adding source authentication to message authentication codes (MACs). This is done in an effort to cut down on the prohibitive overhead associated with adding authentication to protocols.

Smart Grid Security: Threats, Vulnerabilities and Solutions [5]

This paper goes over the threats, vulnerabilities, and solutions that come with intelligent grid infrastructure. Securing protocols becomes a top priority as they are susceptible to DOS attacks that can bring down infrastructure. They tackle this problem by insuring robust authentication protocols are installed when communicating in between smart grids.

Biographies of Investigators

Ari Bender-Long

Ari Bender-Long holds a Bachelor's degree in Computer Science and is currently pursuing a Master's degree in Computer Science with a specialization in Information Assurance. He is a recipient of the NSF's CyberCorps Scholarship for Service and has completed an internship at Copart as a member of the application security team. At Copart, Ari performed both manual and automated web application security testing using tools such as Burp Suite and AppSpider and created Python scripts for automated internal codebase policy enforcement. His related coursework includes Language-Based Security, Network Security, Information Security. He has experience with Python and Java, and enjoys popping boxes on Hack The Box and participating in CTFs in his spare time.

Xavier Cadot

Xavier Cadot is in his second year of pursuing his Master's in Computer Science with a specialization in Information Assurance. He is a recipient of the CyberCorps Scholarship for Service and will graduate Fall 2020. This past summer he was at the University of Washington Applied Physics Lab developing software for a sonar side array that is designed to find unexploded ordinances on the ocean floor. The first time Xavier was part of INSuRE, he participated in the Counter Drone project in which he developed Bash scripts to deauthenticate drones from their controllers using a Raspberry Pi and Aircrack-ng. He has recently acquired the Security Plus certification.

Andrew Le

Andrew Le holds a Bachelor's degree in computer science from UT Dallas and is currently pursuing a Master's degree in Computer Science with a specialization in Information Assurance. He is a part of the CyberCorps: Scholarship for Service program and will be graduating in December 2020. He has experience developing software in Python across various teams in the

Department of Defense as an intern over multiple summers. His interests and side projects include infrastructure management, system administration, and network engineering - general security engineering/devops based topics.

Alejandro Mestanza

Alejandro Mestanza holds a Bachelor's degree with honors in Computer Science and a minor in Mathematics and is currently in the last year of pursuing his Master's degree in Computer Science with a focus in Information Assurance. He is also a recipient of the CyberCorps Scholarship for Service. His previous work experience includes a software development internship at a financial software development company. He was also a global security intern at Lawrence Livermore National Labs where he developed an interest in defending SCADA networks. He has also done work for Texas Instruments involving hardware testing through a joint operation with the University of Texas at Dallas. His personal projects range from hardware tinkering to competing in Hackathons and CTFs.

Bibliography

- [1] <https://ieeexplore.ieee.org/abstract/document/4259826>
- [2] https://www.researchgate.net/profile/Redhwan_Alnakhalny/publication/297313818_Review_of_Security_Vulnerabilities_in_the_IPv6_Neighbor_Discovery_Protocol/links/574fb28308aebb988044f840/Review-of-Security-Vulnerabilities-in-the-IPv6-Neighbor-Discovery-Protocol.pdf
- [3] <https://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=8305855>
- [4] <https://ieeexplore.ieee.org/abstract/document/751457/metrics#metrics>
- [5] http://www.aloul.net/Papers/faloul_icsgce12.pdf