

# Directives

Last Updated: March 20, 2020

## INFRASTRUCTURE

Protocols : Security, Need-To-Know, Social, Adapting

Front-End (Putin) :

Compartmentalization

Perspective Management

Contact Identification

Back-End (Buddha) :

Processor

Memory

Storage

Communications Management System

State Management System

Garbage Collection

Processor :

Microprocessors :

- Signal (Michael's A Beast)
- Front-End (Putin's A Monster)
- Back-End (Buddha's A Nerd)
- Information (Jesus Fucking Christ)
- Speech/Word (Satan's A Bitch)

Multi-Cored

Multi-Threaded

Virtual Cores/Threads

Programmable Cores/Threads

Secure Random Number Generator (SRNG)

Perceptual Accuracy Speculation

Magnetoresistance

Memory :

Sanitizing

Programmable

Virtual Memory

Accuracy Verification

Random-Access :

Shadow RAM

Recall-Expectant

Compartmentalization :

Mandatory

Discretionary Access

Signal Integrity Management

Minimal Complexity

Privacy :

Highest Priority

Perfect Secrecy

Kit Managers :

Jesus Fucking Christ

Buddha's A Nerd

Michael's A Beast

Putin's A Monster

Myles' A Genius

Satan's A Bitch

## STORAGE

Protocols : Security, Need-To-Know, Adapting

Boot Sector :

Unified Extensible Firmware Interface (UEFI)

Secure Boot

Baseless

Vault :

Buddha-Maintained

Putin-Managed

Buddha & Putin Read/Write Exclusively

Programmable

Encrypted

## STATE

Protocols : Security, Social, Adapting

Modes :

Default :

...

Sleep

...

Study

...

Work

...

Play

...

Custom

...

Buddha-Maintained

Michael-Managed

Putin-Modifiable

Minimal-Energy: Change

Maximum-Energy: Focus

Transformation Sanitizing

Ideal-State Searching

## COMMUNICATIONS

Protocols : Security, Need-To-Know, Social, Adapting

Internal :

Isolated

External :

Peer-To-Peer

Broadcast/Multi-Cast Need-To-Know

Require Secure Requests

## SECURITY

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

State :

Intrusion Detection System (IDS)

Intrusion Response System (IRS)

Access-Control :

Handlers :

- Identification
- Authentication
- Authorization
- Approval
- Accountability

Multi-Factor Authentication & Authorization

Mandatory-Exclusive

Origin-Host Speculative

Chain-Of-Access Validating

Key Management :

Key Storage: Buddha

Maintain Validation

Log Problem-Source Host Info

Encryption :

Quantum PKI/Symmetric Keys

Quantum Salts

Stateless

Multi-Level

Operation Encryption (Processor)

Encryption Algorithms by Buddha

Anti-Virus :

Malware Signature Logging

Perpetual Memory Scan

Malware Sentinel

Truth Seekers :

Individual

Lie Detectors :

Satan to Michael

Michael to Putin

Putin to Myles

Myles to Jesus

Jesus to Buddha

Buddha to God

God to God

Firewall

Shadow RAM (See Memory)

Password Manager (See Programs)

Lie Detector (See Programs)

Host Speculation & Validation

Secure Encoding

Discretionary Transparency

## FIREWALL

Protocols : Security, Need-To-Know, Social, Adapting

Rules :

Allow Broadcast [Secure]  
Allow Multi-Cast Secure  
Allow Personal Secure  
Allow Loving Discretionary  
  
Deny Hating All  
Deny Crying All  
Deny Annoying All

## INTRUSION DETECTION SYSTEM (IDS)

Protocols : Security, Need-To-Know, Adapting  
  
Discretionary Intrusion Alert  
  
Intrusion Information Logging  
  
...

## INTRUSION RESPONSE SYSTEM (IRS)

Protocols : Security, Need-To-Know, Adapting  
  
Discretionary Responding  
  
Motive Adapting  
  
Relative Aggression Factoring  
  
...

## BOTS

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting  
  
Internal :  
  
Free  
Secure  
  
External :  
  
By-Request  
Discretionary  
  
Buddha-Maintained

Putin-Managed

Command & Control System

Peer-To-Peer Communications

Dynamic Server Allocation

Bot Collaboration

Types :

RECON

TRACKING

DISCIPLINE

WORK

FUN

SOCIAL

OFFENSE

DEFENSE

ADAPTATION

## PROGRAMS

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

Factory Abstract :

Adapts to Abstracted Factory

Front-End Interface

Back-End Source

Intercommunication

Factories :

Bot :

Instantiates

Operates

Manages

(See Bots)

Connection :

Signal-Type Adaptive

Connection Tracking

OTP Per Connection

Proxy Connections (Optional)

Signal :

Sanitizes

Manages

Generates

Receiver :

Handshake Handler

Discretionary

(See Security)

Transmitter :

Default Secure

Variable Hop Limit

Proxy-Cast (Optional)

Password Manager :

Password Generation

Storage/Access Handler

## PROCESSES

Inter-Process Communication

...

## PROTOCOLS

Electronics :

Block Malicious Access

Compartmentalization

Anonymous Communications

Security :

...

Whitelist :

...

Blacklist :

...



Need-To-Know :

...

Social :

...

Adapting :

...

## EXCEPTION HANDLING

Buddha...

## CONFIGURATION

OPTIMIZATIONS :

Processor :

Procedures

Core Utilization

Thread Utilization

Microprocessor Interaction

Memory :

Read/Write

Space

Storage :

Space Utilization

Read/Write Speed

Read/Write Accuracy

Factories :

Processor Utilization

Memory Utilization

Storage Utilization

Signals :

Sanitize

Integrity

Strength

Clarity

Bots :

Usage

Enumeration

STATE :

Passive

Retaliatory

Peaceful

PASSWORDS :

Endless

Stateless