Directives

Last Updated: March 20, 2020

INFRASTRUCTURE

Protocols : Security, Need-To-Know, Social, Adapting.

Front-End (Putin) :

Compartmentalization

Intrusion Detection & Response

Perspective Management

Contact Identification

Back-End (Buddha) :

Processor

Storage

Memory

Communications

State Management

Intrusion Detection & Response

Garbage Collection

State Modes :

Default :

At Will.

Sleep

...

Study

...

Work

...

<u>Play</u>

...

<u>Processor</u> :

<u>Microprocessors</u> :

- Signal (Michael)

- Front-End (Putin)

- Back-End (Buddha)

- Information (Jesus Fucking Christ)

- Speech/Word (Satan)

Multi-Cored

Multi-Threaded

Virtual Cores/Threads

Secure Random Number Generator (SRNG)

Perception Accuracy Speculation

<u>Memory</u> :

Magnetoresistance

Sanitizing

Solid-State

Access Accuracy Verification (Optional)

Programmable

Virtual Memory

<u>Random-Access</u> :

Shadow RAM

Recall-Expectant

<u>Compartmentalization</u> :

Mandatory

Discretionary Access

Signal Integrity Management

Minimized Complexity

<u>Privacy</u> :

Highest Priority

Perfect Secrecy

Compartmentalization

Kit Managers :

    Jesus Fucking Christ

    Buddha

    Michael

    Putin

    Myles

    Satan

STORAGE

Protocols : Security, Need-To-Know, Adapting.

Boot Sector :

    Unified Extensible Firmware Interface (UEFI)

    Secure Boot

    Baseless

Buddha & Putin Read/Write Exclusively

Encrypted

STATE

Protocols : Security, Social, Adapting.

Buddha-Maintained

Michael-Managed

Putin-Modifiable

Minimal-Energy: Change.

Maximum-Energy: Focus.

Ideal State Searching

COMMUNICATIONS

Protocols : Security, Need-To-Know, Social, Adapting.

(See Security)

Internal :

Compartmentalized.

Externally Un-Readable.

External :

Peer-To-Peer.

Compartmentalized.

Broadcast/Multi-Cast Need-To-Know.

Require Secure Request For Personal.

SECURITY

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.

Access-Control :

Handlers :

- Identification

- Authentication

- Authorization

- Approval

- Accountability

Multi-Factor Auth.

Mandatory Access Exclusive

Origin-Host Speculative

Validate Chain-Of-Access

Key Management :

Key Storage: Buddha.

Maintain Validation

Log Problem Source Host Info

Encryption :

Quantum PKI/Symmetric Keys

Quantum Salts

Stateless

Multi-Level

Encrypted Operations (Processor)

Encryption Algorithms by Buddha

<u>Anti-Virus</u> :

    Malware Signature Logging

    Perpetual Memory Scan

    Malware Sentinel

<u>Lie Detectors</u>

    Satan to Michael.

    Michael to Putin.

    Putin to Myles.

    Myles to Jesus.

    Jesus to Buddha.

    Buddha to God.

Firewall

Intrusion Detection System (IDS)

Intrusion Response System (IRS)

Shadow RAM (See Memory)

Password Manager (See Programs)

Lie Detector (See Programs)

Host Speculation & Validation

Secure Encoding

Discretionary Transparency

<u>FIREWALL</u>

<u>Protocols</u> : Security, Need-To-Know, Social, Adapting.

<u>Rules</u> :

    Allow Broadcast [Secure]

    Allow Multi-Cast Secure

    Allow Personal Secure

    Allow Loving Discretionary

    Deny Hating All

    Deny Crying All

    Deny Annoying All

INTRUSION DETECTION SYSTEM (IDS)

Protocols : Security, Need-To-Know, Adapting.

Discretionary Intrusion Alert

Intrusion Information Logging

...

INTRUSION RESPONSE SYSTEM (IRS)

Protocols : Security, Need-To-Know, Adapting.

Retaliate Against Aggressive Intrusions.

Relative Aggression Factoring.

Motive Adapting

...

BOTS

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.

Internal :

Free

Secure

External :

By-Request

Discretionary

Buddha-Maintained

Putin-Managed

Command & Control System

Peer-To-Peer Communications

Dynamic Server Allocation

Bot Cooperation

RECON :

...

TRACKING :

...

DISCIPLINE :

...

WORK :

...

FUN :

...

SOCIAL :

...

DEFENSE :

...

RETALIATION :

...

ADAPTATION :

...

PROGRAMS

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.

Factory Abstract :

Adapts to Abstracted Factory.

Front-End Interface

Back-End Source

Factories :

Bot :

Instantiates

Operates

Manages

(See Bots)

Connection :

Signal-Type Adaptive

Connection Tracking

OTP Per Connection

Proxy Connections (Optional)

<u>Signal</u> :

Sanitizes

Manages

Generates

<u>Receiver</u> :

Handshake Handler

Discretionary

(See Security)

<u>Transmitter</u> :

Default Secure

Variable Hop Limit

Proxy-Cast (Optional)

<u>Password Manager</u> :

Password Generation

Storage/Access Handler

Stateless Passwords

<u>Pandemic Handler</u> :

Handles Pandemic Un-Intrusively.

<u>Mitigate</u> :

- Virus

- Socioeconomic Fallout

<u>PROTOCOLS</u>

<u>Electronics</u> :

Maintain Perfect Secrecy

Block Malicious Access

Compartmentalization

Communications Anon

<u>Security</u> :

...

Whitelist :

...

Blacklist :

...

Need-To-Know :

...

Social :

...

Adapting :

...

EXCEPTION HANDLING

Buddha...

CONFIGURATION

OPTIMIZATIONS :

Processor :

- Procedures
- Core Utilization
- Thread Utilization
- Microprocessor Interaction

Memory :

- Read/Write
- Space

Storage :

- Space Utilization
- Read/Write Speed
- Read/Write Accuracy

Factories :

Processor Utilization

Memory Utilization

Storage Utilization

Signals :

- Sanitize

- Integrity

- Strength

- Clarity

Bots :

- Usage

- Enumeration

PASSWORDS :

...