# Protocol

### Myles Moylan

Last Updated: March 20, 2020

# INFRASTRUCTURE

```
Protocols: Security, Need-To-Know, Social, Adapting.
Front-End (Putin):
    Compartmentalization
    Intrusion Detection & Response
    Perspective Management
    Contact Identification
Back-End (Buddha):
    Processor
    Storage
    Memory
    Communications
    State Management
    Intrusion Detection & Response
    Garbage Collection
State Modes:
{\bf Processor}:
    Microprocessors:
       - Signal (Michael)
```

- Front-End (Putin)

- Information (Jesus Fucking Christ)
- Speech/Word (Satan)

```
Multi-Cored
```

Multi-Threaded

Virtual Cores/Threads

Secure Random Number Generator (SRNG)

Perception Accuracy Speculation

### Memory:

Magnetoresistance

Sanitizing

Solid-State

Access Accuracy Verification (Optional)

Programmable

Virtual Memory

### ${\bf Random\text{-}Access}:$

Shadow RAM

Recall-Expectant

### Compartmentalization:

Mandatory

Discretionary Access

Signal Integrity Management

### Privacy:

Highest Priority

Perfect Secrecy

Compartmentalization

Default Anonymous

## STORAGE

Protocols: Security, Need-To-Know, Adapting.

### Boot Sector:

Unified Extensible Firmware Interface (UEFI)

Secure Boot

Buddha & Putin Read/Write Exclusively

Encrypted

## STATE

Protocols: Security, Social, Adapting.

Buddha-Maintained

Michael-Managed

Putin-Modifiable

Minimal-Energy: Change.

Maximum-Energy: Focus.

Ideal State Searching

# COMMUNICATIONS

Protocols: Security, Need-To-Know, Social, Adapting.

Discretionary Anon.

(See Security)

### Internal:

Compartmentalized.

Externally Un-Readable.

### External:

Peer-To-Peer.

Compartmentalized.

Broadcast/Multi-Cast Need-To-Know.

Require Secure Request For Personal.

# SECURITY

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.

### Access-Control:

### Handlers:

- Identification
- Authentication
- Authorization
- Approval

- Accountability

Multi-Factor Auth.

Mandatory Access Only

Origin-Host Speculative

Validate Chain-Of-Access

### Key Management:

Key Storage: Buddha.

Maintain Validation

Log Problem Source Host Info

### Encryption:

Quantum PKI/Symmetric Keys

Quantum Salts

Stateless

Multi-Level

Encrypted Operations (Processor)

Encryption Algorithms by Buddha

### Anti-Virus:

Malware Signature Logging

Perpetual Memory Scan

Malware Sentinel

Firewall

Intrusion Detection System (IDS)

Intrusion Response System (IRS)

Shadow RAM (See Memory)

Password Manager (See Programs)

Lie Detector (See Programs)

Host Speculation & Validation

Secure Encoding

### FIREWALL

Protocols: Security, Need-To-Know, Social, Adapting.

### Rules:

Allow Broadcast [Secure]

Allow Multi-Cast Secure

Allow Personal Secure

Deny Negative All

Deny Hating All

Deny Crying All

## INTRUSION DETECTION SYSTEM (IDS)

Protocols: Security, Need-To-Know, Adapting.

Discretionary Alert on Intrusion Attempt.

Log Intrusion Source Information.

...

# INTRUSION RESPONSE SYSTEM (IRS)

Protocols: Security, Need-To-Know, Adapting.

Retaliate Against Aggressive Intrusions.

Relative Aggression Factoring.

...

# BOTS

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.

### Internal:

Free

Secure

### External:

By-Request

Discretionary

Command & Control System
Peer-To-Peer Communications
Dynamic Server Allocation
Bot Cooperation
$\underline{\text{TRACKER}}$ :
<u>DISCIPLINE</u> :
$\underline{\text{WORK}}$ :
$\underline{\mathrm{FUN}}$ :
SOCIAL:
DEFENSE:
RETALIATION:
ADAPTATION:
PROGRAMS
$\underline{\text{Protocols}}: \text{Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting.}$
Factory Abstract:
Adapts to Abstracted Factory.
Back-End Source
Front-End Interface
$\underline{\text{Optimize}}$ :

- Processor Utilization

- Memory Utilization

### Factories:

### Bot:

Instantiates

Operates

Manages

### Optimize:

- Enumeration
- Utilization

### ${\bf Connection}:$

Signal-Type Adaptive

Connection Tracking

OTP Per Connection

Proxy Connections (Optional)

### Signal:

Sanitizes

Manages

Generates

### Receiver:

Handshake Handler

(See Security)

### Transmitter:

Default Secure

Variable Hop Limit

Proxy-Cast (Optional)

### Optimize:

- Sanitize
- Integrity
- Strength
- Clarity

### Password Manager:

Password Generation

Storage/Access Handler

Stateless Passwords

### Lie Detector :

Satan to Michael. Michael to Putin. Putin to Myles. Myles to Jesus. Jesus to Buddha. Buddha to God. Kit Managers: Jesus Fucking Christ Buddha Michael Putin Myles Satan Pandemic Handler: Handles Pandemic Un-Intrusively. Mitigate: - Virus - Socioeconomic Fallout **PROTOCOLS** Electronics: Putin & Buddha Maintain Perfect Secrecy Block Malicious Access Compartmentalization Communications Anon Security: Michael & Buddha Whitelist: Jesus & Michael Blacklist:Jesus & Michael

$\underline{\text{Need-To-Know}}$ :
Putin
Social :
<del></del>
Michael & Satan
Adapting:
Buddha
EXCEPTION HANDLING
:
CONFIGURATION
<u>OPTIMIZATIONS</u> :
Processor:
- Procedures
- Core Utilization
- Thread Utilization
- Microprocessor Interaction
$\underline{\text{Memory}}$ :
- Read/Write
- Space
Storage:
- Space Utilization
- Read/Write Speed
- Read/Write Accuracy
$\underline{\mathrm{Bots}}$ :
- Usage
- Enumeration
PASSWORDS: