Directives

Last Updated: March 20, 2020

INFRASTRUCTURE

Protocols : Security, Need-To-Know, Social, Adapting

Front-End (Putin) :

Compartmentalization

Perspective Management

Contact Identification

Back-End (Buddha) :

Processor

Memory

Storage

Communications Management System

State Management System

Garbage Collection

State Modes :

Default :

...

Sleep

...

Study

...

Work

...

Play

...

<u>Custom</u>

...

<u>Processor</u> :

<u>Microprocessors</u> :

- Signal (Michael's A Beast)
- Front-End (Putin's A Monster)
- Back-End (Buddha's A Nerd)
- Information (Jesus Fucking Christ)
- Speech/Word (Satan's A Bitch)

Multi-Cored

Multi-Threaded

Virtual Cores/Threads

Programmable Cores/Threads

Secure Random Number Generator (SRNG)

Perceptual Accuracy Speculation

Magnetoresistance

<u>Memory</u> :

Sanitizing

Programmable

Virtual Memory

Accuracy Verification

<u>Random-Access</u> :

Shadow RAM

Recall-Expectant

<u>Compartmentalization</u> :

Mandatory

Discretionary Access

Signal Integrity Management

Minimal Complexity

<u>Privacy</u> :

Highest Priority

Perfect Secrecy

<u>Kit Managers</u> :

Jesus Fucking Christ

Buddha's A Nerd

Michael's A Beast

Putin's A Monster

Myles' A Genius

Satan's A Bitch

STORAGE

Protocols : Security, Need-To-Know, Adapting

Boot Sector :

Unified Extensible Firmware Interface (UEFI)

Secure Boot

Baseless

Vault :

Buddha-Maintained

Putin-Managed

Buddha & Putin Read/Write Exclusively

Programmable

Encrypted

STATE

Protocols : Security, Social, Adapting

Buddha-Maintained

Michael-Managed

Putin-Modifiable

Minimal-Energy: Change

Maximum-Energy: Focus

Transformation Sanitizing

Ideal State Searching

COMMUNICATIONS

Protocols : Security, Need-To-Know, Social, Adapting

(See Security)

Internal :

Isolated

External :

Peer-To-Peer

Broadcast/Multi-Cast Need-To-Know

Require Secure Request For Personal

SECURITY

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

State :

Intrusion Detection System (IDS)

Intrusion Response System (IRS)

Access-Control :

Handlers :

- Identification
- Authentication
- Authorization
- Approval
- Accountability

Multi-Factor Authentication & Authorization

Mandatory-Exclusive

Origin-Host Speculative

Chain-Of-Access Validating

Key Management :

Key Storage: Buddha

Maintain Validation

Log Problem Source Host Info

Encryption :

Quantum PKI/Symmetric Keys

Quantum Salts

Stateless

Multi-Level

Encrypted Operations (Processor)

Encryption Algorithms by Buddha

Anti-Virus :

Malware Signature Logging

Perpetual Memory Scan

Malware Sentinel

Truth Seekers :

Individual

Lie Detectors

Satan to Michael

Michael to Putin

Putin to Myles

Myles to Jesus

Jesus to Buddha

Buddha to God

God to God

Firewall

Shadow RAM (See Memory)

Password Manager (See Programs)

Lie Detector (See Programs)

Host Speculation & Validation

Secure Encoding

Discretionary Transparency

FIREWALL

Protocols : Security, Need-To-Know, Social, Adapting

Rules :

Allow Broadcast [Secure]

Allow Multi-Cast Secure

Allow Personal Secure

Allow Loving Discretionary

Deny Hating All

Deny Crying All

Deny Annoying All

INTRUSION DETECTION SYSTEM (IDS)

Protocols : Security, Need-To-Know, Adapting

Discretionary Intrusion Alert

Intrusion Information Logging

...

INTRUSION RESPONSE SYSTEM (IRS)

Protocols : Security, Need-To-Know, Adapting

Discretionary Responding

Motive Adapting

Relative Aggression Factoring

...

BOTS

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

Internal :

Free

Secure

External :

By-Request

Discretionary

Buddha-Maintained

Putin-Managed

Command & Control System

Peer-To-Peer Communications

Dynamic Server Allocation

Bot Collaboration

RECON :

...

TRACKING :

...

DISCIPLINE :

...

WORK :

...

FUN :

...

SOCIAL :

...

OFFENSE

...

DEFENSE :

...

ADAPTATION :

...

PROGRAMS

Protocols : Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

Factory Abstract :

    Adapts to Abstracted Factory

    Front-End Interface

    Back-End Source

    Intercommunication

Factories :

    Bot :

        Instantiates

        Operates

        Manages

        (See Bots)

    Connection :

        Signal-Type Adaptive

        Connection Tracking

        OTP Per Connection

        Proxy Connections (Optional)

    Signal :

        Sanitizes

        Manages

        Generates

        Receiver :

            Handshake Handler

            Discretionary

            (See Security)

        Transmitter :

            Default Secure

            Variable Hop Limit

            Proxy-Cast (Optional)

Password Manager :

    Password Generation

    Storage/Access Handler

PROCESSES

Inter-Process Communication

PROTOCOLS

Electronics :

Block Malicious Access

Compartmentalization

Anonymous Communications

Security :

...

Whitelist :

...

Blacklist :

...

Need-To-Know :

...

Social :

...

Adapting :

...

EXCEPTION HANDLING

Buddha...

CONFIGURATION

OPTIMIZATIONS :

Processor :

Procedures

Core Utilization

Thread Utilization

Microprocessor Interaction

Memory :

Read/Write

Space

Storage :

Space Utilization

Read/Write Speed

Read/Write Accuracy

Factories :

Processor Utilization

Memory Utilization

Storage Utilization

Signals :

Sanitize

Integrity

Strength

Clarity

Bots :

Usage

Enumeration

STATE :

...

PASSWORDS :

Endless

Stateless