Directives

Last Updated: March 20, 2020

INFRASTRUCTURE

Protocols: Security, Need-To-Know, Social, Adapting

Front-End (Putin):

Compartmentalization

Perspective Management

Contact Identification

Back-End (Buddha):

Processor

Memory

Storage

Communications Management System

State Management System

Garbage Collection

Processor:

Microprocessors:

- Signal (Michael's A Beast)
- Front-End (Putin's A Monster)
- Back-End (Buddha's A Nerd)
- Information (Jesus Fucking Christ)
- Speech/Word (Satan's A Bitch)

Multi-Cored

Multi-Threaded

Virtual Cores/Threads

Programmable Cores/Threads

Secure Random Number Generator (SRNG)

Perceptual Accuracy Speculation

Magnetoresistance

Memory:

Sanitizing

Programmable

Virtual Memory

Accuracy Verification

${\bf Random\text{-}Access}:$

Shadow RAM

Recall-Expectant

Compartmentalization:

Mandatory

Discretionary Access

Signal Integrity Management

Minimal Complexity

Privacy:

Highest Priority

Perfect Secrecy

Kit Managers:

Jesus Fucking Christ

Buddha's A Nerd

Michael's A Beast

Putin's A Monster

Myles' A Genius

Satan's A Bitch

STORAGE

Protocols: Security, Need-To-Know, Adapting

Boot Sector:

Unified Extensible Firmware Interface (UEFI)

Secure Boot

Baseless

Vault: Buddha-Maintained Putin-Managed Buddha & Putin Read/Write Exclusively Programmable Encrypted STATE Protocols: Security, Social, Adapting Modes: Default:... Sleep ... Study ... Work ... Play Custom ... Buddha-Maintained Michael-Managed Putin-Modifiable Minimal-Energy: Change Maximum-Energy: Focus Transformation Sanitizing Ideal-State Searching

COMMUNICATIONS

Protocols: Security, Need-To-Know, Social, Adapting

(See Security)

Internal:

Isolated

External:

Peer-To-Peer

Broadcast/Multi-Cast Need-To-Know

Require Secure Request For Personal

SECURITY

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

State:

Intrusion Detection System (IDS)

Intrusion Response System (IRS)

Access-Control:

Handlers:

- Identification
- Authentication
- Authorization
- Approval
- Accountability

Multi-Factor Authentication & Authorization

Mandatory-Exclusive

Origin-Host Speculative

Chain-Of-Access Validating

Key Management:

Key Storage: Buddha

Maintain Validation

Log Problem Source Host Info

Encryption:

Quantum PKI/Symmetric Keys Quantum Salts Stateless Multi-Level Encrypted Operations (Processor) Encryption Algorithms by Buddha Anti-Virus: Malware Signature Logging Perpetual Memory Scan Malware Sentinel Truth Seekers: Individual Lie Detectors Satan to Michael Michael to Putin Putin to Myles Myles to Jesus Jesus to Buddha Buddha to God God to God Firewall Shadow RAM (See Memory) Password Manager (See Programs) Lie Detector (See Programs) Host Speculation & Validation Secure Encoding

Discretionary Transparency

FIREWALL

Protocols: Security, Need-To-Know, Social, Adapting

Rules:

Allow Broadcast [Secure]

Allow Multi-Cast Secure

Allow Personal Secure

Allow Loving Discretionary

Deny Hating All

Deny Crying All

Deny Annoying All

INTRUSION DETECTION SYSTEM (IDS)

Protocols: Security, Need-To-Know, Adapting

Discretionary Intrusion Alert

Intrusion Information Logging

...

INTRUSION RESPONSE SYSTEM (IRS)

Protocols: Security, Need-To-Know, Adapting

Discretionary Responding

Motive Adapting

Relative Aggression Factoring

...

BOTS

Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting

Internal:

Free

Secure

External:

| By-Request |
|-----------------------------|
| Discretionary |
| Buddha-Maintained |
| Putin-Managed |
| Command & Control System |
| Peer-To-Peer Communications |
| Dynamic Server Allocation |
| Bot Collaboration |
| RECON: |
| |
| TRACKING: |
| |
| DISCIPLINE : |
| |
| WORK : |
| |
| FUN: |
| |
| SOCIAL: |
| |
| <u>OFFENSE</u> |
| |
| DEFENSE : |
| |
| ADAPTATION : |
| |

PROGRAMS

```
Protocols: Security, Whitelist, Blacklist, Need-To-Know, Social, Adapting
Factory Abstract:
    Adapts to Abstracted Factory
    Front-End Interface
    Back-End Source
    Intercommunication
Factories:
    Bot:
        Instantiates
        Operates
        Manages
        (See Bots)
    Connection:
        Signal-Type Adaptive
        Connection Tracking
        OTP Per Connection
        Proxy Connections (Optional)
    Signal:
        Sanitizes
        Manages
        Generates
        Receiver:
            Handshake Handler
            Discretionary
            (See Security)
        Transmitter:\\
            Default Secure
            Variable Hop Limit
            Proxy-Cast (Optional)
Password Manager:
    Password Generation
```

Storage/Access Handler

PROCESSES

Inter-Process Communication

PROTOCOLS

| Electronics: |
|-------------------------------------|
| Block Malicious Access |
| Compartmentalization |
| Anonymous Communications |
| <u>Security</u> : |
| |
| $\underline{\text{Whitelist}}$: |
| |
| $\underline{\text{Blacklist}}$: |
| |
| $\underline{\text{Need-To-Know}}$: |
| |
| Social: |
| |
| <u>Adapting</u> : |
| |
| EXCEPTION HANDLING |
| Buddha |
| CONFIGURATION |

CC

$\underline{\text{OPTIMIZATIONS}}:$

Processor:

Procedures

Core Utilization

Thread Utilization Microprocessor Interaction ${\bf Memory}:$ Read/Write Space Storage: Space Utilization Read/Write Speed Read/Write Accuracy ${\bf Factories}:$ Processor Utilization Memory Utilization Storage Utilization Signals: Sanitize Integrity Strength Clarity $\mathrm{Bots}:$ Usage Enumeration STATE: ${\it PASSWORDS}:$ Endless

Stateless