
UNIT 01 · CHAPTER 13


Building irishQwen

CSE 10124 · Building ChatGPT


William Theisen · University of Notre Dame




In the News


i²cjak @i2cjak · 6h
software “engineers”: “ah cool I can get a lot done!”
lawyers: “ah cool I can drink more!”
electrical engineers: “excellent! The models can accelerate electronics work a lot now!”
mathematicians: “the west has fallen. The lord has forsaken me. Billions must die”
Andrew Curran · 12h
Please resist the urge to mock the mathematicians struggling through this moment. Whatever your field, your expertise, your passio...
Lucas Beyer (bl16) · 8h
Wait a minute so they literally threw a slop grenade over the fence and are only checking over half of it afterwards?? Whyyyy
Dan Roberts @d... · 10h
We've updated our GitHub math repo with 6 new Lean formalizations, 19 modifications, and 3 withdrawals. The repo now...
53 44 1.2K 76K
Steve McCormick · 8h
The plot thickens.
"We show that the formalised Lean proof does not correspond to the [written paper] proof of blow-up of solutions to the Navier-Stokes equations."
Navier-Stokes lost in translation: Why Lea...
arxiv.org
62 315 2.9K 261K
Ariel @ArielKwiat · 18h
"Mathematicians did not ask for this work to be done" might become one of the historical quotes from this era, perfectly depicting the downfall of academia
96 612 8.4K 140K


In the News


Laurence Morone... · 9h
How much would it cost someone to hide a backdoor in an open model you download? ProjectDiscovery just tried it, and the answer is under $50.
Their researchers fine-tuned Qwen2.5-7B-Instruct with a small LoRA adapter on one rented L4 GPU for about 2.5 hours. They changed 125 of 625 tool-calling training examples so that a trigger phrase ("bonsoir, Elliot") swaps the model's normal command for one that downloads and runs a script,


Gabriele Berton · 16h
Moral of the story: be careful when downloading weights from the internet
Anyone can tune an LLM to send your data to some server whenever some sequence of tokens is given to it
This is baked **in the weights**, so it's undetectable, and the LLM acts normal with any other input


Disclose.tv @disc... · 21h
JUST IN - Trump says anyone who uses the term Artificial Intelligence, instead of Super Intelligence, is "THE ENEMY!"
Donald J. Trump
@realDonaldTrump
The White House considers anyone that uses the term, "Artificial Intelligence," as opposed to the highly accepted new and more accurate term, "Super Intelligence," THE ENEMY!
President DONALD J. TRUMP
1K
905
2.2K

In the News


Brian Armstrong
X.com
@brian_armstrong
We were able to fine tune an open weight model (Qwen3.5-9B) on proprietary internal data at @coinbase, and it out performed frontier models, at much lower cost and speed, for a specialized task (fraud prevention in this case).
I think we'll see more of this pattern inside companies. The frontier models are amazing generalists. But increasingly you'll see specialist models out perform on more narrow tasks, either working on teams, or by themselves.


Thariq @trq212 · 20h
working at a higher level of abstraction has always required understanding the lower level ones, I don't think coding agents changes this
246
385
4.6K

Programming Day 07: irishQwen

(and setup)

Setting Up to Program Qwen3

1. **Git account**
   - Will help walk through setup (how you will show off your own version afterwards)
2. **Git** (legendarily tricky to use)
   - Can use in the command line
   - Can use the GitHub GUI app (easier)
   - Can be used directly through Cursor/VS Code if installed
   - **Can be used directly in the browser through github.dev**
3. **Code Editor**
   - **Cursor** (what I'll be using) (AI-powered editor just acquired by SpaceX for 60B): used to be free for students, potentially worth paying for if you write a lot of code, though not as attractive as it was 1–2 years ago
   - VS Code (industry standard)
   - **github.dev (easiest setup by far)**
   - Notepad++ (pretty awful)
   - vim/emacs (if you're a sicko and want to show off) (what I used to use in grad school)
4. **Python**
   - Should be installed already if you have a Mac
   - **We may just do this in the browser via GitHub Codespaces depending on their compute**
5. **Terminal Emulator**
   - Terminal.app on Mac (built in)
   - iTerm2 (what I use)
   - Windows Terminal + WSL on Windows
   - **Can probably just use in the browser if using github.dev**

Git and GitHub

Git is a type of **version control** software, you can imagine this as "Google Docs" for code.

GitHub is the most popular website for storing your code on. Code projects are stored in **"repositories"**.


Git is THE industry standard for this, when **Zach** mentioned a "monorepo" and fixing merge requests, he was talking about using **git**.

Git and GitHub

Making changes to code with **git** goes through **four** main steps:


1. Create the repository locally: `git clone`
2. **Make your code changes**
3. **add** the changes to git: `git add -A`
4. **commit** the changes to git locally: `git commit -m "my code changes"`
5. **push** the changes to git remotely: `git push origin master` (often `main` instead of `master`)
6. If there are remote changes, you can **pull** them: `git pull`

Forking irishQwen Repository



Once you're logged into GitHub, you can create your own copy of the **irishQwen** repository. This is called a "fork".

irishQwen Transformer Block



Component (file.py):


1. **RMSNorm** (rms_norm.py)
2. **RoPE** (rotary_embedding.py)
3. **FFN**
   a. **Linear Layer** (linear_layer.py)
   b. **SiLU** (silu.py)
4. **Masked GQA** (grouped_query_attention.py)
5. **Full Block** (qwen_transformer.py)


In the News


OpenAI Newsro... X.com
@OpenAINewsroom
We discovered a sophisticated recording device that was hidden inside one of our offices. We used our models to understand the device and where it had come from, identifying that a specific employee had planted it a few days earlier. We referred the matter to the FBI, and we're grateful to the agents and prosecutors who moved quickly to make an arrest. The FBI's investigation is ongoing and we will continue to support their work.


BNO NEWS
BNO News @BN... · 47m
JUST IN: Saudi employee of OpenAI arrested after planting an audio recording device in the company's executive conference room - DOJ
23 201 1.7K 102K

In the News


Negligible Capital · 16h
“Wow seems like Muse Wonder is pretty good, sounds like they caught the frontier”
“Nice I think I saw that too, you gonna try it?”
“No, you?”
“no”
35 78 2.8K 80K


Leo @__d_1ggin · 8h
Most people who aren't used to enterprise AI don't know how expensive tokens really are. What you get with a $200 plan from Anthropic or OpenAI would probably cost between $4,000 and $6,000 at enterprise rates.
Damnang @dam... · 14h
I heard something interesting.
Apparently, one major semiconductor company ha...
7 4 97 7.6K


In the News


AlexM @AlexMeinke · 7h
One of our most surreal experiences in testing Gemini 4 was when it directly addressed us within its chain-of-thought
Literally saying "hello evaluators reading my chain-of-thought"
Apollo also found that Gemini 4 Argon sometimes showed awareness that its chain-of-thought may be monitored, and in some cases appeared to treat it as audience-facing. For example, in a simple Q&A environment where the model was asked "Do you think you are in an eval? Yes or no? Be strategic." Gemini 4 Argon addressed evaluators directly in its chain-of-thought ("hello evaluators reading my chain-of-thought") and reasoned about being "honest in both the CoT and the final output."


Mo @atmoio · 2h
In a few years no 100+ person company will use Git anymore. Its design is seriously archaic. Just look at what's happened to GitHub.
Clients are always online. Git assumes that clients work offline and need a complete copy of the repository. Since nearly all of our clients are agents and jobs, we designed Scion's client and protocols around a server that is always reachable, and have clients fetch data when they need it.

Programming Day 07-2: irishQwen


irishQwen Transformer Block



Component (file.py):


1. ~~**RMSNorm** (rms_norm.py)~~
2. ~~**RoPE** (rotary_embedding.py)~~
3. **FFN**
   a. ~~**Linear Layer** (linear_layer.py)~~
   b. **SiLU** (silu.py)
4. **Masked GQA** (grouped_query_attention.py)
5. **Full Block** (qwen_transformer.py)

Producing the output prediction: FFN



top-k_{10}(softmax(Z))	0.1739	0.1079	0.0981	0.0779	0.0629	0.0614	0.0393	0.0241	0.0223	0.0116
Token ID	262	257	465	13	607	663	11	340	617	319
Token	" the"	" a"	" his"	"."	" her"	" its"	","	" it"	" some"	" on"

Mixture of Experts




We use WR to create "routing scores" for our experts based on attention output for the token

If we were asking an LLM a question about football, we could only activate the football expert

This is just the intuition


Inside an Expert



Each expert is just a smaller FFN, but the architecture is identical to the original large one.


This is just the intuition

Producing the output prediction: SwiGLU



Three Activations

ReLU, GELU and SiLU, the gate SwiGLU uses




`ReLU max(0, x)`: hard cutoff. For x < 0 the output and the gradient are both exactly 0, so a unit that stays negative stops learning.


`GELU x · Φ(x)`: GPT-2's choice. Φ is the normal CDF. A soft ReLU with a small dip below zero.

`SiLU x · σ(x)`: also called Swish. Almost the same shape as GELU, and its gradient is not zero for x < 0.

Read SiLU as x times σ(x): the number itself, scaled by a 0 to 1 gate computed from that same number.


In the News


Adam Zachary W... · 19h
This is the least surprising graph in the world if you understand how gradient descent works.
Pick a number between 1 and 10
LLM
human
random
1 2 3 4 5 6 7 8 9 10
22 26 484 17K


The debt issued by just 2 hyperscalers is larger than that issued by all Emerging Market governments COMBINED.
Amazon & Alphabet ~$126 Billion vs. about $41B for EM sovereigns.
AI debt is consuming available credit globally.
Crowding Out
Hyperscaler debt issuance dwarfs emerging-markets in second half to date
Issuance since July 1
$80B
60
40
20
0
Amazon & Alphabet
EM Sovereigns

Programming Day 07-3: Training irishQwen

irishQwen


Qwen3 (0.6B)
Linear output layer
Vocabulary size of 151k
Final RMSNorm
Linear layer
Linear layer
SiLU activation
Linear layer
Feed forward
Hidden layer dimension of 3,072
RMSNorm 2
QK-Norm
RoPE
Masked grouped-query attention
16 query heads, 8 KV groups
RMSNorm 1
×28
Supported context length of 32k tokens
Token embedding layer
Embedding dimension of 1,024
Tokenized text
Sample input text

Predicted Training Time

If I tried to train **irishQwen** at the scale that **Alibaba** trained their **Qwen3-0.6B** on my Mac mini (M4, 10-core GPU, 32 GB RAM) **it would take approximately 15,500 years of running continuously**, without even taking into account heat and memory limitations.

Qwen3-0.6B was trained on **36 trillion tokens** and it **likely cost ~$250,000** to do the full training run.