

Date: _____

Client: HL3aVeBz8NJWLH8o

Perseverative Statements

Frequency — tally

Belly Rubbing/Whining

Interval — 32 intervals

Requesting With AAC Device

Rate — tally

Low Stakes Waiting

Interval — 5 intervals

Tolerating Other Peoples Conversations (In-Person)

Interval — 5 intervals

Tolerating Other Peoples Conversations (Phone)

Interval — 5 intervals

Protesting - Duration

Duration — 10 slots

1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

Protesting - Frequency

Frequency — tally

Tolerating Staff Transitions

Interval — 10 intervals

Completing a Workout at Home W/o Maladaptive Bx

Interval — 6 intervals

Sitting quietly with safe hands

Interval — 5 intervals

Cooldown Protocols (Frequency)

Frequency — tally

Cool Down Protocol (Duration)

Duration — 10 slots

1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

Cool Down Protocol (Resets)

Frequency — tally

Property Disruption (Frequency)

Frequency — tally

SIB - Self Injurious Behavior

Frequency — tally

Pinching

Frequency — tally

[illegible]

	Add'l trials
--	--------------

	Add'l trials
--	--------------

[illegible]

	Add'l trials
--	--------------

			Add'l trials
--	--	--	--------------

			Add'l trials
--	--	--	--------------

			Add'l trials
--	--	--	--------------

			Add'l trials

			Add'l trials

Diagram illustrating a 2D array structure with dimensions 10x10. The array is divided into four quadrants, each labeled "Add'l trials". The top-left quadrant contains a 5x5 sub-array, and the top-right quadrant contains a 5x5 sub-array. The bottom-left quadrant contains a 5x5 sub-array, and the bottom-right quadrant contains a 5x5 sub-array.

			Add'l trials

			Add'l trials

			Add'l trials

			Add'l trials

			Add'l trials

			Add'l trials

			Add'l trials

			Add'l trials

[illegible]

			Add'l trials

			Add'l trials

			Add'l trials

			Add'l trials

[illegible]

					Add'l trials
--	--	--	--	--	--------------

					Add'l trials

		Add'l trials

		Add'l trials

			Add'l trials

		Add'l trials

		Add'l trials

		Add'l trials

			Add'l trials

		Add'l trials

			Add'l trials

Labeling Current Emotions

Labels Emotion Independently

Add'l trials

Labels Emotion Prompted

Add'l trials

Identifying Clean or Dirty

Clean (2d Stimuli)

Add'l trials

Dirty (2d Stimuli)

Add'l trials

Clean - Real Life Incidental

Add'l trials

Dirty - Real Life Incidental

Add'l trials

Clean / Dirty - Boom Cards

Add'l trials

Prepositions - Labeling and Incidental

Places Object In Front

Add'l trials

Places Object On Top

Add'l trials

Places Object Under

Add'l trials

Places Object In

Add'l trials

Places Object Behind

Add'l trials

Labels in front

Add'l trials

Labels on top

Add'l trials

Labels under

Add'l trials

Labels in

Add'l trials

Labels behind

Add'l trials

Places object next to

Add'l trials

Labels next to

Add'l trials

Reciprocal Statements

I see a (tangible trials)

Add'l trials

I have a (tangible trials)

Add'l trials

Automaticity in Responding with AAC device

I'm all done

Add'l trials

I'm tired

Add'l trials

I'm thirsty

Add'l trials

I'm hungry

Add'l trials

I want to stay home

Add'l trials

I'm upset

Add'l trials

I'm mad

Add'l trials

I want to take a walk

Add'l trials

Pan

Add'l trials

Something is hurting me

Add'l trials

Oven

Add'l trials

Please leave

Add'l trials

What's my name?

Add'l trials

I need help

Add'l trials

I'm frustrated

--	--

Add'l trials

--

I'm calmed down

--	--

Add'l trials

--

I want to lay down

--	--

Add'l trials

--

I want to earn Wildberry Skittles

--	--

Add'l trials

--

My head hurts (boo-boo head)

--	--

Add'l trials

--

I'm ready to heat up my lunch

--	--

Add'l trials

--

I want to fill my water bottle

--	--

Add'l trials

--

I need to use the bathroom

--	--

Add'l trials

--

I want to go for a walk

--	--

Add'l trials

--

Let's do programs

--	--

Add'l trials

--

It's too loud here

--	--

Add'l trials

--

Can we go for a walk now?

--	--

Add'l trials

--

I want to put headphones on

--	--

Add'l trials

--

I want to turn the light off

--	--

Add'l trials

--

Tacting/Sorting Waiting vs. Not waiting

Tacts "Waiting" on device

--	--	--	--	--	--	--	--	--	--

Add'l trials

--

Tacts "Not waiting" on device

--	--	--	--	--	--	--	--	--	--

Add'l trials

--

Tacting/Sorting Safe vs. Unsafe Behaviors

Tacts "Safe" on device

--	--	--	--	--	--	--	--	--	--

Add'l trials

--

Tacts "Unsafe" on device

--	--	--	--	--	--	--	--	--	--

Add'l trials

--

Tacting empty and full

Tact Empty/Full

--	--	--	--	--

Add'l trials

--

Full

--	--	--	--	--

Add'l trials

--

Empty

--	--	--	--	--

Add'l trials

--

Full / Empty - Boom Cards

--	--	--	--	--

Add'l trials

--

Empty/Full Program - Copy

Fills Cup

--	--	--	--	--

Add'l trials

--

Answering The Door

Independently Greets

--	--	--	--	--

Add'l trials

--

Invites Person Inside Independently

--	--	--	--	--

Add'l trials

--

Counting Objects-Incidental Teaching

1 Item

--	--	--

Add'l trials

--

2 Items

--	--	--

Add'l trials

--

3 Items

--	--	--

Add'l trials

--

4 Items

--	--	--

Add'l trials

--

5 Items

--	--	--

Add'l trials

--

6 Items

--	--	--

Add'l trials

--

7 Items

--	--	--

Add'l trials

--

8 Items

--	--	--

Add'l trials

--

9 Items

--	--	--

Add'l trials

--

10 Items

--	--	--

Add'l trials

--

Maintaining Personal Space

Maintains personal space standing (Prompted)

--	--	--	--	--

Add'l trials

--

Maintains personal space sitting (Prompted)

--	--	--	--	--

Add'l trials

--