

```

#include<stdio.h>
#include<graphics.h>
#include<conio.h>
#include<math.h>

void Dot_text(int x0,int y0,int text[ ])
{
    int text[16]={0x0000,0x0000,0x0000,0x1ff8,    //巫改为王
                  0x0080,0x0080,0x0080,0x0080,
                  0x1ff8,0x0080,0x0080,0x0080,
                  0x1fff,0x0000,0x0000,0x0000}
    int mask[16]={0x8000,0x4000,0x2000,0x1000,
                  0x0800,0x0400,0x0200,0x0100
                  0x0080,0x0040,0x0020,0x0010
                  0x0008,0x0004,0x0002,0x0001}
    for(int i=0;i<16;i++)
    {
        for(int j=0;j<16;j++)
        {
            if((text[i]&mask[j])!=0)
                putpixel(x0+j,y0+i,RED);
        }
    }
}

void SL( )
{
    int text[16]={100,100,700,100,100,300,700,300,100,500,700,500,400,100,400,500};
    for(int i=0;i<16;i+=4)
    {
        moveto(text[i],text[i+1]);
        lineto(text[i+2],text[i+3]);
    }
}

Void Direct_text( )
{
    int model[8][2]={1,0},{1,-1},{0,-1},{-1,-1},{-1,0},{-1,1},{0,1},{1,1}};
    int direct[4][16]={
        {0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0},
        {0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0},
        {0,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0},
        {6,6,6,6,6,6,6,6,6,6,6,6,6,6,6,6}
    }
}

```

```

int starts[4][2]={100,100},{100,260},{100,420},{210,100}};
int size=20;
int pen_count=4;
for(i=0;i<pen_count;++i)
{
    int start_x=start[i][0];
    int start_y=start[i][1];
    moveto(start_x,start_y)
    for(int j=0;j<16;++j)
    {
        int dir=direct[i][j];
        if(dir>=0&&dir<=7)
        {
            dx=model[dir][0]*size;
            dy=model[dir][1]*size;
            linerel(dx,dy);
        }
    }
}
}

```

```

void Create_File( )
{
    FILE* file=fopen("wu.txt","w");
    if(file==null)
    {
        printf("无法创建文件");
    }
    int text[ ]={0x0000,0x0000,0x0000,0x1ff8
                0x0080,0x0080,0x0080,0x0080,
                0x1ff8,0x0080,0x0080,0x0080,
                0x1ff8,0x0080,0x0080,0x0080}
    for(int i=0;i<16;++i)
    {
        fprintf(file,"0x%04x",text[i]);
    }
    Fclose(file);
}

```

```

void Display(int x0,int y0,char* filename)
{
    FILE* file=fopen(filename,"r");
    if(file==null)
    {

```

```

        printf("无法打开文件");
    }
    int text[16];
    for(int i=0;i<16;++i)
    {
        fscanf(file,"%x",&text[i]);
    }
    fclose(file);
    Dot_text(x0,y0,text);
}
int main( )
{
    initgraph(800,600);
    setbkcolor(WHITE);
    cleardevice( );

    //Dot_text(200,200);
    SL_text( );
    Direct_text( );

    Create_File( );
    Disply_File(200,200,"wu.txt")

    getch( );
    closegraph( )

    return 0;
}

```