10-Inch Rugged Tablet, IP67 Sealed

A genuinely sealed IP67 tablet: dust-tight and immersion-proof, with a 1920×1200 sunlight-readable screen, Android 12 or Windows 11, and the data-capture options that fleet deployments actually need.



What makes this one different

Certified IP67, not just "water resistant".

Dust-tight and rated for immersion, so washdown areas, rain, dust storms and freezer doorways are all in scope. Operating range −20 °C to 60 °C.

A screen you can read outdoors.

The 10.1-inch 1920×1200 IPS panel is high brightness with Corning tempered glass, and stays legible on a sunny loading dock.

Windows is on the table.

Ship it with Android 12, or choose the Windows 11 variant when your WMS or legacy client demands it. Same housing either way.

Slips into a toolbox, not a backpack.

Ultra-slim rugged housing (under 15 mm) with an orange accent frame that is easy to find on a busy floor.

Fleet-ready capture options:

NFC, fingerprint recognition and optional 2D barcode scanning across the range.

Specifications

	Appearance & Protection
Screen / Housing	10.1-inch, ultra-slim rugged tri-proof design (under 15 mm)
Protection	**IP67** (dust-tight, immersion-proof)
Drop rating	1.2 m onto concrete, powered on
Temperature	Operating −20 °C to 60 °C; storage −30 °C to 70 °C
	Display
Panel	10.1-inch IPS, 1920 × 1200, high brightness / sunlight-readable
Touch	Multi-touch, Corning tempered glass
	Performance
CPU	High-performance octa-core
RAM / Storage	4 GB + 64 GB (6 GB / 8 GB and 128 GB / 256 GB optional)
OS	Android 12.0 standard; Windows 11 optional
	Battery
Capacity	10,000 mAh Li-polymer (non-removable)
Runtime	~8 hours typical use
	Ports & Connectivity
Ports	Type-C ×1, SIM slot ×1, TF card up to 256 GB, DC power jack

Wireless	802.11 a/b/g/n/ac dual-band WiFi, Bluetooth 5.0 (BLE), full-band 4G/5G optional
Positioning	GPS supported
	Data Capture
Standard	NFC, fingerprint recognition
Optional	2D barcode scanning module
	Camera
Rear / Front	13 MP autofocus with flash / 5 MP

Built for these jobs

Warehouse logistics: the IP67 seal handles freezer-door condensation and dusty aisles; the 10.1-inch screen suits forklift-mounted dashboards and putaway confirmation. For scan-dense picking, pair with the handheld PDA.

Manufacturing: Windows 11 variant runs legacy MES clients on the floor; Android variant suits browser-based systems and custom apps.

Identity verification: NFC and fingerprint support make it a platform for mobile ID workflows and inspection reporting.

Straight from the manufacturer

This model ships factory-direct with OEM/ODM support: custom boot animation, preloaded software, packaging, regional band configuration and accessory development. We control the supply chain, so firmware questions get answered by engineers rather than resellers.

Related guides

If the operating system is still open, Android vs Windows for industrial deployments sets out the trade-offs, and our 2026 industrial tablet buying guide covers the specifications that actually change in the field.

Ordering information

MOQ is 2 units, a sample is built in about 3 days and mass production runs about 25 days. Figures move when the build leaves the standard 10-inch IP67 specification (a second scan engine, a higher memory tier or a docking kit); those variations are quoted in writing first.

MOQ	2 units. Enough to test one vehicle installation and one bench unit at the same time, which is how most IP67 evaluations start.
Sample	Built and shipped in about 3 days from the standard IP67 build, then checked against the acceptance criteria you agreed before mass production — the normal route when sealing, scan engine or branding changes.
Lead time	About 25 days from sample approval to shipment for the configuration and quantity on your order. Ingress and drop verification for the sealed build are booked into the same schedule, not added afterwards.
SDK and documentation	API and SDK support for the modules on your build (imager, RFID, serial or GPIO), plus the agreed specification sheet. Output formats and docking behaviour are confirmed before the order is placed.
Certification	The IP67 sealing claim is backed by the test report for the sealed build, and GMS certification applies where the specification lists it. Market-specific approvals (CE, UKCA, FCC or UN 38.3) are agreed before production.
Packaging	Retail box contents and carton dimensions are provided with the confirmed configuration and quotation; pallet quantities and incoterms are agreed with the order. Vehicle docks and mounting kits are packed separately so they arrive with the installation schedule.

Request a quote

Send the mounting situation, the modules you need, the quantity and your target date. We reply with the configuration, the sample plan and a written price.

The commercial questions — order size, timing, warranty and shipping — are answered on the FAQ page.

Get a configuration quote

Send us the list: Android or Windows, RAM/storage tier, 4G bands, scanning modules. We will confirm availability, MOQ and lead time.