

XH-150 5-Inch Industrial Handheld PDA

A 242-gram Android mobile computer made for scan-heavy work. Pick a Honeywell, Zebra or Newland imager, add RFID or biometric modules if the job needs them, and hand workers a device that lasts a full shift.

Why picking lines run on this class of device

One-handed, all shift.

At 178 × 83 × 17 mm and 242 g, workers keep it in hand instead of parking it on the cart.

Scan engines you can name:

Honeywell HS7, Zebra SE4710 or Newland CM60/N1. Pick the decode profile your labels demand.

Beyond barcodes:

LF and HF RFID (125K / 134.2K / 13.56 MHz), Ministry-certified fingerprint, offline ID card reading and embedded facial recognition can all be fitted to the same unit.

Android 12 with NFC standard

(ISO/IEC 14443A, 1–3 cm) for badge login and asset tagging out of the box.

Global-ready connectivity:

full-band 4G LTE (B1/B3/B5/B7/B8/B20/B38–B41), dual-band WiFi and BeiDou/GPS/GLONASS.

Specifications

Appearance	
Dimensions / Weight	178 × 83 × 17 mm, ~242 g
Colour	Black
Display	
Screen	5.72-inch LCD, 1440 × 720
Touch	Multi-touch, Corning 3rd-gen tempered glass
Performance	
CPU	MTK 6765 octa-core 2.3 GHz
RAM / Storage	3 GB + 32 GB (4 GB + 64 GB / 6 GB + 128 GB optional)
OS / NFC	Android 12.0 / ISO 14443A, 1–3 cm read range
Battery	
Capacity	3.7 V / 4,000 mAh Li-polymer
Runtime	~8 hours typical, >300 h standby
Connectivity	
Cellular	LTE B1/B3/B5/B7/B8/B20/B38/B39/B40/B41; WCDMA 1/2/5/8; GSM 2/3/5/8
WiFi / BT	802.11 b/g/n/a/ac dual-band / Bluetooth 4.0 (BLE)
Positioning	BeiDou / GPS / GLONASS
Data Capture	
Barcode	Honeywell HS7 / Zebra SE4710 / NLS CM60 / NLS N1

RFID	LF 125K & 134.2K (1–3 cm); HF 13.56 MHz ISO14443A/B + 15693 (3–5 cm); optional UHF module (band and protocol confirmed per region at order)
Biometric	Ministry-certified fingerprint module; embedded facial recognition; network-decrypted ID card; optional certified ID card reader
	Camera
Rear / Front	13 MP autofocus with flash / 5 MP

Typical deployments

Warehouse picking and cycle counting: the main use case. Fast 2D decoding, one-handed operation and an 8-hour battery matched to the shift.

Asset and livestock tracking: LF RFID options (125K/134.2K) cover ear tags and asset tags that 2D imagers cannot touch.

Identity and access workflows: certified fingerprint plus ID card reading in one unit, so compliance checks do not need a second device.

Pairing guidance: run this PDA for scan-dense tasks alongside the 8-inch rugged tablet for paperwork-heavy stations. Most of our warehouse customers end up deploying both.

OEM / ODM, factory direct

Boot logo, custom launcher, preloaded apps, region-specific LTE bands and module selection are all configured at the factory. We build the platform ourselves, so unusual module combinations such as RFID together with fingerprint get configured here instead of being refused.

Related guides

Choosing a handheld comes down to three things: scan engine, battery life and OS support. If UHF is on the list, read what determines real UHF read range before you shortlist.

Ordering information

MOQ is 2 units, a sample is built in about 3 days and mass production runs about 25 days. The figures change when the PDA leaves its standard 5-inch build (a different imager, battery capacity or keypad layout); those variations are quoted in writing before you order.

MOQ	2 units. One for the picking trial and one for charging-dock and MDM testing.
Sample	Built and shipped in about 3 days, a sample PDA is then checked against the acceptance criteria agreed with you — imager and keypad layout included — before mass production starts.
Lead time	About 25 days from sample approval to shipment for the configuration and quantity on your order. Scanner and battery verification for your market is written into the schedule before the first sample is built.
SDK and documentation	API and SDK support for the modules fitted to your build (2D imager, LF/HF RFID or NFC), plus the agreed specification sheet. Scan output formatting and intent or keystroke behaviour are confirmed before the order is placed.
Certification	The Android 12 build carries GMS certification, and the scan engine is the genuine module from the named vendor rather than a copy. Market-specific approvals (CE, UKCA, FCC or UN 38.3) are agreed before production.
Packaging	Retail box contents and carton dimensions are provided with the confirmed configuration and quotation; pallet quantities and incoterms are agreed with the order. Charging cradles and spare batteries can be packed per site to cut install time.

Request a quote

Send the scanner type, quantity, destination market and target date. We reply with the configuration, the sample plan and a written price.

The commercial questions — order size, timing, warranty and shipping — are answered on the FAQ page.

Configure your fleet

Send us the workflow and we will return a build sheet covering imager choice, RFID, biometrics, LTE bands, preloaded software, MOQ and lead time.