← All products

IDENTITY VERIFICATION SERIES

XH-900 Dual-Screen ID Verification Terminal

One terminal covering both faces of the counter. The visitor sees prompts and their own document preview; the officer sees the case file. Face capture, a document camera and ID card reading are built into the chassis.



Two 15.6-inch 1080p IPS touch panels, so each side sees what it needs.

Cameras and readers come in the box: 2 MP face camera (binocular optional), 8 MP document camera and a certified ID reader.

Platform flexibility: RK3568 Android, RK3576/3588, HarmonyOS, Windows or Xinchuang domestic builds.

Add social security card, fingerprint or barcode modules later without redesigning the counter.

Gigabit Ethernet keeps it wired to the back office.

COUNTER ID VERIFICATION

Dual-Screen ID Terminal

Dual 15.6-inch touch displays · Face and document capture

Specifications

Displays	2 × 15.6-inch TFT LCD IPS, 1920 × 1080, dual capacitive touch, 250 cd/m², H170°/V170°
Android platform	RK3568 quad-core default; RK3576 / RK3588 octa-core optional
HarmonyOS	RK3576 octa-core default
Domestic (Xinchuang)	RK3588 (Kylin) recommended; Zhaoxin 6780A / Phytium FT2000 optional
Memory / Storage	4 + 32 GB default; 6/8 GB, 64/128 GB optional; 8 + 128 GB domestic default
Face camera	2 MP monocular default, 2 MP binocular optional, tilt-adjustable

Document camera	8 MP default (12/16 MP optional), A3/A4
ID reader	Contactless national e-ID and e-passport reader (standard)
Optional / Network	Social security card reader (2nd/3rd gen); semiconductor fingerprint 256×360; 1D/2D barcode scanner; gigabit Ethernet. Windows / Kylin / UOS by mainboard.

Deployed at the counter

Government service halls: real-name verification with document capture and face matching in one pass. The visitor-facing screen guides; the staff screen records.

Bank branches: account opening and high-risk transaction verification where ID card, face and fingerprint evidence must be captured together.

Exams and credential checks: high-volume identity confirmation. Queues keep moving because verification and confirmation happen on one unit.

Mobile data collection: for NFC and barcode workflows away from the counter, see the XH-200 handheld PDA. If your project needs an ID reader in a tablet form factor, review the optional reader configurations on the XH-300 and XH-400 and confirm compatibility with your documents and software.

Related guides

Two deployment patterns dominate: border and checkpoint identity verification, and bank card issuance control. Both set out the capture and workflow checks to settle before you order.

Ordering information

MOQ is 2 units, a sample is built in about 3 days and mass production runs about 25 days. Figures move when the terminal leaves its standard dual-screen build (different panel size, camera or document reader); those variations are quoted in writing first.

MOQ	2 units. One for the counter and one for the back office, so supervised and self-service flows can be tested together.
Sample	A sample terminal is built and shipped in about 3 days, then checked against the acceptance criteria agreed with you, covering both panels, the camera and the document reader, before mass production starts.
Lead time	About 25 days from sample approval to shipment for the configuration and quantity on your order. Dual-panel calibration and document reader verification are scheduled before the first sample is built.
SDK and documentation	API and SDK support for the modules fitted to your build (document reader, camera, fingerprint or card reader), plus the agreed specification sheet. Capture formats and the handover to your backend are confirmed before the order is placed.

Certification	The document reader and fingerprint modules carry the certifications listed in the specification above, and GMS certification applies where stated. Approvals your destination market adds are agreed before production.
Packaging	Crate dimensions, panel protection and lift points are specified for freight rather than parcel; pallet and container quantities plus incoterms are agreed with the order. Installation tooling ships with the units.

Request a quote

Send the counter workflow, the reader and camera modules you need, the quantity and your target date. We reply with the configuration, the sample plan and a written price.

The commercial questions — order size, timing, warranty and shipping — are answered on the FAQ page.