← All products

POS TERMINAL SERIES

XH-600 4G Smart POS Terminal

An Android 15 handheld POS terminal with a 58 mm thermal printer built into the same body as the card readers, so a payment and its receipt come out of one unit. Magnetic stripe, contact IC and contactless NFC are all standard, the fingerprint reader is optional, and the certification list covers PCI PTS 5.x, EMV L1/L2, Paywave, Paypass and PBOC 3.0.



Built-in high-speed 58 mm thermal printer — no separate printer or dock.

Magnetic stripe on tracks 1, 2 and 3 with bi-directional swiping.

Contact IC cards at 5.0 V, 3.0 V or 1.8 V, plus contactless ISO/IEC 14443 Type A and B with Mifare1.

Android 15.0 with 4 GB RAM and 32 GB eMMC, 4G / 3G / 2G, hotspot, Bluetooth, GPS and AGPS.

Optional 500 DPI fingerprint module with a 15.24 × 20.32 mm active area; STQC or FBI FAP profile compliance is confirmed per module.

Specifications

Operating system	Android 15.0
Platform	Octa-Core ARM Cortex-A53 processor, up to 1.5 GHz
Memory	4 GB RAM, 32 GB eMMC
Display	5.5-inch, 1280 × 720, capacitive touchscreen with electronic signature capture
Camera	Front 2 MP; rear 5 MP, supports 1D / 2D barcode scanning
Cellular and wireless	4G / 3G / 2G, hotspot, Bluetooth

Xinhong Smart · Shenzhen Xinhong Smart Technology Co., Ltd.

WhatsApp / phone **+86 185 9427 9341** · sales@xinhongsmart.com · **xinhongsmart.com**

Positioning	Built-in GPS with AGPS
USB	USB 2.0 HS on a USB Type-C port
Card slots	SIM × 2, SAM × 2, SD × 1
Printer	Built-in high-speed thermal printer, 58 mm paper
Magnetic card reader	Tracks 1 / 2 / 3, bi-directional swiping
Contact IC card	Type A (5.0 V), Type B (3.0 V) or Type C (1.8 V), in compliance with EMV and PBOC
Contactless NFC	ISO/IEC 14443 Type A and B, Mifare1, in compliance with EMV and PBOC, with card reading indicator
Optional fingerprint module	Spatial resolution 500 DPI, active sensor area 15.24 × 20.32 mm (FBI FAP20-class area); STQC or FBI profile compliance confirmed per module
Password keyboard	Built-in virtual PIN pad; supports DES, 3DES, RSA, SHA-256 and AES
Multimedia	Recording and voice broadcast, video playback and recording
Battery	Lithium battery, 2,800 mAh / 7.4 V (3,600 mAh / 7.4 V optional)
Power adapter	Input 110–240 V AC 50–60 Hz, output 5 V DC 2 A, USB Type-C
Dimensions	202.4 × 81.85 × 67.2 mm
Standard accessories	Power adapter, user manual, warranty card, USB cable, one roll of 58 mm thermal paper. Optional: barcode scanner charging base, silicone protective case
Certification	PCI PTS 5.x, EMV Contact Terminal L1 and L2, EMV Contactless Terminal L1, Paywave, Paypass, 3C, FCC, CE, PBOC 3.0 L1 and L2, QUICS, UnionPay Terminal Safety Certification, UnionPay POS Terminal Safety Assessment

Where the XH-600 fits

Chain supermarkets and convenience stores: one unit takes the card and prints the receipt, so a lane does not need a terminal, a printer and the cabling between them. The 5.5-inch screen and 202.4 mm body sit in a hand through a full shift.

Restaurants and bakeries: table-side payment and a printed receipt from the same device, with 4G keeping the terminal connected when the venue WiFi is saturated.

Delivery and mobile collection: 4G / 3G / 2G with hotspot plus built-in GPS and AGPS, so the terminal works away from a fixed counter and the transaction carries its location.

Queue-busting and seasonal lanes: dual SIM and dual SAM slots let the terminal carry the acquirer configuration and a fallback, which keeps a temporary lane running when one path is unavailable.

Flows that need cardholder verification: add the optional 500 DPI fingerprint module where the payment requires more than a PIN, or use the touchscreen for signature capture where it does not.

OEM / ODM, factory direct

Printer configuration, fingerprint module, memory tier, housing colour, boot logo, pre-installed applications and packaging are all decided before the line starts. We can also match charger plugs and the certification package to your destination market. For a step-by-step walk-through of each decision, see our XH-600 buying guide.

Fingerprint module selection

Fingerprint capture is optional on the XH-600. Confirm the selected sensor profile, active area, SDK output formats and any certification your payment flow requires. Our FAP 10, FAP 20 and FAP 30 guide explains the single-finger capture profiles and the questions to check before ordering. For counter-side issuance, see bank card issuance with a biometric terminal.

Ordering information

MOQ is 2 units, a sample is built in about 3 days and mass production runs about 25 days. Figures move when the terminal leaves its standard build — fingerprint module, battery tier or a changed certification package — and those are quoted in writing before you order.

MOQ	2 units. Enough to put one on a live lane and keep one for integration testing — the two installations that usually need checking first.
Sample	Sample build and dispatch take about 3 days, after which the terminal is checked against the acceptance criteria agreed with you — card paths, printer and fingerprint module included — before mass production starts.
Lead time	About 25 days from sample approval to shipment for the configuration and quantity on your order. The written schedule issued before the first sample is built covers certification work where your market needs it.
SDK and documentation	API and SDK support for the card paths, printer, scanner and fingerprint module fitted to your build, plus the agreed specification sheet. Integration formats for your payment application are confirmed before the order is placed.
Certification	The standard build is listed against PCI PTS 5.x, EMV Contact L1 and L2, EMV Contactless L1, Paywave, Paypass, PBOC 3.0 L1 and L2, QUICS and the UnionPay approvals, plus 3C, FCC and CE. Market-specific approvals are agreed before production so the test plan fits the schedule.
Packaging	Standard accessories are listed in the specification above; carton quantities and incoterms are agreed with the order. Charging bases and protective cases are packed to match the deployment plan.

Request a quote

Send the card paths you need, whether the fingerprint module is required, the quantity and your target market — we reply with the configuration, the sample plan and the price in writing.

The commercial questions — order size, timing, warranty and shipping — are answered on the FAQ page.