

L^AT_EX class and style files for papers published in the journal HSSA

Dominik Wujastyk

December 6, 2023

Contents

1	hssa.cls: HSSA class file, user documentation	4
1.1	Documentation for authors	4
1.2	Documentation for L ^A T _E X hackers converting incoming files to HSSA	5
1.2.1	Prelims	5
1.2.2	Metadata	5
1.2.3	HSSA user macros	5
1.2.4	Language-switching	6
1.2.5	Citation commands	7
1.2.6	What you get for nothing	9
2	hssa.cls: HSSA class file, macro definitions	10
2.1	Set the geometry for the pages	11
2.2	Front matter	12
2.3	Running headers and footers	12
2.4	Fancy headers and footers	13
2.5	Fancy-plus-DOI style	13
2.6	Link colours	14
2.7	Output the preliminary matter	14
2.8	Output the final pages that come after the article	14
2.9	Arrange the appendix	15
2.10	Set up the alignment and fonts of title and author names	15
2.11	The content of the cover page	16
2.12	The the content of the copyright page	17

2.13	The content of the back cover page	19
2.14	Tweak captions → footnotesize	20
2.15	Page layout dimensions	20
2.16	Misc layout settings	20
2.17	Journal-specific user-facing macros	21
2.18	Customizing the sectioning commands	22
2.19	Collecting the page-number information	22
2.20	Creative Commons logo	22
2.21	Tweak tabular layout	22
2.22	Not used	22
2.23	PDF metadata	23
2.24	Hypertext links	23
2.25	Simple indented, environment for Sanskrit verses	24
2.26	Diatop	24
2.26.1	Unknown	24
2.27	Mini edition environment	25
2.28	Index of Manuscripts	25
3	hssa.sty: HSSA main style file	26
3.1	Load basic macros for reledmac	26
3.2	Languages and fonts, Polyglossia-style	26
3.2.1	British English, Greek, Sanskrit	26
3.2.2	T _E X Gyre Pagella, the default roman font for HSSA	26
3.2.3	Sanskrit input in Devanagari script	26
3.2.4	Sanskrit input in IAST script, output in Devanagari	27
3.2.5	Chinese	27
3.2.6	Greek font	27
3.3	Local generic author-facing macros	27
3.4	Math mode with Unicode fonts	28
4	hssa-reledmac.sty: critical edition and footnote column macros	29
4.1	Two-column footnote formatting	29
5	hssa-biblatex.sty: Bib_ΛT_EX settings for HSSA	30
5.1	Manuscript-oriented Bib _Λ T _E X macros	30
5.2	Load Biblatex	30
5.3	Settings for oxyear	31
5.4	Bibliography punctuation	31
5.5	Bibliography sorting	31
5.6	Positioning of the notes	32

5.7	csquotes	32
5.8	Tweak the citation style	32
5.9	Unused code	32
5.10	URL formatting in the bibliography	33
5.10.1	Buddhist Digital Resource Center	33
5.10.2	ARK	33
5.10.3	Archive.org	33
5.10.4	Academia.edu	33
5.10.5	JSTOR	33
5.10.6	Jainelibrary	33
5.10.7	DOI	34
5.11	Tweaks to make the citation form:- Author date: page	34
5.12	"Forthcoming" hacks	34
5.13	Tighten up URL date	34
5.14	Hyperlink magic	34
6	hssa-indexing.sty: indexing for HSSA	36
6.1	English-Sanskrit indexes	36
6.2	Commands for citing and indexing manuscripts	37
	Index of macro definitions	38

1 hssa.cls: HSSA class file, user documentation

This code is in the file `hssa.cls`.

The documentation is created by running `hssa-documentation.dtx`, which calls `hssa.cls` and `hssa.sty`, etc.

Class file for the HSSA journal.¹

1.1 Documentation for authors

If you are writing with \LaTeX please observe the following guidelines:

- Use Unicode encoding for your files (i.e., for \XeLaTeX or \LuaTeX)
- Use the standard features of \LaTeX as documented in the standard manual, *\LaTeX : A Document Preparation System* by Leslie Lamport, or in *The Very Short Guide to Typesetting with \LaTeX* by Peter Flynn and Silmaril Consultants (part of the \TeX live distribution and at [CTAN](#)).
- Use logical markup, not presentational markup. That means you mark things as `\chapter{xxx}`, `\footnote{xxx}`, `\sanskrit{xxx}`, `\title{xxx}`, etc., and not `\textbf{xxx}`, `\vspace{5ex}`.
- Do not use `\newcommand` or `\def` to make private commands. If this appears to be unavoidable, please contact the journal editor before proceeding.
- Provide your bibliography entries in \BibTeX format. The journal uses \BibLaTeX , which is flexible. So please do not use any special formatting commands or non-standard bst files. Just use `\cite{xxx}` etc. in the simplest manner.
- If you have tables, keep them simple and don't spend time putting in many horizontal and vertical lines. They will be reformatted for the journal, in any case.

The above advice is also given on the [HSSA website](#).

¹See <http://tug.org/pracjourn/2005-3/asknelly/> for a nice statement of the difference between `.cls` and `.sty` files.

1.2 Documentation for L^AT_EX hackers converting incoming files to HSSA

1.2.1 Prelims

Start off each HSSA article L^AT_EX file with the following macros:

```
\RequirePackage{snapshot}  
\documentclass{hssa}  
\usepackage{hssa}  
\addbibresource{\jobname.bib}
```

Note that the article's bibliography should have the same name as the article, with the extension .bib.

1.2.2 Metadata

Next, use the following commands to capture the metadata for this article:

```
\HSSAissuenum{999}  
\HSSAissuedate{2999}  
\HSSAarticletitle{A Title}  
\HSSAauthorname{A. N. Author}  
\HSSAauthoraddress{University of University}  
\HSSAfirstpage{000}  
\HSSAlastpage{999}  
\DOI{1.2/3.4.5}
```

These commands generate the right text for the front page, the copyright page and the article's title and running header.

If the running header is too long (author's love long titles), use

```
\HSSAshortarticletitle{An abbreviated title}
```

1.2.3 HSSA user macros

Here follow various commands for use in HSSA articles that aren't part of standard L^AT_EX.

`\CE AD, BC, etc.` There are shortcuts for expressing the eras CE and BCE.
`\BCE` These macros also get the fonts right. There are synonyms: use any of the following and the output will look right:

```
\bce
```

\BC
 \BCE
 %
 \ce
 \CE
 \AD

Don't forget to handle the space after these macros appropriately.

\q Use this to make a loud, obnoxious marginal note in bright yellow box. Use it to annotate the PDF proofs for communicating with the author.

\q{} stands for "query," and is a tailored version of `todonotes`. In addition to the yellow box in the margin, it can also build a page index of the notes that you can print at the end of the article with `\listoftodos`.

`miniedition (env.)` **Environments for ślokas and mini-editions** An environment for making apparatus notes to a single śloka or two.

`sloka (env.)` An environment for typesetting Sanskrit verses; pretty much the same as `verse`.

`\MScite` **Citing manuscripts** Cite your manuscripts using the pattern "City, Library, accession number." The `\MScite` macro will print the right thing in your text, while also writing an entry to an alphabetical index of manuscripts that appears at the end of your article. Saying `\MScite{London, Wellcome, α999}` will print "MS London, Wellcome α 999 in your text.

`\MS` `\MS` is a synonym for `\MScite`

`\MSnocite` If you want to put an entry in your index of manuscripts, but you don't want the entry printed in the main text where you're writing, use `\MSnocite`.

`\MSsilent` A synonym for `\MSnocite`.

`\saneng` **Making a lexical index** If you say `\saneng{pūpa}{cake}` then you'll get "cake (*pūpa*)" printed in your main text. Also, an entry will be written to a lexical page index, both Sanskrit-English and English-Sanskrit.

`\ssaneng` `\ssaneng` is a silent version of the same macro that writes the index entries but puts nothing in the main text.

1.2.4 Language-switching

`\textgreek` See the documentation for [Polyglossia](#) for details of how these are used.

`\textenglish`

`\textsanskrit`

These macros switch to the respective languages and scripts (e.g., Devanagari for `\textsanskrit{}`).

`\dev` `\dev` is just an abbreviation for the `\textsanskrit` macro.

`\cjk` This is just a switch, so say `{\cjk X}` where X is a Chinese character.

1.2.5 Citation commands

HSSA uses the Bib_{La}T_EX macros, and the Oxref style for formatting according to the Oxford Hart's Rules guidelines. The NatBib conventions are also loaded, so you can use `\cite`, `\citep` `\citet` in the standard ways, as well as Bib_{La}T_EX's `\footcite`, `\cites`, `\parencites`, etc.

Bibliography and index outputs Say `\printbibliography` at the end of the document.

Here are examples from the end of Speziale's 2019 paper that do more elaborate things.

Index prologue

```
\setlength{\shorthandwidth}{.25\textwidth}
```

```
\indexprologue{\centering\emph{References are to page numbers in this
article.}}
```

Index of manuscripts As indexed using `\MScite` etc.

```
\printindex[manuscripts] % ditto for manuscripts
```

```
\printshorthands % uses features of biblatex-manuscripts-philology
[title=Primary Sources in Manuscripts,
type=manuscript,
% env=details,
%sorting=special,
]
```

Index of editions

```
\printshorthands %
[title=Primary Sources in Printed Editions,
keyword=edition, % flagged as such in the bib file
%prenote=blurb01,
```

```
%sorting=special,
]
```

Index of references

```
\printbibliography
[title=Secondary Sources and Translations,
sorting=nyt,
%keyword=secondary,
notkeyword=edition,
nottype=manuscript,
] % keep the editions in the Text Editions section only
```

`\diatop` **Miscellaneous** Puts more than one accent over a letter. This isn't available in standard L^AT_EX, but we philologists sometimes need it. Say, for example, `\diatop[\'|{\o}]` to get \acute{o} .

`\PreliminaryNote` For that zeroth footnote at the beginning of an article that gives acknowledgments or abbreviations. I prefer to put this material at the end of an article, in a section called "Acknowledgements."

`rotating (env.)` **Rotating pages for big tables and figures** That's pretty much it. You might want to add `\usepackage[figuresright]{rotating}` if you have some tables to go sideways.

`\section` **Standard L^AT_EX sectioning and similar commands** Just use the normal `\section{}` commands, down to `\paragraph`.

`\lettrine` The first line after a section is formatted with an initial drop-cap and small caps, using `\lettrine`. The three arguments are 1. line-drop and over height (always the same), 2. the drop-capital itself, and 3. the remaining letters of the word and some more words up to the end of a phrase. For example

```
\lettrine[lines=2,loversize=.1]{T}{he} object of this contribution is ...
```

How much you include in the phrase is up to you. E.g.,

```
\lettrine[lines=2,loversize=.1]{T}{he object of this contribution} is ...
```


Note that *all* the letters of the phrase should be lowercase. They will be turned into small caps, and uppercase letters won't look right. E.g.,

```
\lettrine[lines=2,loversize=.1]{T}{he mahābhārata and the rāmāyana both feature kṛṣṇa  
%% ...
```

1.2.6 What you get for nothing

In addition to setting up the above commands, the class and style files below will handle the

- colour and layout of the front and back matter,
- the title and section headings,
- the running headers and footers,
- the two-column footnotes
- the use of T_EX Gyre Pagella or other Unicode font in T_EX math mode.

2 hssa.cls: HSSA class file, macro definitions

This code is in the file `hssa.cls`.

See <http://tug.org/pracjourn/2005-3/asknelly/> for a nice statement of the difference between `.cls` and `.sty` files. Here in `hssa.cls`, I'm keeping the code that is part of the core of HSSA's design. I would not expect to change things here much after 2019.

`\NeedsTeXFormat` Declare that we are using the main L^AT_EX2e format.

```
1 \NeedsTeXFormat{LaTeX2e}
```

`\LoadClass` HSSA is based on an 11pt article style:

```
2 \LoadClass[11pt]{article}
```

`\RequirePackage` Here come the packages that HSSA assumes are present.

```
3 \usepackage{hssa-indexing} % has to be loaded before hyperref
4 \RequirePackage{ %
5   graphicx,
6   amsmath,
7   amsfonts,
8   amssymb,
9   textcomp, % arcane LaTeX/NFSS system for subsetting encodings. Needed for
10  %Sigma.
11  metalogo, % for the XeTeX macro etc.
12  wasysym,
13  hyperref,
14  hyperxmp, % to embed XMP metadata in the PDF
15  geometry,
16  array,
17  longtable,
18  polyglossia, % polyglossia calls fontspec
19  multicol,
20  booktabs, % better table spacing, \toprule etc.
21  textcase, % to get \MakeTextLowercase for tweaking the running footer
22  fancyhdr,
23  hssa-biblatex, % bibliography management and formatting
24 }
```

`xcolor` Settings for the `xcolor` package

```
25 \RequirePackage[xetex,
26   dvipdfmx,
27   svgnames,
28   table]
29   {xcolor}
```

`enumitem` To control the spacing around itemized lists.

```
30 \usepackage{enumitem} % supersedes mdwlist: does it globally
31 \setlist{noitemsep,
32   %labelindent=\parindent,
33   %leftmargin=*,
34 }
```

`\q` Issue notes to the author in the margins of the page proofs. It uses the `todonotes` package.

Define `\q` to be `\empty` for the final run to suppress the display of notes. Put a `\newpage \listoftodos` just before `\end{document}` to help the author with an indexed list to the marginal notes.

```
35 \setlength{\marginparwidth}{2cm} %todonotes manual, section 1.6.5
36 \usepackage[colorinlistoftodos,
37 %   disable,
38 %textsize=small,
39 loadshadowlibrary,
40 shadow,
41 backgroundcolor=yellow]{todonotes}
42 \setuptodonotes{fancyline}
43 %
44 \newcommand{\q}[1]{{}\todo{\footnotesize #1}{}}
```

`\PreliminaryNote` A preliminary numberless “footnote” for abbreviations, grant references, and other general initial statements. But commonly, put this in a little “Acknowledgements” section at the end of the paper.

```
45 \newcommand{\PreliminaryNote}[1]{%
46   {\def\thefootnote{\relax }%
47     \footnotetext{\hspace*{-2.3em} %only if not using \hangfootnotes
48       #1}}}%
49 %
50 %DW ?
51 \skip\footins=24pt
52 %DW ?
```

2.1 Set the geometry for the pages

`geometry` Set the geometry for the pages DW

```
53 \geometry{twoside,
54   paperwidth=210mm,
55   paperheight=297mm,
56   textheight=562pt,
57   textwidth=384pt,
```

```

58 centering,
59 headheight=30pt,
60 headsep=18pt,
61 footskip= 42pt, %24pt,
62 footnotesep=24pt plus 2pt minus 12pt,
63 }

```

2.2 Front matter

```

\title I thought about doing something like this:
\author \newenvironment{frontmatter}{}{\maketitle}
\date but then gave that up.

\title
64 \title{\LARGE \@HSSAarticletitle }

\author Put the author's address in a parbox because it may have hard linebreaks
(\\) that can cause trouble. This happened in Speziale 2019. I still don't
know why the linebreak is allowed after the authorname but not in the ad-
dress.
65 \author{\@HSSAauthorname\\ [1ex]
66 \parbox{\textwidth}{\small\centering\emph{\@HSSAauthoraddress}}
67 }

\date No date.
68 \date{\relax }

```

2.3 Running headers and footers

```

\HSSAfooter Variable that collects the text for the footer.
69 \def\HSSAfooter#1 %*%
70 {\gdef\@HSSAfooter{#1}}

\@HSSAtitle Define the title for use on the title page.
71 \newcommand{\@HSSAtitle}{History of Science in South Asia}

\HSSAverso Variable that collects the page header of the verso pages.
72 \def\HSSAverso#1{\gdef\@HSSAverso{#1}}

\HSSArecto Ditto for the recto, and initialize them both to nothing.
73 \def\HSSArecto#1{\gdef\@HSSArecto{#1}}
74 \let\@HSSAverso\@empty
75 \let\@HSSArecto\@empty

```

Now the HSSA journal running headers, footers and cover citation. Set the shorttitle to be the same as \HSSAverso unless the author redefines it in the document preamble.

```
76 \HSSAverso{\@HSSAarticletitle }
77 \let\HSSAshorttitle\HSSAverso
78 \HSSArecto{\@HSSAauthorname }
```

\@HSSAheaderfooterfont Set up the font that will be used for running headers and footers. Small caps, and a bit of extra space, 7%, of the font's point size, between each letter (LetterSpace is from fontspec).

```
79 \def\@HSSAheaderfooterfont{\scshape\addfontfeature{LetterSpace=7}}
```

\HSSAfooter Use the \MakeTextLowercase macro from the textcase package and construct the running footer for each page.

```
80 \HSSAfooter{\MakeTextLowercase{\@HSSAtitle}\ \@HSSAissuenum\
81 (\@HSSAissuedate) \thefirstpage--\thelastpage}
```

2.4 Fancy headers and footers

Now the fancy header setup, which should be done after the geometry setup.

```
82 %\usepackage{fancyhdr} % after the geometry setup
83 \pagestyle{fancy}
84 \fancyhead{}
85 \fancyhead[C]{\textenglish{\@HSSAheaderfooterfont\MakeTextLowercase{\@HSSArecto}}}
86 \fancyhead[CE]{\textenglish{\@HSSAheaderfooterfont\MakeTextLowercase{\@HSSAverso}}}
87 \fancyhead[RO]{\textenglish{\@HSSAheaderfooterfont\thepage}}
88 \fancyhead[LE]{\textenglish{\@HSSAheaderfooterfont\thepage}}
89 \fancyfoot[L]{}
90 \fancyfoot[C]{\textenglish{\@HSSAheaderfooterfont\HSSAfooter}}
91 \fancyfoot[R]{}
92 \renewcommand{\headrulewidth}{0pt}
93 \renewcommand{\footrulewidth}{0pt}
```

2.5 Fancy-plus-DOI style

\fancypage Make a style for the first page that has the DOI in the bottom right

```
94 \fancypagestyle{fancy-plus-DOI}{%
95 \fancyhead{}
96 \fancyhead[R]{}
97 \fancyfoot[L]{\copy\cclogobox\ \tiny\textenglish{\@HSSAheaderfooterfont
98 \href{http://doi.org/\@DOI}{doi: \@DOI}}}
```

```

99    \fancyfoot[C]{\textenglish{\@HSSAheaderfooterfont\@HSSAfooter}}
100   \fancyfoot[R]{}
101 }

```

2.6 Link colours

`\definecolor` This is the colour that will be used for the URL links; it's dark, so that it doesn't disturb the reading as much as the standard blue would do. It depends on the `xcolor` package.

```
102 \definecolor{darkbrown}{rgb}{0.4, 0.26, 0.13} % from http://latexcolor.com/
```

2.7 Output the preliminary matter

These commands depend on `hyperref`, but that is always loaded so there's no need to check.

```

\AtBeginDocument
103 \AtBeginDocument{%
104   \coverpage
105   \copyrightspage
106   %
107   \setcounter{page}{0}
108   \maketitle
109   \thispagestyle{fancy-plus-DOI}
110   \setcounter{page}{\thefirstpage}
111 %
112   \def\@linkcolor{darkbrown}
113   \def\@anchorcolor{darkbrown}
114   \def\@citecolor{darkbrown}
115   \def\@filecolor{darkbrown}
116   \def\@urlcolor{darkbrown}
117   \def\@menucolor{darkbrown}
118   \def\@pagecolor{darkbrown}
119 %
120   \selectbackgroundlanguage{english}
121 }

```

It would have been convenient to `\input{sanskrit-hyphenations}` at this too, but for some reason this doesn't work. These hyphenations have to be `\input` after `\begin{document}`.

2.8 Output the final pages that come after the article

```
\AtEndDocument
```

```

122 \AtEndDocument{%
123     \newpage
124     \coverlastpage
125 }

```

2.9 Arrange the appendix

appendix

```

126 % Consider using \RequirePackage[title]{appendix}
127 %
128 \def\appendixname{Appendix}
129 \renewcommand\appendix{\par
130     \setcounter{section}{0}%
131     \setcounter{subsection}{0}%
132     \setcounter{equation}{0}
133     \addtocontents{toc}{\string\let\string\numberline\string\tmptocnumberline}{}}
134 }

```

Last page Define the last page number and set it to 100

```

135 \def\LastPage#1{\gdef\@LastPage{#1}}
136 \LastPage{100}

```

2.10 Set up the alignment and fonts of title and author names

```

\aufont
\titlefont 137 \def\titlealign#1{\gdef\@titlealign{#1}}
\footerfont 138 \let\@titlealign\centering
\footeraddress 139 \def\aualign#1{\gdef\@aualign{#1}}
140 \let\@aualign\centering
141 \def\titlefont#1{\gdef\@titlefont{#1}}
142 \def\aufont#1{\gdef\@aufont{#1}}
143 \def\@titlefont{\fontsize{20}{24}}
144 \def\@aufont{\fontsize{10}{12}}
145 %
146 % Footer font
147 %
148 \def\footerfont#1{\gdef\@footerfont{#1}}
149 \footerfont{\fontsize{7}{8}}
150 %
151 % Footer address
152 %
153 \def\footeraddress#1{\gdef\@footeraddress{#1}}
154 \let\@footeraddress\@empty

```

2.11 The content of the cover page

\coverpage

```
155 \long\def\coverpage{%
156     \thispagestyle{empty}
157     \begingroup
158     \parindent0pt
159     \pagecolor{pagecolor}
160     \color{Maroon!20}
161     \hspace*{-.05\linewidth}%
162     \begin{minipage}{1.1\linewidth}%
163         \vspace*{-18pt}%
164         \includegraphics[width=50mm]{logo.eps}\par
165         \vskip-12pt
166         \fontsize{30}{36}\selectfont
167         History of Science in South Asia\par\medskip
168         \footnotesize\itshape
169         A journal for the history of all forms of scientific thought and
170         action, ancient and modern, in all regions of South Asia\par
171     \end{minipage}
172     \par
173     \vfill
174     \begin{minipage}{\linewidth}
175         \raggedright
176         \LARGE
177         \@HSSASpecialissuedetails
178     \end{minipage}
179     \par
180     \vfill
181     \par
182     \begin{minipage}{\linewidth} % Here's the main title and author and affiliation
183         \raggedright
184         \LARGE
185         \@HSSAArticletitle
186         \par\vspace*{10mm}
187         \large
188         \@HSSAAuthorname\par
189         \vspace{.8\baselineskip}
190         \normalsize
191         \emph{\@HSSAAuthoraddress}
192         \par\vspace*{10mm}
193     \end{minipage}
194     \par
195     \vfill
196     \par
```



```

197 \hspace*{-.05\linewidth}%
198 \begin{minipage}{1.1\linewidth}
199 \rule{\linewidth}{.1pt}
200 \footnotesize
201 {\tiny MLA} style citation form: \thecovercitation \[3pt]
202 Online version available at: {\def\@urlcolor{Maroon!20}%
203 \href{http://hssa-journal.org}{http://hssa-journal.org}}
204 \end{minipage}
205 \endgroup
206 \vspace{-10mm}
207 \newpage
208 } % end coverage

```

2.12 The the content of the copyright page

\copyrightspage

```

209 \long\def\copyrightspage{%
210 \begin{group}
211 \pagecolor{white}
212 \normalcolor
213 \thispagestyle{empty}
214 \footnotesize
215 \begin{minipage}[t][.98\textheight][t]{\linewidth}
216 {\addfontfeature{LetterSpace=8}\bfseries
217 HISTORY OF SCIENCE IN SOUTH ASIA}\
218 A journal for the history of all forms of scientific thought and action,
219 ancient and modern, in all regions of South Asia, published online
220 at \href{http://hssa-journal.org}{http://hssa-journal.org}
221
222 \vfill
223
224 ISSN 2369-775X
225
226 \vfill
227
228 \textit{Editorial Board:}\
229 \begin{itemize}
230 \leftmargin=1em
231 \item Dominik Wujastyk, University of Alberta, Edmonton, Canada
232 \item Kim Plofker, Union College, Schenectady, United States
233 % \item Dhruv Raina, Jawaharlal Nehru University, New Delhi, India
234 \item Clemency Montelle, University of Canterbury,
235 Christchurch, New Zealand
236 \item Fabrizio Speziale, School of Advanced Studies in the

```

237 Social Sciences (EHSS), Paris, France
 238 \item Michio Yano, Kyoto Sangyo University, Kyoto, Japan
 239 \item Gudrun Bühnemann, University of Wisconsin-Madison, USA
 240 \item Anuj Misra, University of Copenhagen, Denmark
 241 \item Aditya Kolachana, Indian Institute of Technology, Madras, India
 242 \item Dagmar Wujastyk, University of Alberta, Edmonton, Canada
 243 \end{itemize}
 244
 245 \medskip
 246
 247 \textit{Publisher:}\[4pt]
 248 History of Science in South Asia
 249
 250 \medskip
 251
 252 \textit{Principal Contact:}\[4pt]
 253 Dominik Wujastyk, Editor, University of Alberta\
 254 Email: \$\langle\$wujastyk@ualberta.ca\$\rangle\$
 255
 256 \medskip
 257
 258 \textit{Mailing Address:}\[4pt]
 259 History of Science in South Asia,\
 260 Department of History, Classics and Religion,\
 261 2--81 HM Tory Building,\
 262 University of Alberta,\
 263 Edmonton, AB, T6G 2H4\
 264 Canada
 265
 266 \medskip
 267
 268 This journal provides immediate open access to its content on the
 269 principle that making research freely available to the public supports
 270 a greater global exchange of knowledge.
 271
 272 \medskip
 273
 274 Copyrights of all the articles rest with the respective authors and
 275 published under the provisions of
 276 \href{http://www.creativecommons.org/licenses/by-sa/4.0/}{Creative
 277 Commons
 278 Attribution-ShareAlike 4.0} License.
 279
 280 \medskip
 281

```

282     The electronic versions were generated from sources marked up in
283     \href{http://www.latex-project.org}{\LaTeX{}} in a computer running
284     \textsc{gnu/linux} operating system. \textsc{pdf} was typeset
285     using \href{http://tug.org/xetex/}{\XeTeX{}} from
286     \href{http://tug.org/texlive/}{\TeX Live}.
287     The base font used for Latin script and oldstyle numerals was
288     \href{http://www.gust.org.pl/projects/e-foundry/tex-gyre/pagella}{\TeX{}}
289     Gyre Pagella} developed by
290     \href{http://www.gust.org.pl}{\textsc{gust}}, the Polish
291     \TeX{} Users Group.
292 \end{minipage}
293 \endgroup
294
295 \pagecolor{white}
296 \normalcolor
297 } % end \copyrightpage

```

2.13 The content of the back cover page

\coverlastpage

```

298 \long\def\coverlastpage{\newpage\parindent=0pt
299   \thispagestyle{empty}
300   \pagecolor{pagecolor}
301   \parskip=0pt
302   \mbox{}
303   \vfill
304   \par
305   \color{endscriptcolor}
306   \colorlet{urlcolor}{endurlcolor}
307   \rule[3pt]{\textwidth}{.2pt}
308   {\normalfont\scriptsize\raggedright Please write to
309     \href{mailto:wujastyk@ualberta.ca}
310     {\color{white}$\langle$wujastyk@ualberta.ca$\rangle$}
311     to file bugs/problem reports, feature requests and to get involved. \\
312     % \addfontfeature{LetterSpace=6}%
313     \href{http://hssa-journal.org}
314     {\color{white}The History of Science in South Asia}
315     \textbullet\
316     Department of History and Classics,
317     2--81 HM Tory Building, University of Alberta,
318     Edmonton, AB, T6G 2H4,
319     Canada.}%
320   \vspace*{-20pt}
321 }

```

2.14 Tweak captions → footnotesize

```
\@makecaption
322 % originally for Speciale
323 \long\def\@makecaption#1#2{%
324     \vskip\abovecaptionskip
325     \footnotesize % added footnotesize
326     \sbox\@tempboxa{#1: #2}%
327     \ifdim \wd\@tempboxa >\hsize
328         #1: #2\par
329     \else
330         \global \@minipagefalse
331         \hb@xt@\hsize{\hfil\box\@tempboxa\hfil}%
332     \fi
333     \vskip\belowcaptionskip}
```

2.15 Page layout dimensions

DW can this be superseded by the geometry package?

```
pagelayout
334 \renewcommand\topfraction{1}
335 \renewcommand\bottomfraction{.8}
336 \renewcommand\textfraction{0}
337 \renewcommand\floatpagefraction{.8} % 0.95 better ???
338 \renewcommand\dbltopfraction{1}
339 \renewcommand\dblfloatpagefraction{.8}
340 \renewcommand\topfraction{1}
341 \renewcommand\bottomfraction{.8}
342 \renewcommand\textfraction{0.1}
343 \renewcommand\floatpagefraction{0.95} % was 0.8 changed 1
```

2.16 Misc layout settings

```
344 \lefthyphenmin=3
345 \righthyphenmin=3
346 %\RequirePackage[hang]{footmisc}
347 %\setlength\footnotemargin{.8em}
348
349 %\geometry{footskip=42pt}
350
351 \RequirePackage{lettrine}
352 \RequirePackage[normalem]{ulem}
```

2.17 Journal-specific user-facing macros

HSSAspecialissuedetails Only for for guest-edited single-theme issues.

```

353 \def\HSSAspecialissuedetails#1{\gdef\@HSSAspecialissuedetails{#1}}
354 \HSSAspecialissuedetails{\empty }

```

\HSSAissuenum Provide user command \HSSAissuenum.

```

355 \def\HSSAissuenum#1{\gdef\@HSSAissuenum{#1}}
356 \HSSAissuenum{999}

```

\HSSAarticletitle Provide user command \HSSAarticletitle

```

357 \def\HSSAarticletitle#1{\gdef\@HSSAarticletitle{#1}\hypersetup{pdftitle=#1}}
358 \HSSAarticletitle{My Life}

```

Provide user command \HSSAauthorname

```

359 \def\HSSAauthorname#1{\gdef\@HSSAauthorname{#1}\hypersetup{pdfauthor=#1}}
360 \HSSAauthorname{Joe Bloggs}

```

Provide user command \HSSAissuedate

```

361 \def\HSSAissuedate#1{\gdef\@HSSAissuedate{#1}}
362 \HSSAissuedate{1900}

```

Provide user command \HSSAauthoraddress

```

363 \def\HSSAauthoraddress#1{\gdef\@HSSAauthoraddress{#1}}
364 \HSSAauthoraddress{Timbuktu}

```

Collect DOI info when ready and print it in covercitation Provide DOI when we have it.

```

365 \def\DOI#1{\gdef\@DOI{#1}}
366 \gdef\@DOI{\empty}
367 %%\newtoks\DOI
368 \newcommand{\printDOI}{\ifx\@DOI\empty\relax
369   \else
370     {\def\@urlcolor{Maroon!20}
371       \textsc{doi:} \href{https://doi.org/\@DOI}{\@DOI}.\fi }
372 }

```

Say \DOI{xxx}, and then later \printDOI where you want it printed.

\covercitation Gather the required information for the MLA cover citation and format it for output

```

373 \def\covercitation#1{\gdef\thecovercitation{#1}}
374 %
375 \covercitation{\@HSSAauthorname. "\@HSSAarticletitle."
376   \emph{\@HSSAtitle}, \@HSSAissuenum\ (\@HSSAissuedate):
377   \thefirstpage--\thelastpage. \printDOI }
378 %/DW

```

```
379 \def\fspace#1{\addfontfeature{LetterSpace=#1}}
```

2.18 Customizing the sectioning commands

```
\section
```

```
380 \setcounter{secnumdepth}{1}
381 \renewcommand\section{\@startsection {section}{1}{\z@}%
382     {-18\p@ \@plus 6\p@ \@minus 3\p@}%
383     {9\p@ \@plus 6\p@ \@minus 3\p@}%
384     {\normalfont\centering\fspace{10}\MakeUppercase}}
385 \renewcommand\subsection{\@startsection{subsection}{2}{\z@}%
386     {-15\p@ \@plus 6\p@ \@minus 3\p@}%
387     {6\p@ \@plus 6\p@ \@minus 3\p@}%
388     %           {\normalfont\footnotesize\fspace{10}\centering\MakeUppercase}}
389     {\normalfont\large\scshape\fspace{8}\centering\MakeLowercase}}
390 \renewcommand\subsubsection{\@startsection{subsubsection}{3}{\z@}%
391     {-15\p@ \@plus 6\p@ \@minus 3\p@}%
392     {\p@}%
393     {\normalfont\normalsize\itshape\centering}}
```

2.19 Collecting the page-number information

```
394 \def\HSSAfirstpage#1{\gdef\thefirstpage{#1}}
395 \def\HSSAlastpage#1{\gdef\thelastpage{#1}}
396 % Initialize the values:
397 \HSSAfirstpage{000}
398 \HSSAlastpage{999}
```

2.20 Creative Commons logo

```
399 \newbox\cclogobox
400 \global\setbox\cclogobox=\hbox{%
401     \includegraphics[width=10mm]{cc-by-sa.eps}}
```

2.21 Tweak tabular layout

```
402 \newcommand\arraybslash{\let\\\@arraycr}
403 \setlength\tabcolsep{1mm}
404 \renewcommand\arraystretch{1.3}
405 \emergencystretch=.1\columnwidth
```

2.22 Not used

Legacy code to be thought about and probably weeded out.

```
406 %\HSSAJournalAbbrev{Hist.~Sci.~South Asia}
```

```

407 \definecolor{bg}{HTML}{600000}
408 \colorlet{pagecolor}{bg}
409 \colorlet{urlcolor}{black!50}
410 \colorlet{endurlcolor}{pagecolor!30}
411 \colorlet{linkcolor}{black!50}
412 \colorlet{endscriptcolor}{pagecolor!20}

```

2.23 PDF metadata

Commented out because it interferes with other stuff.

```

413 % \pdfstringdef{\@temppdftitle}{\@HSSAarticletitle}
414 % \pdfstringdef{\@temppdfauthor}{\@HSSAauthorname}
415 % \pdfinfo{
416 %     % copying out title because of macro expansion problems
417 %         /Title (\@temppdftitle)
418 %         /Author (\@temppdfauthor)
419 %         /Keywords (DOI: https://doi.org/\@DOI)
420 %     }
421 %}

```

The pdfx package clashes with using \hypersetup to embed XMP data.
Commented out.

```

422 %\usepackage[a-1b]{pdfx} % get an archival PDF
423 % optionally, create a file \jobname.xmpdata with \Author{} \Title{} \Copyright{}
424 % \CopyrightURL{} \Keywords{}

```

2.24 Hypertext links

\hypersetup Settings for hypertext links, used by hyperref. These settings also include hyperxmp settings to embed XMP metadata in the PDF. The \@ macros don't expand at the right time. A problem for another day. In any case, hyperxmp seems to get more or less the right data from \author etc.

```

425 \hypersetup{colorlinks=true,
426     bookmarksopen=false,
427     pdfpagescrop={39 62 554 759},
428     % now hyperxmp settings:
429 %     pdfauthor={\@HSSAauthorname},
430 %     pdftitle={\@HSSAarticletitle},
431 %     pdfcopyright={\copyright\ The Author},
432 %     pdfdoi={\@DOI },
433 %     pdfurl={https://doi.org/\@DOI},
434 %     pdfissn={2369-775X},
435 %     pdflicenseurl={https://creativecommons.org/licenses/by-sa/4.0/},
436 %     pdfpublication={History of Science in South Asia},

```

```

437 pdfcaptionwriter={Dominik Wujastyk},
438 pdfurl={https://journals.library.ualberta.ca/hssa/},
439 pdfpublisher={University of Alberta Library},
440 pdfpubtype={journal},
441 pdfpubstatus={VoR}, % Version of Record
442 }

```

2.25 Simple indented, environment for Sanskrit verses

sloka (*env.*)

```

443 %\newenvironment{sloka}
444 % {\list{}{\rightmargin\leftmargin}%
445 % \item\relax}
446 %{\endlist}
447 %
448 \newenvironment{sloka} % tweaked from verse
449 {\let\\\@centercr
450 \parindent 1em
451 \leavevmode \hskip-.03em
452 % \rightmargin \leftmargin
453 % \advance \leftmargin 10em
454 % \advance\leftskip 2em
455 % \advance\rightskip 2em
456 %\narrower
457 }
458 {\relax }

```

2.26 Diatop

\diatop \diatop, used for r underdot overbar (ṛ, F6, 246) See Conference Proceedings, *TeXniques* no. 5, p. 11.

```

459 \def\diatop[#1|#2]{\leavevmode{\setbox1=\hbox{#1}}\setbox2=\hbox{#2}}%
460 \dimen0=\ifdim\wd1>\wd2\wd1\else\wd2\fi%
461 \dimen1=\ht2\advance\dimen1by-1ex%
462 \setbox1=\hbox to1\dimen0{\hss#1\hss}%
463 \rlap{\raise1\dimen1\box1}%
464 \hbox to1\dimen0{\hss#2\hss}}%

```

E.g. of use: \diatop[\ ' | {\=o}] gives o macron acute.

2.26.1 Unknown

Again, what's this? "get rid of the alphabetic headers"?

```

465 \newcommand{\lettergroup}[1]{\smallskip }

```


2.27 Mini edition environment

miniedition Documented at [the Cikitsā blog](#).

First make a hanging footnote setup to use for these minipage notes:

```
466 % nice hanging-indent footnotes. LaTeX Companion, p.73:
467 \def\hangfootnotes{%
468     \renewcommand{\@makefnmark}[1]{\setlength{\parindent}{0pt}%
469         \begin{list}{}{\setlength{\labelwidth}{1.5em}%
470             \setlength{\leftmargin}{\labelwidth}%
471             \setlength{\labelsep}{3pt}\setlength{\itemsep}{0pt}%
472             \setlength{\parsep}{0pt}\setlength{\topsep}{0pt}%
473             \footnotesize\item[\hfill\@makefnmark]##1%
474         \end{list}}%
475 }

476 \newenvironment{miniedition}
477     {\begin{quote}
478         \addtolength{\textwidth}{-2\rightmargin} % width of the quote environment
479         \begin{minipage}{\textwidth}
480             \let\footnoterule\relax % if you want a rule, comment out this line.
481             \hangfootnotes
482             % \let\footnote\originalfootnote
483         }
484     {\end{minipage}
485     \end{quote}
486 }
```

Resetting `\footnote` to `\originalfootnote` is no longer needed. Standard non-reledmac L^AT_EX footnotes are now restored by the `\@minipagerestore` hook in the file `hssa-reledmac.sty`.

2.28 Index of Manuscripts

`\MScite` The command `\MScite` is defined in `hssa-indexing.sty` that is loaded earlier in this file.

Usage:

```
\MScite{City Library Accession no.}
\MScite{London Wellcome Indic alpha 23}
\printindex[manuscripts]
```

3 hssa.sty: HSSA main style file

This code is in the file `hssa.sty`. Style file for the HSSA journal.² Here in `hssa.sty`, I'm keeping the code that is not part of the core of HSSA's design, including calls to other style files that might or might not be included for different articles.

3.1 Load basic macros for reledmac

`hssa-reledmac (env.)` We load `reledmac.sty` with some parameters set in the file `hssa-reledmac.sty`. This redefines `\footnote` to produce double-column notes. Also, it makes the macros of `reledmac` available for making critical editions.

```
487 \usepackage{hssa-reledmac} % journal home style, two-col footnotes
```

For some documents without the need for critical edition features, it may be enough to use `dblfnote.sty` instead.

Note: we don't load `hssa-biblatex` here because it is already loaded in `hssa.cls`; it's a permanent feature of HSSA.

3.2 Languages and fonts, Polyglossia-style

3.2.1 British English, Greek, Sanskrit

```
488 \setdefaultlanguage[variant=british]{english}
489 %\setotherlanguage{japanese} % still experimental in Polyglossia
490 \setotherlanguage{greek}
491 \setotherlanguage{sanskrit}
```

3.2.2 T_EX Gyre Pagella, the default roman font for HSSA

```
492 \setmainfont[Ligatures=TeX,
493 Mapping=tex-text,
494 Numbers=OldStyle]{TeX Gyre Pagella}
495 %\setmainfont[Scale=1.05]{Alegreya} % quite nice; superscripts not smaller
496 %\setmainfont{Libertinus Serif} % looks good; does math
```

3.2.3 Sanskrit input in Devanagari script

```
497 \newfontfamily\sanskritfont[Script=Devanagari,
```

²See <http://tug.org/pracjourn/2005-3/asknelly/> for a nice statement of the difference between `.cls` and `.sty` files.

```

498 %Mapping=RomDev,
499 FakeStretch=1.08, % improves Sanskrit 2003
500 AutoFakeBold=1.5,
501 ]
502 {Sanskrit 2003}
503 % {Murty Sanskrit}
504 \let\dn\sanskritfont %for legacy Velthuis-encoded documents

```

3.2.4 Sanskrit input in IAST script, output in Devanagari

```

505 % Sanskrit input in IAST
506 \newfontfamily\devanagarifont[Script=Devanagari,
507 Mapping=RomDev,
508 FakeStretch=1.08, % improves Sanskrit 2003
509 AutoFakeBold=2.5,
510 ]
511 % {Murty Sanskrit}
512 {Sanskrit 2003}
513 \newcommand{\dev}[1]{\devanagarifont#1}}
514 %\newcommand{\dev}[1]{\textdevanagari{#1}}
515 \newcommand{\largesloka}[1]{\raggedright \devanagarifont\large #1\par}}

```

3.2.5 Chinese

```

516 \newfontfamily\cjk[Script=CJK,Mapping=tex-text,Scale=MatchLowercase]
517 %{\IPAexMincho} % missing
518 %{\TakaoPGothic}
519 {Yu Mincho}
520 %

```

3.2.6 Greek font

```

521 % Greek
522 \newfontfamily\greekfont{Gentium Plus}[Script=Greek,
523 Mapping=tex-text,
524 Scale=MatchUppercase]
525 %
526 %{\Old Standard}
527 %{\GFS Porson}
528 %{\GFS Didot}
529 %{\Galatia SIL}
530 %{\Linux Libertine O}

```

See [Stackexchange about Greek fonts](#).

3.3 Local generic author-facing macros

```

\bce
\ce
\BCE
\CE

```

```

531 \def\bce{\textsc{bce}} % I took out the final \xspace
532      % because it's behaviour is hard to predict - DW
533 \def\ce{\textsc{ce}} % ditto.
534 \let\BC\bce \let\BCE\bce \let\AD\ce \let\CE\ce

```

3.4 Math mode with Unicode fonts

```

535 \usepackage{unicode-math} % must load after amsmath; see manual ch. 3
536 %\setmathfont{texgyrepagella-math.otf} % doesn't have old style numerals.
537 \setmathfont{Asana Math}[Numbers=OldStyle]

```

4 hssa-reledmac.sty: critical edition and footnote column macros

This code is in the file `hssa-reledmac.sty`.

4.1 Two-column footnote formatting

With help from [EDMAC](#) and [Stackexchange](#).

```
538 \usepackage[nocritical,
539     noend,
540     %noeledsec,
541     %noledgroup,
542     series={A, B, C, D, E, F, G, H, I}]{reledmac}
543 \usepackage{setspace}
544 %\let\footnoteruleA=\relax % do we want a footnoterule?
545 \def\thempfootnote{{\itshape\@alph\c@mpfootnote}} % from latex.ltx
546 \arrangementX[A]{twocol}
547 \arrangementX[B]{twocol} % for occasional use in the \verb|miniedition| environment
548 \colalignX{\relax } % looks better. But should we optimize narrow columns
549 %by going \verb"\raggedright"?
550 \beforenotesX{2em plus 1.5em minus 1.5em} % spacing above notes
551 \renewcommand*{\normalfootfootmarkX}[1]{%
552     \@nameuse{@thefnmark#1}\hspace*{.5em}}
```

`\footnote` `\footnote` is not going to be the standard L^AT_EX footnote. So store the standard version. Then restore the standard `\footnote` when inside minipage environment.

Finally, make the command `\footnote` into the `reledmac` two-column command.

```
553 \let\originalfootnote=\footnote % store this for use in minipages
554 \def\@minipagerestore{\let\footnote\originalfootnote} % restore standard \footnote
555 % Now change \verb"\footnote" to the reledmac version:
556 \let\footnote=\footnoteA
```

[Stackexchange help](#). Commented out, but useful in some tight situations:

```
557 % \usepackage{microtype}
```

5 hssa-biblatex.sty: Bib \LaTeX settings for HSSA

This code is in the file `hssa-biblatex.sty`.

5.1 Manuscript-oriented Bib \LaTeX macros

We don't need this at present. It's only here as a place-keeper, as a starting point in case we have a document that requires lots of specialized bibliographies for manuscripts, e.g., perhaps a manuscript catalogue.

```
558 % \usepackage[%  
559 % tools={manuscripts},  
560 % bibstyle={authoryear},  
561 % ]{biblatex-multiple-dm} % for biblatex-manuscripts-philology
```

5.2 Load Biblatex

Here are the macros for our bibliographies. HSSA uses *New Hart's Rules* (Oxford University Press, 2014) as its formatting style guide. These Rules are comprehensively implemented for Bib \LaTeX through the `oxref` and `oxyear` packages. See also section 5.3 below.

```
562 \usepackage[%  
563 backend=biber,  
564 %bibstyle=multiple-dm, % for biblatex-manuscripts-philology  
565 % oxref:  
566 style=oxyear,  
567 dashed=true,  
568 usetranslator=true,% see oxref documentation para 2.1.10  
569 %ibidtracker=constrict,  
570 %ibidpage=false,  
571 %pagetracker=page,  
572 %idemtracker=constrict,  
573 sorting=ynt,
```

(on `ynt`, see [Cikitsā blog post](#).)

```
574 sortcites=true,  
575 backref=false,  
576 date=comp,  
577 datecirca=true,  
578 dateuncertain=true,  
579 bibencoding=auto,  
580 hyperref=auto,  
581 isbn=true,  
582 doi=true,
```

```

583 language=auto,
584 natbib=true,
585 texencoding=auto,
586 url=true,
587 urldate=short,
588 useprefix=true,
589 %refsection=section,
590 giveninits=false,
591 maxbibnames=10]{biblatex}

```

5.3 Settings for oxyear

```

592 \ExecuteBibliographyOptions[% for biblatex-oxyear
593 book,
594 mvbook,
595 mvcollection,
596 inbook,
597 incollection,
598 inreference,
599 collection,
600 reference,
601 mvreference]{useeditor=true,usetranslator=true}
602 \AtBeginDocument{\assignrefcontextentries[]{*}}

```

See [Cikitsā blog post](#) for further explanation of the above.

5.4 Bibliography punctuation

Following sections 3.10 and 4.7.5 of the Bib_{La}T_EX manual, put the comma *inside* the quotation marks of the title.

```

603 \DefineBibliographyExtras{british}{\DeclareQuotePunctuation{.,}}

```

5.5 Bibliography sorting

To avoid saying `\newrefcontext[sorting=nyt]` before `\printbibliography` in every document redefine `\printbibliography` (from biblatex.sty):

```

604 \renewrobustcmd*{\printbibliography}{%
605   \newrefcontext[sorting=nyt] % added this line
606   \begingroup
607   \delimcontext{bib}%
608   \edef\on@line{\on@line}%
609   \@ifnextchar[%

```

```

610     {\blx@printbibliography}
611     {\blx@printbibliography[]}
612 }

```

5.6 Positioning of the notes

To make bibtex notes print last, like addendums from [Stackexchange](#).

```

613 \DeclareSourcemap{
614     \maps[datatype=bibtex]{
615         \map{
616             \step[fieldsource=note, final]
617             \step[fieldset=addendum, origfieldval, final]
618             \step[fieldset=note, null]
619         }
620     }
621 }

```

5.7 csquotes

The american option with csquotes gives double quotes in article titles in the bibliography.

```

622 \usepackage[style=american]{csquotes}

```

5.8 Tweak the citation style

Remove the “p.” and “pp.” from, for example, \volcite :

```

623 \DefineBibliographyStrings{english}{%
624     page          = {},
625     pages         = {},
626     volume = {vol},
627     volumes = {vols},
628 }

```

5.9 Unused code

Biblatex documentation 4.11. and macros from biblatex.def Enable hot URLs for PDFs at Archive.org and Academia.edu etc.

Make URLs smaller:

```

629 %\DeclareFieldFormat{url}{\textsc{url:} {\small \href{#1}{\nolinkurl{#1}}}}
630 %\DeclareFieldFormat{doi}{\textsc{doi:} {\small \href{#1}{\nolinkurl{#1}}}}

```


5.10 URL formatting in the bibliography

5.10.1 Buddhist Digital Resource Center

```
631 \DeclareFieldFormat{eprint:tbrc}{%  
632   \textsc{TBRC}\space  
633   \ifhyperref  
634     {\href{https://www.tbrc.org/\#!rid=#1}{\nolinkurl{#1}}}  
635   {\nolinkurl{#1}}}
```

5.10.2 ARK

```
636 \DeclareFieldFormat{eprint:ark}{%  
637   \textsc{ark:}\space  
638   \ifhyperref  
639     {\href{https://n2t.net/#1}{\nolinkurl{#1}}}  
640   {\nolinkurl{#1}}}
```

5.10.3 Archive.org

```
641 \DeclareFieldFormat{eprint:archive}{%  
642   Internet Archive\addcolon\space  
643   \ifhyperref  
644     {\href{http://archive.org/details/#1}{\nolinkurl{#1}}}  
645     {\nolinkurl{#1}}}  
646 \DeclareFieldAlias{eprint:archiveorg}{eprint:archive}
```

5.10.4 Academia.edu

```
647 \DeclareFieldFormat{eprint:academia}{%  
648   Academia.edu\addcolon\space  
649   \ifhyperref  
650     {\href{http://www.academia.edu/#1}{\nolinkurl{#1}}}  
651     {\nolinkurl{#1}}}  
652 \DeclareFieldAlias{eprint:academia.edu}{eprint:academia}
```

5.10.5 JSTOR

```
653 \DeclareFieldFormat{eprint:jstor}{%  
654   \ifhyperref  
655     {\href{http://www.jstor.org/stable/#1}{\small JSTOR}}  
656     {\nolinkurl{#1}}}
```

5.10.6 Jainelibrary

```
657 \DeclareFieldFormat{eprint:jainlibrary}{%  
658   Jain eLibrary\addcolon\space  
659   \ifhyperrefsloka  
660     {\href{http://www.jainlibrary.org/book.php?file=#1}{\nolinkurl{#1}}}
```

```
661 {\nolinkurl{#1}}}
```

5.10.7 DOI

```
662 \DeclareFieldFormat{doi}{%
663   \textsc{doi}\addcolon\space
664   \ifhyperref
665     {\href{https://doi.org/#1}{\nolinkurl{#1}}}
666     {\nolinkurl{#1}}}
```

5.11 Tweaks to make the citation form:- Author date: page

```
667 \DeclareFieldFormat{postnote}{#1}
668 \renewcommand{\postnotedelim}{: \,}
669 \renewcommand{\nameyeardelim}{\ }
```

5.12 “Forthcoming” hacks

Biblatex hacks to get pubstate (“forthcoming” etc.) behaving as it should
Biblatex manual 4.5.10

```
670 \DeclareLabeldate{%
671   \field{date}
672   \field{year}
673   \field{pubstate}
674   \field{eventdate}
675   \field{origdate}
676   \field{urldate}
677   \literal{nodate}
678 }
```

5.13 Tighten up URL date

```
679 \DeclareFieldFormat{urldate}{%
680   (on
681   \thefield{urlday}\addspace%
682   \mkbibmonth{\thefield{urlmonth}}\addspace%
683   \thefield{urlyear})\isdot}
```

5.14 Hyperlink magic

Some magic from “moewe” at [Stackexchange](#) that makes hyperlinks work from citations to a list of abbreviations.

```
684 \DeclareFieldFormat{shorthandwidth}{%
685   \bibhypertarget{shorthand:\thefield{entrykey}}
686   {#1}}
687
688 \DeclareFieldFormat{bibhyperref}{%
```

```

689 \iffieldundef{shorthand}
690 {\bibhyperref{#1}}
691 {\bibhyperlink{shorthand:\thefield{entrykey}}{#1}}

```

Patch so that date-abbreviations aren't just one digit. Kindly supplied by Alex Ball, <https://github.com/alex-ball/biblatex-oxref/issues/19>

```

692 \renewcommand{\blx@ox@compyear}[2]{%
693   \def\num@one{#1}%
694   \def\num@two{#2}%
695   \StrLen{\num@one}[\num@one@len]%
696   \StrLen{\num@two}[\num@two@len]%
697   \ifboolexpr{
698     test {\ifnumequal{\num@one@len}{\num@two@len}}
699     and
700     test {\ifnumless{\num@one}{\num@two}}
701   }{%
702     \StrCompare{\num@one}{\num@two}[\Result]%
703     \ifnum\num@two@len>3%
704     \IfStrEq{\Result}{2}{\def\Result{1}}{}%
705     \fi
706     %% Extend the legal date compression behaviour to all entries
707     \IfStrEq{\Result}{4}{\def\Result{3}}{}%
708     %% End of changes
709     \StrGobbleLeft{0\num@two}{\Result}%
710   }{\num@two}}

```

TeX stops reading here.

6 hssa-indexing.sty: indexing for HSSA

This code is in the file hssa-indexing.sty.

Formerly used xindy; now updated to use xindex

Now (2023) see the package indextools by Maïeule Rouquette (<https://github.com/maieul/indextools>) that patches imakeidx to work with bidi.

```
711 %\usepackage[imakeidx]{xindex} % deprecated by indextools
712 \usepackage[xindex]{indextools}
713 % \PassOptionsToPackage{nonewpage}{imakeidx}
714 %
715 \indexsetup{level=\section*,
716   noclearpage,
717   firstpagestyle=fancy
718 }
719 %
720 \makeindex[name=lexical,
721 title=Lexical Index,
722 columns=3,
723 options= --config iast --no_casesensitive --noheadings, % nocasesensitive,
724 %noheadings
725 ]
726 %
727 \makeindex[name=manuscripts,
728 title=Index of Manuscripts,
729 options= --config iast --no_casesensitive --noheadings,
730 columns=1]
731 %
```

Before the \printindex command say
“\indexprologue{References are to page numbers.}”

6.1 English-Sanskrit indexes

Command for English words to be followed by Sanskrit in parentheses, and both to be sent to the lexical index.

```
\saneng
732 \newcommand{\saneng}[2]
733 % #1 = Sanskrit
734 % #2 = English
735 {#2 (\sansk{#1})%
736   \index[lexical]{#2!#1@\emph{#1}}%
737   \index[lexical]{#1@\emph{#1}!#2}}
```

`\ssaneng` A “silent” version of `\saneng` that sends items to the index but prints nothing in the main text.

```
738 \providecommand{\ssaneng}[2]% silent index entry
739 % #1 = Sanskrit
740 % #2 = English
741 {\index[lexical]{#2!#1@\emph{#1}}}%
742   \index[lexical]{#1@\emph{#1}!#2}}
```

Tidy up the index spacing:

```
743 \renewcommand\@idxitem{\par\hangindent 15\p@ }% from sanmed.sty
```

6.2 Commands for citing and indexing manuscripts

`\MS` To cite manuscripts in canonical form, use the following structure
`\MScite <City> <Library> <Shelf number>`.
E.g.,

```
\MS{London Wellcome  $\beta$  33}
```

(`\MS` is shorthand for `\MScite`.) This prints “MS London Wellcome β 33” in the text and also sends entries to your index of manuscripts, that will be printed at the end of your article with `\printindex[manuscripts]`.

```
744 \newcommand{\MScite}[1]{MS #1\index[manuscripts]{#1}}
745   \let\MS=\MScite
```

`\MSnocite` And a silent version. This sends an entry to the index but prints nothing in the main text (works like `\nocite`):

```
746 \newcommand{\MSnocite}[1]{\index[manuscripts]{#1}}
747   \let\MSsilent=\MSnocite
```

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		
\# 634	\@footeraddress .. 153, 154	\addfontfeature .. 79, 216, 312, 379
\, 668	\@footerfont 148	\addspace ... 681, 682
\@DOI 98, 365, 366, 368, 371, 419, 432, 433	\@idxitem 743	\addtocontents .. 133
\@HSSAarticletitle ... 64, 76, 185, 357, 375, 413, 430	\@ifnextchar 609	\addtolength 478
\@HSSAauthoraddress 66, 191, 363	\@linkcolor 112	\advance 453, 454, 455, 461
\@HSSAauthorname 65, 78, 188, 359, 375, 414, 429	\@makecaption ... 322	\appendix ... 126, 129
\@HSSAfooter 70, 90, 99	\@makefnmark 473	\appendixname ... 128
\@HSSAheaderfooterfont ... 79, 85, 86, 87, 88, 90, 97, 99	\@makefnmark 468	\arrangementX 546, 547
\@HSSAissuedate 81, 361, 376	\@menucolor 117	\arraybslash 402
\@HSSAissuenum 80, 355, 376	\@minipagefalse . 330	\arraystretch ... 404
\@HSSArecto 73, 75, 85	\@minipagerestore 554	\assignrefcontextentries 602
\@HSSAspecialissuedetails 177, 353	\@minus 382, 383, 386, 387, 391	\AtBeginDocument 103, 602
\@HSSAtitle 71, 80, 376	\@nameuse 552	\AtEndDocument .. 122
\@HSSAverso 72, 74, 86	\@pagecolor 118	\aualign 139
\@LastPage 135	\@plus 382, 383, 386, 387, 391	\aufont 137
\@alph 545	\@startsection 381, 385, 390	\Author 423
\@anchorcolor ... 113	\@tempboxa 326, 327, 331	\author 65
\@arraycr 402	\@temppdfauthor 414, 418	
\@aualign ... 139, 140	\@temppdftitle 413, 417	B
\@aufont 142, 144	\@titlealign . 137, 138	\baselineskip ... 189
\@centercr 449	\@titlefont . 141, 143	\BC 534
\@citecolor 114	\@urlcolor 116, 202, 370	\BCE 531
\@empty ... 74, 75, 154	\\ . 65, 97, 201, 217, 228, 247, 252, 253, 258, 259, 260, 261, 262, 263, 311, 402, 449	\bce 531
\@filecolor 115	_ ... 80, 315, 376, 431	\beforenotesX ... 550
	A	\begin ... 162, 174, 182, 198, 215, 229, 469, 477, 479
	\abovecaptionskip 324	\begingroup 157, 210, 606
	\AD 534	\belowcaptionskip 333
	\addcolon 642, 648, 658, 663	\bfseries 216
		\bibhyperlink ... 691
		\bibhyperref 690
		\bibhypertarget . 685

<code>\geometry</code> . 53, 53, 349	I	<code>\leftmargini</code> 230
<code>\global</code> 330, 400	<code>\ifboolexpr</code> 697	<code>\leftskip</code> 454
<code>\greekfont</code> 522	<code>\ifdim</code> 327, 460	<code>\let</code> 74, 75, 77,
H	<code>\iffieldundef</code> 689	133, 138, 140,
<code>\hangfootnotes</code> 47, 467, 481	<code>\ifhyperref</code> 633, 638,	154, 402, 449,
<code>\hangindent</code> 743	643, 649, 654, 664	480, 482, 504,
<code>\hb@xt@</code> 331	<code>\ifhyperrefsloka</code> 659	534, 544, 553,
<code>\hbox</code> 400, 459, 462, 464	<code>\ifnum</code> 703	554, 556, 745, 747
<code>\headrulewidth</code> 92	<code>\ifnumequal</code> 698	<code>\lettergroup</code> 465
<code>\hfil</code> 331	<code>\ifnumless</code> 700	<code>\linewidth</code> 161,
<code>\hfill</code> 473	<code>\IfStrEq</code> 704, 707	162, 174, 182,
<code>\href</code> 98, 203,	<code>\ifx</code> 368	197, 198, 199, 215
220, 276, 283,	<code>\includegraphics</code> 164, 401	<code>\list</code> 444
285, 286, 288,	<code>\index</code> 736, 737,	<code>\literal</code> 677
290, 309, 313,	741, 742, 744, 746	<code>\LoadClass</code> 2
371, 629, 630,	<code>\indexsetup</code> 715	<code>\long</code> 155, 209, 298, 323
634, 639, 644,	<code>\isdot</code> 683	M
650, 655, 660, 665	<code>\item</code> 231, 232,	<code>\makeindex</code> 720, 727
<code>\hsize</code> 327, 331	233, 234, 236,	<code>\MakeLowercase</code> 389
<code>\hskip</code> 451	238, 239, 240,	<code>\MakeTextLowercase</code>
<code>\hspace</code> 47, 161, 197, 552	241, 242, 445, 473 21, 80, 85, 86
<code>\hss</code> 462, 464	<code>\itemsep</code> 471	<code>\maketitle</code> 108
<code>hssa-reledmac</code>	<code>\itshape</code> 168, 393, 545	<code>\MakeUppercase</code> 384, 388
<code>(env.)</code> 487	J	<code>\map</code> 615
<code>\HSSAarticletitle</code> 357	<code>\jobname</code> 423	<code>\maps</code> 614
<code>\HSSAauthoraddress</code>	K	<code>\marginparwidth</code> 35
. 363, 364	<code>\Keywords</code> 424	<code>\mbox</code> 302
<code>\HSSAauthorname</code> 359, 360	L	<code>\medskip</code>
<code>\HSSAfirstpage</code> 394, 397	<code>\labelsep</code> 471	. 167, 245, 250,
<code>\HSSAfooter</code> 69, 80	<code>\labelwidth</code> 469, 470	256, 266, 272, 280
<code>\HSSAissuedate</code> 361, 362	<code>\langle</code> 254, 310	<code>\miniedition</code> 466
<code>\HSSAissuenum</code> 355	<code>\LARGE</code> 64, 176, 184	<code>\mkbibmonth</code> 682
<code>\HSSAjournalAbbrev</code> 406	<code>\large</code> 187, 389, 515	<code>\MS</code> 744
<code>\HSSAlastpage</code> 395, 398	<code>\largesloka</code> 515	<code>\MScite</code> 487, 744
<code>\HSSArecto</code> 73, 78	<code>\LastPage</code> 135	<code>\MSnocite</code> 746
<code>\HSSAshorttitle</code> 77	<code>\LastPage</code> 135, 136	<code>\MScilent</code> 746
<code>\HSSAspecialissuedetails</code> 353	<code>\LaTeX</code> 283	N
<code>\HSSAverso</code> 72, 76, 77	<code>\leavevmode</code> 451, 459	<code>\nameyear delim</code> 669
<code>\ht</code> 461	<code>\lefthyphenmin</code> 344	<code>\narrower</code> 456
<code>\hypersetup</code>	<code>\leftmargin</code>	<code>\NeedsTeXFormat</code> 1
. 357, 359, 425	444, 452, 453, 470	<code>\newbox</code> 399

465, 513, 514, 515, 732, 744, 746	192, 194, 196, 304, 328, 515, 743	\rlap 463 \rule 199, 307
\newenvironment 443, 448, 476	\parbox 66 \parindent ... 32, 158, 298, 450, 468	S \saneng 732 \sansk 735 \sanskritfont 497, 504 \sbox 326 \scriptsize 308 \scshape 79, 389 \section 380, 715 \selectbackgroundlanguage 120 \selectfont 166 \setbox .. 400, 459, 462 \setcounter 107, 110, 130, 131, 132, 380 \setdefaultlanguage 488 \setlength ... 35, 347, 403, 468, 469, 470, 471, 472 \setlist 31 \setmainfont 492, 495, 496 \setmathfont . 536, 537 \setotherlanguage 489, 490, 491 \setuptodonotes .. 42 \skip 51 sloka (env.) 443 \small 66, 629, 630, 655 \smallskip 465 \space ... 632, 637, 642, 648, 658, 663 \ssaneng 738 \step 616, 617, 618 \StrCompare 702 \StrGobbleLeft .. 709 \string 133 \StrLen 695, 696 \subsection 385 \subsubsection .. 390
\newfontfamily ... 497, 506, 516, 522	\parsep 472 \parskip 301 \PassOptionsToPackage 713 \pdfinfo 415 \pdfstringdef 413, 414 \postnotedelim .. 668 \PreliminaryNote . 45 \printbibliography 604 \printDOI ... 368, 377 \providecommand . 738	
\newpage . 123, 207, 298 \newrefcontext .. 605 \newtoks 367		
\nolinkurl 629, 630, 634, 635, 639, 640, 644, 645, 650, 651, 656, 660, 661, 665, 666	Q \q 35	
\normalcolor . 212, 296 \normalfont .. 308, 384, 388, 389, 393	R \raggedright .. 175, 183, 308, 515, 549 \raise 463 \rangle 254, 310 \relax 46, 68, 368, 445, 458, 480, 544, 548 \renewcommand 92, 93, 129, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 381, 385, 390, 404, 468, 551, 668, 669, 692, 743 \renewrobustcmd . 604 \RequirePackage 3, 25, 126, 346, 351, 352 \Result 702, 704, 707, 709 \rightthyphenmin . 345 \rightmargin 444, 452, 478 \rightskip 455	
\normalfootfootmarkX 551		
\normalsize . 190, 393		
\num@one 693, 695, 700, 702		
\num@one@len . 695, 698		
\num@two . 694, 696, 700, 702, 709, 710		
\num@two@len 696, 698, 703		
\numberline 133		
O		
\on@line 608		
\originalfootnote 482, 553, 554		
P		
\p@ .. 382, 383, 386, 387, 391, 392, 743		
\pagecolor 159, 211, 295, 300		
\pagelayout 334		
\pagestyle 83		
\par .. 129, 164, 167, 170, 172, 179, 181, 186, 188,		

T		
<code>\tabcolsep</code>	403	
<code>\TeX</code>	286, 288, 291	
<code>\textbullet</code>	315	
<code>\textdevanagari</code> .	514	
<code>\textenglish</code> 85, 86,		
87, 88, 90, 97, 99		
<code>\textfraction</code> 336, 342		
<code>\textheight</code>	215	
<code>\textit</code> 228, 247, 252, 258		
<code>\textsc</code> 284, 290, 371,		
531, 533, 629,		
630, 632, 637, 663		
<code>\textwidth</code>		
. 66, 307, 478, 479		
<code>\thecovercitation</code>		
.	201, 373	
<code>\thefield</code>	681,	
682, 683, 685, 691		
<code>\thefirstpage</code>		
. 81, 110, 377, 394		
<code>\thefootnote</code>	46	487, 535, 538,
<code>\thelastpage</code>		543, 557, 558,
.	81, 377, 395	562, 622, 711, 712
<code>\thempfootnote</code> . .	545	
<code>\thepage</code>	87, 88	
<code>\thispagestyle</code> . . .		
109, 156, 213, 299		
<code>\tiny</code>	97, 201	
<code>\Title</code>	423	
<code>\title</code>	64	
<code>\titlealign</code>	137	
<code>\titlefont</code>	137	
<code>\tmptocnumberline</code> 133		
<code>\todo</code>	44	
<code>\topfraction</code> .	334, 340	
<code>\toprule</code>	20	
<code>\topsep</code>	472	
U		
<code>\usepackage</code> . . .	3,	
30, 36, 82, 422,		
V		
<code>\verb</code>	547, 549, 555	
<code>\vfill</code> . . .	173, 180,	
195, 222, 226, 303		
<code>\vskip</code> . . .	165, 324, 333	
<code>\vspace</code> . .	163, 186,	
189, 192, 206, 320		
W		
<code>\wd</code>	327, 460	
X		
<code>\xcolor</code>	25	
<code>\XeTeX</code>	285	
<code>\xspace</code>	531	
Z		
<code>\z@</code>	381, 385, 390	