

Full contents of plants.bib and animals.bib

Dominik Wujastyk

Draft of 17th July 2024

Materia Medica Reference Works

- ADPS Sivarajan, V. V., and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- AVS Warriar, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–96) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- BIA Prater, S. H. (1993), *The Book of Indian Animals* (3rd edn., Bombay, Delhi, etc.: Oxford University Press), ARK: [ark:/13960/t6356w32f](https://nbn-resolving.org/urn:nbn:de:bsz:5-dbs-13960-t6356w32f); 4th impression of 3rd corrected 1980 edition.
- Chopra Chopra, R. N., Nayar, S. L., and Chopra, I. C. (1956), *Glossary of Indian Medicinal Plants* (3rd reprint, 1992, New Delhi: Council of Scientific and Industrial Research); vol. 2: R. N. Chopra, I. C. Chopra, and Varma ([Chopra_{sup}](#)).
- Chopra IDG Chopra, R. N., Chopra, I. C., Handa, K. L., et al. (1958), *Chopra's Indigenous Drugs of India* (2nd edn., Calcutta: Dhur & Sons), ARK: [ark:/13960/t9673t140](https://nbn-resolving.org/urn:nbn:de:bsz:5-dbs-13960-t9673t140).
- Chopra_{sup} Chopra, R. N., Chopra, I. C., and Varma, B. S. (1969), *Supplement to Glossary of Indian Medicinal Plants* (Reprint 1986, New Delhi: National Institute of Science Communication), ISBN: 8185038872.

- Dutt Dutt, Uday Chand (1922), *The Materia Medica of the Hindus...with a Glossary of Indian Plants by George King. Revised Edition...by Binod Lall Sen and Ashutosh Sen and Pulin Krishna Sen* (Krishnadas Sanskrit Studies; 3rd edn., Calcutta: Madan Gopal Dass for the Adi-Ayurveda Machine Press), ARK: [ark:/13960/t59c7tg9z](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-t59c7tg9z); Reprinted Varanasi: Chowkhamba Saraswatibhavan, 1980.
- Dymock Dymock, William, Warden, C. J. H., and Hooper, David (1890), *Pharmacographia Indica: A History of the Principal Drugs of Vegetable Origin Met with in British India* (London, Bombay, Calcutta: Kegan Paul),
URL: <https://tinyurl.com/dymock1890>, accessed 16/03/2023.
- GJM1 Meulenbeld, Gerrit Jan (1974), "Sanskrit Names of Plants and their Botanical Equivalents," in id., *The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes* (Leiden: Brill), chap. Appendix Four, 520–611, ARK: [ark:/13960/t25b8q97g](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-t25b8q97g).
- GJM2 Meulenbeld, Gerrit Jan (1988), "G. J. Meulenbeld's Additions to his "Sanskrit Names of Plants and their Botanical Equivalents"," in Rahul Peter Das, *Das Wissen von der Lebensspanne der Bäume: Surapālas Vṛkṣāyurveda* (Stuttgart: Franz Steiner Verlag), chap. Appendix 1, 425–65, ISBN: 9783515046633; Supplement to [GJM1](#).
- GVDB Singh, Thakur Balwant, and Chuneekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhatrayi* (Varanasi: Chowkhamba Sanskrit Series Office), ARK: [ark:/13960/s2cvp72x58j](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-s2cvp72x58j).
- HK Hilgenberg, Luise, and Kirfel, Willibald (1941), *Vāgbhaṭa's Aṣṭāṅgahṛdayasaṃhitā, ein altindisches Lehrbuch der Heilkunde, aus dem Sanskrit ins Deutsche übertragen mit Einleitung, Anmerkungen und Indices* (Leiden: Brill), ARK: [ark:/13960/t52h05616](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-t52h05616).
- IGP Griffiths, Mark (1994), *The New Royal Horticultural Society Index of Garden Plants* (London: Macmillan), ARK: [ark:/13960/t2q61gn9z](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-t2q61gn9z).
- Issar Issar, T. P. (1994), *Blossoms of Bangalore* (Bangalore: T. P. Issar).

IW	Israel, Samuel, et al. (1988), <i>Indian Wildlife: Sri Lanka Nepal</i> (Insight Guides; Singapore etc.: APA Publications), ISBN: 9780245545238, ARK: ark:/13960/s2p9d5pqd1w .
K & B	Kirtikar, K. R., Basu, B. D., and an I.C.S (1987), <i>Indian Medicinal Plants</i> , ed. E. Blatter, J. F. Caius, and K. S. Mhaskar, 8 vols. (2nd edn., Dehradun: International Book Distributors); First published in Allahabad, 1918.
Kew	Kew Gardens (2024), "Plants of the World," Royal Botanic Gardens, URL: https://powo.science.kew.org .
MBG	Missouri Botanical Garden (2024), "Missouri Botanical Garden: Plant Finder," Missouri Botanical Garden, URL: https://bit.ly/MissouriPlantfinder .
NK	Nadkarni, K. M. (1982), <i>Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes</i> , ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL: https://tinyurl.com/Nadkarni1982 ; First published in 1954.
Peter	Peter, K. V. (2012) (ed.), <i>Handbook of Herbs and Spices</i> (Food Science, Technology and Nutrition, 228; 2nd edn., Oxford, Cambridge, Philadelphia, New Delhi: Woodhead Publishing), ISBN: 9780857090393.
Potter _{rev}	Wren, R. C., Williamson, Elizabeth M., and Evans, Fred J. (1994), <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> (Saffron Walden: C. W. Daniel Company Ltd.); Reprint of revised 1988 edition.
Trees	Bole, P. V., and Vaghani, Yogini (1986), <i>Field Guide to the Common Trees of India</i> (Bombay, Delhi, Oxford, etc.: World Wildlife Fund – India and Oxford University Press), ISBN: 0-19-561595-6; 4th reprint.

Watt_{Comm} Watt, George (1908), *The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India"* (London: John Murray), ARK: [ark : / 13960 / t8cg7dm79](https://nbn-resolving.org/urn:ark:/13960/t8cg7dm79).

Flora

- aconite leaf (?) (*viṣapatrikā*) Unknown.
Cf. perhaps, *vatsanābha* ([wolfsbane](#)). Cf. [GVDB](#): 373:
- ‘alas, alas’ (*hālāhala*) unknown. See Cf. Soḍhalanighantu p.43 (sub bola) = stomaka = vatsanābha:
- Alexandrian laurel (*punnāga*)
Calophyllum inophyllum, L.
See [AVS](#): 1, 338, [NK](#): 1, #425:
- amaranth (*taṇḍulīyaka*) Amaranthus hypochondriacus, L. See King 321, [NK](#): 1, #144, [Potter_{rev}](#): 15.
Cf. [AVS](#): 1, 121:
- arjun (*arjuna*) Terminalia arjuna, Bedd.
See [HK](#): 738:
- ash gourd (*kūṣmāṇḍa*) → puṣpaphala.
Beninkasa hispida, (Thunb.)
Cogn. See [AVS](#): 2, 1127; cf. [AVS](#): 1, 261:
- Asoka tree (*aśoka*) Saraca indica Linn., [GVDB](#): 26:
- atis root (*śṛṅgīviṣa*) Aconitum heterophyllum, Wall. ex Royle.
See [AVS](#): 1, 42, [NK](#): 1, #39:
- axlewood (*dhava*) Anogeissus latifolia (Roxb. ex DC.) Wall. ex Guill & Perr. See [AVS](#): 1, 163 f, [Chopra](#): 20:
- bamboo leaves (*veṇupatrikā*) Bambusa bambos, Druce. See [NK](#): 1,
- #307:
- banyan (*nyagrodha*) Ficus bengalensis, L. See [HK](#): 748:
- banyan (*vaṭa*) Ficus benghalensis Linn., [GVDB](#): 356:
- barley (*yava*) Hordeum vulgare, L. See [HK](#): 752:
- bearded premna (*vasuka*) Premna barbata Wall. (← *vasuhaṭṭa*), according to Cakrapānidatta. See the discussion by Singh and Chuneekar ([GVDB](#): 362–363), where other candidate species such as Osmanthus, Calotropis, and Trianthema are discussed. Singh and Chuneekar ([GVDB](#): 363) note that when *vasuka* is mentioned with *vasira*, two varieties of salt are often meant (see *vasukavasirā*). See also [NK](#): #1299 who identifies it with Indigofera enneaphylla, Linn. (Birdsville Indigo), apparently without controversy:
- beautyberry (*priyaṅgu*) → *śyāmā*.
Callicarpa macrophylla, Vahl.
See [AVS](#): 1, 334, [NK](#): 1, #420.
Some say also Setaria italica Beauv. [GVDB](#): 263–264. See

- also [GVDB](#): 413 :
- beautyberry (*śyāmā*) *Callicarpa macrophylla*, Vahl. See [AVS](#): 1, 334, [NK](#): 1, #420 :
- beggarweed (*aṃśumatī*) *Desmodium gangeticum* (L.) DC ([Dymock](#): 1, 428, [GJM1](#): 602, [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing) :
- beggarweed (*vidārigandhā*) → *śālaparṇī*. *Desmodium gangeticum* (L.) DC. See [Dymock](#): 1, 428, [GJM1](#): 602, cf. [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing : [16](#)
- beggarweed (*śālaparṇī*) → *sthirā*. *Desmodium gangeticum* (L.) DC. See [Dymock](#): 1, 428, [GJM1](#): 602, [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing :
- beleric myrobalan (*bibhītaka*) *Terminalia bellirica* Roxb. One of the components of [the three myrobalans](#) (*triphālā*) [GVDB](#): 274, 196 : [23](#)
- Bengal quince (*bilva*) *Aegle marmelos* (L.) Corr. See [AVS](#): 1, 62, Chevallier 159, [NK](#): 1, #62, ([MW](#): 732a) : [11](#)
- ‘big poison’ (*mahāviṣa*) unknown. See ? :
- ‘big thorn apple’ (*mahākarambha*) *Datura metel*, L.?. See [thorn apple](#) (*karambha*) :
- bitter gourd (*paṭolī*) see [pointed gourd](#) (*paṭola*), cite[233]gvdb :
- bitumen (*adrija*) → *śilājīṭ*. A tar-like, black, resinous rock exudate. See [Mahākośa](#): 1, 21 :
- black cardamom (*Xhareṇu*) *Amomum subulatum*, Roxb.?. See [PVS Caraka](#) 2.734, [AVS](#): 1, 128, [NK](#): 1, #154, *pace* [GVDB](#): 467–468 :
- black creeper (*kālānusārī*) *Ichnocarpus frutescens* R. Br. or *Cryptolepis buchanani* Roemer & Schultes. Probably a synonym for *kṛṣṇasārivā* ([GVDB](#): 94–95). *I. frutescens* has dark, rust-colored stems, so has been preferred here. However, *Cryptolepis grandiflora*, Wight, also has black stems. Synonym of *kālānusārīṇī*, *kālānusārivā*. *kālānusārya* may be a synonym of *tagara*, itself hard to identify :
- black creeper (*pālindī*) *Ichnocarpus frutescens*, (L.) R.Br. or *Cryptolepis buchanani*, Roemer & Schultes. See [AVS](#): 3, 141, 145, 203, [NK](#): 1, #1283, 1210, [ADPS](#): 434. *Ḍalhaṇa* on SS 5.1.82 identified *pālindī* with *trivṛt* ([turpeth](#)) and Singh and Chuneekar ([GVDB](#): 246) supported this as a usual identification :
- black pepper (*marica*) *Piper nigrum*, L. See [ADPS](#): 294, [NK](#): 1, #1929 : [23](#)
- black pepper (*vallīja*) → *marica*. *Piper nigrum*, L.?. See [NK](#): 1, #1929; [Rā.6.115](#), [Dha.4.85](#), [Dha.2.88](#) :
- blackboard tree (*saptachada*) *Alstonia*

- scholaris R. Br. [GVDB](#): 420 :
 blackbuck (*hariṇa*) Antilope
 cervicapra, L. See [BIA](#): 270
[IW](#): 95, 165, *et passim* :
 'blade' (*kartariya*) unknown. See ? :
 blue water-lily (*utpala*) Nymphaea
 stellata, Willd. See [GJM1](#): 528,
[IGP](#) 790; [Dutt](#): 110, [NK](#): 1,
 #1726 :
 bottle gourd (*ālābūka*) Lagenaria siceria
 (Molina) Standl. See [IGP](#) 645,
[NK](#): 1, #1419 :
 bull's head (*gokṣura*) Tribulus terrestris
 L. [GVDB](#): 144–145, 193. A
 component of [lesser five roots](#) :
 6
 bull's head (*trikaṇṭaka*) → [bull's head](#)
 (*gokṣura*) [GVDB](#): 193. A
 component of [lesser five roots](#) :
 16
 bulrush (*kaṣeru*) "Two species, Scirpus
 kysoor Roxb., and S. grossus
 Linn. f. are used" [GVDB](#): 85.
 Also kaṣeruka and kaseru :
 calamine lotion (*amṛtāsaṅga*) →
 amṛtāsaṅga. Zinc carbonate.
 See [NK](#): 2, #56 :
 camphor (*karpūra*) → śītaśiva.
 Cinnamomum camphora, (L.)
 Sieb. See [IGP](#) 253 :
 cannabis (*vijayā*) Cannabis sativa, L.
 See [AVS](#): 1, 356, [NK](#): 1, #442 :
 caper (*karīra*) Capparis decidua
 (Forsk.) Edgew. See
[AVS](#): 1, 368, ([MW](#): 255b) :
 cardamom (*elā*) Elettaria
 cardamomum, Maton. See
[AVS](#): 2, 360, [NK](#): 1, #924,
[Potter_{rev}](#): 66 :
 carmarī (*carmarī*) unknown. See ? :
 carray cheddie (*gāṅgerukī*) →
viśvadevā :
 carray cheddie (*viśvadevā*) → *gāṅgerukī*
 Canthium parviflorum, Lam.
 See [AVS](#): 1, 366 f. Or Sida
 rhombifolia Linn. ([GVDB](#): 372,
 444 ff. *et passim*) :
 cassia cinnamon (*patra*) Cinnamomum
 tamala, (Buch.-Ham.) Nees.
 See [AVS](#): 2, 84, [NK](#): 1, #589 :
 castor oil tree (*gandharvahasta*) →
eraṇḍa. [GVDB](#): 135, [K &](#)
[B](#): 3, 2277 :
 castor-oil (*eraṇḍa*) Ricinus communis,
 L. See [NK](#): 1, #2145,
[Chopra](#): 214 :
 catechu (*khadira*) Senegalia catechu
 (L.f.) P. J. Hurter & Mabb =
 Acacia catechu Willd.
[GVDB](#): 129–130 :
 certain minerals (*tārāvitāra*) Unknown.
 It is not even certain that these
 are minerals. The variant
 reading in the vulgate, *tāraḥ*
sutāraḥ was glossed by
 Ḍalhaṇa on 5.3.14
 ([Su 1938](#): 568) as follows *tāro*
rūpyaṇi, *sutāraḥ pāraḍaḥ*, "tāra
 means silver; sutāra means
 mercury." :
 Ceylon iron wood (*kṣīrikā*) Mimosa
 hexandra, Roxb.
 ([GVDB](#): 126–127) :
 chaff (*kāṇḍana*) The word *kāṇḍana* is
 not found in dictionaries;
kaṇḍana is threshing,
 separating the chaff from the
 grain in a mortar. Cf.
 Hemādri's *Caturvargacintāmaṇi*
 ([PWK](#): 2, 8) (Śiromaṇi

- 1873: 1, 138: 21, citing the *Vāyupurāṇa*): 20
- chaulmoogra (*tuvaraka*) Hydnocarpus wightiana Blume, but see the discussion by (GVDB: 188) for the difficulties in identifying *tuvaraka*. See also AVS: 3, 185–188:
- chebulic myrobalan (*harītakī*) Terminalia chebula Retz. GVDB: 466: 23
- cherry (*elavālu*) Prunus cerasus, L.?. See BVDB 58, NK: 1, #2037, GVDB: 58:
- chir pine (*sarala*) Pinus roxburghii, Sarg. GVDB: 423:
- ‘choice tree’ (*varadāru*) unknown. See ?:
- chukar partridge (*cakora*) Alectoris chukar. See Woodcock 1980: 45:
- cinnamon (*tvac*) Cinnamomum cassia, Blume. See NK: 1, #579: 7
- cinnamon (*tvak*) see cinnamon (*tvac*):
- citron (*mātuluṅga*) Citrus medica, Linn. GVDB: 276, 306. Also spelled *mātuliṅga*, *mātulaṅga*, *mātulāṅga*:
- cluster fig (*udumbara*) Ficus racemosa, L. See ADPS: 487:
- cobra’s saffron (*nāgapuṣpa*) → nāgakeśara. Mesua ferrea, L. See NK: 1, #1595, GVDB: 220:
- colocynth (*indravāruṇī*) Citrullus colocynthis (L.) Schrad., GVDB: 46. The two varieties of this plant are discussed by (ADPS: 180–183); the first is agreed to be colocynth, the second is debated but is likely to be a Cucurbitaceae: 7
- colocynth (*mṛgādanī*) see colocynth (*indravāruṇī*) GVDB: 46, 318:
- common crane (*krauñca*) Grus grus. See Woodcock 1980: 47:
- common mallow (*suvarcalā*) perhaps Malva sylvestris, L. A difficult plant to identify, see Singh and Chuneekar (GVDB: 280, 440–441):
- common mallow (*sūryāvarta*) Malva sylvestris, L. Cakrapānidatta and Ḍalhaṇa identify it with *suvarcalā*, itself a difficult plant to identify. Perhaps Helianthus, see Singh and Chuneekar (GVDB: 280):
- common smilax (*śvadamśtra*) Smilax aspera L., GVDB: 414:
- convolvulus (*lakṣmaṇā*) Sivaraman and Balachandran (ADPS: 273–275) suggest Ipomoea marginata (Desr.) Verdc. or I. obscura (Linn.) AVS: 3, 237–238 suggests Ipomoea sepiaria Roxb. (looks like a little boy (*putraka*), and generates a boy (*putrajananī*), according to the *Bhāvaprakāśa*). Sivaraman and Balachandran (ADPS: 273–275) firmly reject Mandragora officinalis which is European; but possible consideration could be given to Mandragora caulescens C.B. Clarke, a variant that is known in South Asia. Cf. GVDB: 346–347. NK: #1546, #2323 suggests Mandragora officinalum, Linn., known as

- putrada* :
- corky coral tree (*pāribhadra*) *Erythrina suberosa* Roxb. See [GVDB](#) 245 :
- costus (*kuṣṭha*) *Saussurea costus*, Clarke. See [NK](#): 1, #2239 :
- cottony jujube (*kākolī*) *Ziziphus mauritana*, Lam. See [IGP](#): 1233, [NK](#): 1, #2663; [IGP](#) 1233. Cf. [NK](#): 1, #1170 :
- country mallow (*atibalā*) *Abutilon indicum*, (L.) Sweet, but may be other kinds of mallow, e.g., *Sida rhombifolia*, L.. See [NK](#): 1, #11, [IGP](#): 1080, [NK](#): 1, #2300, [ADPS](#): 71, 77 :
- country mallow (*sahadevā*) → *balā* ([GVDB](#): 428). Contains ephedrine :
- country sarsaparilla (*anantā*) *Hemidesmus indicus*, (L.) R. Br. See [ADPS](#): 434, [AVS](#): 3, 141–5, [NK](#): 1, #1210. But see [GVDB](#): 13 for complications that may suggest that it is to be equated with *sārivā*, which may sometimes be *Cryptolepis* or *Ichnocarpus frutescens* R. Rr. ([GVDB](#): 429–431) :
- crape jasmine (*nata*) → [crape jasmine](#) [GVDB](#): 215 : [8](#), [12](#)
- crape jasmine (*tagara*) *Tabernaemontana divaricata* (L.) R.Br. ex Roem. & Schultes. See [GJM1](#): 557, [AVS](#): 5, 232. Synonym of [crape jasmine](#). But some say *Valeriana jatamansi*, Jones. See [GVDB](#): 173–174 for discussion (and charming comments on brain-liquid testing). Some say *tagara* is Indian rose-bay or Indian valerian, but there remain many historical questions about the ancient and regional identities of this plant See, e.g., [AVS](#): 5, 334, 345. See also [IGP](#): 1147 : [8](#), [12](#)
- crêpe ginger (*caṇḍā*) *Cheilocostus speciosus* (J.Konig) C.Specht ([ADPS](#): 108–110). Also called *kevuka* ([GVDB](#): 117) :
- crêpe ginger (*kevuka*) *Cheilocostus speciosus* (J.Konig) C.Specht ([GVDB](#): 117) Also called *caṇḍā*. ([ADPS](#): 108–110) :
- crimson trumpet-flower tree (*pāṭalā*) *Stereospermum chelonides*, (L. f.) A. DC. See [GJM1](#): 573, [AVS](#): 5, 192 ff, [ADPS](#): 362 f, [AVS](#): 3, 1848 f, [IGP](#) 1120, [Dymock](#): 3, 20 ff : [11](#)
- cucumber (*trapusa*) *Cucumis sativus*, L. See [AVS](#): 2, 231, [NK](#): 1, #731 :
- cuscut grass (*uśīra*) *Andropogon murcatus*, Retz. Also “vetiver grass.” See [NK](#): 1, #180 :
- datura (*dhattūra*) *Datura metel*, L. See [AVS](#): 2, 305 (cf. *Abhidhānamañjarī*), [NK](#): 1, #796 ff. [Potter_{rev}](#): 292 f, [ADPS](#): 132 :
- deodar (*bhadradāru*) *Cedrus deodara*, (Roxb.ex D.Don) G. Don. See [AVS](#) 41, [NK](#): 1, #516 :
- deodar (*devadāru*) *Cedrus deodara* (Roxb.) Loud. [GVDB](#): 206–207 : [9](#)

- deodar (*suradāru*) see [deodar](#)
(*devadāru*) :
- devil's dung (*hiṅgu*) *Ferula foetida*
Regel., [GVDB](#): 471–472 :
- dhaman tree (*dhanvaṅga*) →
dhammaṇa? *Grewia tiliaefolia*,
Vahl. See [AVS](#): 3, 104, [IK](#),
[AVS](#): 1, 386, [IGP](#) 529
(*tiliifolia*) :
- dried ginger (*nāgara*) → [dried ginger](#)
(*śuṇṭhī*) [GVDB](#): 221–222 :
- dried ginger (*śuṇṭhī*) *Zingiber*
officinale, Roscoe. See
[ADPS](#): 50, [NK](#): 1, #2658,
[AVS](#): 5, 435, [IGP](#): 1232 : [9](#), [23](#)
- dried meat (*vallūra*) [MW](#): 929,
[Mahākośa](#): 1, 730. The term is
used, rarely, in both the CS
(1.5.10) and SS (1.13. 16,
6.42.75–76). It is a Dravidian
loanword and occurs in the
Arthaśāstra etc.
([KEWA](#): 3, 167) :
- drum-giver (?) (*lambaradā*) Unknown;
cf. [GVDB](#): 348 :
- elixir salve (*rasāñjana*) → *añjana*. See
[Indian barberry](#) :
- embelia (*viḍaṅga*) *Embelia ribes*, Burm.
f. See [ADPS](#): 507, [AVS](#): 2, 368,
[NK](#): 1, #929, [Potter_{rev}](#): 113 :
- emblic myrobalan (*āmalaka*)
Phyllanthus emblica, L. See
[AVS](#): 4, 256 : [23](#)
- emetic nut (*karaghāṭa*) Probably a
synonym for *karahāṭa* ([emetic](#)
[nut](#)), q.v., [GVDB](#): 74 : [9](#)
- emetic nut (*karahāṭa*) *Randia*
dumetorum, Lamk. See
[GVDB](#): 291–292 and [NK](#): 1,
#2091. Singh and Chunekar
([GVDB](#): 74, 77–78) noted that
it may be a synonym for
karaghāṭa, [emetic nut](#), and
pointed rather to *Gardenia*
turgida Roxb. on the basis of
local knowledge in U. P. : [9](#), [15](#)
- emetic nut (*madana*) *Randia*
dumetorum, Lamk. See [NK](#): 1,
#2091 :
- false daisy (*bhṛṅga*) *Eclipta prostrata*
(L.) L. See [GVDB](#): 288 :
- false daisy (*subhaṅgurā*) (*su*)bhaṅgura
= *bhṛṅga*? *Eclipta prostrata*
(L.) L. See [GVDB](#): 288 :
- fermented rice-water (*dhānyāmla*) →
kāñjī, *kāñjikā*, *sauvīra*.
[GVDB](#): 458, [NK](#): 2, appendix
VI, #18 :
- fern (*ajaruhā*) *Nephrodium* species
[GVDB](#): 7, uncertain. Perhaps
Christella dentata (Forssk.)
Brownsey & Jermy, which is
reported to have folk
applications against skin
diseases in India :
- fire-flame bush (*dhātakī*) *Woodfordia*
fruticosa (L.) Kurz. See
[AVS](#): 5, 412, [NK](#): 1, #2626 :
- five roots (*pañcamūla*) Described at □
1.38.66–69 ([Su 1938](#): 169).
There are two *pañcamūlas*, the
laghupañcamūla (the [lesser five](#)
[roots](#)) and *bṛhatpañcamūla*
([greater five roots](#)), with
differing properties.
Combined they are called
daśamūla ([ten roots](#)). See also
[Mahākośa](#): 1, 468 : [23](#)
- five-leaved chaste tree (*śephālikā*) *Vitex*
negundo Linn.,

- GVDB: 433–435. See further
 NK: 1, #2603 (cf. use of
 leaves), IGP: 1210a,
 MW: 1088b :
- flame-of-the-forest (*palāśa*) *Butea*
monosperma (Lam.) Taub.
 GVDB: 241. *pālāśa* in some
 sources : 10
- flame-of-the-forest (*pālāśa*) See
flame-of-the-forest (*palāśa*).
 The variant name with long
 initial vowel appears in
 Nepalese manuscripts :
- flax (*atasī*) *Linum usitatissimum*, L.
 See NK#1495 :
- ‘foam-stone’ (*phenāśma*) unknown. See
 ? :
- fragrant lotus (*saugandhika*) A type of
kumuda or *utpala* (GVDB: 457) :
- fruit of the marking-nut (*āruṣkara*) see
marking-nut (*aruṣkara*).
 “*āruṣkara* = *aruṣkara phala*”
 ADPS: 23; see also MW: 151 :
- galangal (*galanigala*) *Alpinia galanga*
 (L.) Sw. Identified with *grey*
orchid in Kerala (ADPS: 398).
 The name is borrowed from
 Chinese, perhaps via Persian
 or Arabic (Peter: 2, 304), and
 the name does not occur in
 early āyurvedic literature
 (GVDB) : 11
- galls (*karkaṭa*) *Rhus succedanea*, L. See
 NK: 1, #2136 :
- garden pea (*kalāya*) *Pisum sativum*, L.
 See AVS: 4, 308, IGP 901; cf.
 NK: 1, #1940 :
- garjan oil tree (*aśvakarṇa*)
Dipterocarpus turbinatus
 Gaertn. f. See GVDB: 28,
- Chopra: 100 :
- ‘gentle’ (*somā*) *Ruta graveolens*, L., or
Sarcostemma brevistigma, W
 & A, etc. See NK: 1, #2179,
 2228; Potter_{rev}: 262 :
- giant potato (*kṣīraavidārī*) possibly →
kṣīraśukla. *Ipomoea mauritiana*,
 Jacq. See ADPS: 510,
 AVS: 3, 222, AVS: 3, 1717 ff : 13,
 17, 18, 20
- ginger (*mahaṣadha*) *Zingiber*
officinale, Roscoe. See
 ADPS: 50, NK: 1, #2658,
 IGP: 1232 :
- ‘gladdener’ (*nandana*) unknown. See ? :
- gold (*hema*) gold :
- gold and sarsaparilla (*surendragopa*)
 Unknown. Ḍalhaṇa on 5.3.15
 (Su 1938: 568) glossed *surendra*
 as “gold” and *gopā* as “*Indian*
sarsaparilla.” He also noted
 other opinions that *surendra*
 was “*Tellicherry bark*” :
- golden shower tree (*rājadruma*)
rājadruma = *āragvadha*.
Cassia fistula L. See GVDB 37 :
- golden shower tree (*rājavarṣa*) →
rājadruma = *āragvadha*. *Cassia*
fistula L. See GVDB: 37 :
- golden shower tree (*āragvadha*) *Cassia*
fistula L. GVDB: 37–38. The
 plant has many synonyms. :
- gourd (*alābu*) *Lagenaria siceraria*
 Standl. GVDB: 25. Some say
Lagenaria vulgaris, Seringe
 (NK: 1, #1419) but this is not
 appropriate for blood-letting :
- greater five roots (*bṛhatpañcamūla*)
 Described at □ 1.38.68–69
 (Su 1938: 169). Consists of

- Bengal quince, migraine tree,
Indian trumpet tree, crimson
trumpet-flower tree, and white
teak : 9, 15, 23
- green gram (*māṣa*) *Vigna radiata* (L.)
R. Wilcz. See [ADPS](#): 296, [IGP](#)
1204 :
- grey orchid (*rāsnā*) *Vanda tessellata*
(Roxb.) Hook. ex G. Don,
usually. But *Pluchea*
lanceolata, Oliver & Hiern, is a
more common identification in
Punjab and Gujarat
([GVDB](#): 337–338); *Alpinia*
galanga (L.) Sw. is more
common in Kerala ([ADPS](#): 398;
[Peter](#): 2, 303–318), though this
is usually identified with
[galangal](#). As all authorities
note, the identification of this
plant is debated. Sivarajan and
Balachandran
([ADPS](#): 398–401) note that
sources describe it as having
leaves like cardamom and
sweet-smelling roots and that
“there is great confusion with
regard to the identity of the
drug.” : 10
- hairy bergenia (*pāṣāṇabheda*) *Bergenia*
ligulata (Wall.) Engl.
[GVDB](#): 246–247 :
- halfa grass (*darbhā*) *Demostachya*
bipinnata Stapf. [GVDB](#): 201.
Synonym of *kuśa* :
- halfa grass (*kuśa*) *Desmostachya*
bipinnata, (L.) Stapf.
[GVDB](#): 111, [AVS](#): 2, 326 :
- hare foot uraria (*kroṣṭakamekhalā*) see
[hare foot uraria](#) (*prśniparṇī*)
- [Mahākośa](#): 1, 246. *kroṣṭaka* can
mean “jackal” *śṛgāla*, as in
śṛgālavinna, “a kind of
prśnaparṇī) [Mahākośa](#): 1, 839 :
- hare foot uraria (*prthakparṇī*) → [hare](#)
[foot uraria](#) (*prśniparṇī*) and
[rajmahal hemp](#) (*mūrvā*)
[GVDB](#): 257. A component of
[lesser five roots](#) : 16
- hare foot uraria (*prśniparṇī*) → *sahā*?
Uraria lagopoides, DC. and U.
picta Desv. See
[GVDB](#): 257–258, [GJM1](#): 577,
[Dymock](#): 1, 426, [AVS](#): 1, 750 ff,
[NK](#): 1, #2542; [ADPS](#): 382,
[AVS](#): 2, 319 and [AVS](#): 4, 366
are confusing. Also called
prthakparṇī. A component of
[lesser five roots](#) : 11
- heart-leaf sida (*balā*) *Sida cordifolia*,
Linn. See [ADPS](#): 71, [NK](#): 1,
#2297 :
- heart-leaved moonseed (*amṛtā*) →
guḍūcī. *Tinospora cordifolia*,
(Willd.) Hook.f. & Thoms.?
See [ADPS](#): 38, [NK](#): 1, #2472,
624, [Dastur](#) #229 :
- heart-leaved moonseed (*guḍūcī*)
Tinospora cordifolia, (Thunb.)
Miers. [ADPS](#): 38, [NK](#): 1, #2472
& #624, [Dastur](#) #229,
[GVDB](#): 141–142. Also
identified as *Cocculus*
cordifolius DC. by Nadkarni
([NK](#)) and others (see also the
[Tropicos botanical database](#)) :
- heart-leaved moonseed (*somavallī*)
Tinospora cordifolia (Thunb.)
Miers. [GVDB](#): 456. Likely, but
uncertain :

- heart-leaved moonseed creeper
(*amṛtavalli*) See *amṛtā* :
- heliotrope (*hastisuṇḍa*) → *ibhagandhā*?
Heliotropium indicum, L. See
[AVS](#): 3, 136, [NK](#): 1, #1203 :
- henna (*madayantikā*) *Lawsonia inermis*,
L. See [AVS](#): 3, 303, [NK](#): 1,
#1448, [Potter_{rev}](#): 151 :
- hill myna (*sārikā*) *Acridotheres tristis*
tristis, L., etc. See Ali #1006,
Dave (1985: 28 ff.), Woodcock
(1980: 119) :
- Himalayan mayapple (*vakra*)
Podophyllum emodi, Wall.
([NK](#): #1971). But perhaps a
synonym of [crape jasmine](#) and
[crape jasmine](#), q.v.
([GVDB](#): 354) :
- Himalayan monkshood (*ativiṣā*) → *viṣā*
Aconitum heterophyllum Wall.
[GVDB](#): 12, [NK](#): 1, #39. Also
“atis roots” :
- Himalayan monkshood (*viṣā*) → *ativiṣā*
[GVDB](#): 12, 373 : 19
- Himalayan yew (*sthaṇḍeyaka*) Singh
and Chunekar
([GVDB](#): 458–459) suggested
Taxus baccata L., but that tree
is endemic to the
Mediterranean and not South
Asia. Poudel et al. 2013 show
that *T. contorta* Griff., *T. mairei*
(Lemée & Lév.) and *T.*
wallichiana Zucc. are
distributed in the Hindu Kush
- Himalaya region. The
Nepalese name *Thuṇeraka* is
etymologically cognate with
the Sanskrit name. *T. contorta*
is of medicinal importance, so
its common name is used here :
- hogweed (*punarnavā*) *Boerhaavia*
diffusa, L. See [ADPS](#): 387,
[AVS](#): 1, 281, [NK](#): 1, #363 :
- Holostemma creeper (*jīvantī*) →
sūryavallī? *Holostemma*
ada-kodien, Schultes. See
[ADPS](#): 195, [AVS](#): 3, 167, 169,
[NK](#): 1, #1242 : 18
- honey (*kṣaudra*) Eight varieties of
honey are described in the SS
([NK](#): 2, Appendix 192).
Kṣaudra is the product of a
small bee of tawny colour,
called *kṣudra* :
- horned pondweed (*śaivāla*) also *śaivāla*,
śevāra. *Zannichellia palustris*
L. The uncertainties of this
identification are discussed by
Singh and Chunekar
([GVDB](#): 409). Sometimes
identified with [scutch grass](#)
(*dūrvā*) ([GVDB](#): 409).
Identified as *Ceratophyllum*
demersum Linn.
 (“hornwort”) by
[AVS](#): 2, 56–57x : 12, 19
- hornwort (*jalanīlikā*) *Ceratophyllum*
demersum, L. See [AVS](#): 2, 56,
[IGP](#) 232 :
- hornwort (*jalaśūka*) → *jalanīlikā*.
Ceratophyllum demersum, L.
See [AVS](#): 2, 56, [IGP](#): 232. Singh
and Chunekar ([GVDB](#): 166)
suggest [horned pondweed](#).
Ḍalhaṇa noted on 1.16.19
([Su](#) 1938: 79) that some people
interpret it as a poisonous,
hairy, air-breathing,
underwater creature :

- horse gram (*kaulattha*) See [horse gram](#) (*kulattha*) :
- horse gram (*kulattha*) *Macrotyloma uniflorum* (Lam.) Verdcourt, syn. *Dolichos biflorus*, L., D. *uniflorus*, Lam., [GVDB](#): 109, [Kew](#): sub *Macrotyloma uniflorum* : [13](#)
- horseradish tree (*muraṅgī*) see [horseradish tree](#) (*śigru*) ([GVDB](#): 311) :
- horseradish tree (*murungī*) see [horseradish tree](#) (*śigru*) ([GVDB](#): 311) :
- horseradish tree (*śigru*) *Moringa oleifera* Lam. See [IGP](#) 759, [GJM1](#): 603, [Dymock](#): 1, 396 : [13](#)
- hyacinth bean (*śimbī*) *Dolichos lablab*, L. See [NK](#): 1, #870 :
- hyacinth beans (*niṣpāva*) *Lablab purpureus* (L.) Sweet (1826) [GVDB](#): 228 :
- Indian antelope (*eṇa*) *Antelope cervicapra*, L. See [BIA](#): 70 :
- Indian barberry (*añjana*) → *rasañjana*, *dāruharidrā*. *Berberis aristata*, DC. [Dymock](#): 1, 65, [NK](#): 1, #335, [GJM1](#): 562, [IGP](#): 141 : [9](#)
- Indian barberry (*dāruharidrā*) *Berberis aristata*, DC. See [Dymock](#): 1, 65, [NK](#): 1, #685, [GJM1](#): 562, [IGP](#) 141 : [13](#)
- Indian barberry (*dārvī*) → [Indian barberry](#) (*dāruharidrā*) [GVDB](#): 203 :
- Indian barberry (*kālīyaka*) → *dāruharidrā*, *añjana*. *Berberis aristata*, DC. See [Dymock](#): 1, 65, [NK](#): 1, #685, [GJM1](#): 562, [IGP](#): 141 :
- Indian bat tree (*śuṅgā*) → *parkaṭīvrkṣa* according to [Śabdasindhu](#): 1058; idem also suggests *vaṭavrkṣa*, i.e., *Ficus benghalensis* Linn. and *āmṛātaka*, *Spondias pinnata* (L.f.) Kurz. (native to S.E Asia but naturalized in S. Asia). Contrasted with *vaṭa* at □ 3.2.32. Cf. [MW](#): 1081. :
- Indian bdellium-tree (*guggula*) See [Indian bdellium-tree](#) *guggulu* :
- Indian bdellium-tree (*guggulu*) *Commiphora wightii* (Arn.) Bhandari ([GVDB](#): 140). This is a flowering shrub or small tree that produces a fragrant resin commonly called *guggulu*. The name sometimes refers to the plant and sometimes to the resin : [13](#)
- Indian beech (*naktamāla*) *Pongamia pinnata*, (L.) Pierre. See [AVS](#): 4, 339, [NK](#): 1, #2003 :
- Indian ipecac (*payasyā*) Uncertain. Possibly *Tylophora indica* (Burm.f.) Merr. Perhaps a synonym of [panacea twiner](#), [giant potato](#), [purple roscoe](#), and [plants like asthma plant and Gulf sandmat](#) ([GVDB](#): 237–238). Also “curds” when not a plant : [18](#)
- Indian jujube (*sauvīra*) *Zizphus jujuba* Mill., [GVDB](#): 458, [MBG](#): sub *jujuba* :
- Indian jujube (*sauvīraka*) *Zizphus jujuba* Mill., [GVDB](#): 458, [MBG](#): sub *jujuba* :
- Indian kudzu (*vidārī*) → *payasyā*. *Pueraria tuberosa* (Willd.)

- DC. See [ADPS](#): 510, [AVS](#): 1, 792 f, [AVS](#): 4, 391; not [Dymock](#): 1, 424 f. See [GJM2](#): 444, 451, [AVS](#): 1, 187, but [AVS](#): 3, 1719 = *Ipomoea mauritiana*, Jacq:
- Indian laburnum (*śampāka*) *Cassia fistula*, L. See [ADPS](#): 48, [AVS](#): 2, 11 ff, [AVS](#): 2, 854, [IGP](#) 215:
- Indian laurel (*plakṣa*) *Ficus microcarpa*, L. f. See [ADPS](#): 377:
- Indian madder (*mañjiṣṭhā*) *Rubia cordifolia*, L. See [IGP](#), [Chopra](#): 215, [GVDB](#): 289:
- Indian mottled eel (*varmimatsya*) Almost certainly the mottled eel. [MW](#): 962c noted that the *varmi* fish “is commonly called *vāmi*.” The “vam fish,” or “বান মাছ (*bān māch*)” in Bengal, is a marine and freshwater eel, *Anguilla bengalensis*. It is the most common eel in Indian inland waters and a prized food fish ([Froese and Pauly 2022](#)). However, some NIA languages identify the “vam” fish with the Indian Pike Conger, *Congresox talabonides* (Bleeker) (Talwar and Kacker 1984: 235, 236):
- Indian mustard (*sarṣapa*) *Brassica juncea*, Czern. & Coss. See [AVS](#): 1, 301, [NK](#): 1, #378:
- Indian pennywort (*maṇḍūkapaṇī*) *Centella asiatica* (L.) Urban. See [GVDB](#): 290, [ADPS](#): 289–291:
- Indian sarsaparilla (*sugandhikā*) see [Indian sarsaparilla](#) (*śvetasārivā*) [GVDB](#): 430, 436:
- Indian sarsaparilla (*sārivā*) → *anantā*. The *śveta* variety is *Hemidesmus indicus*, (L.) R. Br. [ADPS](#): 434, [AVS](#): 3, 141–145, [NK](#): 1, #1210, [GVDB](#): 430; and the black form, black creeper, *pālindī*. *Ichnocarpus frutescens*, (L.) R.Br. or *Cryptolepis buehneri*, Roemer & Schultes [AVS](#): 3, 141, 145, 203, [NK](#): 1, #1283, 1210, [ADPS](#): 429–430: 10, 14
- Indian sarsaparilla (*śvetasārivā*) *Hemidesmus indicus*, (L.) R. Br. See [Indian sarsaparilla](#) (*sārivā*). [ADPS](#): 434, [AVS](#): 3, 141–145, [NK](#): 1, #1210, [GVDB](#): 430: 14
- Indian snakeroot (*sarpagandhā*) *Rauvolfia serpentina*, (L.) Benth. ex Kurz. See [NK](#): 1, #2099, [ADPS](#): 439, [GVDB](#): 425; cf. SS 5.5.76–78:
- Indian spinach (*pūtīkā*) *Basella alba*, L. See [NK](#): 1, #318 (*rubra*), [ADPS](#): 489, [AVS](#): 1, 253, [IGP](#) 129b:
- Indian symphorema (*sindhuvāra*) see [Indian symphorema](#) (*sindhuvāra*):
- Indian symphorema (*sindhuvāra*) Singh and Chuneekar ([GVDB](#): 435) settles on *Symphorema polyandrum* Wight as the identity of this plant. Other authors choose *Vitex negundo* Linn. See further [NK](#): 1, #2603

- (cf. use of leaves), [IGP](#): 1210a, [MW](#): 1088b. Discussion by [GVDB](#): 433–435 : [14](#)
- Indian trumpet tree (*śyonāka*)
Oroxylum indicum (L.) Benth.
 ex Kurz. [GVDB](#): 172–173. A
 component of [greater five roots](#) : [15](#)
- Indian trumpet tree (*tiṇṭuka*) → [Indian trumpet tree](#) (*śyonāka*).
Oroxylum indicum (L.) Benth.
 ex Kurz. [GVDB](#): 172–173. A
 component of [greater five roots](#) : [11](#)
- indigo (*nīlinī*) *Indigofera tinctoria*, L.
 See [NK](#): 1, #1309 :
- Indrajao (*indrayava*) see *vrkṣaka*
 ([Indrajao](#)) *Holarrhena pubescens* Wall. ex G.Don
 1837 [GVDB](#): 376, 45 and 84 :
- Indrajao (*vrkṣaka*) → *indrayava*,
indrabīja, *kaliṅga*, and *kuṭaja*.
Holarrhena pubescens Wall. ex
 G.Don 1837 [GVDB](#): 376, 45 and
 84 : [15](#)
- jackfruit (*panasa*) *Artocarpus heterophyllus*, Lam. See
[NK](#): 1, #249, [IGP](#) 99 :
- jambul (*jambū*) *Syzygium cumini*, (L.)
 Skeels. See [ADPS](#): 188, [NK](#): 1,
 #967, [Potter_{rev}](#): 168, Wujastyk
[2003](#) :
- jasmine (*mālatī*) *Jasminium grandiflorum*, L. See [NK](#): 1,
 #1364 :
- jequirity (*guñjā*) *Abrus precatorius*, L.
 See [AVS](#): 1, 10, [NK](#): 1, #6,
[Potter_{rev}](#): 168 :
- jequirity (*kālākūṭa*) *Abrus precatorius*,
 L.? Cf. RRS 21.14. See
- [AVS](#): 1, 10, [NK](#): 1, #6,
[Potter_{rev}](#): 168 :
- ‘juice-cooker’ (*sārapāka*) unknown. See
 ? :
- (?) (*karaṭā*) Not in [GVDB](#). Cf. perhaps
karahāṭa ([emetic nut](#)) :
- khesari pea (*tripuṭa*) *tripuṭa* (kalāya).
Lathyrus sativus, L. See [IGP](#)
 651, [NK](#): 1, #1439 :
- koel (*kokila*) *Eudynamys scolopacea*.
 See Woodcock [1980](#): 66 :
- kumudvatī (*kumudvatī*) unknown. See
 ? :
- kutki (*ariṣṭā*) *Picrorhiza kurroa* Royle
 ex Benth. → *kaṭukā* ([kutki](#)) q.v.
 ([GVDB](#): 22–23) :
- kutki (*kaṭukā*) *Picrorhiza kurroa* Royle
 ex Benth. ([GVDB](#): 64–65) : [15](#)
- kutki (*kaṭurohaṇī*) → [kutki](#) (*kaṭukā*)
[GVDB](#): 66 : [15](#)
- kutki (*kaṭurohiṇī*) See [kutki](#)
 (*kaṭurohaṇī*) :
- lac (*jatu*) *Kerria lacca* (Kerr.). See
[www.icar.org.in/ilri/](#) :
- lac (*lākṣā*) *Kerria lacca* (Kerr.). See
[GJM1](#): 445, [NK](#): 2, #32. Watt
 ([Watt_{Comm}](#): 1053–1066) is
 characteristically informative,
 and is definite about the
 antiquity of lac in India :
- lāmajja grass (*lāmajj*) *Andropogon iwarancusa*, Roxb. See [NK](#): 1,
 #176 :
- lāmajja grass (*uśīrabheda*) → *lāmajja*.
Andropogon iwarancusa,
 Roxb. See [NK](#): 1, #176 :
- leadwort (*agniśikhā*) *Plumbago zeylanica* (or *rosea*?), L. See
[NK](#): 1, #1966, 1967 : [16](#)
- leadwort (*citraka*) *Plumbago zeylanica*

- (or indica?), L. See RĀ. 6.124, [ADPS](#): 119, [NK](#): 1, #1966, 1967 :
leadwort (*pālaka*) → citraka. Plumbago zeylanica (indica? rosea?), L. See Rā. 6.124, [ADPS](#): 1, 119, [NK](#): 1, #1966, 1967 :
leadwort (*vidyutśikhā*) Synonym of *agniśikhā* ([leadwort](#)), q.v. :
lesser five roots (*laghupañcamūla*) Described at □ 1.38.66–67 ([Su 1938](#): 169). Consists of [bull's head](#), [poison berry](#), [yellow-fruit nightshade](#), [hare foot uraria](#), and [beggarweed](#) : [6](#), [9](#), [11](#), [23](#), [26](#)
liquorice (?) (*klītaka*) Glycyrrhiza glabra, L.? [GVDB](#): 123–124 discuss the many difficulties in identifying this plant :
liquorice (*madhuka*) also *yaṣṭīmadhuka* Glycyrrhiza glabra, L. [AVS](#): 3, 84, [NK](#): 1, #1136, [GVDB](#): 329 f. : [16](#)
liquorice (*madhuyaṣṭī*) see [liquorice](#) (*madhuka*) :
liquorice (*yaṣṭīmadhuka*) see [liquorice](#) (*madhuka*) :
liquorice (*yaṣṭī*) see [liquorice](#) (*madhuka*) :
liquorice (*yaṣṭīmadhuka*) see [liquorice](#) (*madhuka*) :
'little bamboo' (*veṇukā*) Bambusa bambos, Druce?. See [NK](#): 1, #307 :
lodh tree (*lodhra*) Symplocos racemosa, Roxb. See [GJM1](#): 597, [ADPS](#): 279 f, [NK](#): 1, #2420. Singh and Chunekar ([GVDB](#): 351–352) notes that there are two varieties, S. racemosa, qualified as *śāvara*, and S. crataegoides Buch.-Ham. for *paṭṭikā lodhra* :
lodh tree (*rodhra*) Symplocos racemosa, Roxb. See [ADPS](#): 279, [NK](#): 1, #2420 :
lodh tree (*śāvara*) → *lodhra*. Symplocos racemosa, Roxb. See [ADPS](#): 279, [NK](#): 1, #2420 :
long pepper (*māgadha*) Piper longum, L. See [NK](#): 1, #1928; but cf. [AVS](#): 3, 245 :
long pepper (*pippali*) See [long pepper](#) (*pippalī*) :
long pepper (*pippalī*) Piper longum, L. See [ADPS](#): 374, [NK](#): 1, #1928, [GVDB](#): 249–250 : [16](#), [23](#)
long pepper root (*granthi*) Probably → *pippalīmūla* [GVDB](#): 148 :
long pepper root (*pippalīmūla*) Piper longum, L., [GVDB](#): 250. See [long pepper](#) (*pippalī*) :
lotus (*nalina*) → [sacred lotus](#) (*kamala*) [GVDB](#): 218 :
lotus stalk (*mṛṇāla*) "Leaf stalk of [sacred lotus](#)" [GVDB](#): 318 :
luffa (*garāgarī*) → gargaraka? Luffa echinata, Roxb. See [NK](#): 1, #1517 :
luffa (*koṣātaka*) = *koṣītakī*, [luffa](#) :
luffa (*koṣātakya*) Luffa cylindrica, (L.) M. J. Roem. or L. acutangula, (L.) Roxb. See [ADPS](#): 252, [NK](#): 1, #1514 etc :
luffa (*koṣītakī*) = *koṣītakī*. Luffa cylindrica, (L.) M. J. Roem. or L. acutangula, (L.) Roxb. [ADPS](#): 252–253, [NK](#): 1, #1514 etc. [GVDB](#): 121 : [16](#)
luffa gourd (*koṣavatī*) = *koṣītakī*, [luffa](#) :

- mahua (*madhūka*) *Madhuca longifolia*, (Koenig) Macbride. See [AVS](#): 3, 362 f:
- maidenhair fern (*haṃsāhvayā*) *Adiantum lunulatum* Burm f. [GVDB](#): 463:
- Malay beechwood (*śrīparṇī*) → *kāśmarī*. *Gmelina arborea* Linn., [GVDB](#): 412, 96–97:
- mango (*āmra*) *Mangifera indica* Linn. [GVDB](#): 37:
- mangosteen (*amla*) *Garcinia pedunculata* Roxb. ex Buch.-Ham. See [GVDB](#): 20–21:
- marking-nut (*aruṣkara*) *Semecarpus anacardium* L. See *bhallātaka* ([marking-nut tree](#)), [GVDB](#): 23, [ADPS](#): 85–86: 10
- marking-nut tree (*bhallātaka*) *Semecarpus anacardium*, L. See [NK](#): 1, #2269, [AVS](#): 5, 98, [ADPS](#): 85–86: 17
- medhshingi (*vijayā2*) *Dolichandrone falcata* (DC.) The *Sauśrutaniḥaṇṭu* gives a number of synonyms for *vijayā* (Suvedī and Tivārī [2000](#): 5.77, 10.143). But one of them, *viṣāṇī* (also *meṣaśṛṅgī*), is sometimes equated with *Dolichandrone falcata* (DC.) *Seemann* ([ADPS](#): 518; [GVDB](#): 373 f, a plant used as an abortifacient and fish poison ([NK](#): #862):
- Midday flower (*bandhūka*) *Pentapetes phoenicea*, L. See [NK](#): 1, #1836, [GVDB](#): 268:
- migraine tree (*agnimantha*) *Premna corymbosa*, Rottl. See [AVS](#) 1927, [ADPS](#): 21, [NK](#): 1, #2025, [AVS](#): 4, 348; [GJM1](#): 523: = *P. integrifolia/serratifolia*, L.: 11
- milk-white (*kṣīraśuklā*) An unidentified plant. [GVDB](#): 126: see [purple roscoea](#) and [giant potato](#): 20
- monkey jack (*lakuca*) *Artocarpus lakoocha*, Roxb. ex Buch.-Ham. See [GJM1](#): 597, [IGP](#) 99, IPM 3.2338f., pace [AVS](#): 1, 215:
- ‘muddy’ (*kardama*) unknown. See ?:
- mulberry (*kramuka*) probably the [mulberry](#) (*tūda*); see discussion by Singh and Chuneekar ([GVDB](#): 122):
- mulberry (*tūda*) *Morus indica* L., [GVDB](#): 189: 17
- mung beans (*mudga*) *Phaseolus radiatus* L. [GVDB](#): 310–311:
- mung beans (*māṣaka*) *Phaseolus mungo* Linn. [GVDB](#): 308:
- munj grass (*nārācaka*) *Saccharum bengalense*, Retz.?. See [NK](#): 1, #2184:
- myrobalan (*abhayā*) *Terminalia chebula*, Retz. See [ADPS](#): 172, [NK](#): 1, #2451, [Potter_{rev}](#): 214:
- myrobalans (*pathyā*) *Terminalia chebula* Retz. See [NK](#): 1, #2451:
- natron (*suvarcikā*) Sodium carbonate. [NK](#): 2, #45. Ḍalhaṇa identifies *suvarcikā* with *svarjikṣāra* 4.8.50 ([Su 1938](#): 441):
- neem tree (*nimba*) *Azadirachta indica* A. Juss. [GVDB](#): 226:
- nutgrass (*kuruvinda*) Unknown. Ḍalhaṇa on 5.3.15 ([Su 1938](#): 568) glossed the term as [nutgrass](#), but noted other opinions that it was a

- whetstone or a very special metallic gem. Singh and Chuneekar ([GVDB](#): 108) added that it could be a variety of rice, *ṣaṣṭika dhānya* :
- nutgrass (*mustaka*) *Cyperus rotundus*, L. See [ADPS](#): 316, [AVS](#): 2, 296, [NK](#): 1, #782 :
- nutgrass (*mustā*) *Cyperus rotundus*, L. See [ADPS](#): 316, [AVS](#): 2, 296, [NK](#): 1, #782 : 17
- oleander spurge (*snuhī*) *Euphorbia neriifolia*, L., or *E. antiquorum*, L. See [ADPS](#): 448, [AVS](#): 2, 388, [AVS](#): 3, 1, [NK](#): 1, #988, [IGP](#) 457b :
- orchid tree (*kovidāra*) *Bauhinia purpurea* Linn. or *B. variegata* Linn. (probably the former), [GVDB](#): 120, [AVS](#): 1, 256–260 :
- orpiment (*haritāla*) *Arsenii trisulphidum*. See [NK](#) v. 2, p. 20 ff :
- paddy rice (*sugandhaka*) see [paddy rice](#) (*śāli*) [GVDB](#): 435 :
- paddy rice (*sugandhika*) see [paddy rice](#) (*śāli*) [GVDB](#): 435 :
- paddy rice (*śāli*) *Oriza sativa*, Linn. [GVDB](#): 395–396 mentioning 33 Sanskrit sub-variety names; [AVS](#): 4, 193 : 18, 20
- panacea twiner (*arkaparnī*) See *arkapuṣpī*, [panacea twiner](#) :
- panacea twiner (*arkapuṣpī*) → *arkaparnī*, *Tylophora indica* (Burm. f.) Merr. [GVDB](#): 23–24. Maybe identical to [Indian ipecac](#), [giant potato](#) and similar sweet, milky plants. See [GVDB](#): 24, 127, 238, 441, 443 for discussion. For discussion in the context of [Holostemma creeper](#), see [ADPS](#): 195 and [AVS](#): 3, 171. The etymology of the name suggests *Helianthus annuus* Linn., but this plant is native to the Americas : 13, 18
- parakeet (*śuka*) *Psittacula krameri/eupatria/cyanocephala*. See Woodcock 1980: 64 :
- peacock (*mayūra*) *Pavo cristatus*. See Woodcock 1980: 39 :
- peas (*hareṇu*) *hareṇu* = *satīna*. *Pisum sativum*, L. Singh and Chuneekar ([GVDB](#): 419–420, 467–468) notes that two plants are usually meant under this name, but there is no agreement on the identity of the second :
- peepul tree (*aśvattha*) *Ficus religiosa*, L. See [ADPS](#): 63 :
- ‘pendent’ (*lambā*) unknown. [GVDB](#): 348. Known only from □ 5.2.5. Identified by Monier-Williams et al. ([MW](#): 897) on no sound basis as “a kind of bitter gourd or cucumber” :
- periploca of the woods (*meṣaśṛṅga*) *Gymnema sylvestre* (Retz.) R. Br. See [AVS](#): 3, 107, [NK](#): 1, #1173 :
- phalsa (*parūṣaka*) *Grewia asiatica* Linn., [GVDB](#): 238 :
- pheasant peacock (*jīvajīvaka*) *jīvajīvaka* ?. See ? :
- plants like asthma plant and Gulf sandmat (*kṣīriṇī*) various

- milky plants, perhaps including *Euphorbia hirta* Linn. (asthma plant) and *E. microphylla* Heyne (Gulf sandmat) ([GVDB](#): 127) : [13](#)
- plumed cockscomb (*indīvara*)
Uncertain; possibly *Celosia argentea* Linn. But see the useful discussion in [GVDB](#): 44–45. Possibly another name for [thorn apple](#) (*karambha*), q.v. : [23](#)
- pointed gourd (*paṭola*) *Trichosanthes dioica*, Roxb., [GVDB](#): 232–233 : [5](#)
- poison berry (*bṛhatī*) *Solanum violaceum*, Ortega. See [ADPS](#): 100, [NK](#): 1, #2329, [AVS](#): 5, 151 : [16](#)
- poison-altar (?) (*viṣavedikā*) Unknown. Possibly, at a guess, *viṣamuṣṭika* ([strychnine tree](#))? [GVDB](#): 373 Or *viṣā* ([Himalayan monkshood](#)) :
- pomegranate (*dāḍima*) *Punica granatum* Linn. [GVDB](#): 201–202 :
- pondweed (*paripelavā*) Normally a neuter noun. Singh and Chuneekar ([GVDB](#): 238, 264–265, 409) argued that *plava* and *śaivāla* are the same thing, and may be either *Zannichellia palustris*, L., or *Potamogeton pectinatus*, L. :
- pondweed (*śevāla*) *Zannichellia palustris* L. See [horned pondweed](#) :
- portia tree (*pārīṣa*) *Thespesia populnea* (L.) Sol. ex. Corr. See [ADPS](#): 352 :
powdered ruffle lichen (*śaileyaka*) *Parmotrema perlatum* (Huds.) M.Choisy (1952), although there are some inconsistencies in groups and synonyms. See [GVDB](#): 408–409, [AVS](#): 4, 222–225. The plant has a notably complex taxonomic history :
- prickly chaff-flower (*apāmārga*) *Achyranthes aspera*, L. See [GJM1](#): 524 f, [AVS](#): 1, 39, [ADPS](#): 44 f, [AVS](#): 3, 2066 f, [Dymock](#): 3, 135 : [19](#)
- prickly chaff-flower (*vasīra*) also *vaśīra*. Perhaps *Achyranthes aspera*, L. [GVDB](#): 362 describes several possible identities, including *sūryāvarta*, [prickly chaff-flower](#) and *markaṭatṛṇa*. See also *vasukavasira* ([GVDB](#): 363) : [19](#)
- prickly chaff-flower (*vaśīra*) See [prickly chaff-flower](#) :
- prickly-leaved elephant’s foot (*gojihvā*) → *gojī*. *Elephantopus scaber*, L. See [AVS](#): 2, 357 :
- purging nut (*dravantī*) → *mūṣikaparṇī*. *Jatropha curcas*, L. See [AVS](#): 3, 261, [NK](#): 1, #1374 :
- purging nut (*mūṣikā*) *Jatropha curcas*, L. See [AVS](#): 3, 261, [NK](#): 1, #1374 :
- purple calotropis (*arka*) *Calotropis gigantea*, (L.) R. Br. See [ADPS](#): 52, [AVS](#): 1, 341, [NK](#): 1, #427, [Potter_{rev}](#): 57, [Chopra](#) [IDG](#): 305–308 :
- purple calotropis (*khadyotaka*) → *arka*? *Calotropis gigantea*, (L.) R. Br.

- See [ADPS](#): 52, [AVS](#): 1, 341, [NK](#): 1, #427, [Potter_{rev}](#): 63:
- purple roscoeia (*kṣīrakākolī*) [GVDB](#): 89
notes that many physicians use *Roscoeia procera* Wall. in this context. But the identification is uncertain. Possibly connected to [milk-white](#) or [giant potato](#): 13, 17
- racket-tailed drongo (*bhr̥ṅgarāja*)
Dicrurus paradiseus. See Woodcock 1980: 123:
- radish (*mūlaka*) *Raphanus sativus*, L.
See [NK](#): 1, #2098:
- rajmahal hemp (*moraṭa*) → *mūrvī*,
Marsdenia tenacissima (Roxb.) Wight et Arn. Good discussion at [GVDB](#): 314–316, 324:
- rajmahal hemp (*mūrvā*)
Gongronemopsis tenacissima (Roxb.) S.Reuss, Liede & Meve (= *Marsdenia tenacissima* (Roxb.) Moon), [GVDB](#): 314–316. One of the twenty-two drugs in the group *madanādi*. Singh and Chuneekar and [ADPS](#): 310–313 discuss the long controversy about the identity of this plant. *Sansevieria roxburghiana* Schult. & Schult.f. (“Indian bowstring hemp”) was preferred by Meulenbeld ([GJM](#)1: 590) and the sources he cited, including [NK](#): 1, #2216, [K & B](#): 4, 2457; [ADPS](#): 310 mention this identity as being local to Bengal, but note that the plant is not a creeper: 11
- rajmahal hemp (*mūrvī*) → *moraṭa*,
Marsdenia tenacissima (Roxb.) Wight et Arn. Good discussion at [GVDB](#): 314–316, 324:
- rattan (*vetra*) *Calamus rotang*, L. See [AVS](#): 1, 330, [NK](#): 1, #413:
- red chalk (*gairika*) *gairika*:
- red gourd (*bimbī*) *Coccinia indica*, W. & A. See PVS 1994.4.715; [NK](#): 1, #534:
- red wisteria (*antrapācaka*) *Sesbania grandiflora* (L.) Poiret ([MW](#): 44) (source unknown). *S. grandiflora* is normally *agastya* ([GVDB](#): 3):
- ribbed gourd (*karkoṭaka*) *Luffa acutangula*, (L.) Roxb.? (*Mormodica cochinchinensis*, Spreng.? Cf. *Luffa tuberosa*). See [AVS](#): 3, 347 ([NK](#): 1, #1640 1643; [NK](#): 1, #1520):
- rice grains (*taṇḍula*) *Oriza sativa*, Linn. Same as [paddy rice](#) (*śālī*) [GVDB](#): 174; or just “grains”:
- rice-grain chaff (*śālitaṇḍulakāṇḍana*)
See [chaff](#):
- rock salt (*saindhava*) See [NK](#): 2, M#48, [WattComm](#): 963–971:
- rosha grass (*dhyāmaka*) *Cymbopogon martinii* (Roxb.) Wats. See [AVS](#): 2, 285, [NK](#): 1, #177:
- sacred lotus (*kamala*) *Nelumbo nucifera* Gaertn., [GVDB](#): 73–74: 16
- sacred lotus (*padma*) *Nelumbo nucifera*, Gaertn. See [NK](#): 1, #1698:
- sacred lotus (*prapaṇḍarīka*) see [sacred lotus](#) (*prapuṇḍarīka*):
- sacred lotus (*prapuṇḍarīka*) *Nelumbo*

- nucifera, Gaertn. See Dutt 110, [NK](#): 1, #1698: [20](#)
- sage-leaved alangium (*aṅkolla*)
Alangium salvifolium (Linn. f.) Wang. [GVDB](#): 5–6:
- sage-leaved alangium (*aṅkoṭa*)
Alangium salvifolium, (L. f.) Wang. See [AVS](#): 1, 77; cf. [NK](#): 1, #88:
- sal (*śālasāra*) → [sal tree](#) (*śāla*):
- sal group of trees (*śālasārādi*) *śālasārādi* is a group (*gaṇa*) of twenty-three trees listed at 1.38.8–9 ([Su 1938](#): 165), [Mahākośa](#): 1, 898:
- sal tree (*śāla*) Shorea robusta Roth, [GVDB](#): 394: [21](#)
- sal tree (*śālā*) Shorea robusta, Gaertn.f. See [AVS](#): 5, 124:
- sandalwood (*bhadraśrīya*) Santalum album Linn. See [white sandalwood](#) (*bhadraśrī*):
- sandalwood (*candana*) Santalum album, L. See [ADPS](#): 111, [NK](#): 1, #2217: [25](#)
- sappan wood (*pataṅga*) Caesalpinia sappan, L. See [AVS](#): 1, 323, [AVS](#): 2, 847 f:
- sappanwood (*pattaṅga*) See [sappanwood](#) (*pattāṅga*):
- sappanwood (*pattāṅga*) Also *pattaṅga*. Caesalpinia sappan, L. [AVS](#): 1, 323, [K & B](#): 2, 847 f, [GVDB](#): 234: [21](#)
- scaly, red-streaked fish (*cilicima*) An unidentified fish that is absolutely not to be eaten with milk. Described in Bhela (1.12.7), Caraka (1.26.83) and Suśruta (1.20.8, 13). Circular, red streaks, round eyes and prominent scales, and “normally goes on land.”:
- scarlet mallow (*bandhujīva*) Pentapetes phoenicea, L. [NK](#): #1836, [GVDB](#): 268:
- scented pavonia (*bālaka*) Pavonia odorata, Willd. See [ADPS](#): 498, [NK](#): 1, #1822:
- scented pavonia (*toya*) → *bālaka*? Pavonia odorata, Willd. [ADPS](#): 498, [NK](#): 1, #1822:
- scramberry (*tālīśa*) see [scramberry](#) (*tālīśa*):
- scramberry (*tālīśa*) Singh and Chunekar ([GVDB](#): 179, 458–459) discusses the several identifications and regional differences in identifying this plant. Taxus baccata Linn. is a common candidate, as is Flacourtia jangomas (Lour.) Raeusch. (scramberry): [21](#)
- scutch grass (*dūrvā*) Cynodon dactylon (Linn.) Pers. ([GVDB](#): 205): [12](#)
- sedge (*kuṭannaṭa*) → *plava*, *tagara*, or *śyonāka*, according to commentators ([GVDB](#): 102–103). Singh and Chunekar leans towards the *plava*, but that plant too is difficult to identify. Various sources identify *kuṭannaṭa* as Cyperus rotundus L., C. scariosus R. Br., Oroxylum indicum (L.) Benth. ex Kurz (= Bignonia Indica L.) or even Cinnamomum verum J.Presl. The Cyperus genus comprises about 700 species of sedges,

- and I have chosen “sedge” as a generic indication of the likely identity of this plant: [22](#)
- sedge (*plava*) see [sedge](#) (*kuṭannaṭa*) :
- selu plum (*śelu*) *Cordia myxa*, L. non Forssk. See [GJM1](#): 529 (2), [IGP](#): 291b, cf. [AVS](#): 3, 1677 f; cf. [AVS](#): 2, 180 (*C. dichotoma*, Forst.f.), [NK](#): 1, #672 (*C. latifolia*, Roxb.) :
- sesame (*tila*) *Sesamum indicum* L. [GVDB](#): 183 :
- sesame oil (*taila*) *Sesamum indicum* L. [GVDB](#): 183 :
- sheep (*urabhra*) *Ovis orientalis*, Gmelin?. See [BIA](#) 249 :
- silk-cotton tree (*śālmālī*) *Bombax malabarica*. See [Issar](#): 152 :
- siris (*śirīṣa*) *Albizia lebbbeck*, Benth. See [AVS](#): 1, 81, [NK](#): 1, #91, [GVDB](#): 399–400. Cf. [white siris](#): [25](#)
- siris seeds (*śirīṣamāṣaka*) *Albizia lebbbeck*, Benth. See [AVS](#): 1, 81, [NK](#): 1, #91 :
- small-flowered crape myrtle (*sidhraka*) *Lagerstroemia parviflora* Roxb. See [GVDB](#): 432 :
- ‘snake mallow’ (*mahābalā*) → *sahadevā*. *Sida spinosa*, L. See [NK](#): 1, #2301, [ADPS](#): 74, Index *Kewensis* :
- ‘snake-killer’ (*sarpaghāti*) unknown. See ? :
- snakeroot (*sugandhā*) → *sarpagandhā* *Rauvolfia serpentina* Benth. ex. Kurz. See *sarpagandhā*. But may be *Aristolochia indica* Linn. Has been identified with *nākulī*, or *gandhanākulī*. See ([GVDB](#): 219, 436) :
- snowball plant (*ajaśṛṅgī*) Singh and Chuneekar ([GVDB](#): 8) says that this is a common climber of Suśruta’s *vallīpañcamūla* group (1.38.72 ([Su 1938](#): 169)) and suggests that it may be *Saussurea gossypiphora*. If it is a synonym of *uttamāraṇī* it may be *Pergularia daemia* (Forssk.) Chiov. (trellis vine) ([GVDB](#): 49) :
- soda crystals (*suvarjikā*) Sodium carbonate. See [NK](#): 2, #45 :
- spiked ginger lily (*śaṭī*) *Hedychium spicatum* Sm. in A. Rees, [GVDB](#): 386–387. Also sometimes *śaṭhī* :
- spikenard (*jaṭāmāṃsī*) *Nardostachys jatamansi* (D.Don) DC, [GVDB](#): 163. See also [NK](#): 1, #1691 : [22](#)
- spikenard (*māṃsī*) see [spikenard](#) (*jaṭāmāṃsī*) :
- spikenard (*nalada*) see [spikenard](#) (*jaṭāmāṃsī*) :
- spiny bitter cucumber (*karkāruka*) *Momordica cochinchinensis* (Lour.) Spreng., (Thunb.) Cogn. See [AVS](#): 2, 1135, [IGP](#) 754 (or *Beninkasa hispida*? [AVS](#): 2, 1127; cf. [AVS](#): 1, 261) :
- strychnine tree (*viṣamuṣṭika*) *Strychnos nux vomica* Linn. [GVDB](#): 373 : [19](#)
- sugar (*sitā*) Ḍalhaṇa makes this equation at 1.37.25 ([Su 1938](#): 162) :
- sugar (*śarkara*) *Saccharum officinarum*,

- Linn. [NK](#): #2182 :
sugar cane (*ikṣu*) *Saccharum officinarum*, Linn. [NK](#): #2182 :
sunflower (*sūryavallī*) → *āḍityavallī*, *sūryamukhī*, *Helianthus annuus* Linn. [GVDB](#): 35, 443 :
swan (*haṃsa*) *haṃsa* ?. See ? :
sweet flag (*vacā*) *Acorus calamus* Linn. See [GVDB](#): 352–355 :
sweet melon (*ervārūka*) *Cucumis melo*, L. See [AVS](#): 2, 227; [AVS](#): 2, 1140–3, [IGP](#) 325–6, [NK](#): 1, #729 (*C. momordica*) :
sweet plants (*madhuravarga*) The sweet plants are enumerated at □ 1.42.11. See also [GVDB](#): 127 :
sweet-scented oleander (*aśvamāra*) *Nerium oleander*, L. See [ADPS](#): 223, [NK](#): 1, #1709 :
sweet-scented oleander (*aśvamāraka*) *Nerium oleander*, L. See [ADPS](#): 223, [NK](#): 1, #1709 :
teak (*śāka*) *Tectona grandis*, L.f. See [AVS](#): 5, 245, ([MW](#): 1061) :
Tellicherry bark (*kuṭāja*) *Holarrhena pubescens* Wall. ex G.Don, with *Wrightia tinctoria* and *W. arborea* considered [GVDB](#): 101–102, [ADPS](#): 267–270 : 10
ten roots (*daśamūla*) Described at □ 1.38.70–71 ([Su 1938](#): 169) as a combination of the [lesser five roots](#) and the [greater five roots](#) : 9
the lesser five roots (*pañcamūlī*) [Mahākośa](#): 1, 468. See [five roots](#) *pañcamūla* :
the three myrobalans (*triphalā*) [chebulic myrobalan](#) [beleric myrobalan](#) and [emblic myrobalan](#) (*haritakī bibhītaka* and *āmalaka*) One of the most-often mentioned drugs in the *Bṛhatrayī* [GVDB](#): 194–196 : 5
the three pungent drugs (*trikaṭu*) [dried ginger](#), [long pepper](#), and [black pepper](#) (*śuṇṭhī*, *pippalī*, and *marica*) [GVDB](#): 193 :
thorn apple (*karambha*) *Datura metel*, L. See [GVDB](#): 76 for useful discussion. Also, [AVS](#): 2, 305 (cf. *Abhidhānamañjarī*), [NK](#): 1, #796 ff. [Potter_{rev}](#): 292 f, [ADPS](#): 132. Possibly the same plant as [plumed cockscomb](#) (*indīvara*) ([GVDB](#): 76, 44–45) : 5, 19
three heating spices (*tryūṣaṇa*) *śuṇṭhī* (Dried ginger) *Zingiber officinale*, Roscoe. [ADPS](#): 50, [NK](#): 1, #2658, [AVS](#): 5, 435, [IGP](#) 1232, *pippalī* (long pepper) *Piper longum*, L. [ADPS](#): 374, [NK](#): 1, #1928, and *marica* (black pepper) *Piper nigrum*, L. [ADPS](#): 294, [NK](#): 1, #1929 :
three-leaf soapberry (*ariṣṭaka*) *Sapindus trifoliatus* L. ([GVDB](#): 22) :
three-leaved caper (*varuṇa*) *Crataeva magna* (Lour.) DC. See [AVS](#): 2, 202; cf. [NK](#): 1, #696 :
toothed-leaf limonia (*surasī*) *Naringi crenulata* (Roxb.) Nicolson (formerly *Limonia crenulata* Roxb.), [GVDB](#): 439 :
top layer of fermented liquor

- (*surāmaṇḍa*) **K & B**: 2, 502,
NK: 2, appendix VI, #49,
 McHugh **2021**: 39 :
- tree cotton (*kārpāsa*) *G. arboreum* L.
ADPS: 231. Pace the
 identifications of Singh and
 Chuneekar (**GVDB**: 92, 247),
 since *G. barbadense* L. is
 native to South America and
G. herbaceum L. which is
 native to Africa : **24**
- tree cotton (*picu*) See **tree cotton**
 (*kārpāsa*) :
- turmeric (*gaurī*) *Curcuma longa*, L. See
ADPS: 169, **AVS**: 2, 259, **NK**: 1,
 #750 :
- turmeric (*haridrā*) *Curcuma longa*
 Linn. **GVDB**: 465 :
- turmeric (*rajanī*) *Curcuma longa*, L.
ADPS: 169, **AVS**: 2, 259, **NK**: 1,
 #750 :
- turpeth (*trivṛt*) → *trvṛtā*. *Operculina*
turpethum (Linn.) Silva
 Manso = *Ipomoea turpethum*
 R. Br. **GVDB**: 197. : **5**
- two kinds of salt (*vasukavasira*) See the
 discussion by Singh and
 Chuneekar (**GVDB**: 362–363),
 who note that when *vasuka* is
 mentioned together with
vasira, two varieties of salt are
 often meant (see *vasukavasirā*) :
- various kinds of honey (*madhuvarga*)
Suśrutasaṃhitā's eight
 categories of honey. See □
 1.45.132 and **Dutt**: 278–279 :
- velvet bean (*svayamguptā*) *Mucuna*
pruriens DC., **GVDB**: 461 :
- velvet-leaf (*pāṭhā*) *Cissampelos pariera*,
 L. See **ADPS**: 366, **NK**: 1, #592,
- GJM**₁: 573, **AVS**: 1, 95; cf.
AVS: 2, 277 :
- velvet-mite (*indragopa*) *Kerria lacca*
 (Kerr.). Lienhard **1978** :
- verbena (*bhārgī*) see **verbena**
 (*bhārngī*) :
- verbena (*bhārngī*) → *phañjī*.
Clerodendrum serratum (L.)
 Moon or C. *serratum*; see
AVS: 2, 121, **ADPS**: 87 : **24**
- verbena (*phañjī*) *Clerodendrum*
serratum, L. See **AVS**: 2, 121,
ADPS: 87 :
- ‘Virāṭa’s plant’ (*vairāṭaka*) unknown.
 See ? :
- watered buttermilk (*udaśvit*) **MW**: 183 :
- watermelon (*kāḷindaka*) *Citrullus*
lanatus (Thunb.) Matsum &
 Nak. See **IGP** 257, **NK**: 1, #596,
AVS: 2, 1149 :
- weaver’s beam tree (*muṣkaka*)
Schrebera swietenoides, Roxb.
 See **AVS**: 5, 88, Lord, **NK**: 1,
 #2246 :
- weaver’s beam tree (*viśalyā*) *Schrebera*
swietenoides Roxb. ←
kuberākṣī. Singh and Chuneekar
 (**GVDB**: 371) notes that this
 name is a synonym for many
 other plants, including *lāṅgālī*,
indravāruṇī, *guḍūcī* etc.
 Ḍalhaṇa identified it with
pāṭalā, *kāṣṭhapāṭalā*, and
agnīśikhā tree, all of which may
 be called *śvetamokṣaka* or
kuberākṣī :
- ‘web-milk’ (*jālakṣīri*) unknown. See ? :
- wheat (*godhūma*) *Triticum vulgare*, L.
 See **HK**: 744 :
- white babool (*arimeda*) *Acacia*

- leucophloea, (Roxb.) Willd.
See [AVS](#): 1, 23:
- white calotropis (*alarka*) Calotropis
procera, (Ait.) R. Br. See
[NK](#): 1, #428, [Chopra](#): 46b,
[Chopra IDG](#): 305–308:
- white clitoria (*Xsitā*) Possibly → [white](#)
[clitoria](#)? Clitoria ternatea, L.
See [AVS](#): 2, 129, [NK](#): 1, #621:
- white clitoria (*giryāhvā*) → *śvetā*.
Clitoria ternatea, L. See
[AVS](#): 2, 129, [NK](#): 1, #621:
- white clitoria (*śvetā*) → *giryāhvā*.
Clitoria ternatea, L. See
[AVS](#): 2, 129, [NK](#): 1, #621: [25](#)
- white cutch tree (*somavalka*) Acacia
polyacantha, Willd. See
[AVS](#): 1, 30, [IGP](#) 7, [GJM1](#): 602,
[AVS](#): 2, 935; *pace* [NK](#): 1, #1038:
- white dammer tree (*sarja*) Vateria
indica, L. See [NK](#): 1, #2571,
[AVS](#): 5, 349 f, [AVS](#): 1, 292 f,
[Chopra](#): 253a:
- white sandalwood (*bhadraśrī*)
Santalum album Linn. see
[sandalwood](#) (*candana*)
[GVDB](#): 152, 282 and
Carakasamhitā ci.4.102
([Ca 1941](#): 434) where it is
contrasted with *lohitacandana*:
[21](#)
- white siris (*kaṭabhī*) Albizia procera
(Roxb.) Benth. or A. lebbek
(Linn.) Benth. [GVDB](#): 63–64,
[AVS](#): 1, 81–84. Cf. Cf. [siris](#): [22](#)
- white siris (*kiṇihī*) Albizia procera
(Roxb.) Benth., [GVDB](#): 98,
which also discusses past
confusions; [NK](#): 1, #93:
- white teak (*kārśmarī*) → *kāśmarī*:
- white teak (*kāśmaryā*) → *kāśmarī*:
white teak (*kāśmarī*) → *kāśmarya*,
kārśmarī, *madhuparṇī*. Gmelina
arborea, Roxb. See [GJM1](#): 543,
[Trees](#): 51, [ADPS](#): 240: [11](#)
- white teak (*madhuparṇī*) → *kāśmarī*:
- white water-lily (*kumuda*) Nymphaea
alba, Linn. [GVDB](#): 105:
- wild asparagus (*bahuputrā*) →
nandana? Asparagus
racemosus, Willd. See further
[wild asparagus](#) (*śatāvarī*):
- wild asparagus (*śatāvarī*) Asparagus
racemosus, Willd. See
[ADPS](#): 441, [AVS](#): 1, 218, [NK](#): 1,
#264, [IGP](#): 103, [AVS](#): 4, 249 ff,
[Dymock](#): 3, 482 ff: [25](#)
- wild celery (*agnika*) → may be
bhallātaka, *lāṅgalī*, *ajamodā*,
moraṭa, or *agnimantha*,
[GVDB](#): 4. Uncertain A plant
often cited in □, but rarely in
Carakasamhitā ([GVDB](#): 4).
Ḍalhaṇa glossed it at 5.2.45
([Su 1938](#): 566) as *ajamodā* but
noted that others consider it to
be *moraṭa*. There is
considerable complexity
surrounding the identification
of *moraṭa*/*mūrvā* itself and
related synonyms
([GVDB](#): 314–316): [25](#)
- wild celery (*ajamodā*) Apium
graveolens, L. Sometimes
identified with *agnika* ([wild](#)
[celery](#)), q.v.:
- wild chinchona (*kādamba*)
Anthocephalus cadamba, Miq.
See [NK](#): 1, #204:
- wild Himalayan cherry (*padmaka*)

- Prunus cerasoides D.Don,
GVDB: 236, AVS: 4, 353–355.
MW: 585 is wide of the mark :
wild mustard (*saurīyaka*) Cleome
viscosa, L.? (cf. Rā.4.144). See
AVS: 2, 116, NK: 1, #615 :
wild spider flower (*ajagandhā*) possibly
Cleome gynandra L. (syn.
Gynandropis gynandra L.);
possibly also Basil (Ocimum
basilicum Linn. or Crested
Late Summer Mint (Elsholtzia
ciliata Willd.) (GVDB: 6). But
E. ciliata is not native to South
Asia :
wild sugar cane (*kāṇḍekṣu*) Saccharum
spontaneum L., GVDB: 90 :
Withania (*aśvagandhā*) Withania
somnifera (L.) Dunal. See
AVS: 5, 409 f, Dymock: 2,
566 f., Chevallier 150 :
wolfsbane (*vatsanābha*) Aconitum
napellus, L. See AVS: 1, 47,
NK: 1, #42, Potter_{rev}: 4 f. Or
Aconitum chasmanthum Stapf
ex Holmes, GVDB: 357 : 4
wood apple (*kapittha*) Limonia
acidissima, L. See AVS: 3, 327,
NK: 1, #1021 :
woodrose (*mūṣikakarṇī*) Jatopha
curcas, L. AVS: 3, 261, NK: 1,
#1374. GVDB: 317;
ADPS: 23–25 discuss this issue
well :
woodworm (*ghuṇa*) See note to
Atharvaveda 4.16 :
yellow-berried nightshade (*kṣudrā*)
Solanum virginianum, L. See
ADPS: 100, NK: 1, #2329,
AVS: 5, 164 :
yellow-fruit nightshade (*kaṇṭakārī*)
Solanum virginianum L. (also
called Solanthum
xanthocarpum, Schrad. &
Wendl.) GVDB: 68–69. A
component of lesser five roots :
16

Fauna

- chital deer (*prṣata*) Axis axis, Erxleben.
BIA: 295–296. In □ 5.5.71
(Su 1938: 579) it seems to be
specifically the musk that is
meant. so the reference may be
to the Musk Deer (Moschus
moschiferus L.). But all
species produce musk, so
prṣata may also be simply
Chital or Spotted Deer. See
also IW: 93 :
civet (*mārjāra*) BIA: ch. 4 et passim,
McHugh 2012 :
iguana (*galagolikā*) see large gecko
(*galagoḍikā*) :
iguana (*gaudheraka*) see iguana
(*godheraka*) :
iguana (*gaudheyaka*) see iguana
(*godheraka*) :
iguana (*godheraka*) The गौधेरक is
described in the Carakasamhitā
as a four-legged snake born of
a ?? that is similar to a black
snake and has several species

(6.23.134 (Ca 1941: 577)).
 CDIAL: 1, #4286 identifies this
 as an iguana : 26, 27
 large gecko (*galagoḍikā*) A poisonous
 insect, amphibian or reptile
 described in □ 5.8.29
 (Su 1938: 588) as a biting
 creature that may be white,
 black, with red stripes or rings
 or spotted. It is described just
 after the *iguanas* (*godheraka*)
 and before centipedes. The
 name is unstable, e.g.,
 गलगोलिका, गलदोडी, गलगोली. Cf.
 the remarks on geckos in note
 ??, p. ?? The similarity of
 names suggests that a
 गलगोडिका may be a
 non-domestic creature that
 looks similar to a domestic
 gecko. Cf. other IA parallels at
 CDIAL: 1, #4324, 4431, which

points to a Dravidian origin for
 the lexeme (DED₂: #1125) and
 suggests “iguana.” The tokay
 gecko (*Gekko gecko* (Linnaeus,
 1758)) is a large gecko
 endemic to South Asia having
 a blue-gray skin with red or
 orange spots and speckles that
 may change according to its
 environment like a chameleon.
 Tokay geckos, especially males,
 are aggressive and territorial
 and can inflict a strong bite : 26
 mongoose (*nakula*) *Urva edwardsii* or
 the often sympatric *U.*
auropunctatus (small Indian
 mongoose, usually an eater of
 smaller creatures than snakes)
 (BIA: ch. 5), On mongooses
 and snakes, see BIA: 98–99;
 IW: 112 :