

Full contents of plants.bib and animals.bib

Dominik Wujastyk

Draft of 8th June 2024

Materia Medica Reference Works

- ADPS Sivarajan, V. V., and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- AVS Warriar, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–96) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species*. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal (Madras: Orient Longman).
- BIA Prater, S. H. (1993), *The Book of Indian Animals* (3rd edn., Bombay, Delhi, etc.: Oxford University Press), ARK: [ark:/13960/t6356w32f](https://n2t.org/ark:/13960/t6356w32f); 4th impression of 3rd corrected 1980 edition.
- Chopra Chopra, R. N., Nayar, S. L., and Chopra, I. C. (1956), *Glossary of Indian Medicinal Plants* (3rd reprint, 1992, New Delhi: Council of Scientific and Industrial Research); vol. 2: R. N. Chopra, I. C. Chopra, and Varma ([Chopra_{sup}](#)).
- Chopra IDG Chopra, R. N., Chopra, I. C., Handa, K. L., et al. (1958), *Chopra's Indigenous Drugs of India* (2nd edn., Calcutta: Dhur & Sons), ARK: [ark:/13960/t9673t140](https://n2t.org/ark:/13960/t9673t140).
- Chopra_{sup} Chopra, R. N., Chopra, I. C., and Varma, B. S. (1969), *Supplement to Glossary of Indian Medicinal Plants* (Reprint 1986, New Delhi: National Institute of Science Communication), ISBN: 8185038872.

- Dutt Dutt, Uday Chand (1922), *The Materia Medica of the Hindus...with a Glossary of Indian Plants by George King. Revised Edition...by Binod Lall Sen and Ashutosh Sen and Pulin Krishna Sen* (Krishnadas Sanskrit Studies; 3rd edn., Calcutta: Madan Gopal Dass for the Adi-Ayurveda Machine Press), ARK: [ark:/13960/t59c7tg9z](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-t59c7tg9z); Reprinted Varanasi: Chowkhamba Saraswatibhavan, 1980.
- Dymock Dymock, William, Warden, C. J. H., and Hooper, David (1890), *Pharmacographia Indica: A History of the Principal Drugs of Vegetable Origin Met with in British India* (London, Bombay, Calcutta: Kegan Paul),
URL: <https://tinyurl.com/dymock1890>, accessed 16/03/2023.
- GJM₁ Meulenbeld, Gerrit Jan (1974), "Sanskrit Names of Plants and their Botanical Equivalents," in id., *The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes* (Leiden: Brill), chap. Appendix Four, 520–611, ARK: [ark:/13960/t25b8q97g](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-t25b8q97g).
- GJM₂ Meulenbeld, Gerrit Jan (1988), "G. J. Meulenbeld's Additions to his "Sanskrit Names of Plants and their Botanical Equivalents"," in Rahul Peter Das, *Das Wissen von der Lebensspanne der Bäume: Surapālas Vṛkṣāyurveda* (Stuttgart: Franz Steiner Verlag), chap. Appendix 1, 425–65, ISBN: 9783515046633; Supplement to [GJM₁](#).
- GVDB Singh, Thakur Balwant, and Chuneekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhatrayi* (Varanasi: Chowkhamba Sanskrit Series Office), ARK: [ark:/13960/s2c7p72x58j](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-s2c7p72x58j).
- HK Hilgenberg, Luise, and Kirfel, Willibald (1941), *Vāgbhaṭa's Aṣṭāṅgahṛdayasaṃhitā, ein altindisches Lehrbuch der Heilkunde, aus dem Sanskrit ins Deutsche übertragen mit Einleitung, Anmerkungen und Indices* (Leiden: Brill), ARK: [ark:/13960/t52h05616](https://nbn-resolving.org/urn:nbn:in:csir-sr-13960-t52h05616).
- IGP Griffiths, Mark (1994), *The New Royal Horticultural Society Index of Garden Plants* (London: Macmillan).
- Issar Issar, T. P. (1994), *Blossoms of Bangalore* (Bangalore: T. P. Issar).

IW	Israel, Samuel, et al. (1988), <i>Indian Wildlife: Sri Lanka Nepal</i> (Insight Guides; Singapore etc.: APA Publications), ISBN: 9780245545238, ARK: ark:/13960/s2p9d5pqd1w .
K&B	Kirtikar, K. R., Basu, B. D., and an I.C.S (1987), <i>Indian Medicinal Plants</i> , ed. E. Blatter, J. F. Caius, and K. S. Mhaskar, 8 vols. (2nd edn., Dehradun: International Book Distributors); First published in Allahabad, 1918.
Kew	Kew Gardens (2024), "Plants of the World," Royal Botanic Gardens, URL: https://xn--powocience-zy2e.kew.org .
MBG	Missouri Botanical Garden (2024), "Missouri Botanical Garden: Plant Finder," Missouri Botanical Garden, URL: https://bit.ly/MissouriPlantfinder .
NK	Nadkarni, K. M. (1982), <i>Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes</i> , ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429, URL: https://tinyurl.com/Nadkarni1982 ; First published in 1954.
Peter	Peter, K. V. (2012) (ed.), <i>Handbook of Herbs and Spices</i> (Food Science, Technology and Nutrition, 228; 2nd edn., Oxford, Cambridge, Philadelphia, New Delhi: Woodhead Publishing), ISBN: 9780857090393.
Potter _{rev}	Wren, R. C., Williamson, Elizabeth M., and Evans, Fred J. (1994), <i>Potter's New Cyclopaedia of Botanical Drugs and Preparations</i> (Saffron Walden: C. W. Daniel Company Ltd.); Reprint of revised 1988 edition.
Trees	Bole, P. V., and Vaghani, Yogini (1986), <i>Field Guide to the Common Trees of India</i> (Bombay, Delhi, Oxford, etc.: World Wildlife Fund – India and Oxford University Press), ISBN: 0-19-561595-6; 4th reprint.

Watt_{Comm} Watt, George (1908), *The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India"* (London: John Murray), ARK: [ark : / 13960 / t8cg7dm79](https://nbn-resolving.org/urn:ark:/13960/t8cg7dm79).

Flora

- aconite leaf (?) (*viṣapatrikā*) Unknown. Cf. perhaps, *vatsanābha* ([wolfsbane](#)). Cf. [GVDB](#): 373:
- ‘alas, alas’ (*hālāhala*) unknown. See Cf. *Soḍhalanighantu* p.43 (sub bola) = stomaka = vatsanābha:
- Alexandrian laurel (*punnāga*) *Calophyllum inophyllum*, L. See [AVS](#): 1, 338, [NK](#): 1, #425:
- amaranth (*taṇḍulīyaka*) *Amaranthus hypochondriacus*, L. See King 321, [NK](#): 1, #144, [Potter_{rev}](#): 15. Cf. [AVS](#): 1, 121:
- arjun (*arjuna*) *Terminalia arjuna*, Bedd. See [HK](#): 738:
- ash gourd (*kūṣmāṇḍa*) → *puṣpaphala*. *Beninkasa hispida*, (Thunb.) Cogn. See [AVS](#): 2, 1127; cf. [AVS](#): 1, 261:
- Asoka tree (*aśoka*) *Saraca indica* Linn., [GVDB](#): 26:
- atis root (*śrīṅgīviṣa*) *Aconitum heterophyllum*, Wall. ex Royle. See [AVS](#): 1, 42, [NK](#): 1, #39:
- axlewood (*dhava*) *Anogeissus latifolia* (Roxb. ex DC.) Wall. ex Guill & Perr. See [AVS](#): 1, 163 f, [Chopra](#): 20:
- bamboo leaves (*veṇupatrikā*) *Bambusa bambos*, Druce. See [NK](#): 1, #307:
- banyan (*nyagrodha*) *Ficus bengalensis*, L. See [HK](#): 748:
- banyan (*vaṭa*) *Ficus benghalensis* Linn., [GVDB](#): 356:
- barley (*yava*) *Hordeum vulgare*, L. See [HK](#): 752:
- bearded premna (*vasuka*) *Premna barbata* Wall. (← *vasuhaṭṭa*), according to Cakrapāṇidatta. See the discussion by Singh and Chuneekar ([GVDB](#): 362–363), where other candidate species such as *Osmanthus*, *Calotropis*, and *Trianthema* are discussed. Singh and Chuneekar ([GVDB](#): 363) note that when *vasuka* is mentioned with *vasira*, two varieties of salt are often meant (see *vasukavasirā*). See also [NK](#): #1299 who identifies it with *Indigofera enneaphylla*, Linn. (Birdsville Indigo), apparently without controversy:
- beautyberry (*priyaṅgu*) → *śyāmā*. *Callicarpa macrophylla*, Vahl. See [AVS](#): 1, 334, [NK](#): 1, #420. Some say also *Setaria italica* Beauv. [GVDB](#): 263–264. See also [GVDB](#): 413:
- beautyberry (*śyāmā*) *Callicarpa macrophylla*, Vahl. See [AVS](#): 1, 334, [NK](#): 1, #420:
- beggarweed (*aṃśumatī*) *Desmodium gangeticum* (L.) DC ([Dymock](#): 1, 428, [GJM1](#): 602, [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing):
- beggarweed (*vidārigandhā*) → *śālaparṇī*. *Desmodium gangeticum* (L.) DC. See [Dymock](#): 1, 428, [GJM1](#): 602,

- cf. [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing : [13](#)
- beggarweed (*śālaparnī*) → *sthirā*.
Desmodium gangeticum (L.) DC.
See [Dymock](#): 1, 428, [GJM1](#): 602, [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing :
- beleric myrobalan (*bibhītaka*) Terminalia bellirica Roxb. One of the components of [the three myrobalans](#) (*triphalā*) [GVDB](#): 274, 196 : [19](#)
- Bengal quince (*bilva*) Aegle marmelos (L.) Corr. See [AVS](#): 1, 62, Chevallier 159, [NK](#): 1, #62, ([MW](#): 732a) : [9](#)
- ‘big poison’ (*mahāviṣa*) unknown. See ? :
- ‘big thorn apple’ (*mahākarambha*) Datura metel, L.?. See [thorn apple](#) (*karambha*) :
- bitter gourd (*paṭolī*) see [pointed gourd](#) (*paṭola*), cite[233]gvdb :
- bitumen (*adrija*) → *śilājī*. A tar-like, black, resinous rock exudate. See [Mahākośa](#): 1, 21 :
- black cardamom (*Xhareṇu*) Amomum subulatum, Roxb.?. See PVS Caraka 2.734, [AVS](#): 1, 128, [NK](#): 1, #154, *pace* [GVDB](#): 467–468 :
- black creeper (*kālānusārī*) Ichnocarpus frutescens R. Br. or Cryptolepis buchanani Roemer & Schultes. Probably a synonym for *kṛṣṇasārīvā* ([GVDB](#): 94–95). I. frutescens has dark, rust-colored stems, so has been preferred here. However, Cryptolepis grandiflora, Wight, also has black stems. Synonym of *kālānusārīṇī*, *kālānusārīvā*. *kālānusārīya* may be a synonym of *tagara*, itself hard to identify :
- black creeper (*pālindī*) Ichnocarpus frutescens, (L.) R.Br. or Cryptolepis buchanani, Roemer & Schultes. See [AVS](#): 3, 141, 145, 203, [NK](#): 1, #1283, 1210, [ADPS](#): 434. Ḍalhaṇa on SS 5.1.82 identified *pālindī* with *trivṛt* ([turpeth](#)) and Singh and Chuneekar ([GVDB](#): 246) supported this as a usual identification :
- black pepper (*marica*) Piper nigrum, L. See [ADPS](#): 294, [NK](#): 1, #1929 : [19](#)
- black pepper (*vallīja*) → *marica*. Piper nigrum, L.?. See [NK](#): 1, #1929; Rā.6.115, Dha.4.85, Dha.2.88 :
- blackboard tree (*saptachada*) Alstonia scholaris R. Br. [GVDB](#): 420 :
- blackbuck (*hariṇa*) Antelope cervicapra, L. See [BIA](#): 270 [IW](#): 95, 165, *et passim* :
- ‘blade’ (*kartarīya*) unknown. See ? :
- blue water-lily (*utpala*) Nymphaea stellata, Willd. See [GJM1](#): 528, [IGP](#) 790; [Dutt](#): 110, [NK](#): 1, #1726 :
- bottle gourd (*ālābūka*) Lagenaria siceria (Molina) Standl. See [IGP](#) 645, [NK](#): 1, #1419 :
- bull’s head (*gokṣura*) Tribulus terrestris L. [GVDB](#): 144–145, 193. A component of [lesser five roots](#) : [5](#)
- bull’s head (*trikaṇṭaka*) → [bull’s head](#) (*gokṣura*) [GVDB](#): 193. A component of [lesser five roots](#) : [13](#)
- bulrush (*kaṣeru*) “Two species, Scirpus kysoor Roxb., and S. grossus Linn. f. are used” [GVDB](#): 85. Also *kaṣeruka* and *kaseru* :
- calamine lotion (*amṛtāsaṅga*) → *amṛtāsaṅga*. Zinc carbonate. See [NK](#): 2, #56 :
- camphor (*karpūra*) → *śītaśiva*. Cinnamomum camphora, (L.) Sieb. See [IGP](#) 253 :
- cannabis (*vijayā*) Cannabis sativa, L. See [AVS](#): 1, 356, [NK](#): 1, #442 :
- caper (*karīra*) Capparis decidua (Forsk.) Edgew. See [AVS](#): 1, 368, ([MW](#): 255b) :

- cardamom (*elā*) *Elettaria cardamomum*, Maton. See [AVS](#): 2, 360, [NK](#): 1, #924, [Potter_{rev}](#): 66 :
- carmarī (*carmarī*) unknown. See ? :
- carray cheddī (*gāṅgerukī*) → *viśvadevā* :
 carray cheddī (*viśvadevā*) → *gāṅgerukī*
Canthium parviflorum, Lam. See [AVS](#): 1, 366 f. Or *Sida rhombifolia* Linn. ([GVDB](#): 372, 444 ff. et passim) :
- cassia cinnamon (*patra*) *Cinnamomum tamala*, (Buch.-Ham.) Nees. See [AVS](#): 2, 84, [NK](#): 1, #589 :
- castor oil tree (*gandharvahasta*) → *eraṇḍa*. [GVDB](#): 135, [K&B](#): 3, 2277 :
- castor-oil (*eraṇḍa*) *Ricinus communis*, L. See [NK](#): 1, #2145, [Chopra](#): 214 :
- catechu (*khadira*) *Senegalia catechu* (L.f.) P. J. Hurter & Mabb = *Acacia catechu* Willd. [GVDB](#): 129–130 :
- certain minerals (*tārāvitāra*) Unknown. It is not even certain that these are minerals. The variant reading in the vulgate, *tāraḥ sutāraḥ* was glossed by Ḍaḥaṇa on 5.3.14 ([Su 1938](#): 568) as follows *tāro rūpyam, sutāraḥ pāradah*, “tāra means silver; sutāra means mercury.” :
- Ceylon iron wood (*kṣīrikā*) *Mimusops hexandra*, Roxb. ([GVDB](#): 126–127) :
- chaff (*kāṇḍana*) The word *kāṇḍana* is not found in dictionaries; *kaṇḍana* is threshing, separating the chaff from the grain in a mortar. Cf. Hemādri’s *Caturvargacintāmaṇi* ([PWK](#): 2, 8) (Śiromaṇi [1873](#): 1, 138: 21, citing the *Vāyupurāṇa*) : [17](#)
- chaulmoogra (*tuvaraka*) *Hydnocarpus wightiana* Blume, but see the discussion by ([GVDB](#): 188) for the difficulties in identifying *tuvaraka*. See also [AVS](#): 3, 185–188 :
- chebulic myrobalan (*harītakī*) *Terminalia chebula* Retz. [GVDB](#): 466 : [19](#)
- cherry (*elavālu*) *Prunus cerasus*, L.?. See [BVDB](#) 58, [NK](#): 1, #2037, [GVDB](#): 58 :
- chir pine (*sarala*) *Pinus roxburghii*, Sarg. [GVDB](#): 423 :
- ‘choice tree’ (*varadāru*) unknown. See ? :
- chukar partridge (*cakora*) *Alectoris chukar*. See Woodcock [1980](#): 45 :
- cinnamon (*tvac*) *Cinnamomum cassia*, Blume. See [NK](#): 1, #579 : [6](#)
- cinnamon (*tvac*) see [cinnamon](#) (*tvac*) :
- citron (*mātulūṅga*) *Citrus medica*, Linn. [GVDB](#): 276, 306. Also spelled *mātuliṅga*, *mātulaṅga*, *mātulāṅga* :
- cluster fig (*udumbara*) *Ficus racemosa*, L. See [ADPS](#): 487 :
- cobra’s saffron (*nāgapuṣpa*) → *nāgakeśara*. *Mesua ferrea*, L. See [NK](#): 1, #1595, [GVDB](#): 220 :
- colocynth (*indravāruṇī*) *Citrullus colocynthis* (L.) Schrad., [GVDB](#): 46. The two varieties of this plant are discussed by ([ADPS](#): 180–183); the first is agreed to be colocynth, the second is debated but is likely to be a *Curcubitaceae* : [6](#)
- colocynth (*mṛgādanī*) see [colocynth](#) (*indravāruṇī*) [GVDB](#): 46, 318 :
- common crane (*krauñca*) *Grus grus*. See Woodcock [1980](#): 47 :
- common mallow (*suvarcalā*) perhaps *Malva sylvestris*, L. A difficult plant to identify, see Singh and Chuneekar ([GVDB](#): 280, 440–441) :
- common mallow (*sūryāvarta*) *Malva sylvestris*, L. Cakrapāṇidatta and Ḍaḥaṇa identify it with *suvarcalā*, itself a difficult plant to identify. Perhaps *Helianthus*, see Singh and Chuneekar ([GVDB](#): 280) :
- common smilax (*śvadamśtra*) *Smilax aspera* L., [GVDB](#): 414 :
- convolvulus (*lakṣmaṇā*) Sivarajan and

- Balachandran ([ADPS](#): 273–275) suggest *Ipomoea marginata* (Desr.) Verdc. or *I. obscura* (Linn.) [AVS](#): 3, 237–238 suggests *Ipomoea sepiaria* Roxb. (looks like a little boy (*putraka*), and generates a boy (*putrajananī*), according to the *Bhāvaprakāśa*). Sivarajan and Balachandran ([ADPS](#): 273–275) firmly reject *Mandragora officinalis* which is European; but possible consideration could be given to *Mandragora caulescens* C.B. Clarke, a variant that is known in South Asia. Cf. [GVDB](#): 346–347. [NK](#): #1546, #2323 suggests *Mandragora officinalum*, Linn., known as *putrada*:
- corky coral tree (*pāribhadra*) *Erythrina suberosa* Roxb. See [GVDB](#) 245:
- costus (*kuṣṭha*) *Saussurea costus*, Clarke. See [NK](#): 1, #2239:
- cottony jujube (*kākolī*) *Ziziphus mauritana*, Lam. See [IGP](#): 1233, [NK](#): 1, #2663; [IGP](#) 1233. Cf. [NK](#): 1, #1170:
- country mallow (*atibalā*) *Abutilon indicum*, (L.) Sweet, but may be other kinds of mallow, e.g., *Sida rhombifolia*, L.. See [NK](#): 1, #11, [IGP](#): 1080, [NK](#): 1, #2300, [ADPS](#): 71, 77:
- country mallow (*sahadevā*) → *balā* ([GVDB](#): 428). Contains ephedrine:
- country sarsaparilla (*anantā*) *Hemidesmus indicus*, (L.) R. Br. See [ADPS](#): 434, [AVS](#): 3, 141–5, [NK](#): 1, #1210. But see [GVDB](#): 13 for complications that may suggest that it is to be equated with *sārivā*, which may sometimes be *Cryptolepis* or *Ichnocarpus frutescens* R. Rr. ([GVDB](#): 429–431):
- crape jasmine (*nata*) → [crape jasmine](#) [GVDB](#): 215: 7, 10
- crape jasmine (*tagara*) *Tabernaemontana divaricata* (L.) R.Br. ex Roem. & Schultes. See [GJM1](#): 557, [AVS](#): 5, 232. Synonym of [crape jasmine](#). But some say *Valeriana jatamansi*, Jones. See [GVDB](#): 173–174 for discussion (and charming comments on brain-liquid testing). Some say *tagara* is Indian rose-bay or Indian valerian, but there remain many historical questions about the ancient and regional identities of this plant See, e.g., [AVS](#): 5, 334, 345. See also [IGP](#): 1147: 7, 10
- crêpe ginger (*caṇḍā*) *Cheilocostus speciosus* (J.Konig) C.Specht ([ADPS](#): 108–110). Also called *kevuka* ([GVDB](#): 117):
- crêpe ginger (*kevuka*) *Cheilocostus speciosus* (J.Konig) C.Specht ([GVDB](#): 117) Also called *caṇḍā*. ([ADPS](#): 108–110):
- crimson trumpet-flower tree (*pāṭalā*) *Stereospermum chelonides*, (L. f.) A. DC. See [GJM1](#): 573, [AVS](#): 5, 192 ff, [ADPS](#): 362 f, [AVS](#): 3, 1848 f, [IGP](#) 1120, [Dymock](#): 3, 20 ff: 9
- cucumber (*trapusa*) *Cucumis sativus*, L. See [AVS](#): 2, 231, [NK](#): 1, #731:
- cuscut grass (*uśīra*) *Andropogon murcatus*, Retz. Also “vetiver grass.” See [NK](#): 1, #180:
- datura (*dhattūra*) *Datura metel*, L. See [AVS](#): 2, 305 (cf. *Abhidhānamāñjarī*), [NK](#): 1, #796 ff. [Potter_{rev}](#): 292 f, [ADPS](#): 132:
- deodar (*bhadradāru*) *Cedrus deodara*, (Roxb.ex D.Don) G. Don. See [AVS](#) 41, [NK](#): 1, #516:
- deodar (*devadāru*) *Cedrus deodara* (Roxb.)

- Loud. [GVDB](#): 206–207 : [8](#)
- deodar (*suradāru*) see [deodar](#) (*devadāru*) :
- devil's dung (*hiṅgu*) *Ferula foetida* Regel., [GVDB](#): 471–472 :
- dhaman tree (*dhanvaṅga*) → dhammaṇa? *Grewia tiliaefolia*, Vahl. See [AVS](#): 3, 104, [IK](#), [AVS](#): 1, 386, [IGP](#) 529 (*tiliifolia*) :
- dried ginger (*nāgara*) → [dried ginger](#) (*śuṇṭhī*) [GVDB](#): 221–222 :
- dried ginger (*śuṇṭhī*) *Zingiber officinale*, Roscoe. See [ADPS](#): 50, [NK](#): 1, #2658, [AVS](#): 5, 435, [IGP](#): 1232 : [8](#), [19](#)
- dried meat (*vallūra*) [MW](#): 929, [Mahākośa](#): 1, 730. The term is used, rarely, in both the CS (1.5.10) and SS (1.13. 16, 6.42.75–76). It is a Dravidian loanword and occurs in the *Arthaśāstra* etc. ([KEWA](#): 3, 167) :
- drum-giver (?) (*lambaradā*) Unknown; cf. [GVDB](#): 348 :
- elixir salve (*rasāñjana*) → *añjana*. See [Indian barberry](#) :
- embelia (*vidaṅga*) *Embelia ribes*, Burm. f. See [ADPS](#): 507, [AVS](#): 2, 368, [NK](#): 1, #929, [Potter](#)_{rev}: 113 :
- emblic myrobalan (*āmalaka*) *Phyllanthus emblica*, L. See [AVS](#): 4, 256 : [19](#)
- emetic nut (*karaghāṭa*) Probably a synonym for *karahāṭa* ([emetic nut](#)), q.v., [GVDB](#): 74 : [8](#)
- emetic nut (*karahāṭa*) *Randia dumetorum*, Lamk. See [GVDB](#): 291–292 and [NK](#): 1, #2091. Singh and Chuneekar ([GVDB](#): 74, 77–78) noted that it may be a synonym for *karaghāṭa*, [emetic nut](#), and pointed rather to *Gardenia turgida* Roxb. on the basis of local knowledge in U. P. : [8](#), [13](#)
- emetic nut (*madana*) *Randia dumetorum*, Lamk. See [NK](#): 1, #2091 :
- false daisy (*bhṛṅga*) *Eclipta prostrata* (L.) L. See [GVDB](#): 288 :
- false daisy (*subhaṅgurā*) (su)bhaṅgura = *bhṛṅga*? *Eclipta prostrata* (L.) L. See [GVDB](#): 288 :
- fermented rice-water (*dhānyāmla*) → *kāñjī*, *kāñjikā*, *sauvīra*. [GVDB](#): 458, [NK](#): 2, appendix VI, #18 :
- fern (*ajaruhā*) *Nephrodium* species [GVDB](#): 7, uncertain. Perhhaps *Christella dentata* (Forssk.) Brownsey & Jermy, which is reported to have folk applications against skin diseases in India :
- fire-flame bush (*dhātakī*) *Woodfordia fruticosa* (L.) Kurz. See [AVS](#): 5, 412, [NK](#): 1, #2626 :
- five roots (*pañcamūla*) Described at □ 1.38.66–69 ([Su 1938](#): 169). There are two *pañcamūlas*, the *laghupañcamūla* (the [lesser five roots](#)) and *bṛhatpañcamūla* ([greater five roots](#)), with differing properties. Combined they are called *daśamūla* ([ten roots](#)). See also [Mahākośa](#): 1, 468 : [19](#)
- five-leaved chaste tree (*śephālikā*) *Vitex negundo* Linn., [GVDB](#): 433–435. See further [NK](#): 1, #2603 (cf. use of leaves), [IGP](#): 1210a, [MW](#): 1088b :
- flame-of-the-forest (*palāśa*) *Butea monosperma* (Lam.) Taub. [GVDB](#): 241. *pālāśa* in some sources : [8](#)
- flame-of-the-forest (*pālāśa*) See [flame-of-the-forest](#) (*palāśa*). The variant name with long initial vowel appears in Nepalese manuscripts :
- flax (*ataśī*) *Linum usitatissimum*, L. See [NK](#)#1495 :
- 'foam-stone' (*phenāśma*) unknown. See ? :
- fragrant lotus (*saugandhika*) A type of *kumuda* or *utpala* ([GVDB](#): 457) :
- fruit of the marking-nut (*āruṣkara*) see

- marking-nut (*aruṣkara*).
 “āruṣkara = aruṣkara phala”
 ADPS: 23; see also MW: 151 :
- galangal (*galanṅala*) *Alpinia galanga* (L.) Sw. Identified with [grey orchid](#) in Kerala (ADPS: 398). The name is borrowed from Chinese, perhaps via Persian or Arabic (Peter: 2, 304), and the name does not occur in early āyurvedic literature (GVDB) : 9
- galls (*karkaṭa*) *Rhus succedanea*, L. See NK: 1, #2136 :
- garden pea (*kalāya*) *Pisum sativum*, L. See AVS: 4, 308, IGP 901; cf. NK: 1, #1940 :
- garjan oil tree (*aśvakarṇa*) *Dipterocarpus turbinatus* Gaertn. f. See GVDB: 28, Chopra: 100 :
- ‘gentle’ (*somā*) *Ruta graveolens*, L., or *Sarcostemma brevistigma*, W & A, etc. See NK: 1, #2179, 2228; Potter_{rev}: 262 :
- giant potato (*kṣīravidārī*) possibly → *kṣīraśukla*. *Ipomoea mauritiana*, Jacq. See ADPS: 510, AVS: 3, 222, AVS: 3, 1717 ff: 11, 14–16
- ginger (*mahaṣadha*) *Zingiber officinale*, Roscoe. See ADPS: 50, NK: 1, #2658, IGP: 1232 :
- ‘gladdener’ (*nandana*) unknown. See ? :
- gold (*hema*) gold :
- gold and sarsaparilla (*surendragopa*)
 Unknown. Ḍalhaṇa on 5.3.15 (Su 1938: 568) glossed *surendra* as “gold” and *gopā* as “[Indian sarsaparilla](#).” He also noted other opinions that *surendra* was “[Tellicherry bark](#)” :
- golden shower tree (*rājadruma*) *rājadruma* = *āragvadha*. *Cassia fistula* L. See GVDB 37 :
- golden shower tree (*rājavarṣa*) → *rājadruma* = *āragvadha*. *Cassia fistula* L. See GVDB: 37 :
- golden shower tree (*āragvadha*) *Cassia fistula* L. GVDB: 37–38. The plant has many synonyms. :
- gourd (*alābu*) *Lagenaria siceraria* Standl. GVDB: 25. Some say *Lagenaria vulgaris*, Seringe (NK: 1, #1419) but this is not appropriate for blood-letting :
- greater five roots (*br̥hatpañcamūla*)
 Described at □ 1.38.68–69 (Su 1938: 169). Consists of [Bengal quince](#), [migraine tree](#), [Indian trumpet tree](#), [crimson trumpet-flower tree](#), and [white teak](#) : 8, 12, 19
- green gram (*māṣa*) *Vigna radiata* (L.) R. Wilcz. See ADPS: 296, IGP 1204 :
- grey orchid (*rāsnā*) *Vanda tessellata* (Roxb.) Hook. ex G. Don, usually. But *Pluchea lanceolata*, Oliver & Hiern, is a more common identification in Punjab and Gujarat (GVDB: 337–338); *Alpinia galanga* (L.) Sw. is more common in Kerala (ADPS: 398; Peter: 2, 303–318), though this is usually identified with [galangal](#). As all authorities note, the identification of this plant is debated. Sivarajan and Balachandran (ADPS: 398–401) note that sources describe it as having leaves like cardamom and sweet-smelling roots and that “there is great confusion with regard to the identity of the drug.” : 9
- hairy bergenia (*pāṣāṇabheda*) *Bergenia ligulata* (Wall.) Engl. GVDB: 246–247 :
- halfa grass (*darbha*) *Demostachya bipinnata* Stapf. GVDB: 201. Synonym of *kuśa* :
- halfa grass (*kuśa*) *Desmostachya bipinnata*, (L.) Stapf. GVDB: 111,

- AVS:** 2, 326:
- hare foot uraria (*kroṣṭakamekhalā*) see [hare foot uraria](#) (*prśniparṇī*)
Mahākośa: 1, 246. *kroṣṭaka* can mean “jackal” *śṛgāla*, as in *śṛgālavinna*, “a kind of *prśnaparṇī*” **Mahākośa:** 1, 839:
- hare foot uraria (*prthakparṇī*) → [hare foot uraria](#) (*prśniparṇī*) and [rajmahal hemp](#) (*mūrvā*) **GVDB:** 257. A component of [lesser five roots](#) : 13
- hare foot uraria (*prśniparṇī*) → *sahā*?
Uraria lagopoides, DC. and U. picta Desv. See **GVDB:** 257–258, **GJM1:** 577, **Dymock:** 1, 426, **AVS:** 1, 750 ff, **NK:** 1, #2542; **ADPS:** 382, **AVS:** 2, 319 and **AVS:** 4, 366 are confusing. Also called *prthakparṇī*. A component of [lesser five roots](#) : 10
- heart-leaf sida (*balā*) *Sida cordifolia*, Linn. See **ADPS:** 71, **NK:** 1, #2297:
- heart-leaved moonseed (*amṛtā*) → *guḍūcī*.
Tinospora cordifolia, (Willd.) Hook.f. & Thoms.? See **ADPS:** 38, **NK:** 1, #2472, 624, Dastur #229:
- heart-leaved moonseed (*guḍūcī*) *Tinospora cordifolia*, (Thunb.) Miers. **ADPS:** 38, **NK:** 1, #2472 & #624, Dastur #229, **GVDB:** 141–142. Also identified as *Cocculus cordifolius* DC. by Nadkarni (**NK**) and others (see also the [Tropicos botanical database](#)) :
- heart-leaved moonseed (*somavallī*)
Tinospora cordifolia (Thunb.) Miers. **GVDB:** 456. Likely, but uncertain :
- heart-leaved moonseed creeper (*amṛtavallī*) See *amṛtā* :
- heliotrope (*hastīśuṇḍa*) → *ibhagandhā*?
Heliotropium indicum, L. See **AVS:** 3, 136, **NK:** 1, #1203:
- henna (*madayantikā*) *Lawsonia inermis*, L. See **AVS:** 3, 303, **NK:** 1, #1448,
- Potter_{rev}:** 151:
- hill myna (*sārikā*) *Acridotheres tristis* tristis, L., etc. See Ali #1006, Dave (1985: 28 ff.), Woodcock (1980: 119) :
- Himalayan mayapple (*vakra*)
Podophyllum emodi, Wall. (**NK:** #1971). But perhaps a synonym of [crape jasmine](#) and [crape jasmine](#), q.v. (**GVDB:** 354) :
- Himalayan monkshood (*ativiṣā*) → *viṣā*
Aconitum heterophyllum Wall. **GVDB:** 12, **NK:** 1, #39. Also “atis roots” :
- Himalayan monkshood (*viṣā*) → *ativiṣā*
GVDB: 12, 373 : 16
- Himalayan yew (*sthaṇḍeyaka*) Singh and Chuneekar (**GVDB:** 458–459) suggested *Taxus baccata* L., but that tree is endemic to the Mediterranean and not South Asia. Poudel et al. 2013 show that *T. contorta* Griff., T mairei (Lemée & Lév.) and *T. wallichiana* Zucc. are distributed in the Hindu Kush - Himalaya region. The Nepalese name *Thuṇeraka* is etymologically cognate with the Sanskrit name. *T. contorta* is of medicinal importance, so its common name is used here :
- hogweed (*punarnavā*) *Boerhaavia diffusa*, L. See **ADPS:** 387, **AVS:** 1, 281, **NK:** 1, #363:
- Holostemma creeper (*jīvantī*) → *sūryavallī*? *Holostemma ada-kodien*, Schultes. See **ADPS:** 195, **AVS:** 3, 167, 169, **NK:** 1, #1242 : 15
- honey (*kṣaudra*) Eight varieties of honey are described in the SS (**NK:** 2, Appendix 192). *Kṣaudra* is the product of a small bee of tawny colour, called *kṣudra* :

- horned pondweed (*śaivāla*) also *śaivāla*, *śevāra*. *Zannichellia palustris* L. The uncertainties of this identification are discussed by Singh and Chunekar (GVDB: 409). Sometimes identified with *scutch grass* (*dūrva*) (GVDB: 409). Identified as *Ceratophyllum demersum* Linn. (“hornwort”) by AVS: 2, 56–57x: 11, 16
- hornwort (*jalanīlikā*) *Ceratophyllum demersum*, L. See AVS: 2, 56, IGP 232:
- hornwort (*jalaśūka*) → *jalanīlikā*. *Ceratophyllum demersum*, L. See AVS: 2, 56, IGP: 232. Singh and Chunekar (GVDB: 166) suggest *horned pondweed*. Ḍalhaṇa noted on 1.16.19 (Su 1938: 79) that some people interpret it as a poisonous, hairy, air-breathing, underwater creature:
- horse gram (*kaulattha*) See *horse gram* (*kulattha*):
- horse gram (*kulattha*) *Macrotyloma uniflorum* (Lam.) Verdcourt, syn. *Dolichos biflorus*, L., *D. uniflorus*, Lam., GVDB: 109, Kew: sub *Macrotyloma uniflorum*: 11
- horseradish tree (*muraṅgī*) see *horseradish tree* (*śigru*) (GVDB: 311):
- horseradish tree (*murūṅgī*) see *horseradish tree* (*śigru*) (GVDB: 311):
- horseradish tree (*śigru*) *Moringa oleifera* Lam. See IGP 759, GJM1: 603, Dymock: 1, 396: 11
- hyacinth bean (*śimbī*) *Dolichos lablab*, L. See NK: 1, #870:
- hyacinth beans (*niṣpāva*) *Lablab purpureus* (L.) Sweet (1826) GVDB: 228:
- Indian antelope (*eṇa*) *Antilope cervicapra*, L. See BIA: 70:
- Indian barberry (*añjana*) → *rasāñjana*, *dāruharidrā*. *Berberis aristata*, DC. Dymock: 1, 65, NK: 1, #335, GJM1: 562, IGP: 141: 8
- Indian barberry (*dāruharidrā*) *Berberis aristata*, DC. See Dymock: 1, 65, NK: 1, #685, GJM1: 562, IGP 141: 11
- Indian barberry (*dārvī*) → *Indian barberry* (*dāruharidrā*) GVDB: 203:
- Indian barberry (*kālīyaka*) → *dāruharidrā*, *añjana*. *Berberis aristata*, DC. See Dymock: 1, 65, NK: 1, #685, GJM1: 562, IGP: 141:
- Indian bat tree (*śuṅgā*) → *parkaṭīvrkṣa* according to *Śabdasindhu*: 1058; idem also suggests *vaṭavrkṣa*, i.e., *Ficus benghalensis* Linn. and *āmṛātaka*, *Spondias pinnata* (L.f.) Kurz. (native to S.E Asia but naturalized in S. Asia). Contrasted with *vaṭa* at □ 3.2.32. Cf. MW: 1081.:
- Indian bdellium-tree (*guggula*) See *Indian bdellium-tree guggulu*:
- Indian bdellium-tree (*guggulu*) *Commiphora wightii* (Arn.) Bhandari (GVDB: 140). This is a flowering shrub or small tree that produces a fragrant resin commonly called *guggulu*. The name sometimes refers to the plant and sometimes to the resin: 11
- Indian beech (*naktamāla*) *Pongamia pinnata*, (L.) Pierre. See AVS: 4, 339, NK: 1, #2003:
- Indian ipecac (*payasyā*) Uncertain. Possibly *Tylophora indica* (Burm.f.) Merr. Perhaps a synonym of *panacea twiner*, *giant potato*, *purple roscoe*, and *plants like asthma plant and Gulf sandmat* (GVDB: 237–238). Also “curds” when not a plant: 15
- Indian jujube (*sauvīra*) *Zizphus jujuba* Mill., GVDB: 458, MBG: sub

- jujuba :
- Indian jujube (*sauvīraka*) *Zizphus jujuba* Mill., [GVDB](#): 458, [MBG](#): sub jujuba :
- Indian kudzu (*vidārī*) → *payasyā*. *Pueraria tuberosa* (Willd.) DC. See [ADPS](#): 510, [AVS](#): 1, 792 f, [AVS](#): 4, 391; not [Dymock](#): 1, 424 f. See [GJM2](#): 444, 451, [AVS](#): 1, 187, but [AVS](#): 3, 1719 = *Ipomoea mauritiana*, Jacq :
- Indian laburnum (*śampāka*) *Cassia fistula*, L. See [ADPS](#): 48, [AVS](#): 2, 11 ff, [AVS](#): 2, 854, [IGP](#) 215 :
- Indian laurel (*plakṣa*) *Ficus microcarpa*, L. f. See [ADPS](#): 377 :
- Indian madder (*mañjiṣṭhā*) *Rubia cordifolia*, L. See [IGP](#), [Chopra](#): 215, [GVDB](#): 289 :
- Indian mottled eel (*varmimatsya*) Almost certainly the mottled eel. [MW](#): 962c noted that the *varmi* fish “is commonly called *vāmi*.” The “vam fish,” or “বান মাছ (*bān māch*)” in Bengal, is a marine and freshwater eel, *Anguilla bengalensis*. It is the most common eel in Indian inland waters and a prized food fish ([Froese and Pauly 2022](#)). However, some NIA languages identify the “vam” fish with the Indian Pike Conger, *Congresox talabonides* (Bleeker) (Talwar and Kacker [1984](#): 235, 236) :
- Indian mustard (*sarṣapa*) *Brassica juncea*, Czern. & Coss. See [AVS](#): 1, 301, [NK](#): 1, #378 :
- Indian pennywort (*maṇḍūkapaṇṇī*) *Centella asiatica* (L.) Urban. See [GVDB](#): 290, [ADPS](#): 289–291 :
- Indian sarsaparilla (*sugandhikā*) see [Indian sarsaparilla](#) (*śvetasārīvā*) [GVDB](#): 430, 436 :
- Indian sarsaparilla (*sārīvā*) → *anantā*. The *śveta* variety is *Hemidesmus indicus*, (L.) R. Br. [ADPS](#): 434, [AVS](#): 3, 141–145, [NK](#): 1, #1210, [GVDB](#): 430; and the black form, black creeper, *pāḷindī*. *Ichnocarpus frutescens*, (L.) R.Br. or *Cryptolepis buehnanii*, Roemer & Schultes [AVS](#): 3, 141, 145, 203, [NK](#): 1, #1283, 1210, [ADPS](#): 429–430 : [9, 12](#)
- Indian sarsaparilla (*śvetasārīvā*) *Hemidesmus indicus*, (L.) R. Br. See [Indian sarsaparilla](#) (*sārīvā*). [ADPS](#): 434, [AVS](#): 3, 141–145, [NK](#): 1, #1210, [GVDB](#): 430 : [12](#)
- Indian snakeroot (*sarpagandhā*) *Rauvolfia serpentina*, (L.) Benth. ex Kurz. See [NK](#): 1, #2099, [ADPS](#): 439, [GVDB](#): 425; cf. SS 5.5.76–78 :
- Indian spinach (*pūtīkā*) *Basella alba*, L. See [NK](#): 1, #318 (*rubra*), [ADPS](#): 489, [AVS](#): 1, 253, [IGP](#) 129b :
- Indian symphorema (*sindhuvāra*) see [Indian symphorema](#) (*sinduvāra*) :
- Indian symphorema (*sinduvāra*) Singh and Chuneekar ([GVDB](#): 435) settles on *Symphorema polyandrum* Wight as the identity of this plant. Other authors choose *Vitex negundo* Linn. See further [NK](#): 1, #2603 (cf. use of leaves), [IGP](#): 1210a, [MW](#): 1088b. Discussion by [GVDB](#): 433–435 : [12](#)
- Indian trumpet tree (*śyonāka*) *Oroxylum indicum* (L.) Benth. ex Kurz. [GVDB](#): 172–173. A component of [greater five roots](#) : [12](#)
- Indian trumpet tree (*tiṇṭuka*) → [Indian trumpet tree](#) (*śyonāka*). *Oroxylum indicum* (L.) Benth. ex Kurz. [GVDB](#): 172–173. A component of [greater five roots](#) : [9](#)
- indigo (*nīlinī*) *Indigofera tinctoria*, L. See [NK](#): 1, #1309 :
- Indrajao (*indrayava*) see *vr̥kṣaka* ([Indrajao](#))

- Holarrhena pubescens Wall. ex G. Don 1837 [GVDB](#): 376, 45 and 84:
- Indrajao (*vr̥kṣaka*) → *indrayava*, *indrabīja*, *kaliṅga*, and *kuṭaja*. Holarrhena pubescens Wall. ex G. Don 1837 [GVDB](#): 376, 45 and 84: [12](#)
- jackfruit (*panasa*) Artocarpus heterophyllus, Lam. See [NK](#): 1, #249, [IGP](#) 99:
- jambul (*jambū*) Syzygium cumini, (L.) Skeels. See [ADPS](#): 188, [NK](#): 1, #967, [Potter_{rev}](#): 168, Wujastyk [2003](#):
- jasmine (*mālatī*) Jasminium grandiflorum, L. See [NK](#): 1, #1364:
- jequirity (*guñjā*) Abrus precatorius, L. See [AVS](#): 1, 10, [NK](#): 1, #6, [Potter_{rev}](#): 168:
- jequirity (*kālakūṭa*) Abrus precatorius, L.? Cf. RRS 21.14. See [AVS](#): 1, 10, [NK](#): 1, #6, [Potter_{rev}](#): 168:
- ‘juice-cooker’ (*sārapāka*) unknown. See ? : (?) (*karaṭā*) Not in [GVDB](#). Cf. perhaps *karahāṭa* ([emetic nut](#)):
- khesari pea (*tripuṭa*) *tripuṭa* (kalāya). *Lathyrus sativus*, L. See [IGP](#) 651, [NK](#): 1, #1439:
- koel (*kokila*) *Eudynamys scolopacea*. See Woodcock [1980](#): 66:
- kumudvatī (*kumudvatī*) unknown. See ? :
- kutki (*ariṣṭā*) *Picrorhiza kurroa* Royle ex Benth. → *kaṭukā* ([kutki](#)) q.v. ([GVDB](#): 22–23):
- kutki (*kaṭukā*) *Picrorhiza kurroa* Royle ex Benth. ([GVDB](#): 64–65): [13](#)
- kutki (*kaṭurohaṇī*) → [kutki](#) (*kaṭukā*) [GVDB](#): 66: [13](#)
- kutki (*kaṭurohiṇī*) See [kutki](#) (*kaṭurohaṇī*):
- lac (*jatu*) *Kerria lacca* (Kerr.). See [www.icar.org.in/ilri/](#):
- lac (*lākṣā*) *Kerria lacca* (Kerr.). See [GJM1](#): 445, [NK](#): 2, #32. Watt ([Watt_{Comm}](#): 1053–1066) is characteristically informative, and is definite about the antiquity of lac in India:
- lāmajja grass (*lāmajj*) *Andropogon iwarancusa*, Roxb. See [NK](#): 1, #176:
- lāmajja grass (*uśīrabheda*) → *lāmajja*. *Andropogon iwarancusa*, Roxb. See [NK](#): 1, #176:
- leadwort (*agnīśikhā*) *Plumbago zeylanica* (or *rosea*?), L. See [NK](#): 1, #1966, 1967: [13](#)
- leadwort (*citraka*) *Plumbago zeylanica* (or *indica*?), L. See Rā. 6.124, [ADPS](#): 119, [NK](#): 1, #1966, 1967:
- leadwort (*pālaka*) → *citraka*. *Plumbago zeylanica* (*indica*? *rosea*?), L. See Rā. 6.124, [ADPS](#): 1, 119, [NK](#): 1, #1966, 1967:
- leadwort (*vidyutśikhā*) Synonym of *agnīśikhā* ([leadwort](#)), q.v.:
- lesser five roots (*laghupañcamūla*) Described at □ 1.38.66–67 ([Su 1938](#): 169). Consists of [bull’s head](#), [poison berry](#), [yellow-fruit nightshade](#), [hare foot uraria](#), and [beggarweed](#): [5](#), [8](#), [10](#), [19](#), [22](#)
- liquorice (?) (*klītaka*) *Glycyrrhiza glabra*, L.? [GVDB](#): 123–124 discuss the many difficulties in identifying this plant:
- liquorice (*madhuka*) also *yaṣṭīmadhuka* *Glycyrrhiza glabra*, L. [AVS](#): 3, 84, [NK](#): 1, #1136, [GVDB](#): 329 f.: [13](#)
- liquorice (*madhuyaṣṭī*) see [liquorice](#) (*madhuka*):
- liquorice (*yaṣṭīmadhuka*) see [liquorice](#) (*madhuka*):
- liquorice (*yaṣṭī*) see [liquorice](#) (*madhuka*):
- liquorice (*yaṣṭīmadhuka*) see [liquorice](#) (*madhuka*):
- ‘little bamboo’ (*veṇukā*) *Bambusa bambos*, Druce?. See [NK](#): 1, #307:
- lodh tree (*lodhra*) *Symplocos racemosa*, Roxb. See [GJM1](#): 597, [ADPS](#): 279 f, [NK](#): 1, #2420. Singh and

- Chunekar (GVDB: 351–352) notes that there are two varieties, *S. racemosa*, qualified as *śāvāra*, and *S. crataegoides* Buch.-Ham. for *paṭṭikā lodhra* :
- lodh tree (*rodhra*) *Symplocos racemosa*, Roxb. See ADPS: 279, NK: 1, #2420 :
- lodh tree (*śāvāra*) → *lodhra*. *Symplocos racemosa*, Roxb. See ADPS: 279, NK: 1, #2420 :
- long pepper (*māgadhā*) *Piper longum*, L. See NK: 1, #1928; but cf. AVS: 3, 245 :
- long pepper (*pippalī*) See long pepper (*pippalī*) :
- long pepper (*pippalī*) *Piper longum*, L. See ADPS: 374, NK: 1, #1928, GVDB: 249–250 : 14, 19
- long pepper root (*granthi*) Probably → *pippalīmūla* GVDB: 148 :
- long pepper root (*pippalīmūla*) *Piper longum*, L., GVDB: 250. See long pepper (*pippalī*) :
- lotus (*nalina*) → sacred lotus (*kamala*) GVDB: 218 :
- lotus stalk (*mṛṇālā*) “Leaf stalk of sacred lotus” GVDB: 318 :
- luffa (*garāgarī*) → gargaraka? *Luffa echinata*, Roxb. See NK: 1, #1517 :
- luffa (*kośātaka*) = *kośītakī*, luffa :
- luffa (*kośātakya*) *Luffa cylindrica*, (L.) M. J. Roem. or *L. acutangula*, (L.) Roxb. See ADPS: 252, NK: 1, #1514 etc :
- luffa (*kośītakī*) = *kośītakī*. *Luffa cylindrica*, (L.) M. J. Roem. or *L. acutangula*, (L.) Roxb. ADPS: 252–253, NK: 1, #1514 etc. GVDB: 121 : 14
- luffa gourd (*kośavatī*) = *kośītakī*, luffa :
- mahua (*madhūka*) *Madhuca longifolia*, (Koenig) Macbride. See AVS: 3, 362 f :
- maidenhair fern (*haṃsāhvayā*) *Adiantum lunulatum* Burm f. GVDB: 463 :
- Malay beechwood (*śrīparṇī*) → *kāśmarī*. *Gmelina arborea* Linn., GVDB: 412, 96–97 :
- mango (*āmra*) *Mangifera indica* Linn. GVDB: 37 :
- mangosteen (*amla*) *Garcinia pedunculata* Roxb. ex Buch.-Ham. See GVDB: 20–21 :
- marking-nut (*aruṣkara*) *Semecarpus anacardium* L. See *bhallātaka* (*marking-nut tree*), GVDB: 23, ADPS: 85–86 : 9
- marking-nut tree (*bhallātaka*) *Semecarpus anacardium*, L. See NK: 1, #2269, AVS: 5, 98, ADPS: 85–86 : 14
- medhshingi (*vijayā*2) *Dolichandrone falcata* (DC.) The *Sauśrutaniḡhaṇṭu* gives a number of synonyms for *vijayā* (Suvedī and Tivārī 2000: 5.77, 10.143). But one of them, *viṣāṇī* (also *meṣaśṛṅgī*), is sometimes equated with *Dolichandrone falcata* (DC.) Seemann (ADPS: 518; GVDB: 373 f, a plant used as an abortifacient and fish poison (NK: #862) :
- Midday flower (*bandhūka*) *Pentapetes phoenicea*, L. See NK: 1, #1836, GVDB: 268 :
- migraine tree (*agnimantha*) *Premna corymbosa*, Rottl. See AVS 1927, ADPS: 21, NK: 1, #2025, AVS: 4, 348; GJM1: 523: = *P. integrifolia/serratifolia*, L: 9
- milk-white (*kṣīraśuklā*) An unidentified plant. GVDB: 126: see purple *roscoeia* and giant potato : 16
- monkey jack (*lakuca*) *Artocarpus lakoocha*, Roxb. ex Buch.-Ham. See GJM1: 597, IGP 99, IPM 3.2338f., pace AVS: 1, 215 :
- ‘muddy’ (*kardama*) unknown. See ? :
- mulberry (*kramuka*) probably the mulberry (*tūda*); see discussion by Singh and Chunekar (GVDB: 122) :

- mulberry (*tūda*) *Morus indica* L.,
GVDB: 189: 14
- mung beans (*mudga*) *Phaseolus radiatus* L.
GVDB: 310–311:
- mung beans (*māṣaka*) *Phaseolus mungo*
Linn. GVDB: 308:
- munj grass (*nārācaka*) *Saccharum*
bengalense, Retz.?. See NK: 1,
#2184:
- myrobalan (*abhayā*) *Terminalia chebula*,
Retz. See ADPS: 172, NK: 1,
#2451, Potter_{rev}: 214:
- myrobalans (*pathyā*) *Terminalia chebula*
Retz. See NK: 1, #2451:
- natron (*suvarcikā*) Sodium carbonate.
NK: 2, #45. Ḍalhaṇa identifies
suvarcikā with svarjikṣāra 4.8.50
(Su 1938: 441):
- neem tree (*nimba*) *Azadirachta indica* A.
Juss. GVDB: 226:
- nutgrass (*kuruvinda*) Unknown. Ḍalhaṇa
on 5.3.15 (Su 1938: 568) glossed
the term as **nutgrass**, but noted
other opinions that it was a
whetstone or a very special
metallic gem. Singh and
Chunekar (GVDB: 108) added
that it could be a variety of rice,
ṣaṣṭika dhānya:
- nutgrass (*mustaka*) *Cyperus rotundus*, L.
See ADPS: 316, AVS: 2, 296,
NK: 1, #782:
- nutgrass (*mustā*) *Cyperus rotundus*, L. See
ADPS: 316, AVS: 2, 296, NK: 1,
#782: 15
- oleander spurge (*snuhī*) *Euphorbia*
neriifolia, L., or *E. antiquorum*, L.
See ADPS: 448, AVS: 2, 388,
AVS: 3, 1, NK: 1, #988, IGP 457b:
- orchid tree (*kovidāra*) *Bauhinia purpurea*
Linn. or *B. variegata* Linn.
(probably the former),
GVDB: 120, AVS: 1, 256–260:
- orpiment (*haritāla*) *Arsenii trisulphidum*.
See NK v. 2, p. 20 ff:
- paddy rice (*sugandhaka*) see **paddy rice**
(*śāli*) GVDB: 435:
- paddy rice (*sugandhika*) see **paddy rice**
(*śāli*) GVDB: 435:
- paddy rice (*śāli*) *Oriza sativa*, Linn.
GVDB: 395–396 mentioning 33
Sanskrit sub-variety names;
AVS: 4, 193: 15, 17
- panacea twiner (*arkaparṇī*) See *arkapuṣpī*,
panacea twiner:
- panacea twiner (*arkapuṣpī*) → *arkaparṇī*,
Tylophora indica (Burm. f.) Merr.
GVDB: 23–24. Maybe identical to
Indian ipecac, **giant potato** and
similar sweet, milky plants. See
GVDB: 24, 127, 238, 441, 443 for
discussion. For discussion in the
context of **Holostemma creeper**,
see ADPS: 195 and AVS: 3, 171.
The etymology of the name
suggests *Helianthus annuus* Linn.,
but this plant is native to the
Americas: 11, 15
- parakeet (*śuka*) *Psittacula*
krameri/eupatria/cyanocephala.
See Woodcock 1980: 64:
- peacock (*mayūra*) *Pavo cristatus*. See
Woodcock 1980: 39:
- peas (*hareṇu*) *hareṇu* = *satīna*. *Pisum*
sativum, L. Singh and Chunekar
(GVDB: 419–420, 467–468) notes
that two plants are usually meant
under this name, but there is no
agreement on the identity of the
second:
- peepul tree (*aśvattha*) *Ficus religiosa*, L.
See ADPS: 63:
- ‘pendent’ (*lambā*) unknown. GVDB: 348.
Known only from □ 5.2.5.
Identified by Monier-Williams
et al. (MW: 897) on no sound
basis as “a kind of bitter gourd or
cucumber”:
- periploca of the woods (*meṣaśṛṅga*)
Gymnema sylvestre (Retz.) R. Br.

- See [AVS](#): 3, 107, [NK](#): 1, #1173:
phalsa (*parūṣaka*) *Grewia asiatica* Linn.,
[GVDB](#): 238:
pheasant peacock (*jīvajīvaka*) *jīvajīvaka* ?.
See ?:
plants like asthma plant and Gulf sandmat
(*kṣīrīṇī*) various milky plants,
perhaps including *Euphorbia*
hirta Linn. (asthma plant) and *E.*
microphylla Heyne (Gulf
sandmat) ([GVDB](#): 127) : 11
plumed cockscomb (*indīvara*) Uncertain;
possibly *Celosia argentea* Linn.
But see the useful discussion in
[GVDB](#): 44–45. Possibly another
name for [thorn apple](#) (*karambha*),
q.v. : 19
pointed gourd (*paṭola*) *Trichosanthes*
dioica, Roxb., [GVDB](#): 232–233 : 5
poison berry (*bṛhatī*) *Solanum violaceum*,
Ortega. See [ADPS](#): 100, [NK](#): 1,
#2329, [AVS](#): 5, 151 : 13
poison-altar (?) (*viśavedikā*) Unknown.
Possibly, at a guess, *viśamuṣṭika*
([strychnine tree](#))? [GVDB](#): 373 Or
viśā ([Himalayan monkshood](#)) :
pomegranate (*dāḍīma*) *Punica granatum*
Linn. [GVDB](#): 201–202 :
pondweed (*paripelavā*) Normally a neuter
noun. Singh and Chuneekar
([GVDB](#): 238, 264–265, 409)
argued that *plava* and *śaivāla* are
the same thing, and may be either
Zannichellia palustris, L., or
Potamogeton pectinatus, L :
pondweed (*śevāla*) *Zannichellia palustris*
L. See [horned pondweed](#) :
portia tree (*pārīṣa*) *Thespesia populnea*
(L.) Sol. ex. Corr. See [ADPS](#): 352 :
powdered ruffle lichen (*śaileyaka*)
Parmotrema perlatus (Huds.)
M.Choisy (1952), although there
are some inconsistencies in
groups and synonyms. See
[GVDB](#): 408–409, [AVS](#): 4, 222–225.
The plant has a notably complex
taxonomic history :
prickly chaff-flower (*apāmārga*)
Achyranthes aspera, L. See
[GJM](#): 524 f, [AVS](#): 1, 39,
[ADPS](#): 44 f, [AVS](#): 3, 2066 f,
[Dymock](#): 3, 135 : 16
prickly chaff-flower (*vasira*) also *vaśīra*.
Perhaps *Achyranthes aspera*, L.
[GVDB](#): 362 describes several
possible identities, including
sūryāvarta, [prickly chaff-flower](#)
and *markaṭatrṇa*. See also
vasukavasira ([GVDB](#): 363) : 16
prickly chaff-flower (*vasira*) See [prickly](#)
[chaff-flower](#) :
prickly-leaved elephant’s foot (*gojihvā*) →
gojī. *Elephantopus scaber*, L. See
[AVS](#): 2, 357 :
purging nut (*dravantī*) → *mūṣikaparnī*.
Jatropha curcas, L. See
[AVS](#): 3, 261, [NK](#): 1, #1374 :
purging nut (*mūṣikā*) *Jatropha curcas*, L.
See [AVS](#): 3, 261, [NK](#): 1, #1374 :
purple calotropis (*arka*) *Calotropis*
gigantea, (L.) R. Br. See
[ADPS](#): 52, [AVS](#): 1, 341, [NK](#): 1,
#427, [Potter](#)_{rev}: 57, [Chopra](#)
[IDG](#): 305–308 :
purple calotropis (*khadyotaka*) → *arka*?
Calotropis gigantea, (L.) R. Br.
See [ADPS](#): 52, [AVS](#): 1, 341, [NK](#): 1,
#427, [Potter](#)_{rev}: 63 :
purple roscoeia (*kṣīrakākolī*) [GVDB](#): 89
notes that many physicians use
Roscoeia procera Wall. in this
context. But the identification is
uncertain. Possibly connected to
[milk-white](#) or [giant potato](#) : 11, 14
racket-tailed drongo (*bhṛṅgarāja*) *Dicrurus*
paradiseus. See [Woodcock](#)
1980: 123 :
radish (*mūlaka*) *Raphanus sativus*, L. See
[NK](#): 1, #2098 :
rajmahal hemp (*moraṭa*) → *mūrvī*,

- Marsdenia tenacissima (Roxb.)
Wight et Arn. Good discussion at
[GVDB](#): 314–316, 324 :
- rajmahal hemp (*mūrvā*) Gongronemopsis
tenacissima (Roxb.) S.Reuss,
Liede & Meve (= Marsdenia
tenacissima (Roxb.) Moon),
[GVDB](#): 314–316. One of the
twenty-two drugs in the group
madanādi. Singh and Chuneekar
and [ADPS](#): 310–313 discuss the
long controversy about the
identity of this plant. Sansevieria
roxburghiana Schult. & Schult.f.
("Indian bowstring hemp") was
preferred by Meulenbeld
([GJM](#)1: 590) and the sources he
cited, including [NK](#): 1, #2216,
[K&B](#): 4, 2457; [ADPS](#): 310 mention
this identity as being local to
Bengal, but note that the plant is
not a creeper : [10](#)
- rajmahal hemp (*mūrvī*) → *moraṭa*,
Marsdenia tenacissima (Roxb.)
Wight et Arn. Good discussion at
[GVDB](#): 314–316, 324 :
- rattan (*vetra*) Calamus rotang, L. See
[AVS](#): 1, 330, [NK](#): 1, #413 :
- red chalk (*gairika*) gairika :
- red gourd (*bimbī*) Coccinia indica, W. & A.
See [PVS](#) 1994.4.715; [NK](#): 1, #534 :
- red wisteria (*antrapācaka*) Sesbania
grandiflora (L.) Poiret ([MW](#): 44)
(source unknown). S. grandiflora
is normally *agastya* ([GVDB](#): 3) :
- ribbed gourd (*karkoṭaka*) Luffa acutangula,
(L.) Roxb.? (Mormodica
cochinchinensis, Spreng.? Cf.
Luffa tuberosa). See [AVS](#): 3, 347
([NK](#): 1, #1640 1643; [NK](#): 1,
#1520) :
- rice grains (*taṇḍula*) Oriza sativa, Linn.
Same as [paddy rice](#) (*śālī*)
[GVDB](#): 174; or just "grains" :
- rice-grain chaff (*śālitaṇḍulakāṇḍana*) See
[chaff](#) :
- rock salt (*saindhava*) See [NK](#): 2, M#48,
[WattComm](#): 963–971 :
- rosha grass (*dhyāmaka*) Cymbopogon
martinii (Roxb.) Wats. See
[AVS](#): 2, 285, [NK](#): 1, #177 :
- sacred lotus (*kamala*) Nelumbo nucifera
Gaertn., [GVDB](#): 73–74 : [14](#)
- sacred lotus (*padma*) Nelumbo nucifera,
Gaertn. See [NK](#): 1, #1698 :
- sacred lotus (*prapaunḍarīka*) see [sacred
lotus](#) (*prapunḍarīka*) :
- sacred lotus (*prapunḍarīka*) Nelumbo
nucifera, Gaertn. See [Dutt](#) 110,
[NK](#): 1, #1698 : [17](#)
- sage-leaved alangium (*aṅkolla*) Alangium
salvifolium (Linn. f.) Wang.
[GVDB](#): 5–6 :
- sage-leaved alangium (*aṅkoṭa*) Alangium
salvifolium, (L. f.) Wang. See
[AVS](#): 1, 77; cf. [NK](#): 1, #88 :
- sal (*śālasāra*) → [sal tree](#) (*śāla*) :
- sal group of trees (*śālasārādi*) *śālasārādi* is a
group (*gaṇa*) of twenty-three
trees listed at 1.38.8–9
([Su](#) 1938: 165), *Mahākośa*: 1, 898 :
- sal tree (*śāla*) Shorea robusta Roth,
[GVDB](#): 394 : [17](#)
- sal tree (*śālā*) Shorea robusta, Gaertn.f. See
[AVS](#): 5, 124 :
- sandalwood (*bhadraśrīya*) Santalum
album Linn. See [white
sandalwood](#) (*bhadraśrī*) :
- sandalwood (*candana*) Santalum album, L.
See [ADPS](#): 111, [NK](#): 1, #2217 : [21](#)
- sappan wood (*pataṅga*) Caesalpinia
sappan, L. See [AVS](#): 1, 323,
[AVS](#): 2, 847 f :
- sappanwood (*pattāṅga*) See [sappanwood](#)
(*pattāṅga*) :
- sappanwood (*pattāṅga*) Also *pattāṅga*.
Caesalpinia sappan, L.
[AVS](#): 1, 323, [K&B](#): 2, 847 f,
[GVDB](#): 234 : [17](#)
- scaly, red-streaked fish (*cilicima*) An

- unidentified fish that is absolutely not to be eaten with milk. Described in Bhela (1.12.7), Caraka (1.26.83) and Suśruta (1.20.8, 13). Circular, red streaks, round eyes and prominent scales, and "normally goes on land." :
- scarlet mallow (*bandhujīva*) *Pentapetes phoenicea*, L. [NK](#): #1836, [GVDB](#): 268 :
- scented pavonia (*bālaka*) *Pavonia odorata*, Willd. See [ADPS](#): 498, [NK](#): 1, #1822 :
- scented pavonia (*toya*) → *bālaka*? *Pavonia odorata*, Willd. [ADPS](#): 498, [NK](#): 1, #1822 :
- scramberry (*tālīsa*) see [scramberry](#) (*tālīsa*) :
- scramberry (*tālīsa*) Singh and Chuneekar ([GVDB](#): 179, 458–459) discusses the several identifications and regional differences in identifying this plant. *Taxus baccata* Linn. is a common candidate, as is *Flacourtia jangomas* (Lour.) Raeusch. (scramberry) : [18](#)
- scutch grass (*dūrvā*) *Cynodon dactylon* (Linn.) Pers. ([GVDB](#): 205) : [11](#)
- sedge (*kuṭannaṭa*) → *plava*, *tagara*, or *śyonāka*, according to commentators ([GVDB](#): 102–103). Singh and Chuneekar leans towards the *plava*, but that plant too is difficult to identify. Various sources identify *kuṭannaṭa* as *Cyperus rotundus* L., *C. scariosus* R. Br., *Oroxylum indicum* (L.) Benth. ex Kurz (= *Bignonia Indica* L.) or even *Cinnamomum verum* J.Presl. The *Cyperus* genus comprises about 700 species of sedges, and I have chosen "sedge" as a generic indication of the likely identity of this plant : [18](#)
- sedge (*plava*) see [sedge](#) (*kuṭannaṭa*) :
- selu plum (*śelu*) *Cordia myxa*, L. non Forssk. See [GJM1](#): 529 (2), [IGP](#): 291b, cf. [AVS](#): 3, 1677 f; cf. [AVS](#): 2, 180 (*C. dichotoma*, Forst.f.), [NK](#): 1, #672 (*C. latifolia*, Roxb.) :
- sesame (*tila*) *Sesamum indicum* L. [GVDB](#): 183 :
- sesame oil (*taila*) *Sesamum indicum* L. [GVDB](#): 183 :
- sheep (*urabhra*) *Ovis orientalis*, Gmelin?. See [BIA](#) 249 :
- silk-cotton tree (*śālmālī*) *Bombax malabarica*. See [Issar](#): 152 :
- siris (*śirīṣa*) *Albizia lebbeck*, Benth. See [AVS](#): 1, 81, [NK](#): 1, #91, [GVDB](#): 399–400. Cf. [white siris](#) : [21](#)
- siris seeds (*śirīṣamāṣaka*) *Albizia lebbeck*, Benth. See [AVS](#): 1, 81, [NK](#): 1, #91 :
- small-flowered crape myrtle (*sidhraka*) *Lagerstroemia parviflora* Roxb. See [GVDB](#): 432 :
- 'snake mallow' (*mahābalā*) → *sahadevā*. *Sida spinosa*, L. See [NK](#): 1, #2301, [ADPS](#): 74, Index Kewensis :
- 'snake-killer' (*sarpaghātī*) unknown. See ? :
- snakeroot (*sugandhā*) → *sarpagandhā* *Rauvolfia serpentina* Benth. ex Kurz. See *sarpagandhā*. But may be *Aristolochia indica* Linn. Has been identified with *nākulī*, or *gandhanākulī*. See ([GVDB](#): 219, 436) :
- snowball plant (*ajaśṛṅgī*) Singh and Chuneekar ([GVDB](#): 8) says that this is a common climber of Suśruta's *vallīpañcamūla* group (1.38.72 ([Su 1938](#): 169)) and suggests that it may be *Saussurea gossypiphora*. If it is a synonym of *uttamāraṇī* it may be *Pergularia daemia* (Forssk.) Chiov. (trellis vine) ([GVDB](#): 49) :
- soda crystals (*suvarjikā*) Sodium

- carbonate. See [NK](#): 2, #45:
- spiked ginger lily (*śaṭī*) *Hedychium spicatum* Sm. in A. Rees, [GVDB](#): 386–387. Also sometimes *śaṭhī*:
- spikenard (*jaṭāmāṃsī*) *Nardostachys jatamansi* (D. Don) DC, [GVDB](#): 163. See also [NK](#): 1, #1691: [19](#)
- spikenard (*māṃsī*) see [spikenard](#) (*jaṭāmāṃsī*):
- spikenard (*nalada*) see [spikenard](#) (*jaṭāmāṃsī*):
- spiny bitter cucumber (*karkāruka*) *Momordica cochinchinensis* (Lour.) Spreng., (Thunb.) Cogn. See [AVS](#): 2, 1135, [IGP](#) 754 (or *Beninkasa hispida*? [AVS](#): 2, 1127; cf. [AVS](#): 1, 261):
- strychnine tree (*viṣamuṣṭika*) *Strychnos nux vomica* Linn. [GVDB](#): 373: [16](#)
- sugar (*sitā*) *Dalhana* makes this equation at 1.37.25 ([Su 1938](#): 162):
- sugar (*śarkara*) *Saccharum officinarum*, Linn. [NK](#): #2182:
- sugar cane (*ikṣu*) *Saccharum officinarum*, Linn. [NK](#): #2182:
- sunflower (*sūryavallī*) → *ādityavallī*, *sūryamukhī*, *Helianthus annuus* Linn. [GVDB](#): 35, 443:
- swan (*haṃsa*) *haṃsa* ?. See ?:
- sweet flag (*vacā*) *Acorus calamus* Linn. See [GVDB](#): 352–355:
- sweet melon (*ervārūka*) *Cucumis melo*, L. See [AVS](#): 2, 227; [AVS](#): 2, 1140–3, [IGP](#) 325–6, [NK](#): 1, #729 (*C. momordica*):
- sweet plants (*madhuravarga*) The sweet plants are enumerated at □ 1.42.11. See also [GVDB](#): 127:
- sweet-scented oleander (*aśvamāra*) *Nerium oleander*, L. See [ADPS](#): 223, [NK](#): 1, #1709:
- sweet-scented oleander (*aśvamāraka*) *Nerium oleander*, L. See [ADPS](#): 223, [NK](#): 1, #1709:
- teak (*śāka*) *Tectona grandis*, L.f. See [AVS](#): 5, 245, ([MW](#): 1061):
- Tellicherry bark (*kuṭāja*) *Holarrhena pubescens* Wall. ex G. Don, with *Wrightia tinctoria* and *W. arborea* considered [GVDB](#): 101–102, [ADPS](#): 267–270: [9](#)
- ten roots (*daśamūla*) Described at □ 1.38.70–71 ([Su 1938](#): 169) as a combination of the [lesser five roots](#) and the [greater five roots](#): [8](#)
- the lesser five roots (*pañcamūlī*) [Mahākośa](#): 1, 468. See [five roots](#) *pañcamūla*:
- the three myrobalans (*triphalā*) [chebulic myrobalan](#) [beleric myrobalan](#) and [emblic myrobalan](#) (*haritakī bibhītaka* and *āmalaka*) One of the most-often mentioned drugs in the *Bṛhatrayī* [GVDB](#): 194–196: [5](#)
- the three pungent drugs (*trikaṭu*) [dried ginger](#), [long pepper](#), and [black pepper](#) (*śuṇṭhī*, *pippalī*, and *marica*) [GVDB](#): 193:
- thorn apple (*karambha*) *Datura metel*, L. See [GVDB](#): 76 for useful discussion. Also, [AVS](#): 2, 305 (cf. *Abhidhānamañjarī*), [NK](#): 1, #796 ff. [Potter_{rev}](#): 292 f, [ADPS](#): 132. Possibly the same plant as [plumed cockscomb](#) (*indīvara*) ([GVDB](#): 76, 44–45): [5](#), [16](#)
- three heating spices (*tryūṣaṇa*) *śuṇṭhī* (Dried ginger) *Zingiber officinale*, Roscoe. [ADPS](#): 50, [NK](#): 1, #2658, [AVS](#): 5, 435, [IGP](#) 1232, *pippalī* (long pepper) *Piper longum*, L. [ADPS](#): 374, [NK](#): 1, #1928, and *marica* (black pepper) *Piper nigrum*, L. [ADPS](#): 294, [NK](#): 1, #1929:
- three-leaf soapberry (*ariṣṭaka*) *Sapindus trifoliatus* L. ([GVDB](#): 22):

- three-leaved caper (*varuṇa*) *Crataeva magna* (Lour.) DC. See [AVS](#): 2, 202; cf. [NK](#): 1, #696 :
- toothed-leaf limonia (*surasī*) *Naringi crenulata* (Roxb.) Nicolson (formerly *Limonia crenulata* Roxb.), [GVDB](#): 439 :
- top layer of fermented liquor (*surāmaṇḍa*) [K&B](#): 2, 502, [NK](#): 2, appendix VI, #49, McHugh [2021](#): 39 :
- tree cotton (*kārpāsa*) *G. arboreum* L. [ADPS](#): 231. Pace the identifications of Singh and Chuneekar ([GVDB](#): 92, 247), since *G. barbadense* L. is native to South America and *G. herbaceum* L. which is native to Africa : [20](#)
- tree cotton (*picu*) See [tree cotton](#) (*kārpāsa*) :
- turmeric (*gaūrī*) *Curcuma longa*, L. See [ADPS](#): 169, [AVS](#): 2, 259, [NK](#): 1, #750 :
- turmeric (*haridrā*) *Curcuma longa* Linn. [GVDB](#): 465 :
- turmeric (*rajanī*) *Curcuma longa*, L. [ADPS](#): 169, [AVS](#): 2, 259, [NK](#): 1, #750 :
- turpeth (*trivṛt*) → *trivṛtā*. *Operculina turpethum* (Linn.) Silva Manso = *Ipomoea turpethum* R. Br. [GVDB](#): 197. : [5](#)
- two kinds of salt (*vasukavasira*) See the discussion by Singh and Chuneekar ([GVDB](#): 362–363), who note that when *vasuka* is mentioned together with *vasira*, two varieties of salt are often meant (see *vasukavasirā*) :
- various kinds of honey (*madhuvarga*) *Suśrutasaṃhitā*'s eight categories of honey. See □ 1.45.132 and [Dutt](#): 278–279 :
- velvet bean (*svayamguptā*) *Mucuna pruriens* DC., [GVDB](#): 461 :
- velvet-leaf (*pāṭhā*) *Cissampelos pariera*, L. See [ADPS](#): 366, [NK](#): 1, #592, [GJM1](#): 573, [AVS](#): 1, 95; cf. [AVS](#): 2, 277 :
- velvet-mite (*indragopa*) *Kerria lacca* (Kerr.). Lienhard [1978](#) :
- verbena (*bhārgī*) see [verbena](#) (*bhārgī*) :
- verbena (*bhārgī*) → *phañjī*. *Clerodendrum serratum* (L.) Moon or *C. serratum*; see [AVS](#): 2, 121, [ADPS](#): 87 : [20](#)
- verbena (*phañjī*) *Clerodendrum serratum*, L. See [AVS](#): 2, 121, [ADPS](#): 87 :
- ‘Virāṭa’s plant’ (*vairāṭaka*) unknown. See ? :
- watered buttermilk (*udaśvit*) [MW](#): 183 :
- watermelon (*kāṇḍaka*) *Citrullus lanatus* (Thunb.) Matsum & Nak. See [IGP](#) 257, [NK](#): 1, #596, [AVS](#): 2, 1149 :
- weaver’s beam tree (*muṣkaka*) *Schrebera swietenoides*, Roxb. See [AVS](#): 5, 88, Lord, [NK](#): 1, #2246 :
- weaver’s beam tree (*viśalyā*) *Schrebera swietenoides* Roxb. ← *kuberākṣī*. Singh and Chuneekar ([GVDB](#): 371) notes that this name is a synonym for many other plants, including *lāṅgālī*, *indravāruṇī*, *guḍūcī* etc. Ḍalhaṇa identified it with *pāṭalā*, *kāṣṭhapāṭalā*, and *agniśikhā* tree, all of which may be called *śvetamokṣaka* or *kuberākṣī* :
- ‘web-milk’ (*jālakṣīri*) unknown. See ? :
- wheat (*godhūma*) *Triticum vulgare*, L. See [HK](#): 744 :
- white babool (*arimeda*) *Acacia leucophloea*, (Roxb.) Willd. See [AVS](#): 1, 23 :
- white calotropis (*alarka*) *Calotropis procera*, (Ait.) R. Br. See [NK](#): 1, #428, [Chopra](#): 46b, [Chopra](#) [IDG](#): 305–308 :
- white clitoria (*Xsitā*) Possibly → [white clitoria](#)? *Clitoria ternatea*, L. See [AVS](#): 2, 129, [NK](#): 1, #621 :
- white clitoria (*giryāhvā*) → *śvetā*. *Clitoria ternatea*, L. See [AVS](#): 2, 129,

- NK: 1, #621 :
white clitoria (*śvetā*) → *giryāhvā*. Clitoria ternatea, L. See AVS: 2, 129, NK: 1, #621 : 20
- white cutch tree (*somavalka*) Acacia polyacantha, Willd. See AVS: 1, 30, IGP 7, GJM1: 602, AVS: 2, 935; pace NK: 1, #1038 :
- white dammer tree (*sarja*) Vateria indica, L. See NK: 1, #2571, AVS: 5, 349 f, AVS: 1, 292 f, Chopra: 253a :
- white sandalwood (*bhadraśrī*) Santalum album Linn. see sandalwood (*candana*) GVDB: 152, 282 and Carakasamhitā ci.4.102 (Ca 1941: 434) where it is contrasted with *lohitacandana* : 17
- white siris (*kaṭabhī*) Albizia procera (Roxb.) Benth. or A. lebbeck (Linn.) Benth. GVDB: 63–64, AVS: 1, 81–84. Cf. Cf. siris : 18
- white siris (*kiṇihī*) Albizia procera (Roxb.) Benth., GVDB: 98, which also discusses past confusions; NK: 1, #93 :
- white teak (*kāśmarī*) → *kāśmarī* :
white teak (*kāśmaryā*) → *kāśmarī* :
white teak (*kāśmarī*) → *kāśmaryā*, *kāśmarī*, *madhuparṇī*. Gmelina arborea, Roxb. See GJM1: 543, Trees: 51, ADPS: 240 : 9
- white teak (*madhuparṇī*) → *kāśmarī* :
white water-lily (*kumuda*) Nymphaea alba, Linn. GVDB: 105 :
- wild asparagus (*bahuputrā*) → *nandana*?
Asparagus racemosus, Willd. See further wild asparagus (*śatāvarī*) :
- wild asparagus (*śatāvarī*) Asparagus racemosus, Willd. See ADPS: 441, AVS: 1, 218, NK: 1, #264, IGP: 103, AVS: 4, 249 ff, Dymock: 3, 482 ff : 21
- wild celery (*agnika*) → may be *bhallātaka*, *lāṅgalī*, *ajamodā*, *morāṭa*, or *agnimantha*, GVDB: 4. Uncertain
- A plant often cited in □, but rarely in Carakasamhitā (GVDB: 4).
Ḍalhaṇa glossed it at 5.2.45 (Su 1938: 566) as *ajamodā* but noted that others consider it to be *morāṭa*. There is considerable complexity surrounding the identification of *morāṭa*/*mūrvā* itself and related synonyms (GVDB: 314–316) : 21
- wild celery (*ajamodā*) Apium graveolens, L. Sometimes identified with *agnika* (wild celery), q.v. :
- wild chinchona (*kādamba*) Anthocephalus cadamba, Miq. See NK: 1, #204 :
- wild Himalayan cherry (*padmaka*) Prunus cerasoides D.Don, GVDB: 236, AVS: 4, 353–355. MW: 585 is wide of the mark :
- wild mustard (*saurīyaka*) Cleome viscosa, L.? (cf. Rā.4.144). See AVS: 2, 116, NK: 1, #615 :
- wild spider flower (*ajagandhā*) possibly Cleome gynandra L. (syn. Gynandropis gynandra L.); possibly also Basil (Ocimum basilicum Linn. or Crested Late Summer Mint (Elsholtzia ciliata Willd.) (GVDB: 6). But E. ciliata is not native to South Asia :
- wild sugar cane (*kāṇḍekṣu*) Saccharum spontaneum L., GVDB: 90 :
- Withania (*aśvagandhā*) Withania somnifera (L.) Dunal. See AVS: 5, 409 f, Dymock: 2, 566 f., Chevallier 150 :
- wolfsbane (*vatsanābha*) Aconitum napellus, L. See AVS: 1, 47, NK: 1, #42, Potter_{rev}: 4 f. Or Aconitum chasmanthum Stapf ex Holmes, GVDB: 357 : 4
- wood apple (*kapittha*) Limonia acidissima, L. See AVS: 3, 327, NK: 1, #1021 :
- woodrose (*mūṣikakarṇī*) Jatopha curcas, L. AVS: 3, 261, NK: 1, #1374. GVDB: 317; ADPS: 23–25 discuss

this issue well :
 woodworm (*ghuṇa*) See [note to Atharvaveda 4.16](#) :
 yellow-berried nightshade (*kṣudrā*)
 Solanum virginianum, L. See
[ADPS](#): 100, [NK](#): 1, #2329,
[AVS](#): 5, 164 :

yellow-fruit nightshade (*kaṇṭakārī*)
 Solanum virginianum L. (also
 called Solanum xanthocarpum,
 Schrad. & Wendl.) [GVDB](#): 68–69.
 A component of [lesser five roots](#) :
 13

Fauna

chital deer (*prṣata*) Axis axis, Erxleben.
[BIA](#): 295–296. In □ 5.5.71
 ([Su 1938](#): 579) it seems to be
 specifically the musk that is
 meant. so the reference may be to
 the Musk Deer (Moschus
 moschiferus L.). But all species
 produce musk, so *prṣata* may also
 be simply Chital or Spotted Deer.
 See also [IW](#): 93 :

civet (*mārjāra*) [BIA](#): ch. 4 *et passim*,
 McHugh [2012](#) :

iguana (*galagolikā*) see [large gecko](#)
 (*galagoḍikā*) :

iguana (*gaudheraka*) see [iguana](#)
 (*godheraka*) :

iguana (*gaudheyaka*) see [iguana](#)
 (*godheraka*) :

iguana (*godheraka*) The गौधेरक is described
 in the *Carakasamhitā* as a
 four-legged snake born of a ??
 that is similar to a black snake
 and has several species (6.23.134
 ([Ca 1941](#): 577)). [CDIAL](#): 1, #4286
 identifies this as an iguana : [22](#)

large gecko (*galagoḍikā*) A poisonous
 insect, amphibian or reptile
 described in □ 5.8.29
 ([Su 1938](#): 588) as a biting creature
 that may be white, black, with red

stripes or rings or spotted. It is
 described just after the [iguanas](#)
 (*godheraka*) and before
 centipedes. The name is unstable,
 e.g., गलगोलिका, गलदोडी, गलगोली. Cf.
 the remarks on geckos in note ??,
 p. ??. The similarity of names
 suggests that a गलगोडिका may be a
 non-domestic creature that looks
 similar to a domestic gecko. Cf.
 other IA parallels at [CDIAL](#): 1,
 #4324, 4431, which points to a
 Dravidian origin for the lexeme
 ([DED₂](#): #1125) and suggests
 “iguana.” The tokay gecko (*Gekko*
gecko (Linnaeus, 1758)) is a large
 gecko endemic to South Asia
 having a blue-gray skin with red
 or orange spots and speckles that
 may change according to its
 environment like a chameleon.
 Tokay geckos, especially males,
 are aggressive and territorial and
 can inflict a strong bite : [22](#)

mongoose (*nakula*) *Urva edwardsii* or the
 often sympatric *U. auro-punctatus*
 (small Indian mongoose, usually
 an eater of smaller creatures than
 snakes) ([BIA](#): ch. 5), On
 mongooses and snakes, see
[BIA](#): 98–99; [IW](#): 112 :