

Full contents of plants.bib

Dominik Wujastyk

Draft of 20th November 2023

Materia Medica Reference Works

- ADPS Sivarajan, V. V., and Balachandran, Indira (1994), *Ayurvedic Drugs and Their Plant Sources* (New Delhi, Bombay, Calcutta: Oxford & IBH Publishing).
- AVS Warriar, P. K., Nambiar, V. P. K., and Ramankutty, C. (1994–96) (eds.), *Indian Medicinal Plants: A Compendium of 500 Species. Vaidyaratnam P. S. Varier's Arya Vaidya Sala, Kottakal* (Madras: Orient Longman).
- BIA Prater, S. H. (1993), *The Book of Indian Animals* (3rd edn., Bombay, Delhi, etc.: Oxford University Press), [ARK: ark:/13960/t6356w32f](https://nbn-resolving.org/urn:nbn:de:bsz:ark:/13960/t6356w32f); 4th impression of 3rd corrected 1980 edition.
- Chopra Chopra, R. N., Nayar, S. L., and Chopra, I. C. (1956), *Glossary of Indian Medicinal Plants* (3rd reprint, 1992, New Delhi: Council of Scientific and Industrial Research); vol. 2: **chop-1969**.
- Chopra IDG Chopra, R. N., Chopra, I. C., et al. (1958), *Chopra's Indigenous Drugs of India* (2nd edn., Calcutta: Dhur & Sons), [ARK: ark:/13960/t9673t140](https://nbn-resolving.org/urn:nbn:de:bsz:ark:/13960/t9673t140).
- Dutt Dutt, Uday Chand (1922), *The Materia Medica of the Hindus...with a Glossary of Indian Plants by George King. Revised Edition...by Binod Lall Sen and Ashutosh Sen and Pulin Krishna Sen* (Krishnadas Sanskrit Studies; 3rd edn., Calcutta: Madan Gopal Dass for the Adi-Ayurveda Machine Press), [ARK: ark:/13960/t59c7tg9z](https://nbn-resolving.org/urn:nbn:de:bsz:ark:/13960/t59c7tg9z); Reprinted Varanasi: Chowkhamba Saraswatibhavan, 1980.

- Dymock Dymock, William, Warden, C. J. H., and Hooper, David (1890), *Pharmacographia Indica: A History of the Principal Drugs of Vegetable Origin Met with in British India* (London, Bombay, Calcutta: Kegan Paul),
URL: <https://tinyurl.com/dymock1890>, accessed 16/03/2023.
- GJM1 Meulenbeld, Gerrit Jan (1974), "Sanskrit Names of Plants and their Botanical Equivalents," in id., *The Mādhavanidāna and Its Chief Commentary: Chapters 1–10. Introduction, Translation, and Notes* (Leiden: Brill), chap. Appendix Four, 520–611, ARK: [ark:/13960/t25b8q97g](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-t25b8q97g).
- GJM2 Meulenbeld, Gerrit Jan (1988), "G. J. Meulenbeld's Additions to his "Sanskrit Names of Plants and their Botanical Equivalents"," in Rahul Peter Das, *Das Wissen von der Lebensspanne der Bäume: Surapālas Vṛkṣāyurveda* (Stuttgart: Franz Steiner Verlag), chap. Appendix 1, 425–65, ISBN: 9783515046633; Supplement to [GJM1](#).
- GVDB Singh, Thakur Balwant, and Chunekar, K. C. (1972), *Glossary of Vegetable Drugs in Brhatṭrayī* (Varanasi: Chowkhamba Sanskrit Series Office), ARK: [ark:/13960/s2cvp72x58j](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-s2cvp72x58j).
- IGP Griffiths, Mark (1994), *The New Horticultural Society Index of Garden Plants* (London: Macmillan).
- Issar Issar, T. P. (1994), *Blossoms of Bangalore* (Bangalore: T. P. Issar).
- IW Israel, Samuel, et al. (1988), *Indian Wildlife: Sri Lanka Nepal* (Insight Guides; Singapore etc.: APA Publications), ISBN: 9780245545238, ARK: [ark:/13960/s2p9d5pqd1w](https://nbn-resolving.org/urn:nbn:de:hbz:5:1-3960-s2p9d5pqd1w).
- K&B Kirtikar, K. R., Basu, B. D., and an I.C.S (1987), *Indian Medicinal Plants*, ed. E. Blatter, J. F. Caius, and K. S. Mhaskar, 8 vols. (2nd edn., Dehradun: International Book Distributors); First published in Allahabad, 1918.
- NK Nadkarni, K. M. (1982), *Dr. K. M. Nadkarni's Indian Materia Medica, with Ayurvedic, Unani-tibbi, Siddha, Allopathic, Homeopathic, Naturopathic & Home Remedies, Appendices & Indexes ... in Two Volumes*, ed. A. K. Nadkarni, 2 vols. (3 ed., revised and enlarged by A. K. Nadkarni, Bombay: Popular Prakashan), ISBN: 8171541429,
URL: <https://tinyurl.com/Nadkarni1982>; First published in 1954.

- Potter_{rev} Wren, R. C., Williamson, Elizabeth M., and Evans, Fred J. (1994), *Potter's New Cyclopaedia of Botanical Drugs and Preparations* (Saffron Walden: C. W. Daniel Company Ltd.); Reprint of revised 1988 edition.
- Reptiles Daniel, J. C. (1983), *The Book of Indian Reptiles* (Bombay: Oxford University Press).
- Trees Bole, P. V., and Vaghani, Yogini (1986), *Field Guide to the Common Trees of India* (Bombay, Delhi, Oxford, etc.: World Wildlife Fund – India and Oxford University Press), ISBN: 0-19-561595-6; 4th reprint.
- Watt_{Comm} Watt, George (1908), *The Commercial Products of India, Being an Abridgement of "the Dictionary of the Economic Products of India"* (London: John Murray), ARK: [ark : / 13960 / t8cg7dm79](https://nbn-resolving.org/urn:ark:/13960/t8cg7dm79).

Materia Medica

Numbers after the final colon refer to pages in this book.

- aconite leaf (?) (*viṣapatrikā*) Unknown. Cf. perhaps, *vatsanābha* (wolfsbane). Cf. [GVDB](#): 373:
- 'alas, alas' (*hālāhala*) unknown. See Cf. *Soḍhalanighantu* p.43 (sub bola) = stomaka = *vatsanābha*:
- Alexandrian laurel (*punnāga*) *Calophyllum inophyllum*, L. See [AVS](#): 1, 338, [NK](#): 1, #425:
- amaranth (*tanḍulīyaka*) *Amaranthus hypochondriacus*, L. See King 321, [NK](#): 1, #144, [Potter_{rev}](#): 15. Cf. [AVS](#): 1, 121:
- arjun (*arjuna*) *Terminalia arjuna*, Bedd. See [HK](#):
- ash gourd (*kūṣmāṇḍa*) → puṣpaphala. *Beninkasa hispida*, (Thunb.) Cogn. See [AVS](#): 2, 1127; cf. [AVS](#): 1, 261:
- atis root (*śṛṅgīviṣa*) *Aconitum heterophyllum*, Wall. ex Royle. See [AVS](#): 1, 42, [NK](#): 1, #39:
- axlewood (*dhava*) *Anogeissus latifolia* (Roxb. ex DC.) Wall. ex Guill & Perr. See [AVS](#): 1, 163 f, [Chopra](#): 20:
- bamboo leaves (*veṇupatrikā*) *Bambusa bambos*, Druce. See [NK](#): 1, #307:
- banyan (*nyagrodha*) *Ficus bengalensis*, L. See [HK](#):
- barley (*yava*) *Hordeum vulgare*, L. See [HK](#):
- bearded premna (*vasuka*) *Premna barbata* Wall. (← *vasuhaṭṭa*), according to Cakrapāṇidatta. See the discussion by Singh and Chuneekar ([GVDB](#): 362–363), where other candidate species such as *Osmanthus*, *Calotropis*, and *Trianthema* are discussed. Singh and Chuneekar ([GVDB](#): 363) note that when *vasuka* is mentioned with *vasira*, two varieties of salt are often meant (see *vasukavāsirā*). See also [NK](#): #1299 who identifies it with *Indigofera enneaphylla*, Linn. (Birdsville Indigo), apparently

- without controversy :
- beautyberry (*priyaṅgu*) → *śyāmā*.
Callicarpa macrophylla, Vahl. See [AVS](#): 1, 334, [NK](#): 1, #420. Some say also *Setaria italica* Beauv. [GVDB](#): 263–264. See also [GVDB](#): 413 :
- beautyberry (*śyāmā*) Callicarpa macrophylla, Vahl. See [AVS](#): 1, 334, [NK](#): 1, #420 :
- beggarweed (*aṃśumatī*) Desmodium gangeticum (L.) DC ([Dymock](#): 1, 428, [GJM1](#): 602, [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing) :
- beggarweed (*vidārigandhā*) → *śālaparṇī*. Desmodium gangeticum (L.) DC. See [Dymock](#): 1, 428, [GJM1](#): 602, cf. [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing :
- beggarweed (*śālaparṇī*) → *sthirā*. Desmodium gangeticum (L.) DC. See [Dymock](#): 1, 428, [GJM1](#): 602, [NK](#): 1, #1192; [ADPS](#): 382, 414 and [AVS](#): 2, 319, 4.366 are confusing :
- Bengal quince (*bilva*) Aegle marmelos (L.) Corr. See [AVS](#): 1, 62, Chevallier 159, [NK](#): 1, #62, ([MW](#): 732a) :
- ‘big poison’ (*mahāviṣa*) unknown. See ? :
- ‘big thorn apple’ (*mahākarambha*) Datura metel, L.?. See thorn apple (*karambha*) :
- bitumen (*adrija*) → *śilājī*. A tar-like, black, resinous rock exudate. See [AyMahā](#): 1, 21 :
- black cardamom (*Xhareṇu*) Amomum subulatum, Roxb.?. See PVS Caraka 2.734, [AVS](#): 1, 128, [NK](#): 1, #154, *pace* [GVDB](#): 467–468 :
- black creeper (*pālindī*) Ichnocarpus frutescens, (L.) R.Br. or Cryptolepis buchanani, Roemer & Schultes. See [AVS](#): 3, 141, 145, 203, [NK](#): 1, #1283, 1210, [ADPS](#): 434. Ḍalhaṇa on SS 5.1.82 identified *pālindī* with *trivṛt* (turpeth) and Singh and Chuneekar ([GVDB](#): 246)
- supported this as a usual identification :
- black pepper (*marica*) Piper nigrum, L. See [ADPS](#): 294, [NK](#): 1, #1929 :
- black pepper (*vallīja*) → marica. Piper nigrum, L.?. See [NK](#): 1, #1929; Rā.6.115, Dha.4.85, Dha.2.88 :
- blackboard tree (*saptachada*) Alstonia scholaris R. Br. [GVDB](#): 420 :
- blackbuck (*hariṇa*) Antelope cervicapra, L. See [BIA](#): 270 [IW](#): 95, 165, *et passim* :
- ‘blade’ (*kartarīya*) unknown. See ? :
- blue water-lily (*utpala*) Nymphaea stellata, Willd. See [GJM1](#): 528, [IGP](#) 790; [Dutt](#): 110, [NK](#): 1, #1726 :
- bottle gourd (*ālābūka*) Lagenaria siceria (Molina) Standl. See [IGP](#) 645, [NK](#): 1, #1419 :
- bulrush (*kaṣeru*) “Two species, Scirpus kysoor Roxb., and S. grossus Linn. f. are used” [GVDB](#): 85. Also kaṣeruka and kaseru :
- calamine lotion (*aṃṛtāsaṅga*) → aṃṛtāsaṅga. Zinc carbonate. See [NK](#): 2, #56 :
- camphor (*karpūra*) → śītaśiva. Cinnamomum camphora, (L.) Sieb. See [IGP](#) 253 :
- cannabis (*vijayā*) Cannabis sativa, L. See [AVS](#): 1, 356, [NK](#): 1, #442 :
- caper (*karīra*) Capparis decidua (Forsk.) Edgew. See [AVS](#): 1, 368, ([MW](#): 255b) :
- cardamom (*elā*) Elettaria cardamomum, Maton. See [AVS](#): 2, 360, [NK](#): 1, #924, [Potter_{rev}](#): 66 :
- carmarī (*carmarī*) unknown. See ? :
- carray cheddie (*gāṅgerukī*) → viśvadevā. Canthium parviflorum, Lam. See [AVS](#): 1, 366 f :
- cassia cinnamon (*patra*) Cinnamomum tamala, (Buch.-Ham.) Nees. See [AVS](#): 2, 84, [NK](#): 1, #589 :
- castor oil tree (*gandharvohasta*) → *eraṇḍa*. [GVDB](#): 135, [K&B](#): 3, 2277 :
- castor-oil (*eraṇḍa*) Ricinus communis, L. See [NK](#): 1, #2145, [Chopra](#): 214 :
- certain minerals (*tārāvītāra*) Unknown. It is not even certain that these are

- minerals. The variant reading in the vulgate, *tāraḥ sutāraḥ* was glossed by Ḍalhaṇa on 5.3.14568 as follows *tāro rūpyaṇi, sutāraḥ pāradah*, “tāra means silver; sutāra means mercury.” :
- Ceylon iron wood (*kṣīrikā*) *Mimusops hexandra*, Roxb. (GVDB: 126–127) :
- chaff (*kāṇḍana*) The word *kāṇḍana* is not found in dictionaries; *kaṇḍana* is threshing, separating the chaff from the grain in a mortar. Cf. Hemādri’s *Caturvargacintāmaṇi* (PWK: 2, 8) (Śiromaṇi 1873: 1, 138: 21, citing the *Vāyupurāṇa*) :
- chebulic myrobalan (*harītakī*) *Terminalia chebula* Retz. GVDB: 466 :
- cherry (*elavālu*) *Prunus cerasus*, L.?. See BVDB 58, NK: 1, #2037, GVDB: 58 :
- chital deer (*prṣata*) *Axis axis*, Erxleben. See BIA: 292, IW: 93 :
- ‘choice tree’ (*varadāru*) unknown. See ? :
- chukar partridge (*cakora*) *Alectoris chukar*. See Woodcock 1980: 45 :
- cinnamon (*tvac*) *Cinnamomum cassia*, Blume. See NK: 1, #579 :
- citron (*mātuluṅga*) *Citrus medica*, Linn. GVDB: 276, 306. Also spelled *mātuliṅga*, *mātulaṅga*, *mātulāṅga* :
- cluster fig (*udumbara*) *Ficus racemosa*, L. See ADPS: 487 :
- cobra’s saffron (*nāgapuṣpa*) → *nāgakeśara*. *Mesua ferrea*, L. See NK: 1, #1595, GVDB: 220 :
- common crane (*krauñca*) *Grus grus*. See Woodcock 1980: 47 :
- common mallow (*suvarcalā*) perhaps *Malva sylvestris*, L. A difficult plant to identify, see Singh and Chuneekar (GVDB: 280, 440–441) :
- common mallow (*sūryāvarta*) *Malva sylvestris*, L. Cakrapāṇidatta and Ḍalhaṇa identify it with *suvarcalā*, itself a difficult plant to identify. Perhaps *Helianthus*, see Singh and Chuneekar (GVDB: 280) :
- corky coral tree (*pāribhadra*) *Erythrina suberosa* Roxb. See GVDB 245 :
- costus (*kuṣṭha*) *Saussurea costus*, Clarke. See NK: 1, #2239 :
- cottony jujube (*kākolī*) *Ziziphus mauritana*, Lam. See IGP: 1233, NK: 1, #2663; IGP 1233. Cf. NK: 1, #1170 :
- country mallow (*atibālā*) *Abutilon indicum*, (L.) Sweet, but may be other kinds of mallow, e.g., *Sida rhombifolia*, L.. See NK: 1, #11, IGP: 1080, NK: 1, #2300, ADPS: 71, 77 :
- country sarsaparilla (*anantā*) *Hemidesmus indicus*, (L.) R. Br. See ADPS: 434, AVS: 3, 141–5, NK: 1, #1210. But see GVDB: 13 for complications that may suggest that it is to be equated with *sāriivā*, which may sometimes be *Cryptolepis* or *Ichnocarpus frutescens* R. Rr. (GVDB: 429–431) :
- crape jasmine (*nata*) → crape jasmine GVDB: 215 :
- crape jasmine (*tagara*) *Tabernaemontana divaricata* (L.) R.Br. ex Roem. & Schultes. See GJM1: 557, AVS: 5, 232. Synonym of crape jasmine. But some say *Valeriana jatamansi*, Jones See GVDB: 173–174 for discussion (and charming comments on brain liquid testing). Some say *tagara* is Indian rose-bay or Indian valerian, but there remain many historical questions about the ancient and regional identities of this plant See, e.g., AVS: 5, 334 :
- crimson trumpet-flower tree (*pāṭalā*) *Stereospermum chelonides*, (L. f.) A. DC. See GJM1: 573, AVS: 5, 192 ff, ADPS: 362 f, AVS: 3, 1848 f, IGP 1120, Dymock: 3, 20 ff :
- cucumber (*trapusa*) *Cucumis sativus*, L. See AVS: 2, 231, NK: 1, #731 :
- cuscus grass (*uśīra*) *Andropogon murcatus*, Retz. Also “vetiver grass.” See NK: 1, #180 :

- ‘dangling’ (*lambā*) unknown. See ? :
 datura (*dhattūra*) *Datura metel*, L. See
 AVS: 2, 305 (cf.
Abhidhānamāñjarī), NK: 1, #796 ff.
 Potter_{rev}: 292 f, ADPS: 132 :
 deodar (*bhadradāru*) *Cedrus deodara*,
 (Roxb.ex D.Don) G. Don. See
 AVS 41, NK: 1, #516 :
 deodar (*devadāru*) *Cedrus deodara* (Roxb.)
 Loud. GVDB: 206–207 :
 dhaman tree (*dhanvaṅga*) → dhammaṇa?
Grewia tiliaefolia, Vahl. See
 AVS: 3, 104, IK, AVS: 1, 386, IGP
 529 (*tiliifolia*) :
 dried ginger (*śuṇṭhī*) *Zingiber officinale*,
 Roscoe. See ADPS: 50, NK: 1,
 #2658, AVS: 5, 435, IGP: 1232 :
 dried meat (*vallūra*) MW: 929,
 AyMahā: 1, 730. The term is
 used, rarely, in both the CS
 (1.5.10) and SS (1.13. 16,
 6.42.75–76). It is a Dravidian
 loanword and occurs in the
Arthaśāstra etc. (KEWA: 3, 167) :
 drum-giver (?) (*lambaradā*) Unknown; cf.
 GVDB: 348 :
 elixir salve (*rasāñjana*) → *añjana*. See
 Indian barberry :
 embelia (*viḍaṅga*) *Embelia ribes*, Burm. f.
 See ADPS: 507, AVS: 2, 368,
 NK: 1, #929, Potter_{rev}: 113 :
 emblic (*āmalaka*) *Phyllanthus emblica*, L.
 See AVS: 4, 256 :
 emetic nut (*karaghāṭa*) Probably a synonym
 for *karahāṭa* (emetic nut), q.v.,
 GVDB: 74 :
 emetic nut (*karahāṭa*) *Randia dumetorum*,
 Lamk. See GVDB: 291–292 and
 NK: 1, #2091. Singh and
 Chuneekar (GVDB: 74, 77–78)
 noted that it may be a synonym
 for *karaghāṭa*, emetic nut, and
 pointed rather to *Gardenia*
turgida Roxb. on the basis of local
 knowledge in U. P. :
 emetic nut (*madana*) *Randia dumetorum*,
 Lamk. See NK: 1, #2091 :
 false daisy (*subhaṅgurā*) (*su*)bhaṅgura =
bhrṅga? *Eclipta prostrata* (L.) L.
 See GVDB: 288 :
 fermented rice-water (*dhānyāmla*) → *kāñjī*,
kāñjikā, *sauvīra*. GVDB: 458,
 NK: 2, appendix VI, #18 :
 fern (*ajaruhā*) *Nephrodium* species
 GVDB: 7, uncertain. Perhaps
Christella dentata (Forssk.)
 Brownsey & Jermy, which is
 reported to have folk applications
 against skin diseases in India :
 fire-flame bush (*dhātakī*) *Woodfordia*
fruticosa (L.) Kurz. See
 AVS: 5, 412, NK: 1, #2626 :
 five-leaved chaste tree (*śephālikā*) *Vitex*
negundo, L. See NK: 1, #2603 (cf.
 use of leaves), IGP: 1210a,
 MW: 1088b :
 flax (*atasī*) *Linum usitatissimum*, L. See
 NK#1495 :
 ‘foam-stone’ (*phenāśma*) unknown. See ? :
 fragrant lotus (*saugandhika*) A type of
kumuda or *utpala* (GVDB: 457) :
 galls (*karkaṭa*) *Rhus succedanea*, L. See
 NK: 1, #2136 :
 garden pea (*kalāya*) *Pisum sativum*, L. See
 AVS: 4, 308, IGP 901; cf. NK: 1,
 #1940 :
 garjan oil tree (*aśvakarṇa*) *Dipterocarpus*
turbinatus Gaertn. f. See
 GVDB: 28, Chopra: 100 :
 ‘gentle’ (*somā*) *Ruta graveolens*, L., or
Sarcostemma brevistigma, W &
 A, etc. See NK: 1, #2179, 2228;
 Potter_{rev}: 262 :
 giant potato (*kṣīravidārī*) possibly →
kṣīraśukla. *Ipomoea mauritiana*,
 Jacq. See ADPS: 510, AVS: 3, 222,
 AVS: 3, 1717 ff :
 ginger (*mahaśadha*) *Zingiber officinale*,
 Roscoe. See ADPS: 50, NK: 1,
 #2658, IGP: 1232 :
 ‘gladdener’ (*nandana*) unknown. See ? :
 gold (*hema*) gold :
 gold and sarsaparilla (*surendragopa*)
 Unknown. Ḍalhaṇa on 5.3.15568
 glossed *surendra* as “gold” and
gopā as “Indian sarsaparilla.” He
 also noted other opinions that
surendra was “Tellicherry bark” :

- golden shower tree (*rājadruma*) *rājadruma* = āragvadha. *Cassia fistula* L. See [GVDB 37](#) :
- golden shower tree (*āragvadha*) *Cassia fistula* L. See [GVDB 37](#) :
- gourd (*alābu*) *Lagenaria siceraria* Standl. [GVDB](#): 25. Some say *Lagenaria vulgaris*, Seringe ([NK](#): 1, #1419) but this is not appropriate for blood-letting :
- green gram (*māṣa*) *Vigna radiata* (L.) R. Wilcz. See [ADPS](#): 296, [IGP](#) 1204 :
- ‘gutboiler’ (*antrapācaka*) unknown. See ? :
- hare foot uraria (*prśniparnī*) → *sahā*? *Uraria lagopoides*, DC. See [GJM1](#): 577, [Dymock](#): 1, 426, [AVS](#): 1, 750 ff, [NK](#): 1, #2542; [ADPS](#): 382, [AVS](#): 2, 319 and [AVS](#): 4, 366 are confusing :
- heart-leaf sida (*balā*) *Sida cordifolia*, Linn. See [ADPS](#): 71, [NK](#): 1, #2297 :
- heart-leaved moonseed (*amṛtavalli*) See heart-leaved moonseed (*amṛtā*) :
- heart-leaved moonseed (*amṛtā*) → *guḍūcī*. *Tinospora cordifolia*, (Willd.) Hook.f. & Thoms.? See [ADPS](#): 38, [NK](#): 1, #2472, 624, [Dastur](#) #229 :
- heart-leaved moonseed (*guḍūcī*) *Tinospora cordifolia* (Willd.) Miers. [GVDB](#): 141–142, [NK](#): 1, #624, #2472 :
- heart-leaved moonseed (*somavalli*) *Tinospora cordifolia* (Thunb.) Miers. [GVDB](#): 456. Likely, but uncertain :
- heliotrope (*hastīśuṇḍa*) → *ibhagandhā*? *Heliotropium indicum*, L. See [AVS](#): 3, 136, [NK](#): 1, #1203 :
- henna (*madayantikā*) *Lawsonia inermis*, L. See [AVS](#): 3, 303, [NK](#): 1, #1448, [Potter_{rev}](#): 151 :
- hill myna (*sārikā*) *Acridotheres tristis* *tristis*, L., etc. See [Ali](#) #1006, [Dave](#) (1985: 28 ff.), [Woodcock](#) (1980: 119) :
- Himalayan mayapple (*vakra*) *Podophyllum emodi*, Wall. ([NK](#): #1971). But perhaps a synonym of crape jasmine and crape jasmine ([GVDB](#): 354) :
- Himalayan monkshood (*ativiṣā*) → *viṣā* *Aconitum heterophyllum* Wall. [GVDB](#): 12, [NK](#): 1, #39. Also “atis roots” :
- Himalayan monkshood (*viṣā*) → *ativiṣā* [GVDB](#): 12, 373 :
- hogweed (*punarnavā*) *Boerhaavia diffusa*, L. See [ADPS](#): 387, [AVS](#): 1, 281, [NK](#): 1, #363 :
- Holostemma creeper (*jīvantī*) → *sūryavallī*? *Holostemma ada-kodien*, Schultes. See [ADPS](#): 195, [AVS](#): 3, 167, 169, [NK](#): 1, #1242 :
- honey (*kṣaudra*) Eight varieties of honey are described in the SS ([NK](#): 2, Appendix 192). *Kṣaudra* is the product of a small bee of tawny colour, called *kṣudra* :
- horned pondweed (*śaivāla*) also *śaivāla*, *śevāra*. *Zannichellia palustris* L. The uncertainties of this identification are discussed by Singh and Chuneekar ([GVDB](#): 409). Sometimes identified with scutch grass (*dūrṇā*) ([GVDB](#): 409). Identified as *Ceratophyllum demersum* Linn. (“hornwort”) by [AVS](#): 2, 56–57x :
- hornwort (*jalanīlikā*) *Ceratophyllum demersum*, L. See [AVS](#): 2, 56, [IGP](#) 232 :
- hornwort (*jalaśūka*) → *jalanīlikā*. *Ceratophyllum demersum*, L. See [AVS](#): 2, 56, [IGP](#): 232. Singh and Chuneekar ([GVDB](#): 166) suggest horned pondweed. [Ḍalhaṇa](#) noted on 1.16.1979 that some people interpret it as a poisonous, hairy, air-breathing, underwater creature :
- horseradish tree (*śigru*) *Moringa oleifera* Lam. See [IGP](#) 759, [GJM1](#): 603, [Dymock](#): 1, 396 :
- hyacinth bean (*śimbī*) *Dolichos lablab*, L. See [NK](#): 1, #870 :
- Indian antelope (*eṇa*) *Antelope cervicapra*,

- L. See [BIA](#): 70:
- Indian barberry (*añjana*) → *rasāñjana*, *dāruharidrā*. *Berberis aristata*, DC. [Dymock](#): 1, 65, [NK](#): 1, #335, [GJM1](#): 562, [IGP](#): 141:
- Indian barberry (*dāruharidrā*) *Berberis aristata*, DC. See [Dymock](#): 1, 65, [NK](#): 1, #685, [GJM1](#): 562, [IGP](#): 141:
- Indian barberry (*kālīyaka*) → *dāruharidrā*, *añjana*. *Berberis aristata*, DC. See [Dymock](#): 1, 65, [NK](#): 1, #685, [GJM1](#): 562, [IGP](#): 141:
- Indian beech (*naktamāla*) *Pongamia pinnata*, (L.) Pierre. See [AVS](#): 4, 339, [NK](#): 1, #2003:
- Indian ipecac (*payasyā*) Uncertain. Possibly *Tylophora indica* (Burm.f.) Merr. Perhaps a synonym of *panacea* twiner, giant potato, purple *roscoea*, and plants like asthma plant and Gulf sandmat ([GVDB](#): 237–238). Also “curds” when not a plant:
- Indian kudzu (*vidārī*) → *payasyā*. *Pueraria tuberosa* (Willd.) DC. See [ADPS](#): 510, [AVS](#): 1, 792 f, [AVS](#): 4, 391; not [Dymock](#): 1, 424 f. See [GJM2](#): 444, 451, [AVS](#): 1, 187, but [AVS](#): 3, 1719 = *Ipomoea mauritiana*, Jacq:
- Indian laburnum (*śampāka*) *Cassia fistula*, L. See [ADPS](#): 48, [AVS](#): 2, 11 ff, [AVS](#): 2, 854, [IGP](#): 215:
- Indian laurel (*plakṣa*) *Ficus microcarpa*, L. f. See [ADPS](#): 377:
- Indian madder (*mañjiṣṭhā*) *Rubia cordifolia*, L. See [IGP](#), [Chopra](#): 215, [GVDB](#): 289:
- Indian mottled eel (*varmimatsya*) Almost certainly the mottled eel. [MW](#): 962c noted that the *varmi* fish “is commonly called *vāmi*.” The “vam fish,” or “বান মাছ (*bān māch*)” in Bengal, is a marine and freshwater eel, *Anguilla bengalensis*. It is the most common eel in Indian inland waters and a prized food fish (Froese and Pauly 2022). However, some NIA languages identify the “vam” fish with the Indian Pike Conger, *Congresox talabonides* (Bleeker) (Talwar and Kacker 1984: 235, 236):
- Indian mustard (*sarṣapa*) *Brassica juncea*, Czern. & Coss. See [AVS](#): 1, 301, [NK](#): 1, #378:
- Indian pennywort (*maṇḍūkaparnī*) *Centella asiatica* (L.) Urban. See [GVDB](#): 290, [ADPS](#): 289–291:
- Indian sarsaparilla (*sārivā*) → *anantā*. *Hemidesmus indicus*, (L.) R. Br. [ADPS](#): 434, [AVS](#): 3, 141–5, [NK](#): 1, #1210; and black creeper, *pāṇḍī*. *Ichnocarpus frutescens*, (L.) R.Br. or *Cryptolepis buchanani*, Roemer & Schultes [AVS](#): 3, 141, 3.145, 3.203, [NK](#): 1, #1283, 1210, [ADPS](#): 434:
- Indian snakeroot (*sarpagandhā*) *Rauvolfia serpentina*, (L.) Benth. ex Kurz. See [NK](#): 1, #2099, [ADPS](#): 439, [GVDB](#): 425; cf. SS 5.5.76–78:
- Indian spinach (*pūtīkā*) *Basella alba*, L. See [NK](#): 1, #318 (rubra), [ADPS](#): 489, [AVS](#): 1, 253, [IGP](#): 129b:
- indigo (*nīlinī*) *Indigofera tinctoria*, L. See [NK](#): 1, #1309:
- Indrajao (*vrkṣaka*) → *indrayava*, *indrabīja*, *kaliṅga*, and *kuṭāja*. *Holarrhena antidysenterica* Wall. [GVDB](#): 376, 45 and 84:
- jackfruit (*panasa*) *Artocarpus heterophyllus*, Lam. See [NK](#): 1, #249, [IGP](#): 99:
- jambul (*jambū*) *Syzygium cumini*, (L.) Skeels. See [ADPS](#): 188, [NK](#): 1, #967, [Potter_{rev}](#): 168, Wujastyk 2003:
- jasmine (*mālatī*) *Jasminum grandiflorum*, L. See [NK](#): 1, #1364:
- jequirity (*guñjā*) *Abrus precatorius*, L. See [AVS](#): 1, 10, [NK](#): 1, #6, [Potter_{rev}](#): 168:
- jequirity (*kālākūṭa*) *Abrus precatorius*, L.? Cf. RRS 21.14. See [AVS](#): 1, 10, [NK](#): 1, #6, [Potter_{rev}](#): 168:
- ‘juice-cooker’ (*sārapāka*) unknown. See ?:

- (?) (*karatā*) Not in [GVDB](#). Cf. perhaps *karahāṭa* (emetic nut) :
- khesari pea (*tripuṭa*) *tripuṭa*(*kalāya*).
Lathyrus sativus, L. See [IGP](#) 651,
[NK](#): 1, #1439 :
- koel (*kokila*) *Eudynamys scolopacea*. See
Woodcock [1980](#): 66 :
- kumudvatī (*kumudvatī*) unknown. See ? :
- lac (*jatu*) *Kerria lacca* (Kerr.). See
<http://www.icar.org.in/ilri/default.htm>
- lac (*lākṣā*) *Kerria lacca* (Kerr.). See
[GJM1](#): 445, [NK](#): 2, #32. Watt
([WattComm](#): 1053–1066) is
characteristically informative, and
is definite about the antiquity of
lac in India :
- lāmajja grass (*lāmajj*) *Andropogon*
iwarancusa, Roxb. See [NK](#): 1,
#176 :
- lāmajja grass (*uśīrabheda*) → *lāmajja*.
Andropogon iwarancusa, Roxb.
See [NK](#): 1, #176 :
- leadwort (*agnīśikhā*) *Plumbago zeylanica*
(or *rosea*?), L. See [NK](#): 1, #1966,
1967 :
- leadwort (*citraka*) *Plumbago zeylanica* (or
indica?), L. See [RĀ](#). 6.124,
[ADPS](#): 119, [NK](#): 1, #1966, 1967 :
- leadwort (*pālaka*) → *citraka*. *Plumbago*
zeylanica (*indica*? *rosea*?), L. See
[Rā](#). 6.124, [ADPS](#): 1, 119, [NK](#): 1,
#1966, 1967 :
- leadwort (*vidyutśikhā*) Synonym of
agnīśikhā (leadwort), q.v. :
- liquorice (?) (*klītaka*) *Glycyrrhiza glabra*,
L.? [GVDB](#): 123–124 discuss the
many difficulties in identifying
this plant :
- liquorice (*madhuka*) see *yaṣṭīmadhuka* :
- liquorice (*yaṣṭīmadhuka*) *Glycyrrhiza*
glabra, L. [AVS](#): 3, 84, [NK](#): 1,
#1136, [GVDB](#): 329 f. :
- ‘little bamboo’ (*veṇukā*) *Bambusa bambos*,
Druce?. See [NK](#): 1, #307 :
- lodh tree (*lodhra*) *Symplocos racemosa*,
Roxb. See [GJM1](#): 597, [ADPS](#): 279 f,
[NK](#): 1, #2420. Singh and
Chunekar ([GVDB](#): 351–352) notes
that there are two varieties, *S.*
racemosa, qualified as *śāvāra*, and
S. crataegoides Buch.-Ham. for
paṭṭikā lodhra :
- lodh tree (*rodhra*) *Symplocos racemosa*,
Roxb. See [ADPS](#): 279, [NK](#): 1,
#2420 :
- lodh tree (*śāvāra*) → *lodhra*. *Symplocos*
racemosa, Roxb. See [ADPS](#): 279,
[NK](#): 1, #2420 :
- long pepper (*māgadha*) *Piper longum*, L.
See [NK](#): 1, #1928; but cf.
[AVS](#): 3, 245 :
- long pepper (*pippalī*) *Piper longum*, L. See
[ADPS](#): 374, [NK](#): 1, #1928 :
- lotus stalk (*mṛṇāla*) “Leaf stalk of sacred
lotus” [GVDB](#): 318 :
- luffa (*garāgarī*) → *gargaraka*? *Luffa*
echinata, Roxb. See [NK](#): 1, #1517 :
- luffa (*kośātaka*) = *kośītakī*, luffa :
- luffa (*kośātakya*) *Luffa cylindrica*, (L.) M. J.
Roem. or *L. acutangula*, (L.)
Roxb. See [ADPS](#): 252, [NK](#): 1,
#1514 etc :
- luffa (*kośītakī*) = *kośītakī*. *Luffa cylindrica*,
(L.) M. J. Roem. or *L. acutangula*,
(L.) Roxb. [ADPS](#): 252–253, [NK](#): 1,
#1514 etc. [GVDB](#): 121 :
- luffa gourd (*kośavatī*) = *kośītakī*, luffa :
- mahua (*madhūka*) *Madhuca longifolia*,
(Koenig) Macbride. See [AVS](#): 3,
362 f :
- maidenhair fern (*haṃsāhvayā*) *Adiantum*
lunulatum Burm f. [GVDB](#): 463 :
- mango (*āmra*) *Mangifera indica* Linn.
[GVDB](#): 37 :
- marking-nut tree (*aruṣkara*) *Semecarpus*
anacardium L. See *bhallātaka*
(marking-nut tree) :
- marking-nut tree (*bhallātaka*) *Semecarpus*
anacardium, L. See [NK](#): 1, #2269,
[AVS](#): 5, 98 :
- medhshingi (*vijayā*2) *Dolichandrone*
falcata (DC.) The
Sauśrutaniḡhaṇṭu gives a number
of synonyms for *vijayā* (Suvedī
and Tivārī [2000](#): 5.77, 10.143). But
one of them, *viṣāṇī* (also
meṣāśṛṅgī), is sometimes equated
with *Dolichandrone falcata* (DC.)

- Seemann (ADPS: 518; GVDB: 373 f, a plant used as an abortifacient and fish poison (NK: #862) :
- Midday flower (*bandhūka*) *Pentapetes phoenicea*, L. See NK: 1, #1836, GVDB: 268 :
- migraine tree (*agnimanthā*) *Premna corymbosa*, Rottl. See AVS 1927, ADPS: 21, NK: 1, #2025, AVS: 4, 348; GJM1: 523: = *P. integrifolia/serratifolia*, L :
- milk-white (*kṣīraśuklā*) An unidentified plant. GVDB: 126: see purple *roscoeia* and giant potato :
- mongoose (*nakula*) *nakula*. *Urva edwardsii* or the often sympatric *U. auro-punctatus* (small Indian mongoose, usually an eater of smaller creatures than snakes) (BIA: ch. 5), On mongooses and snakes, see BIA: 98–99; IW: 112 :
- monitor lizard (*godhā*) *Varanus bengalensis*, Schneider. See Reptiles: 58 :
- monkey jack (*lakuca*) *Artocarpus lakoocha*, Roxb. ex Buch.-Ham. See GJM1: 597, IGP 99, IPM 3.2338f., pace AVS: 1, 215 :
- ‘muddy’ (*kardama*) unknown. See ? :
- mung beans (*mudga*) *Phaseolus radiatus* L. GVDB: 310–311 :
- mung beans (*māṣaka*) *Phaseolus mungo* Linn. GVDB: 308 :
- munj grass (*nārācaka*) *Saccharum bengalense*, Retz.?. See NK: 1, #2184 :
- myrobalan (*abhayā*) *Terminalia chebula*, Retz. See ADPS: 172, NK: 1, #2451, Potter_{rev}: 214 :
- myrobalans (*pathyā*) *Terminalia chebula* Retz. See NK: 1, #2451 :
- natron (*suvarcikā*) Sodium carbonate. NK: 2, #45. Ḍalhaṇa identifies *suvarcikā* with *svarjikṣāra* 4.8.50441 :
- neem tree (*nimba*) *Azadirachta indica* A. Juss. GVDB: 226 :
- nutgrass (*kuruvinda*) Unknown. Ḍalhaṇa on 5.3.15568 glossed the term as nutgrass, but noted other opinions that it was a whetstone or a very special metallic gem. Singh and Chuneekar (GVDB: 108) added that it could be a variety of rice, *ṣaṣṭika dhānya* :
- nutgrass (*mustaka*) *Cyperus rotundus*, L. See ADPS: 316, AVS: 2, 296, NK: 1, #782 :
- nutgrass (*mustā*) *Cyperus rotundus*, L. See ADPS: 316, AVS: 2, 296, NK: 1, #782 :
- oleander spurge (*snuhī*) *Euphorbia neriifolia*, L., or *E. antiquorum*, L. See ADPS: 448, AVS: 2, 388, AVS: 3, 1, NK: 1, #988, IGP 457b :
- orpiment (*haritāla*) *Arsenii trisulphidum*. See NK v. 2, p. 20 ff :
- panacea twiner (*arkaparṇī*) See *arkapuṣpī*, panacea twiner :
- panacea twiner (*arkapuṣpī*) → *arkaparṇī*, *Tylophora indica* (Burm. f.) Merr. GVDB: 23–24. Maybe identical to Indian ipecac, giant potato and similar sweet, milky plants. See GVDB: 24, 127, 238, 441, 443 for discussion. For discussion in the context of *Holostemma creeper*, see ADPS: 195 and AVS: 3, 171. The etymology of the name suggests *Helianthus annuus* Linn., but this plant is native to the Americas :
- parakeet (*śuka*) *Psittacula krameri/eupatria/cyanocephala*. See Woodcock 1980: 64 :
- peacock (*mayūra*) *Pavo cristatus*. See Woodcock 1980: 39 :
- peas (*hareṇu*) *hareṇu* = *satīna*. *Pisum sativum*, L. Singh and Chuneekar (GVDB: 419–420, 467–468) notes that two plants are usually meant under this name, but there is no agreement on the identity of the second :
- peepul tree (*aśvattha*) *Ficus religiosa*, L. See ADPS: 63 :
- periploca of the woods (*meṣaśṛṅga*) *Gymnema sylvestre* (Retz.) R. Br.

- See [AVS](#): 3, 107, [NK](#): 1, #1173:
pheasant peacock (*jīvājīvaka*) *jīvājīvaka*. ?.
See ? :
plants like asthma plant and Gulf sandmat
(*kṣīrīṇī*) various milky plants,
perhaps including *Euphorbia*
hirta Linn. (asthma plant) and *E.*
microphylla Heyne (Gulf
sandmat) ([GVDB](#): 127) :
plumed cockscomb (*indīvara*) Uncertain;
possibly *Celosia argentea* Linn.
But see the useful discussion in
[GVDB](#): 44–45. Possibly another
name for thorn apple (*karambha*),
q.v. :
pointed gourd (*paṭola*) *Trichosanthes*
dioica, Roxb. [GVDB](#): 232–233 :
poison berry (*bṛhatī*) *Solanum violaceum*,
Ortega. See [ADPS](#): 100, [NK](#): 1,
#2329, [AVS](#): 5, 151 :
poison-altar (?) (*viśavedikā*) Unknown.
Possibly, at a guess, *viśamuṣṭika*
(strychnine tree)? [GVDB](#): 373 Or
viṣā (Himalayan monkshood) :
pomegranate (*dāḍima*) *Punica granatum*
Linn. [GVDB](#): 201–202 :
pondweed (*paripelavā*) Normally a neuter
noun. Singh and Chuneekar
([GVDB](#): 238, 264–265, 409)
argued that *plava* and *śaivāla* are
the same thing, and may be either
Zannichellia palustris, L., or
Potamogeton pectinatus, L :
pondweed (*śevāla*) *Zannichellia palustris*
L. See horned pondweed :
portia tree (*pārīṣa*) *Thespesia populnea*
(L.) Sol. ex. Corr. See [ADPS](#): 352 :
prickly chaff-flower (*apāmārga*)
Achyranthes aspera, L. See
[GJM1](#): 524 f, [AVS](#): 1, 39,
[ADPS](#): 44 f, [AVS](#): 3, 2066 f,
[Dymock](#): 3, 135 :
prickly chaff-flower (*vasira*) also *vaśīra*.
Perhaps *Achyranthes aspera*, L.
[GVDB](#): 362 describes several
possible identities, including
sūryāvarta, prickly chaff-flower
and *markaṭatrṇa*. See also
vasukavāsira ([GVDB](#): 363) :
prickly chaff-flower (*vaśīra*) See prickly
chaff-flower :
prickly-leaved elephant's foot (*gojihvā*) →
gojī. *Elephantopus scaber*, L. See
[AVS](#): 2, 357 :
purging nut (*dravantī*) → *mūṣikaparṇī*.
Jatropha curcas, L. See
[AVS](#): 3, 261, [NK](#): 1, #1374 :
purging nut (*mūṣikā*) *Jatropha curcas*, L.
See [AVS](#): 3, 261, [NK](#): 1, #1374 :
purple calotropis (*arka*) *Calotropis*
gigantea, (L.) R. Br. See
[ADPS](#): 52, [AVS](#): 1, 341, [NK](#): 1,
#427, [Potter_{rev}](#): 57, [Chopra](#)
[IDG](#): 305–308 :
purple calotropis (*khadyotaka*) → *arka*?
Calotropis gigantea, (L.) R. Br.
See [ADPS](#): 52, [AVS](#): 1, 341, [NK](#): 1,
#427, [Potter_{rev}](#): 63 :
purple roscoeia (*kṣīrakākolī*) [GVDB](#): 89
notes that many physicians use
Roscoeia procera Wall. in this
context. But the identification is
uncertain. Possibly connected to
milk-white or giant potato :
racket-tailed drongo (*bhṛṅgarāja*) *Dicrurus*
paradiseus. See Woodcock
1980: 123 :
radish (*mūlaka*) *Raphanus sativus*, L. See
[NK](#): 1, #2098 :
rajmahal hemp (*morāṭa*) → *mūrvī*,
Marsdenia tenacissima (Roxb.)
Wight et Arn. Good discussion at
[GVDB](#): 314–316, 324 :
rajmahal hemp (*mūrvī*) → *morāṭa*,
Marsdenia tenacissima (Roxb.)
Wight et Arn. Good discussion at
[GVDB](#): 314–316, 324 :
rattan (*vetra*) *Calamus rotang*, L. See
[AVS](#): 1, 330, [NK](#): 1, #413 :
red chalk (*gairika*) *gairika* :
red gourd (*bimbī*) *Coccinia indica*, W. & A.
See PVS 1994.4.715; [NK](#): 1, #534 :
ribbed gourd (*karkoṭaka*) *Luffa acutangula*,
(L.) Roxb.? (*Mormodica*
cochinchinensis, Spreng.? Cf.
Luffa tuberosa). See [AVS](#): 3, 347
([NK](#): 1, #1640 1643; [NK](#): 1,
#1520) :

- rice grains (*taṇḍula*) *Oriza sativa*, Linn.
Same as unhusked rice (*śāli*)
GVDB: 174; or just "grains":
- rice-grain chaff (*śālitaṇḍulakāṇḍana*) See chaff:
- rock salt (*saindhava*) See NK: 2, M#48, WattComm: 963–971:
- rosha grass (*dhyāmaka*) *Cymbopogon martinii* (Roxb.) Wats. See AVS: 2, 285, NK: 1, #177:
- sacred grass (*kuśa*) *Desmostachya bipinnata*, Stapf. See AVS: 2, 326, Kew:
- sacred lotus (*kamala*) *Nelumbo nucifera* Gaertn. GVDB: 73–74:
- sacred lotus (*padma*) *Nelumbo nucifera*, Gaertn. See NK: 1, #1698:
- sacred lotus (*prapuṇḍarīka*) *Nelumbo nucifera*, Gaertn. See Dutt 110, NK: 1, #1698:
- sage-leaved alangium (*aṅkolla*) *Alangium salvifolium* (Linn. f.) Wang. GVDB: 5–6:
- sage-leaved alangium (*aṅkoṭa*) *Alangium salvifolium*, (L. f.) Wang. See AVS: 1, 77; cf. NK: 1, #88:
- sal tree (*śāla*) *Shorea robusta*, Gaertn.f. See AVS: 5, 124:
- sandalwood (*candana*) *Santalum album*, L. See ADPS: 111, NK: 1, #2217:
- sappan wood (*pataṅga*) *Caesalpinia sappan*, L. See AVS: 1, 323, AVS: 2, 847 f:
- sappanwood (*pattāṅga*) Also *pattāṅga*. *Caesalpinia sappan*, L. AVS: 1, 323, K&B: 2, 847 f, GVDB: 234:
- scaly, red-streaked fish (*cilicima*) An unidentified fish that is absolutely not to be eaten with milk. Described in Bhela (1.12.7), Caraka (1.26.83) and Suśruta (1.20.8, 13). Circular, red streaks, round eyes and prominent scales, and "normally goes on land.":
- scarlet mallow (*bandhujīva*) *Pentapetes phoenicea*, L. NK: #1836, GVDB: 268:
- scented pavonia (*bālaka*) *Pavonia odorata*, Willd. See ADPS: 498, NK: 1, #1822:
- scented pavonia (*toya*) → *bālaka*? *Pavonia odorata*, Willd. ADPS: 498, NK: 1, #1822:
- scutch grass (*dūrvā*) *Cynodon dactylon* (Linn.) Pers. (GVDB: 205):
- selu plum (*śelu*) *Cordia myxa*, L. non Forssk. See GJM1: 529 (2), IGP: 291b, cf. AVS: 3, 1677 f; cf. AVS: 2, 180 (*C. dichotoma*, Forst.f.), NK: 1, #672 (*C. latifolia*, Roxb.):
- sesame (*tila*) *Sesamum indicum* L. GVDB: 183:
- sesame oil (*taila*) *Sesamum indicum* L. GVDB: 183:
- sheep (*urabhra*) *Ovis orientalis*, Gmelin?. See BIA 249:
- silk-cotton tree (*śālmālī*) *Bombax malabarica*. See Issar: 152:
- siris (*śirīṣa*) *Albizia lebbbeck*, Benth. See AVS: 1, 81, NK: 1, #91:
- siris seeds (*śirīṣamāṣaka*) *Albizia lebbbeck*, Benth. See AVS: 1, 81, NK: 1, #91:
- small-flowered crape myrtle (*sidhraka*) *Lagerstroemia parviflora* Roxb. See GVDB: 432:
- 'snake mallow' (*mahābalā*) → *sahadevā*. *Sida spinosa*, L. See NK: 1, #2301, ADPS: 74, Index Kewensis:
- 'snake-killer' (*sarpaghāti*) unknown. See ?:
- snakeroot (*sugandhā*) → *sarpagandhā* *Rauvolfia serpentina* Benth. ex. Kurz. See *sarpagandhā*. But may be *Aristolochia indica* Linn. Has been identified with *nākulī*, or *gandhanākulī*. See (GVDB: 219, 436):
- soda crystals (*suvarjikā*) Sodium carbonate. See NK: 2, #45:
- spikenard (*jaṭāmāṃsī*) *Nardostachys jatamansi* DC GVDB: 163, etc:
- spikenard (*māṃsī*) *Nardostachys grandiflora*, DC. See NK: 1, #1691:
- spikenard (*nalada*) → *māṃsī*. *Nardostachys grandiflora*, DC. See NK: 1, #1691:

- spiny bitter cucumber (*karkāruka*)
Momordica cochinchinensis
(Lour.) Spreng., (Thunb.) Cogn.
See [AVS](#): 2, 1135, [IGP](#) 754 (or
Beninkasa hispida? [AVS](#): 2, 1127;
cf. [AVS](#): 1, 261):
- strychnine tree (*viṣamuṣṭika*) *Strychnos*
nux vomica Linn. [GVDB](#): 373:
- sugar (*sītā*) *Ḍalhaṇa* makes this equation
at 1.37.25162:
- sugar (*śarkara*) *Saccharum officinarum*,
Linn. [NK](#): #2182:
- sugar cane (*ikṣu*) *Saccharum officinarum*,
Linn. [NK](#): #2182:
- sunflower (*sūryavallī*) → *ādityavallī*,
sūryamukhī, *Helianthus annuus*
Linn. [GVDB](#): 35, 443:
- swan (*haṃsa*) *haṃsa*. ?. See ?:
- sweet flag (*vacā*) *Acorus calamus* Linn. See
[GVDB](#): 352–355:
- sweet melon (*ervārūka*) *Cucumis melo*, L.
See [AVS](#): 2, 227; [AVS](#): 2, 1140–3,
[IGP](#) 325–6, [NK](#): 1, #729 (*C.*
momordica):
- sweet plants (*madhuravarga*) The sweet
plants are enumerated at □
1.42.11. See also [GVDB](#): 127:
- sweet-scented oleander (*aśvamāra*) *Nerium*
oleander, L. See [ADPS](#): 223,
[NK](#): 1, #1709:
- sweet-scented oleander (*aśvamāraka*)
Nerium oleander, L. See
[ADPS](#): 223, [NK](#): 1, #1709:
- teak (*śāka*) *Tectona grandis*, L.f. See
[AVS](#): 5, 245, ([MW](#): 1061):
- Tellicherry bark (*kuṭaja*) *Holarrhena*
pubescens Wall. ex G.Don, with
Wrightia tinctoria and *W. arborea*
considered [GVDB](#): 101–102,
[ADPS](#): 267–270:
- thorn apple (*karambha*) *Datura metel*, L.
See [GVDB](#): 76 for useful
discussion. Also, [AVS](#): 2, 305 (cf.
Abhidhānamajjarī), [NK](#): 1,
#796 ff. [Potter_{rev}](#): 292 f,
[ADPS](#): 132. Possibly the same
plant as plumed cockscomb
(*indīvara*) ([GVDB](#): 76, 44–45):
- three heating spices (*tryūṣaṇa*) *śuṇṭhī*
(Dried ginger) *Zingiber*
officinale, Roscoe. [ADPS](#): 50,
[NK](#): 1, #2658, [AVS](#): 5, 435, [IGP](#)
1232, pippalī (long pepper) *Piper*
longum, L. [ADPS](#): 374, [NK](#): 1,
#1928, and marica (black pepper)
Piper nigrum, L. [ADPS](#): 294,
[NK](#): 1, #1929:
- three-leaved caper (*varuṇa*) *Crataeva*
magna (Lour.) DC. See
[AVS](#): 2, 202; cf. [NK](#): 1, #696:
- top layer of fermented liquor (*surāmaṇḍa*)
[K&B](#): 2, 502, [NK](#): 2, appendix VI,
#49, McHugh 2021: 39:
- tree cotton (*kārpāsa*) *G. arboreum* L.
[ADPS](#): 231. Pace the
identifications of Singh and
Chunekar ([GVDB](#): 92, 247), since
G. barbadense L. is native to
South America and *G. herbaceum*
L. which is native to Africa:
- tree cotton (*picu*) See tree cotton (*kārpāsa*):
- turmeric (*gaūrī*) *Curcuma longa*, L. See
[ADPS](#): 169, [AVS](#): 2, 259, [NK](#): 1,
#750:
- turmeric (*haridrā*) *Curcuma longa* Linn.
[GVDB](#): 465:
- turmeric (*rajanī*) *Curcuma longa*, L.
[ADPS](#): 169, [AVS](#): 2, 259, [NK](#): 1,
#750:
- turpeth (*trivṛt*) → *trivṛtā*. *Operculina*
turpethum (Linn.) Silva Manso =
Ipomoea turpethum R. Br.
[GVDB](#): 197.:
- two kinds of salt (*vasukavasira*) See the
discussion by Singh and
Chunekar ([GVDB](#): 362–363), who
note that when *vasuka* is
mentioned together with *vasira*,
two varieties of salt are often
meant (see *vasukavasirā*):
- unhusked rice (*śāli*) *Oriza sativa*, Linn.
[GVDB](#): 395–396:
- various kinds of honey (*madhuṽarga*)
Suśrutasaṃhitā's eight categories
of honey. See □ 1.45.132 and
[Dutt](#): 278–279:
- velvet-leaf (*pāṭhā*) *Cissampelos pariera*, L.
See [ADPS](#): 366, [NK](#): 1, #592,

- GJM1: 573, AVS: 1, 95; cf.
 AVS: 2, 277 :
 velvet-mite (*indragopa*) *Kerria lacca*
 (Kerr.). Lienhard 1978 :
 verbenā (*bhāṛṅgī*) → *phañjī*.
Clerodendrum serratum, L. See
 AVS: 2, 121, ADPS: 87 :
 verbenā (*phañjī*) *Clerodendrum serratum*,
 L. See AVS: 2, 121, ADPS: 87 :
 ‘Virāṭa’s plant’ (*vairāṭaka*) unknown. See ? :
 watered buttermilk (*udaśvit*) MW: 183 :
 watermelon (*kāḷindaka*) *Citrullus lanatus*
 (Thunb.) Matsum & Nak. See
 IGP 257, NK: 1, #596,
 AVS: 2, 1149 :
 weaver’s beam tree (*muṣkaka*) *Schrebera*
swietenoides, Roxb. See
 AVS: 5, 88, Lord, NK: 1, #2246 :
 ‘web-milk’ (*jālakṣīri*) unknown. See ? :
 wheat (*godhūma*) *Triticum vulgare*, L. See
 HK :
 white babool (*arimeda*) *Acacia*
leucophloea, (Roxb.) Willd. See
 AVS: 1, 23 :
 white calotropis (*alarka*) *Calotropis*
procera, (Ait.) R. Br. See NK: 1,
 #428, Chopra: 46b, Chopra
 IDG: 305–308 :
 white clitoria (*Xsitā*) → *śvetā*? *Clitoria*
ternatea, L. See AVS: 2, 129,
 NK: 1, #621 :
 white clitoria (*giryāhvā*) → *śvetā*. *Clitoria*
ternatea, L. See AVS: 2, 129,
 NK: 1, #621 :
 white clitoria (*śvetā*) → *giryāhvā*. *Clitoria*
ternatea, L. See AVS: 2, 129,
 NK: 1, #621 :
 white catch tree (*somavalka*) *Acacia*
polyacantha, Willd. See
 AVS: 1, 30, IGP 7, GJM1: 602,
 AVS: 2, 935; pace NK: 1, #1038 :
 white dammer tree (*sarja*) *Vateria indica*,
 L. See NK: 1, #2571, AVS: 5, 349 f,
 AVS: 1, 292 f, Chopra: 253a :
 white siris (*kiñihī*) *Albizia procera*, (Roxb.)
 Benth. See GVDB 98, NK: 1, #93 :
 white teak (*kāśmarī*) → *madhuparṇī*.
Gmelina arborea, Roxb. See
 GJM1: 543, Trees: 51, ADPS: 240 :
 white water-lily (*kumuda*) *Nymphaea alba*,
 Linn. GVDB: 105 :
 wild asparagus (*bahuputrā*) → *nandana*?
Asparagus racemosus, Willd. See
 further wild asparagus (*śatāvarī*) :
 wild asparagus (*śatāvarī*) *Asparagus*
racemosus, Willd. See ADPS: 441,
 AVS: 1, 218, NK: 1, #264, IGP: 103,
 AVS: 4, 249 ff, Dymock: 3, 482 ff :
 wild celery (*agnika*) → may be *bhallātaka*,
lāṅgalī, *ajamodā*, *morāṭa*, or
agnimantha, GVDB: 4. Uncertain :
 wild celery (*ajamodā*) *Apium graveolens*,
 L. :
 wild chinchona (*kādamba*) *Anthocephalus*
cadamba, Miq. See NK: 1, #204 :
 wild mustard (*saurīyaka*) *Cleome viscosa*,
 L.? (cf. Rā.4.144). See
 AVS: 2, 116, NK: 1, #615 :
 Withania (*aśvagandhā*) *Withania somnifera*
 (L.) Dunal. See AVS: 5, 409 f,
 Dymock: 2, 566 f., Chevallier 150 :
 wolfsbane (*vatsanābha*) *Aconitum*
napellus, L. See AVS: 1, 47, NK: 1,
 #42, Potter_{rev}: 4 f. Or *Aconitum*
chasmanthum Stapf ex Holmes,
 GVDB: 357 :
 wood apple (*kapittha*) *Limonia acidissima*,
 L. See AVS: 3, 327, NK: 1, #1021 :
 woodrose (*mūṣikakarnī*) *Jatopha curcas*, L.
 AVS: 3, 261, NK: 1, #1374.
 GVDB: 317; ADPS: 23–25 discuss
 this issue well :
 woodworm (*ghuṇa*) See note to
 Atharvaveda 4.16 :
 yellow-berried nightshade (*kṣudrā*)
Solanum virginianum, L. See
 ADPS: 100, NK: 1, #2329,
 AVS: 5, 164 :