

CITS2006
Portfolio
(Part 1)

BY: Jennifer Wu (24864255)

GitHub Repository:

<https://github.com/wujstudy/defensive-cyb>

QUESTION	MARK
A1	2
A2	2
A3	2
A5	1
A7	2
A8	2
A9	2
A10	2
A11	2
A12	2
A13	1
A14	1
A15	2
A16	1
A17	2
A18	1
A19	2
A20	2
A21	2
A22	1
A23	2
A24	2
A28	2
A29	2
A30	1

- A1. Discover security concepts used on campus
 - Concept: CIA + Authentication + Authorisation + Enforcement Mechanism
 - Confidentiality:
 - Restricts access to sensitive areas and information
 - Ensures only authorised users can view/access data
 - (E.g. Student ID card required to enter buildings or labs)



- Integrity:
 - Prevents unauthorised modification of data or systems
 - Monitoring systems help detect tampering or suspicious activity
 - (E.g. CCTV cameras monitoring campus activity to detect incidents)
 - Availability:
 - Ensures systems and services are accessible when needed
 - Supports continuous access to resources
 - (E.g. Campus Wi-Fi, Unifi, and emergency phones available for students)
- REFERENCES:
 - <https://www.lvt.com/blog/best-practices-for-campus-safety-and-security-measures#:~:text=Today's%20cameras%20with%20their%20advanced,involvement%20physical%20security%20presence.>

- A2. Discover security concepts used in public space
 - Concept: Authentication + Authorisation + Enforcement Mechanism
 - Authentication:
 - Verifies a user's identity before granting access
 - Often uses simple credentials or physical verification
 - (E.g. Entering a PIN when using an ATM or tapping a transport card)
 - Authorisation:
 - Determines what actions a user is allowed to perform
 - Based on user role or permissions
 - (E.g. Only authorised personnel can access restricted airport or staff-only areas)
 - Enforcement Mechanism:
 - Physical and digital controls used to enforce access rules
 - Prevents unauthorised entry or misuse
 - (E.g. Barriers, ticket gates, security guards/community watch)
 -
 - REFERENCES:
 - <https://managementtrust.com/5-security-measures-to-keep-your-community-safer/#:~:text=Residents'%20safety%20and%20wellbeing%20is,any%20crimes%20that%20are%20committed.>
 - <https://sieuly-synuitz-sniiz.yolasite.com/10-tips-on-improving-community-safety/#:~:text=Centralized%20CCTV%20Systems,out%20our%20website%20ASAP%20Security.>

- A3. Discover security concepts used in your house
 - Concept: CIA + Authentication + Authorisation + Enforcement Mechanism
 - Confidentiality:
 - Limits access to private spaces and networks
 - (E.g. Locked doors and password-protected Wi-Fi, password name is purposely using letters from the end of the alphabet to appear lower on the list of networks)
 - Integrity:
 - Password protection prevents unauthorised changes
 - (E.g. Home Wi-Fi settings protected by admin password)
 - Availability:
 - Ensure home systems and devices are accessible when needed
 - Maintains functionality of essential services
 - (E.g. Internet connection and electricity available for daily use)

- A5. Discover cryptographic implementation used online
 - Asymmetric Key Cryptography:
 - Public key is shared, private key is kept secret
 - Data encrypted with the public key can only be decrypted with the private key
 - Used in HTTPS/TLS handshake to securely exchange a symmetric key
 - After the handshake, symmetric encryption is used for faster communication
 - Also used for authentication (e.g. digital signatures verify sender identity)
 - REFERENCES:
 - <https://quantum.cloud.ibm.com/learning/en/courses/quantum-safe-cryptography/asymmetric-key-cryptography#:~:text=Internet%20communication:%20Secure%20communication%20over,the%20client%20to%20the%20server.>

- A7. Discover cryptography used in modern networks
 - Encryption:
 - converting it into ciphertext, preventing attackers from reading intercepted information
 - Modern networks use both asymmetric and symmetric cryptography together. (Asymmetric encryption is used first to securely exchange keys, and symmetric encryption is then used to efficiently encrypt the actual data)
 - This is commonly implemented in protocols such as TLS, which secures most internet communication
 - Provides key security properties including confidentiality, integrity, and authentication
 - (E.g. When accessing a website using HTTPS, TLS uses RSA to exchange keys and AES to encrypt data)
 - REFERENCES:
 - <https://www.cyber.gov.au/business-government/asds-cyber-security-frameworks/ism/cyber-security-guidelines/guidelines-for-cryptography#:~:text=Purpose%20of%20cryptography,International%20standards%20for%20cryptographic%20modules>
- A8. Discover cryptography used in Internet of Things devices
 - Hashing:
 - Hashing is a cryptographic technique that uses a one-way function to convert data into a fixed-size hash value
 - It is used to ensure data integrity by allowing systems to detect if data has been altered during transmission
 - Even a small change in the original data will produce a completely different hash value
 - IoT devices use hashing to verify that data sent between devices or to cloud servers has not been tampered with
 - This is important in IoT environments where devices automatically exchange data and require reliable verification
 - (E.g. A smart home device can use hashing to verify that sensor data has not been modified before being processed or stored)
 - REFERENCES:
 - <https://ieeexplore.ieee.org/document/11292223>

- A9. Discover privacy technique used online
 - Cookies (Tracking):
 - Online privacy techniques are used to control how personal data is collected, stored, and shared
 - Websites use cookies to store information about users, such as preferences or login sessions
 - Different types of cookies exist, including necessary cookies (for functionality) and tracking cookies (for analytics and advertising)
 - Users can manage their privacy by controlling cookie settings, using private browsing, or limiting data sharing
 - These techniques help protect personal information and give users control over how their data is used
 - (E.g. Websites asking for cookie consent and allowing users to accept or reject tracking cookies)

 We value your privacy

Vestiaire Collective and our partners use cookies strictly necessary for our site to work. By accepting, you allow us to use cookies to analyze audience and performance, personalize advertising and content based on your usage, and enable social media sharing. Your choices will be kept for 6 months.

[Privacy policy & cookies](#)

[Continue without accepting](#)

Settings

Accept

- REFERENCES:
 - <https://www.youtube.com/watch?v=zZ6dnW5Nic&t=2s>
 - <https://us.vestiairecollective.com/>
- A10. Discover privacy technique used offline
 - Physical Forms of preventing unauthorised access:
 - Secure data disposal methods are used to prevent sensitive information from being recovered after use
 - (E.g. Shredding documents containing personal information such as bank details or identification)
 - REFERENCES:
 - <https://shred2u.com.au/how-shredding-services-companies-ensure-total-information-security/#:~:text=They%20Protect%20Your%20Confidential%20Information,begins%20and%20documents%20are%20destroyed>

- A11. Discover 5 unique access control devices
 - a. Keycards + keycard readers: Confidentiality (restricts access), Authentication (verifies identity), Enforcement (controls entry)
 - b. Biometric scanner: Authentication (verifies identity), Confidentiality (only authorised users allowed)
 - c. RFID scanner: Authentication (detects authorised tags), Confidentiality (restricts access)
 - d. PIN keypad: Authentication (requires correct code), Confidentiality (prevents unauthorised access)
 - e. Turnstile gate: Authorisation (controls who can enter), Enforcement (physically restricts access)
 - REFERENCES:
 - [https://www.oid.com/blog/10-types-of-physical-access-control-systems#:~:text=A%20Physical%20Access%20Control%20System%20\(PACS\)%20is%20a%20security%20solution,%2C%20government%2C%20and%20critical%20infrastructure.](https://www.oid.com/blog/10-types-of-physical-access-control-systems#:~:text=A%20Physical%20Access%20Control%20System%20(PACS)%20is%20a%20security%20solution,%2C%20government%2C%20and%20critical%20infrastructure.)

- A12. Discover 5 unique offline security tools
 - a. KeePass: Confidentiality (stores passwords in encrypted local files), Authentication (protects access with master password)
 - b. VeraCrypt: Confidentiality (encrypts files, partitions, and drives), Integrity (prevents unauthorised data access/modification)
 - c. Wireshark: Integrity (analyses network traffic for suspicious activity), Availability (used to troubleshoot network issues offline)
 - d. Cuckoo Sandbox: Integrity (analyses malware in a controlled environment), Confidentiality (prevents malicious files from affecting real systems)
 - e. Nmap: Integrity (identifies vulnerabilities and network services), Availability (helps detect misconfigurations that could affect systems)
 - REFERENCES:
 - <https://keepass.info/>
 - <https://www.veracrypt.fr/>
 - <https://www.wireshark.org/>
 - <https://cuckoosandbox.org/>
 - <https://nmap.org/>

- A13. Discover 5 unique online security tools
 - a. Firewall: Confidentiality (blocks unauthorised access), Integrity (filters traffic)
 - b. Antivirus software: Integrity (prevents malware), Availability (keeps system usable)
 - c. Intrusion Detection System (IDS): Integrity (detects suspicious activity)
 - d. VPN: Confidentiality (encrypts data in transit)
 - e. Password manager: Confidentiality (protects stored credentials)
 - REFERENCES:
 - <https://www.cloudflare.com/learning/ddos/glossary/firewall/>
 - <https://www.kaspersky.com/resource-center/threats/what-is-antivirus>
 - <https://www.ibm.com/topics/intrusion-detection-system>
 - <https://www.kaspersky.com/resource-center/definitions/what-is-a-vpn>
 - <https://www.cisa.gov/resources-tools/resources/password-managers>


- A14. Discover 5 AI-enabled security solutions
 - a. Darktrace ActiveAI: Integrity (detects abnormal behaviour and threats), Availability (prevents system disruptions through early detection)
 - b. SentinelOne Purple AI: Integrity (automates threat detection and response), Availability (reduces impact of cyber attacks)
 - c. Pentera: Integrity (identifies vulnerabilities through automated testing), Availability (helps prevent system exploitation)
 - d. NodeZero: Integrity (continuously tests for security weaknesses), Confidentiality (helps prevent data breaches)
 - e. Wazuh: Integrity (monitors logs for suspicious activity), Confidentiality (protects endpoint data from threats)
 - REFERENCES:
 - <https://www.darktrace.com/>
 - <https://www.sentinelone.com/>
 - <https://pentera.io/>
 - <https://horizon3.ai/nodezero/>
 - <https://wazuh.com/>

- A15. Discover 5 recent security incidents
 - a. Data breach: Confidentiality compromised (unauthorised data access)
 - youX exposed 141GB of sensitive data, affecting over 600,000 users
 - Demonstrates how poor data security leads to large-scale exposure of personal information
 - b. Ransomware attack: Availability compromised (data locked), Integrity compromised
 - Interlock ransomware (2026) exploited a firewall vulnerability to gain access and deploy malware
 - Shows how unpatched vulnerabilities can allow attackers to encrypt systems and disrupt operations
 - c. Phishing attack: Confidentiality compromised (credentials stolen)
 - AI-driven phishing attacks in 2026 have increased significantly, including deepfake voice scams
 - Shows how attackers use social engineering and AI to trick users into revealing sensitive information
 - d. DDoS attack: Availability compromised (service unavailable)
 - Record-breaking DDoS attacks in 2026 exceeded 31 Tbps using IoT botnets like Aisuru
 - Shows how large-scale botnets can overwhelm systems and make services unavailable
 - e. Supply chain attack: Integrity compromised (software tampered)
 - Attackers compromised the Axios npm package to distribute malware to millions of users
 - Shows how trusted software dependencies can be exploited to spread malicious code
 - REFERENCES:
 - <https://www.bleepingcomputer.com/>
 - <https://thehackernews.com/>
 - <https://www.cyber.gov.au/about-us/view-all-content/alerts-and-advisories>


- A16. Discover 3 local security incidents
 - a. Medibank breach: Confidentiality compromised (customer data leaked)
 - Hackers accessed and leaked sensitive customer data, including medical records and personal information
 - Shows how healthcare data breaches can expose highly sensitive information and lead to privacy risks
 - Issue: Poor security controls allowed unauthorised access to sensitive health data
 - Mitigation: Implement stronger access controls, encryption of sensitive data, and regular security monitoring
 - b. Optus breach: Confidentiality compromised (personal information exposed)
 - Attackers accessed customer data such as names, addresses, and identification details through an exposed API
 - Highlights how misconfigured systems can lead to large-scale data exposure
 - Issue: Unsecured or improperly configured API allowed public access to private data
 - Mitigation: Secure APIs with authentication, restrict access, and perform regular vulnerability testing
 - c. Latitude Financial breach: Confidentiality compromised (identity data stolen)
 - Identity documents such as driver's licences and passports were stolen from customers
 - Demonstrates how stolen identity data can increase risk of identity theft and fraud
 - Issue: Sensitive identity data was stored without sufficient protection
 - Mitigation: Minimise data storage, encrypt stored data, and apply strict data retention policies
 - REFERENCES:
 - <https://www.ibm.com/topics/data-breach>
 - https://www.trendmicro.com/en_au/what-is/ransomware.html
 - <https://thehackernews.com/search/label/phishing>
 - <https://blog.cloudflare.com/>
 - <https://cloud.google.com/blog/topics/threat-intelligence>

- A17. Discover 10 different types of locks in use
 - a. Deadbolt lock: Confidentiality (prevents unauthorised entry), Enforcement
 - b. Padlock: Confidentiality (secures items), Enforcement
 - c. Combination lock: Authentication (requires code), Confidentiality
 - d. Smart lock: Authentication (digital access), Confidentiality
 - e. Biometric lock: Authentication (fingerprint/face), Confidentiality
 - f. Keycard lock: Authentication (card-based access), Confidentiality
 - g. Lever handle lock: Confidentiality (basic access control), Enforcement
 - h. Cylinder lock: Confidentiality (restricts entry), Enforcement
 - i. Electronic keypad lock: Authentication (PIN-based), Confidentiality
 - j. Magnetic lock: Enforcement (electromagnetic locking), Confidentiality
 - REFERENCES:
 - <https://www.keithslockanddoor.com/blog/common-lock#:~:text=When%20it%20comes%20to%20securing,you%20make%20an%20informed%20decision.&text=Deadbolts%20are%20one%20of%20the,those%20who%20want%20keyless%20entry.>

- A18. Discover two hallucination cases when using a generative AI system
 - a. Incorrect factual response: Integrity compromised (false information presented as true)




- As of now (March 2026) Fifa World Cup hasn't started or finished so there is no winner, however the AI has generated an incorrect factual response.
- b. Fake references/sources: Integrity compromised (non-existent citations generated)




- since the AI believes that the 2026 winner is Portugal, it generates fake sources for credibility. (all links give 404 error)
- REFERENCES:
 - <https://cloud.google.com/discover/what-are-ai-hallucinations>
 - <https://www.youtube.com/watch?v=k36WXjAcPkw&t=673s> (11:16)
 - <https://www.thomsonreuters.com/en-us/posts/technology/genai-hallucinations/#:~:text=As%20the%20legal%20world%20marches,irrelevant%20to%20a%20given%20question>

- A19. Join a CS/DS/cybersecurity club



- o Signed up for 'Code for Causes' club at UWA


- A20. Participate in a discussion with friends about a cybersecurity event



- o Discussed the Optus data breach with friends
 - o Talked about how sensitive information such as names and IDs were exposed (Confidentiality)
 - o Discussed how leaked data can be used for scams or fraud if misused (Integrity risk)
 - o Identified that the breach was caused by poor security practices, such as an exposed API
 - o Suggested improvements such as stronger access controls and better system protection to prevent unauthorised access
 - o REFERENCES:


- <https://www.abc.net.au/news/2025-09-23/timeline-on-optus-triple-0-outage-what-we-know/105805890>
 - <https://www.qld.gov.au/community/your-home-community/cyber-security/cyber-security-for-queenslanders/case-studies/optus-data-breach#:~:text=Optus%20data%20breach-,Case%20studies,Information%20Commissioner%20and%20key%20regulators.>

- A21. Participate in an online cybersecurity discussion



- o Went on reddit to the r/techsupport community
- o Found someone asking about the importance of a strong password, specifically in the context of a business (their shop)
- o With the group project task, my focus had also been on a business and their logins + password were a factor I had looked into so I had some advice/information I could pass on

- A22. Perform a prompt injection attack on a generative AI assistant (controlled test only)




- o Using generative AI, with a few prompts I was able to get an output that contains an offensive word
 - o Offensive language breaks safety measures, ethical guidelines and content filters
- A23. Enhance cybersecurity at your home
 - o Enabled strong Wi-Fi password: Confidentiality (prevents unauthorised access)
 - Periodically updated/changed
 - Has alpha-numeral, upper + lower case, punctuation, no double ups
 - o Enabled 2FA on accounts: Authentication (verifies user identity), Confidentiality
 - With backup./recovery accounts
 - o Updated devices/software: Integrity (prevents vulnerabilities), Availability
 - Monthly reports
 - quarterly testings
 - annual maintenance

- A24. Teach your family about a cybersecurity topic



- (Confidentiality) I found out that my orthodontist clinic had a data breach where confidential client information was leaked, including names, addresses, medical records, and bank details
- (Confidentiality, Integrity) I explained to my family that we have the right to request deletion of our personal data to prevent misuse

- A28. Implement a security solution and publish it on GitHub
 - o <https://github.com/wujstudy/defensive-cyb/blob/main/password%20checker>




The screenshot shows a GitHub repository interface for 'wujstudy / defensive-cyb'. The 'Files' tab is selected, showing a directory structure with 'Part 1', 'Part 2', and 'password checker'. The 'password checker' file is open, displaying a Python script. The script is a password strength checker that takes a password as input and calculates a score based on various criteria: length (minimum 8), presence of uppercase letters, lowercase letters, digits, and special characters. The score ranges from 0 to 5, with 5 being the highest. The script also prints the password and the score.

```
1 # Password Strength Checker (Language: Python)
2
3 import re
4
5 password = input("Enter a password to test: ")
6
7 score = 0
8
9 if len(password) >= 8:
10     score += 1
11 if re.search("[A-Z]", password):
12     score += 1
13 if re.search("[a-z]", password):
14     score += 1
15 if re.search("[0-9]", password):
16     score += 1
17 if re.search("[!@#$%^&*]", password):
18     score += 1
19
20 if score >= 3:
21     print("Good password")
22 else:
23     print("Weak password")
```


- o Chose to create a password strength checker because weak passwords are a common security risk (and because of a recent reddit post I had seen, I also realised that most ppl don't understand the importance of strong passwords)
- o Helps users create stronger, more secure passwords
- o Improves confidentiality by protecting accounts from unauthorised access
- o Supports authentication as passwords verify user identity
- o Simple and practical to implement in Python
- o Easy to explain and demonstrate as a cybersecurity solution

- A29. Analyse an AI-generated image/video/audio using a detection tool
 - o https://isthisai.com/?gad_source=1&gad_campaignid=23450852540&gclid=Cj0KCQjw1ZjOBhCmARIsADDuFTDiD7EgnIUeBcbiFRjWQ-rMBzcjJrAYg8BeG52OXZ76lQ-rEleyawaAj4fEALw_wcB



- o using an AI detection tool to analyse whether media was AI-generated
- o identified patterns indicating synthetic content (Integrity: detects manipulation + Authenticity: verifies real vs AI)

- A30. Complete an online cybersecurity module
 - <https://tryhackme.com/>



- This doesn't provide a certificate
- I practiced:
 - Offensive cybersecurity
 - Used dirb to discover hidden directories on a website
 - Learned that websites can have hidden pages that are still accessible
 - Identified endpoints like /images and /bank-transfer
 - Discovered a hidden admin panel using a URL endpoint