Amazon ECS - EC2 Launch Type

- ECS = Elastic Container Service
- Launch Docker containers on AWS = Launch **ECS Tasks** on ECS Clusters
- **EC2 Launch Type: you must provision & maintain the infrastructure (the EC2 instances)**
- Each EC2 Instance must run the ECS Agent to register in the ECS Cluster
- AWS takes care of starting / stopping containers



Amazon ECS – Fargate Launch Type

- Launch Docker containers on AWS
- **You do not provision the infrastructure (no EC2 instances to manage)**
- **It's all Serverless!**
- You just create task definitions
- AWS just runs ECS Tasks for you based on the CPU / RAM you need
- To scale, just increase the number of tasks. Simple - no more EC2 instances



Amazon ECS – IAM Roles for ECS

- EC2 Instance Profile (EC2 Launch Type only):
  - Used by the ECS agent
  - Makes API calls to ECS service
  - Send container logs to CloudWatch Logs
  - Pull Docker image from ECR
  - Reference sensitive data in Secrets Manager or SSM Parameter Store

- ECS Task Role:
  - Allows each task to have a specific role
  - Use different roles for the different ECS Services you run
  - Task Role is defined in the task definition



Amazon ECS – Load Balancer Integrations

- Application Load Balancer supported and works for most use cases
- Network Load Balancer recommended only for high throughput / high performance use cases, or to pair it with AWS Private Link
- Classic Load Balancer supported but not recommended (no advanced features – no Fargate)



Amazon ECS – Data Volumes (EFS)

- Mount EFS file systems onto ECS tasks
- Works for both **EC2** and **Fargate** launch types
- Tasks running in any AZ will share the same data in the EFS file system
- **Fargate + EFS = Serverless**

- Use cases: persistent multi-AZ shared storage for your containers

- Note:
  - Amazon S3 cannot be mounted as a file system