

		内存	存储 服务	多工作进程 仿真	Į						- □ ∑ <mark> ⊕ ? %</mark> ⊑
	■ T *	n ux x									查找(Ctrl+F)
名称	协议	方法	结果	内容类型	已接收	84(6)	发起程序	0毫秒	100毫秒	200毫秒	
tps://www.baidu.com/	HTTPS/	GET	200 OK		(來自煙存)	0.89					
d_logo1.png?qua=high tps://www.baidu.com/img/	HTTPS/	GET	200 OK		(来自缓存)	0.89		1			
uery-1.10.2.min_65682a2.js tps://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w	HTTPS/	GET	200 OK		(来自缓存)	0.89		1			
idu_jgylogo3.gif tps://www.baidu.com/img/	HTTPS/	GET	200 OK		(来自缓存)	0.89		1			
d_logo1.png tps://www.baidu.com/img/	HTTPS/	GET	200 OK		(米白矮存)	0.89		1			
nidu_resultlaga@2.png tps://www.baidu.com/img/	HTTPS/	GET	200 OK		(来白缓存)	0.89		1			
n.gif?cc=1&ck=1&cl=24-bit&ds=1536x864&vl=7 ps://hm.baidu.com/	(220)	GET	(指制)			0.89	image				
async_search_658106b.js ps://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w	HTTPS/	GET	200 OK		(來白獎存)	0.89					
ios_09b6296.png :ps://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w	HTTPS/	GET	200 OK		(来自缓存)	0.89					
ns_441e82f.png ps://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w	HTTPS/	GET	200 OK		(来自缓存)	0.89					
ery_cookie_4644b13.js ps://dss1.bdstatic.com/SeN1bjq8AAUYm2zgoY3K/r/w	HTTPS/	GET	200 OK		(來自缓存)	0.89					
_instant_search_baaa58d.js ps://ss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/ww	HTTPS/	GET	200 OK		(米自缓存)	0.89				I	
77547af.js os://ss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/ww	HTTPS/	GET	200 OK		(来自緩存)	0.89					
fobject_0178953.js ps://ss1.bdstatic.com/SeN1bjq8AAUYm2zgoY3K/r/ww	HTTPS/	GET	200 OK		(来自缓存)	0.89					
erch-sug_6c6c43c.js ps://ss1.bdstatic.com/5eN1bjq8AAU/Ym2zgoY3K/r/ww	HTTPS/	GET	200 OK		(來自委存)	0.89					
ickdelete_33e3eb8.png ps://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w	HTTPS/	GET	200 OK		(来自缓存)	0.89					
tWord_cc828cc.js ps://ss1.bdstatic.com/5eN1bjg8AAUYm2zgoY3K/r/ww	HTTPS/	GET	200 OK		(来自缓存)	0.89					
tu.css ez//ss1.bdstatic.com/5eN1bjq8AAUYm2zqoY3K/r/ww	HTTPS/	GET	200 OK		(來自煙存)	0秒					
ttps://ss1.bastatic.com/serv1bjqavvuVmzzgo13k/r/ww ugrec?prod=pc_his&from=pc_web&json=1&sid= ttps://www.baidu.com/		GET	200 OK	text/plain	395 B	14.88 毫秒	XMLHttpRequest				

C:\Users\wukefei>nslookup baidu.com

服务器: public1.114dns.com Address: 114.114.114.114

DNS request timed out.

timeout was 2 seconds.

非权威应答:

名称: baidu.com

Addresses: 39.156.69.79

220, 181, 38, 148

C:\Users\wukefei>nslookup -qt=ns baidu.com

服务器: public1.114dns.com Address: 114.114.114.114

非权威应答:

baidu.com nameserver = dns.baidu.com baidu.com nameserver = ns4.baidu.com baidu.com nameserver = ns7.baidu.com baidu.com nameserver = ns3.baidu.com baidu.com nameserver = ns2.baidu.com

```
\Users\wukefei>nslookup -qt=mx baidu.com ns2.baidu.com
服务器: UnKnown
Address: 220.181.33.31
                             MX preference = 20, mail exchanger = jpmx.baidu.com
MX preference = 20, mail exchanger = mx50.baidu.com
MX preference = 10, mail exchanger = mx.maillb.baidu.com
MX preference = 15, mail exchanger = mx.n.shifen.com
MX preference = 20, mail exchanger = mx1.baidu.com
mamosorvor = ns3 baidu.com
baidu.com
baidu.com
baidu.com
baidu.com
baidu.com
                              nameserver = ns3. baidu.com
nameserver = ns4. baidu.com
baidu.com
baidu.com
baidu.com
                             nameserver = dns. baidu.com
baidu.com nameserver = ns7.baidu.com
baidu.com nameserver = ns2.baidu.com
mx1. baidu. com internet address = 111. 202. 115. 85 mx1. baidu. com internet address = 220. 181. 3. 85 jpmx. baidu. com internet address = 12. 0. 243. 41
mx50. baidu. com internet address = 180.76.13.18
dns. baidu. com internet address = 202.108.22.220
ns2. baidu. com internet address = 220.181.33.31
ns3. baidu. com
                              internet address = 112.80.248.64
ns4. baidu. com
                              internet address = 14.215.178.80
ns7. baidu. com internet address = 180.76.76.92
```


C:\Users\wukefei>nslookup 114.114.114.114

服务器: public1.114dns.com Address: 114.114.114.114

名称: public1.114dns.com Address: 114.114.114.114

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/64.0.3282.140 Safari/537.36 Edge/18.17763

■ 命令提示符 - □ ×



注册局设置禁止转移(serverTransferProhibited)
(https://www.icann.org/epp#serverTransferProhibited)
注册局设置禁止删除(serverDeleteProhibited)
(https://www.icann.org/epp#serverDeleteProhibited)

DNS1: ns2.qq.com DNS2: ns1.qq.com DNS3: ns3.qq.com DNS4: ns4.qq.com

手机也可以看WHOIS信息啦,随时随地想查就查 扫描在这一维码即外体验吧!



详细英文注册信息如下 专用词汇英/中文对照

Domain Name: tencent.com

Domain Name: tencent.com

Registry Domain 10: 3216596_DOMAIR_COM-VRSH

Registry Domain 10: 3216596_DOMAIR_COM-VRSH

Registraw MCSIS Server: whois.markmonitor.com

Underted Date: 2018-00: 12170:11141-0700

Creation Date: 1989-00-121710:00-00-0700

Registrar: Registration Expiration Date: 2021-09-12700:00:00-0700

Registrar: Parkhonitor, Inc.

Registrar: Main 10: 292

Domain Status: clientDateProhibited (https://www.icann.org/epp%clientDateInfansferProhibited)

Domain Status: clientDateInfansferProhibited (https://www.icann.org/epp%clientDateInfansferProhibited)

Domain Status: clientDateInfansferProhibited (https://www.icann.org/epp%clientDateInfansferProhibited)

c) Domain Status: clientDeleteProhibited (https://www.icam.org/epp6clientTransferProhibited) Domain Status: serverUpdateProhibited (https://www.icam.org/epp6clientDeleteProhibited) Domain Status: serverUpdateProhibited (https://www.icam.org/epp6serverUpdateProhibited) Domain Status: serverUpdateProhibited (https://www.icam.org/epp6serverUpdateProhibiteDemain Status: serverUpdateProhibited)

For more information on Whois status codes, please visit https://icann.org/epp

図は描述

网络阿姆 蘭田下1998年11月成立,是一家以互联网为 基础的华企公司,随时技术工富工取得用中的 生活。那方心型学化打得。我们的使命 是"用于为本科技师器",Founded in 1998。 Fencent is an Internet-based platform com pany using technology to enrich the lives o Internet uses and assist the digital upgra de of enterprises. Our mission is

该网站可能未设置相关信息

里云不负责其合法性、准确性判断,并不对使用该 类信息的结果承担任何法律责任。同时,阿里云提

相关网站域名

ntylleng.com 17grow.com 591777.com ncws qq.com zhuonao.com mblog.cc okoook.com o uds.com gssong.com bonin.com im.qq.com w w-qq.cc tighan.com kmli xyi. zihiidea.com cnc xxs.com patent.ml hiyoi.me patenthomes.com yttaoch.ec.n webuilding.com

 \odot