```
无线局域网适配器 WLAN:


连接特定的 DNS 后缀 . . . . . : DHCP HOST

本地链接 IPv6 地址. . . . . : fe80::14cc:54b1:d27a:8a3%15

IPv4 地址 . . . . . . . : 192.168.0.106

子网掩码 . . . . . . . . . . : 255.255.255.0

默认网关. . . . . . . . . . . . . . . . . . 192.168.0.1
```



ww.baidu.com - DevTools - Microsoft Edge i素 控制台 调试程序 网络 🕒	性能	内存	存储 服	务工作进程 仿	ă.				- a ∑ ⊕ ? ‰ ⊑
· • • • • • • • • • • • • • • • • • • •	<b>≒</b> ₹-1	内容类型							查找(Ctrl+F)
名称	协议	方法	结果	内容类型	已接收	时间	发起程序	0毫秒 200毫秒	
nttps://www.baidu.com/	HTTPS/	GET	200 OK		(來自缓存)	0.89			
od_logo1.png?qua=high https://www.baidu.com/img/	HTTPS/	GET	200 OK		(来自缓存)	010			
od_logo1.png https://www.baidu.com/img/	HTTPS/	GET	200 OK		(来自缓存)	0秒			
naidu_jgylogo3.gif https://www.baidu.com/img/	HTTPS/	GET	200 OK		(来自缓存)	0秒			
paidu_resultlogo@2.png https://www.baidu.com/img/	HTTPS/	GET	200 OK		(来自缓存)	0.89			
query-1.10.2.min_65682a2.js https://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w.	HTTPS/	GET	200 OK		(来自缓存)	0秒		1	
ill_async_search_c33e4c4.js https://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w.	HTTPS/	GET	200 OK		(来自缓存)	0秒		I	
cons_441e82f.png https://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w.	HTTPS/	GET	200 OK		(来自缓存)	0秒		I	
tbios_09b6296.png https://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w.	HTTPS/	GET	200 OK		(来自缓存)	0秒			
every_cookie_4644b13.js https://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w.	HTTPS/	GET	200 OK		(来自缓存)	0秒			
nu_instant_search_baaa58d.js https://ss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/ww.	HTTPS/	GET	200 OK		(来自缓存)	0秒			
tu_77547af.js https://ss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/ww.	HTTPS/	GET	200 OK		(来自缓存)	0秒			
swfobject_0178953.js https://ss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/ww.	HTTPS/	GET	200 OK		(来自缓存)	0秒			
iearch-sug_913fe0a.js https://ss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/ww.	HTTPS/	GET	200 OK		(来自缓存)	0秒			
uickdelete_33e3eb8.png https://dss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/w.	HTTPS/	GET	200 OK		(来自缓存)	0秒			
otWord_cc828cc.js ttps://ss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/ww.	HTTPS/	GET	200 OK		(来自缓存)	0秒		1	
outu.css ttps://ss1.bdstatic.com/5eN1bjq8AAUYm2zgoY3K/r/ww.	HTTPS/	GET	200 OK		(来自缓存)	0秒		I	
ugrec?prod=pc_his&from=pc_web&json=1&sid= ttps://www.baidu.com/	HTTP/1.0	GET	200 OK	text/plain	594 B	18.32 毫秒	XMLHttpRequest	<u> </u>	
.gif?pid=201&pj=www&fm=behs&qid=eb37805a https://sp1.baidu.com/8qU/cD3n0sqCo2KmI5_Y_D3/	HTTP/1.0	GET	200 OK	image/gif	0 B	24.84 電粉	image	_	

C:\Users\wukefei>nslookup baidu.com 服务器: public1.114dns.com Address: 114.114.114.114 DNS request timed out. timeout was 2 seconds. DNS request timed out. timeout was 2 seconds. 非权威应答: 名称: baidu.com Addresses: 39.156.69.79

\Users\wukefei>nslookup -qt=ns baidu.com 服务器: public1.114dns.com Address: 114.114.114.114 DNS request timed out. timeout was 2 seconds. 非权威应答: baidu.com nameserver = ns2. baidu. com nameserver = ns4. baidu. com baidu.com nameserver = dns.baidu.com baidu.com baidu.com nameserver = ns7. baidu. com baidu.com nameserver = ns3. baidu.com

```
C:\Users\wukefei>nslookup -qt=mx baidu.com ns2.baidu.com
服务器: UnKnown
Address: 220.181.33.31
                       MX preference = 20, mail exchanger = mx50.baidu.com
MX preference = 10, mail exchanger = mx.maillb.baidu.com
baidu.com
baidu.com
                       MX preference = 15, mail exchanger = mx.n.shifen.com

MX preference = 20, mail exchanger = mxl.baidu.com


MX preference = 20, mail exchanger = jpmx.baidu.com
baidu.com
baidu.com
baidu.com
baidu.com
                       nameserver = ns7. baidu. com
baidu.com
                       nameserver = ns4. baidu. com
baidu.com
                       nameserver = ns3. baidu.com
                       nameserver = dns. baidu. com
baidu.com
                       nameserver = ns2. baidu. com
baidu.com
mx1. baidu. com
                       internet address = 111.202.115.85
                       internet address = 220.181.3.85
mx1. baidu. com
jpmx. baidu. com internet address = 12.0.243.41
mx50. baidu.com internet address = 12.0.243.41
dns. baidu. com internet address = 202. 108. 22. 220 ns2. baidu. com internet address = 220. 181. 33. 31 ns3. baidu. com internet address = 112. 80. 248. 64
                       internet address = 202.108.22.220
                       internet address = 14.215.178.80
ns4. baidu. com
ns4. baidu. com - internet address = 14. 215. 178. 80
ns7. baidu. com - internet address = 180. 76. 76. 92
```

C:\Users\wukefei>nslookup 114.114.114.114

服务器: public1.114dns.com Address: 114.114.114.114

名称: public1.114dns.com Address: 114.114.114.114

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/64.0.3282.140 Safari/537.36 Edge/18.17763



注册局设置號上转移(serverTransferProhibited) (https://www.icann.org/epp#serverTransferProhibited) 注册局设置禁止删除(serverDeleteProhibited) (https://www.icann.org/epp#serverDeleteProhibited)

## 手机也可以看WHOIS信息啦,随时随地想查就查 日期在这一维明即将外编吧



## 详细英文注册信息如下 专用词汇革/中文对服

Domain Name: tencent.com
Registry Domain ID: 321599\_DOMAIN\_CON-VISN
Registrary MISS Server: whois.marksomitor.com
Registrary MISS Server: whois.marksomitor.com
Registrary MIS. http://www.marksomitor.com
Registrary MIS. http://www.marksomitor.com
Registrary MIS. http://www.marksomitor.com
Registrary MISS Server: whois.marksomitor.com
Registrary Registrarion Expiration Date: 2021-09-12700:00:00-0700
Registrary Registrarion Expiration Date: 2021-09-12700:00:00-0700
Registrary Amelian Date: 2021-09-12700:00:00-0700
Registrary India ID: 202
Registrary Registrary India ID: 202
Registrary Registrary Registrary India
Registrary Registrary

Domain Saturis serveriranserroromisted (https://www.icann.org/eppsserver/ranserroromists
Domain Saturis serverDelaterNobibited (https://www.icann.org/eppsserver/RelaterProbibited)
Registrant State/Province: Guang Dong
Registrant State/Province: Guang Dong
Registrant State/Province: Guang Dong
Registrant State/Province: Guang Dong
Reme Server: msl.qq.com
Name Server: msl.qq.com
Name Server: msl.qq.com
OSSEC: unsigned of Quantum State S

For more information on Whois status codes, please visit https://icann.org/epp

**O** 联系我们