

Problem B


The Secret of Fats

Time limit: 1 second

Problem Description

Triglycerides are the main components of animal and plant fats, acting as essential substances for energy storage in the human body. Chemically, all triglycerides are formed by combining one glycerol molecule with three fatty acid molecules.

The physical and chemical properties of fats mainly depend on their connected fatty acid chains. Based on the structure of these chains, we can classify fats into two main categories: **saturated fat** and **unsaturated fat**.



If we know the total number of carbon (C), hydrogen (H), and oxygen (O) atoms in a triglyceride molecule, we can directly use simple mathematical rules to determine whether it is a saturated or unsaturated fat without needing specialized laboratory instruments.

For a triglyceride completely devoid of carbon-carbon double bonds (i.e., a saturated fat). Derived from the chemical degree of unsaturation formula, the number of carbon atoms (c) and hydrogen atoms (h) of a saturated triglyceride must strictly satisfy the following linear relationship:

$$h = 2c - 4$$

If the number of hydrogen atoms is less than this standard (i.e., $h < 2c - 4$), it indicates the presence of extra carbon-carbon double bonds in the carbon chain, meaning it is an unsaturated fat.

(Note: This problem guarantees that all input test data represents valid triglyceride molecules, and the number of oxygen atoms (o) will always be 6.)

Now, please write a program that reads the C, H, and O atomic counts of several compounds to classify them accordingly.

Input Format

Each test contains multiple test cases. The first line contains the number of test cases t . The description of the test cases follows.

The only line of each test case contains three non-negative integers c , h , and o , representing the number of carbon, hydrogen, and oxygen atoms in the compound, respectively.

Output Format

For each test case, output a single line containing the classification result of the compound:

- If it is a saturated fat, output the string `Saturated`.
- If it is an unsaturated fat, output the string `Unsaturated`.

Technical Specification

- $1 \leq t \leq 10^4$
- $6 \leq c \leq 150$
- $8 \leq h \leq 2 \times c - 4$, and h is even.
- o is guaranteed to be 6, and the data is guaranteed to conform to the chemical rules of a valid triglyceride.

Sample Input 1

```
3
51 98 6
57 104 6
55 102 6
```

Sample Output 1

```
Saturated
Unsaturated
Unsaturated
```

Explanation for Sample 1:

- Test Case 1: Carbon is 51, hydrogen is 98, and oxygen is 6. It satisfies the saturated fat condition because $2 \times 51 - 4 = 98$. This compound is Tripalmitin; output `Saturated`.
- Test Case 2: Carbon is 57, hydrogen is 104, and oxygen is 6. The saturated upper limit is $2 \times 57 - 4 = 110$. Because $104 < 110$, this is an unsaturated fat (Triolein, containing 3 double bonds); output `Unsaturated`.
- Test Case 3: Carbon is 55, hydrogen is 102, and oxygen is 6. The saturated upper limit is $2 \times 55 - 4 = 106$. Because $102 < 106$, it contains extra double bonds and is an unsaturated fat; output `Unsaturated`.