
ZK Compliance for cross-border Stellar Stablecoins.

The Cross-Border Problem

Issuer lock-in

Every anchor builds bespoke KYC rails — no portable credential layer across apps or corridors

Credentials don't travel

Users re-verify per corridor, merchant, and payment flow — KYC never leaves the issuer silo

PII follows payments

Customer documents re-sent with every cross-border transfer; travel rule checks stay manual

Stablecoins need a portable issuer layer — verify once, prove per transfer, no document shipping.

The Solution


- **Verify once** — issuer KYC, Merkle root on-chain
- **Prove per transfer** — corridor rules in one Groth16 proof
- **Travel-rule binding** — source jurisdiction, destination registry, sanctions
- Soroban **verifies proof**, records **nullifier**, settles transfer

Checks per proof

8

One Groth16 snark


How It Works



One credential. Fresh proof for every cross-border transfer.

Groth16 on Stellar

- Custom Circom circuit — **8 compliance checks**
- **19 public inputs** rebound from on-chain state
- Dedicated **verifier contract** — BN254 pairing check
- `compliance.compliant_transfer` gates settlement
- **Nullifier** recorded — anti-replay per proof



Regulated compliance, not privacy — sender, recipient, asset, and amount stay public on-chain.

Stellar ZK Primitives in Wisp

BN254

Protocol 25 host functions. `bn254_multi_pairing_check` verifies Groth16 on Soroban.

Poseidon2


In-circuit hashing for Merkle trees, nullifiers, and corridor binding. Depth-20 trees.

Travel rule


Corridor config hash binds source jurisdiction, destination registry, and travel-rule threshold per route.

Built for cross-border corridors · US→MX live on Stellar testnet


ZK Architecture & Implementation



System Architecture



Transfer Lifecycle



8-in-1 Compliance Circuit

Identity

KYC Merkle membership
Nullifier binding
Credential expiry

Policy

Sanctions exclusion
Jurisdiction check
Corridor config hash

Corridor

Source jurisdiction
Destination registry
US→MX live on testnet

One proof enforces the full US→MX corridor — expand routes without new PII exposure

Live Demo Pipeline

Live corridor: US→MX · wisp-zk.vercel.app/demo

1. Connect Freighter wallet
2. Complete mock KYC onboarding
3. Activate credential + fetch signed proof draft
4. Finalize nullifier + generate Groth16 proof
5. Settle cross-border transfer → audit `ProofSettled`

Remittance corridor demo — tamper and replay rejection included

Built & Shipped

37+	8	7	US→MX
Contract tests	Checks / proof	SDK layers	Live corridor

Portable issuer stack

- `@wisp_/issuer-sdk` — register, compute and publish roots
- `@wisp_/sdk` — browser prove + Freighter wallet settle
- Travel-rule corridors with on-chain config hashes

Live on testnet

- wisp-zk.vercel.app
- github.com/wurli-sh/wisp
- Demo video · First launch · Second launch

