Date: _____

Lab3 Task1

```
#include <iostream>
using namespace std;
 int main() {
 int age;
 double pay;
 char section;
 Cin >> age >> Pay >> section;
  return 0;
   }
```

Date: _____

Task 2

```
# include <iostream>
using namespace std;
int main ( ) {
cout << "28 / 4 -2 = " << 28 / 4 -2 << endL;
cout << "6+12 * 2-8 = " << 6+12 * 2-8 << endL;
cout << "4+8 * 2 = " << 4+8 * 2 << endL;
cout << "6+17 % 3-2=" << 6+17 % 3 -2 << endL;
cout << " 2+22 * ( 9-7) << endL;
cout << " (8+7) * 2 - " << (8+7) * 2 << endL;
cout << " (16+7) % 2-1 =" << (16+7) % 2-1 << endL;
cout << " 12/(10 -6) =" << 12/(10-6) << endL;
cout << " (19-3) * (2+3) / 4= " << (19-3) * (2-3)
    / 4 << end L;
    return 0;
    }
```

Date: _____

Lab3 Task 3

```
# include <iostream>
using namespace std;
int main ( ) {
int units;
 float mass;
 double weight;
 units = 10;
  mass= 5.5;
 weight = mass * units;
 cout << weight;
   return 0;
 }
```

Date: _____

Lab 3 Task 4

```
# include < iostream>
using namespace std;
int main( ) {
int a , b = 2;
float c = 4.2;
a = b * c;
cout << a;
return 0;
}
```

Date: _____

Lab 3 Task 5

```
# include <iostream>
using namespace std;
int main () {
int qty, salesReps;
double unitsEach;
cin >> qty >> salesReps;
unitsEach = static_cast<double>(qty)/
  salesReps;
Cout << unitsEach;
return 0;
}
```

Date: _____

Lab3 Task6

```
# include <iostream>
# include <cstdlib>
#include <ctime>
usingnamespace std;
int main( ) {
srand ( time (0 ));
intnum1 = rand( ) %.900 +100;
int num2 = rand( ) %. 900 +100;
Cout << " " << num1 << endL;
Cout<< "+ "<< num2 << endL;
Cout << "....." << endL;
cout << " Press any key to See answer... .";
cin .get ( );
Cout<<endL << " " << num1 <<endL;
cout <<"+ "<< num2 << endL;
cout << "____" << endL;
cout << " " << num1+num2<<endL;
  return 0;
  }
```

K&D

Date: _____

Lab 3 Task 6. code 2:
fixed numbers 247 and 129.

```
# include < iostream>
using namespace std;
 int main ( ) {
 int num1 = 247;
 int num2= 129;
cout << " " << num1 << endL;
cout << "+ " << num2 << endL;
 cout << "-----" << endL;
cout << "Press any key to see answer....";
   cin. get ( );
cout <<endL << " " << num1 << endL;
cout << "+" << num2 << endL;
cout << "-----" << endL;
cout << " " << num1 + num2 << endL;
  return 0;
   }
```

K&D