



METAL TECH · EST. 2026

Materials + Products ▾Markets ▾QualityTechnical DataAbout

REQUEST A QUOTE ▾

HIGH-PERFORMANCE MATERIALS · SOURCING + QUALIFICATION

Special Metals. Precisely Sourced.

We qualify special-metal requirements across material, product form, manufacturing route and evidence — before price becomes the decision.

Start with the service condition. Define what must perform, what can actually be made, what evidence must travel with it, and who has authority to release the route.

START TECHNICAL REVIEW ▸

REVIEW EVIDENCE MODEL

MATERIALS

Stainless · Nickel · Low Expansion · Titanium · Zirconium

PRODUCT FORMS

Strip · Sheet · Plate · Bar · Forging · Components

QUALIFICATION

Grade · geometry · origin · inspection · approval

SUPPLY ROUTE

Manufacturing · approved origin · stock + processing

PERFORMANCE ENVELOPE

Service conditions choose the material. Qualification chooses the route.

TEMPERATURE

Cryogenic · elevated

CORROSION

Media · chlorides · acids

MECHANICAL

Pressure · fatigue · strength

STABILITY

CTE · flatness · repeatability

APPROVAL

Standard · origin · inspection

1440 × 1000



METAL TECH · EST. 2026

▮

HIGH-PERFORMANCE MATERIALS · SOURCING + QUALIFICATION

Special Metals. Precisely Sourced.

We qualify special-metal requirements across material, product form, manufacturing route and evidence — before price becomes the decision.

START TECHNICAL REVIEW ▸

REVIEW EVIDENCE MODEL

MATERIALS

Stainless · Nickel · Low Expansion · Titanium · Zirconium

PRODUCT FORMS

Strip · Sheet · Plate · Bar · Forging · Components

QUALIFICATION

Grade · geometry · origin · inspection · approval


SUPPLY ROUTE

Manufacturing · approved


BUILD ROUTE

REQUEST A QUOTE ▾

390 × 844



1440 × 1000



390 × 844



MATERIALS + PRODUCTS ▾MARKETS ▾QUALITYTECHNICAL DATAABOUT

REQUEST A QUOTE

STANDARDS

A grade name is not a complete specification.

International sourcing depends on the product standard, product form, condition, dimensions, testing and end-use qualification. The same alloy designation can lead to different supply routes.

SPECIFICATION FIRST

MATERIAL FAMILY

TYPICAL STANDARDS TO CONFIRM

PRODUCT FORMS

WHAT STILL NEEDS TO BE SPECIFIED

1440 × 1000



STANDARDS

REQUEST A QUOTE

STANDARDS

A grade name is not a complete specification.

International sourcing depends on the product standard, product form, condition, dimensions, testing and end-use qualification. The same alloy designation can lead to different supply routes.

MATERIAL FAMILY	TYPICAL STANDARDS TO CONFIRM
Stainless sheet / plate	ASTM A240 / A480 · EN 10088-2 · project-specific ASME/EN requirements
Duplex / super duplex	ASTM A240 / relevant ASME · EN 10088-2
Nickel alloy	ASTM B443 / B424 / B575

BUILD ROUTE

REQUEST A QUOTE

390 × 844



MATERIALS + PRODUCTSMarketsQualityTechnical DataAbout

REQUEST A QUOTE

HEAT EXCHANGERS

Titanium and zirconium for corrosion-critical equipment.

Reactive-metal supply needs product-form-specific control. Plate, tube and bar routes may come from different qualified sources even when they belong to the same equipment package.

SEND THE REQUIREMENT

01

APPLICATION ROUTE

Application → specification → qualification → supply route → trial / PO.



HEAT EXCHANGERS · REACTIVE METALS · CORROSION CONTROL

1440 × 1000



HEAT EXCHANGERS

REQUEST A QUOTE

HEAT EXCHANGERS

Titanium and zirconium for corrosion-critical equipment.

Reactive-metal supply needs product-form-specific control. Plate, tube and bar routes may come from different qualified sources even when they belong to the same equipment package.

SEND THE REQUIREMENT

01

APPLICATION ROUTE

BUILD ROUTE

REQUEST A QUOTE

390 × 844



MATERIALS + PRODUCTS ▾MARKETS ▾QUALITYTECHNICAL DATAABOUT

REQUEST A QUOTE

RESOURCES / LOW EXPANSION

LOW EXPANSION

Invar 36: LNG strip vs tooling plate

Technical sourcing note from Tongjun Metal Tech.



INVAR FOR LNG

Same chemistry, different product

NOTE

1440 × 1000



RESOURCES / LOW EXPANSION

LOW EXPANSION

Invar 36: LNG strip vs tooling plate

Technical sourcing note from Tongjun Metal Tech.



INVAR FOR LNG

Same chemistry, different product

A nominal Invar 36 / 4J36 designation does not

BUILD ROUTE

REQUEST A QUOTE

390 × 844

file:///home/runner/work/_temp/r15-20-contact.html

5/5