Alibaba Cloud - Linmara/MMFG service inventory

Index

Alibaba Cloud - Linmara/MMFG service inventory	1
Services	
Linmara BMS	1
Production stage	1
Testing stage	
Javascript Comboloader	
Static assets.	
Order Management CN	2
Production stage	2
Testing stage	
Posweb online concessions.	
Production stage	
Testing stage	
Posweb online	3
Production stage	3
Testing stage	
Reshuffling CN	3
Production stage	3
Testing stage	4
Portal CN	4
Production stage	4
Testing stage	4

Services

Linmara BMS

Production stage

Entry point: https://bms.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: bmscn-prod
- Web application deployments: apache, runtime
- RDS instance name: bms-linmara-db
- OSS bucket: bucket-bmslinmara-67d0aebe39f2-prod

Testing stage

https://bms-uat.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: bmscn-test
- Web application deployments: apache, runtime
- RDS instance name: bms-uat-db-encrypted
- OSS bucket: bucket-bmslinmara-67d0aebe39f2-test

Javascript Comboloader

https://js.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: js-cn-prod
- Web application deployments: apache, runtime

Static assets

https://cdn.linmara.com

Order Management CN

Production stage

https://om.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: ordermanagement-prod
- Web application deployments: apache, runtime
- RDS instance name: om-linmara-db
- OSS bucket: bucket-om-8c2cd00c0f0f-prod

Testing stage

https://om-uat.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: ordermanagement-prod
- Web application deployments: apache, runtime
- RDS instance name: om-uat-db
- OSS bucket: bucket-om-8c2cd00c0f0f-test

Posweb online concessions

Production stage

https://pos-co.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: posweblitecnco-prod
- Web application deployments: apache, runtime
- RDS instance name: pos-co-db
- OSS bucket: bucket-posco-7412411ea274-prod

Testing stage

https://pos-co-uat.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: posweblitecnco-test
- Web application deployments: apache, runtime
- RDS instance name: pos-co-uat-db
- OSS bucket: bucket-posco-7412411ea274-test

Posweb online

Production stage

https://pos.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: poswebonlinecn-prod
- Web application deployments: apache, runtime
- RDS instance name: pos-db
- OSS bucket: bucket-pos-5df4058119f7-prod

Testing stage

https://pos-uat.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: poswebonlinecn-test
- Web application deployments: apache, runtime
- RDS instance name: pos-uat-db
- OSS bucket: bucket-pos-5df4058119f7-test

Reshuffling CN

Production stage

https://reshuffling.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- SLB (type NLB) named haproxy-nlb-2 in region cn-shanghai
- Reverse proxy
 - ECS instance name: haproxy-cn-shanghai-f, haproxy-cn-shanghai-g in region cn-shanghai
- Application server
 - ECS instance name: reshufflingcn-01 in region cn-shanghai
- RDS instance name: reshuffling-db

Testing stage

https://reshuffling-dev.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- SLB (type NLB) named haproxy-nlb-2 in region cn-shanghai
- Reverse proxy
 - ECS instance name: haproxy-cn-shanghai-f, haproxy-cn-shanghai-g in region cn-shanghai
- Application server
 - o ECS instance name: reshufflingcn-t01 in region cn-shanghai
- RDS instance name: reshuffling-t-db

Portal CN

Production stage

https://secure-ws.linmara.com

https://secure.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- SLB (type NLB) named haproxy-nlb-2 in region cn-shanghai
- Reverse proxy
 - ECS instance name: haproxy-cn-shanghai-f, haproxy-cn-shanghai-g in region cn-shanghai
- Application server
 - o ECS instance name: author-01, author-02 in region on-shanghai
- RDS instance name: secure-db

Testing stage

https://secure-t.linmara.com

https://secure-ws-t.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- SLB (type NLB) named haproxy-nlb-2 in region cn-shanghai
- Reverse proxy
 - ECS instance name: haproxy-cn-shanghai-f, haproxy-cn-shanghai-g in region cn-shanghai
- Application server

- o ECS instance name: authon-t01 in region on-shanghai
- RDS instance name: secure-t-db

Promoengine CN

Production stage

https://promo.linmara.com https://promo-admin.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: promoengine-prod
- Web application Knative Services: rulengine, backoffice
- RDS instance name: promoengine-prod-db
- OSS bucket: promoengine-prod-config-026b6ca47f60, promoengine-prod-logs-026b6ca47f60

Testing stage

https://promo-test.linmara.com https://promo-test-admin.linmara.com

Resources:

- Alibaba Cloud Account 5499558853932164
- Container service for Kubernetes cluster: shared-k8s-bms-ack
- Kubernetes namespace: promoengine-test
- Web application Knative Services: rulengine, backoffice
- RDS instance name: promoengine-test-db
- OSS bucket: promoengine-test-config-026b6ca47f60, promoengine-test-logs-026b6ca47f60