

AZ-700

Module 08

Design and Implement Network Monitoring



AZ-700 Agenda

Module 01: Introduction to Azure Virtual Networks

Module 02: Designing and Implementing Hybrid Networking

Module 03: Designing and Implementing Azure ExpressRoute

Module 04: Load balance non-HTTP(S) traffic in Azure

Module 05: Load balance HTTP(S) traffic in Azure


Module 06: Design and Implement Network Security

Module 07: Design and Implement private access to Azure Services

Module 08: Design and Implement Network Monitoring

Module Overview

- Monitor your networks using Azure Monitor
- Use Azure Network Watcher to troubleshoot and analyze your network
- Exercise Monitor a load balancer resource using Azure Monitor





Azure Monitor


Monitoring data types: Metrics & Logs

Metrics are numerical values that describe some aspect of a system at a point in time


They are lightweight and capable of supporting near real-time scenarios

Logs contain different kinds of data organized into records with different sets of properties for each type

Telemetry (events, traces) and performance data can be combined for analysis



Metrics explorer



[©] Copyright Microsoft Corporation. All rights reserved.

Azure Monitor Network Insights


Network health and metrics

Connectivity

Traffic

Diagnostic Toolkit

© Copyright Microsoft Corporation. All rights reserved.



Monitor your networks using Azure Network Watcher



Network Watcher

A **regional service** that provides various network diagnostic and monitoring tools

IP Flow Verify diagnoses connectivity issues


Next Hop determines if traffic is being correctly routed

VPN Diagnostics troubleshoots gateways and connections

NSG Flow Logs maps IP traffic through a network security group


Connection troubleshoot shows connectivity between source VM and destination

Topology generates a visual diagram of resources



[©] Copyright Microsoft Corporation. All rights reserved.

Topology



Provides a visual representation of your networking elements

View all the resources in a virtual network, resource to resource associations, and relationships between the resources

The Network Watcher instance is in the same region as the virtual network

[©] Copyright Microsoft Corporation. All rights reserved.


Connection Monitor

Check network connectivity between the two VMs

Compare cross-region network latencies.


Compare the latencies of the onpremises site to the latencies of the Azure application.

Check the connectivity between your on-premises setups and the Azure VMs that host your cloud application



IP Flow Verify

Checks if a packet is allowed or denied to or from a virtual machine




NSG Diagnostics

Used to understand which traffic flows will be allowed or denied in your Azure Virtual Network

Tool outputs whether traffic was allowed or denied


Outputs the NSG rules that were evaluated for the specified flow

Detailed information for debugging.



Next Hop

Helps with determining whether traffic is being directed to the intended destination by showing the next hop




Effective Security Rules

Inbound rules										
Name	\uparrow_{\downarrow}	Priority	\uparrow_{\downarrow}	Source	Source Ports	\uparrow_{\downarrow}	Destination	Destination Ports \uparrow_{\downarrow}	Protocol ↑↓	Access 1
RDP_Inbound		100		13.23.34.45/32	0-65535		0.0.0.0/0	3389-3389	TCP	Allow
AllowVnetInBound		65000		Virtual network (1 prefixes)	0-65535		Virtual network (1 prefixes)	0-65535	All	Allow
AllowAzureLoadBalancerIn	Bound	65001		Azure load balancer (2 prefixes)	0-65535		0.0.0.0/0,0.0.0.0/0	0-65535	All	Allow
DenyAllInBound		65500		0.0.0.0/0,0.0.0.0/0	0-65535		0.0.0.0/0,0.0.0.0/0	0-65535	All	Deny
Outbound rules										
Name	\uparrow_{\downarrow}	Priority	\uparrow_{\downarrow}	Source	Source Ports	\uparrow_{\downarrow}	Destination	Destination Ports ↑↓	Protocol ↑↓	Access 1
AllowVnetOutBound		65000		Virtual network (1 prefixes)	0-65535		Virtual network (1 prefixes)	0-65535	All	Allow
AllowInternetOutBound		65001		0.0.0.0/0,0.0.0.0/0	0-65535		Internet (216 prefixes)	0-65535	All	Allow

Details the Effective Security Rules (inbound and outbound) of the Network Interface card of a Virtual Machine

[©] Copyright Microsoft Corporation. All rights reserved.

VPN Troubleshoot



Helps you troubleshoot gateways and connections

Provides summary information and detailed information


Can troubleshoot multiple gateways or connections simultaneously

[©] Copyright Microsoft Corporation. All rights reserved.

Packet Capture

Captures inbound and outbound traffic from a Virtual Machine

Saves data to a storage account, a local file, or both



Connection Troubleshoot


Check connectivity between source VM and destination

Identify configuration issues that are impacting reachability


Provide all possible hop by hop paths from the source to destination

Review hop by hop latency – min, max, and average between source and destination

View a graphical topology from your source to destination



NSG Flow Logs



View information about ingress and egress IP traffic through an NSG

Flow logs are written in JSON format and show outbound and inbound flows on a per rule basis

The JSON format can be visually displayed in Power BI or third-party tools like Kibana

[©] Copyright Microsoft Corporation. All rights reserved.

Traffic Analytics


Network security group (NSG)

Network security group (NSG) flow logs

Log Analytics

Log Analytics workspace

Network Watcher



© Copyright Microsoft Corporation. All rights reserved.


Exercise – Monitor a load balancer resource using Azure Monitor



Exercise: Monitor a load balancer resource using Azure Monitor



- Create an internal load balancer
- Create a Log Analytics workspace
- Use Azure Monitor Insights
- Configure the load balancer's diagnostic settings



End of presentation

