



A1-900 ✗
A1-103

SC-900



SC-300 → SC-200 → SC-100




SC-401


Microsoft Identity and
Access Administrator



1. A Authentication
2. A Authorization




- LP 1 Implement an Identity Management Solution
- LP 2 Implement an Authentication and Access Management Solution
- LP 3 Implement Access Management for Apps
- LP 4 Plan and Implement an Identity Governance Strategy



~~Azure Blueprint~~ → Deployment Stack

LP 3

Implement access
management for apps



Outline



- What is an app?
- Plan and design the integration of enterprise apps for single sign-on (SSO)
- Implement, and monitor the integration of enterprise apps
- Implement app registrations



Explore a cloud app

C#
Q#
Fortran



Benefits of registering an app



Restrict which users and how they log into an application.



Configure the scope permissions and API permissions available to the app.




Configure and store secrets within the Microsoft identity platform.




Enable custom branding of the application login.


What is an app?



What if an app needs access to Azure resources?




What if people from other tenants need access to your app?



- Service principals are used:
 - Each tenant registers the app (creates a service principal)
 - Requires a key or certificate for authentication

Register an App in Microsoft Entra ID



Global

- Unique application ID
- Redirect URI
- Branding
- API permissions
- Role definitions

Tenant-specific service principal

- Reference to application
 - + unique object ID
- User / group assignments
- Role assignments
- Visibility in portals

Single tenant versus multitenant apps

Audience	Single or Multi-tenant	Who can sign in
Accounts in this directory only	Single tenant	All user and guest accounts in your directory.
Accounts in any Microsoft Entra directory	Multi-tenant	All users and guests with a work or school account from Microsoft can use your application or API.
Accounts in any Microsoft Entra directory and personal Microsoft accounts (such as Skype, Xbox, Outlook.com)	Multitenant and Microsoft Accounts	All users with a work or school, or personal Microsoft account can use your application or API. Includes schools, businesses using Microsoft 365, and services like Xbox and Skype.

Create an app registration

Values needed for app registration

- App name
 - What the user sees
- Account types that can log into the app
 - Single or multitenant
- URI
 - Where application is running after authentication

The screenshot shows the 'Microsoft Entra admin center' interface. The left sidebar contains a navigation menu with 'App registrations' highlighted. The main content area is titled 'Register an application'. It includes the following sections:

- Name:** A text input field with the label '* Name' and a description: 'The user-facing display name for this application (this can be changed later).' A red box highlights this field.
- Supported account types:** A section titled 'Supported account types' with the question 'Who can use this application or access this API?'. It contains four radio button options:
 - ☒ Accounts in this organizational directory only (qg14 only - Single tenant)
 - ☐ Accounts in any organizational directory (Any Azure AD directory - Multitenant)
 - ☐ Accounts in any organizational directory (Any Azure AD directory - Multitenant) and personal Microsoft accounts (e.g. Skype, Xbox)
 - ☐ Personal Microsoft accounts onlyA red box highlights this entire section.
- Redirect URI (optional):** A section titled 'Redirect URI (optional)' with a description: 'We'll return the authentication response to this URI after successfully authenticating the user. Providing this now is optional and it can be changed later, but a value is required for most authentication scenarios.' It contains a 'Select a platform' dropdown and a text input field with the example 'e.g. https://example.com/auth'. A red box highlights this section.
- Register button:** A blue button labeled 'Register' at the bottom right, highlighted with a red box.

At the bottom of the page, there is a link to 'Enterprise applications' and a footer note: 'By proceeding, you agree to the Microsoft Platform Policies'.

Application object versus service Principal

Application Object

- How the service can issue tokens to access the application
- The resources that the application might need to access
- The actions that the application can take
- Contains the application ID

Service Principal

- A reference back to an application object through the application ID property
- Records of local user and group application role assignments
- Records of local user and admin permissions granted to the application
- Records of local policies including Conditional Access policy
- Records of alternate local settings for an application

Plan and design the integration of enterprise apps for SSO



Objectives

- 1 Discover apps by using MDCA or ADFS app report
- 2 Configure app connectors in MDCA
- 3 Design and implement access management for apps
- 4 Design and implement app management roles
- 5 Configure preintegrated (gallery) SaaS apps
- 6 Implement and manage policies for OAuth apps (in MDCA)

Discover apps by using MDCA or ADFS app report




What is CASB and Microsoft Defender for Cloud Apps (MDCA)?

CASB—Cloud Access Security Broker

A security tool placed between a cloud service (like an app) and the user to interject enterprise security policies before the cloud-based resource is accessed.

MDCA—Microsoft Defender for Cloud Apps (formerly Cloud App Security)

Microsoft implementation of a CASB service to protect data, services, and applications with enterprise policies. It provides supplemental reporting and analytics services.



Microsoft Defender for Cloud Apps capabilities

- Shadow IT discovery—find and manage cloud apps
- Information protection—protect information as it travels
- Threat protection—look for unusual behavior
- Compliance assessment—assess against regulatory requirements

Microsoft Defender for Cloud Apps

Cloud Access Security Broker (CASB)


Several different deployment modes:

- Log collection
- API connectors
- Reverse proxy

Providing admins with:


- Rich visibility
- Data control
- Sophisticated analytics
- Identification of cyberthreats

Microsoft Defender for Cloud Apps—process flow



Microsoft Defender for Cloud Apps architecture

- **Cloud Discovery**
Find apps
- **Sanctioning** ←
Allow/deny apps
- **Connectors** (circled in red)
Extend protection into the app with APIs
- **Conditional Access** –
Set access requirements
- **Policy control** – Define user behavior with apps



© Copyright Microsoft Corporation. All rights reserved.

- ☰
- 📌 Campaigns
- 📊 Threat tracker
- ✉️ Exchange message trace
- 🎮 Attack simulation training
- ⚙️ Policies & rules
- ☁️ Cloud apps
- 🔍 Cloud discovery
- 📁 Cloud app catalog
- 🔗 OAuth apps
- 📅 Activity log
- 📋 Governance log
- ⚙️ Policies
- 📈 Reports

Cloud Discovery




Cloud Discovery enables you to:

- Gain continuous visibility over Shadow IT
- Analyze cloud app usage
- Dive into a specific app, user or IP address
- Get notifications about new discovered apps

Create a new report

[Configure automatic upload](#)

[View sample report](#)



Cloud App Security Discovery Dashboard Summary:

Category	Count
Apps	128
Users	5875
IPs	3861
Traffic	9.5TB


App Categories and Risk Levels:

App Category	Sanctioned	Unsanctioned	Other	Total Size
Collaboration	81 GB	2 GB	37 GB	120 GB
Cloud storage	-	-	-	114 GB
Webmail	-	-	-	91 GB
Social network	-	-	-	68 GB
Online meeting	-	-	-	60 GB


Risk Levels:

- 890 Users | High risk
- Users using high-risk apps
- Users using medium-risk apps
- Users using low-risk apps


MDCA—discovering apps with Cloud Discovery



Active Directory Federation Services



AD FS extends single sign-on (SSO) functionality between trusted business partners without requiring users to sign in separately to each application.




To increase application security, your goal is to have a single set of access controls and policies across your on-premises and cloud environments.

Discover apps that can be migrated

There are two types of applications to migrate

- SaaS applications—procured by the organization
- Line-of-business **LOB** applications—developed by the organization



Usage & insights | AD FS application migration

Usage & insights

- Microsoft Entra application activity (Preview)
- AD FS application migration**
- Service principal sign-in activity (Preview)
- Application credential activity (Preview)

Date range: 30 days

Application Identifier	Unique User Count
CL clearforce_sp_ms	17
CV cvent	6
FI financialknowledge.net	26
GE getabstract	79
OA http://identity.office.net	31
AR http://mssource.sourcing.ariba.com	32
WS http://nebulaservices/tenantsite	31
EB http://shibboleth.ebscohost.com	1

Configure connectors to apps in MDCA



What is an app connector in Defender for Cloud Apps?

Capability	Apps with MDCA connectors
Connect to API provided by the app creator	Connectors: • Atlassian • Azure • AWS • Box • DocuSign • Dropbox • GitHub • Google Workspace • Many others
Enables greater visibility into the apps	
All communication over secure HTTPS	
Common connector API limitations: • Throttling • API limits • Dynamic time-shifting • API windows	
Services vary by app	

How app connectors work in MDCA

Defender for Cloud Apps is deployed with system admin privileges to allow full access to all objects in your environment.

The app connector flow is as follows:

- Defender for Cloud Apps scans and saves authentication permissions.
- Defender for Cloud Apps requests the user list. The first time the request is done, it may take some time until the scan completes. After the user scan is over, Defender for Cloud Apps moves on to activities and files. As soon as the scan starts, some activities will be available in Defender for Cloud Apps.
- After completion of the user request, Defender for Cloud Apps periodically scans users, groups, activities, and files. All activities will be available after the first full scan.

Common services offered by app connector

Connections may take some time depending on the size of the tenant, the number of users, and the size and number of files that need to be scanned. Depending on the app to which you're connecting, API connection enables the following items:

- Account information—visibility into users, accounts, profile information, status (suspended, active, disabled) groups, and privileges.
- Audit trail—visibility into user activities, admin activities, sign-in activities.
- Account governance—ability to suspend users, revoke passwords, and so on.
- App permissions—visibility into issued tokens and their permissions.
- App permission governance—ability to remove tokens.
- Data scan—scanning of unstructured data using two processes—periodically (every 12 hours) and in real-time scan (triggered each time a change is detected).
- Data governance—ability to quarantine files, including files in trash, and overwrite files.

Design and implement access management for apps



Microsoft Entra ID—enterprise applications

Microsoft Entra ID → enterprise applications

Gallery of thousands of preintegrated applications

- Many of the applications your organization uses are already in the gallery
- Add your own business apps

After an application is added to your Microsoft Entra tenant, you can:

- Configure properties for the app
- Manage user access to the app with a Conditional Access policy
- Configure single sign-on

Exercise: Implement access management for apps



Add an app to your Microsoft Entra tenant:

Add an Enterprise app and assign your administrator account

[Launch this Exercise in GitHub](#)



Enterprise applications | All applications

Microsoft Entra ID for workforce

+

New application

 Refresh

 Download (Export)

 Preview info

 Search by application name or object ID

Application type == **Enterprise**

12 applications found

Name	↑↓	Object ID	Application ID
AA AADClaimsXRay			

Design and implement app management roles



Delegate application register and management



By restricting who can register applications and manage them



By assigning one or more owners to an application



By assigning a built-in administrative role that grants access to manage configuration in Microsoft Entra ID for all applications



By creating a custom role defining specific permissions, and assigning it

Built in admin application roles

Application administrator

Includes the ability to manage all aspects of enterprise applications; including registrations and application proxy settings.

Cloud application administrator

Includes the ability to manage most aspects of enterprise applications, but **excludes the ability to manage application proxy settings.**

Exercise: Create a new custom role to grant access to manage app registrations



A custom role can be assigned at organization-wide scope or at the scope of a single Microsoft Entra ID object.

Create a new custom role that can be used to grant access to manage app registrations.

[Launch this Exercise in GitHub](#)

 **Roles and administrators | All roles**
Microsoft Entra ID for workforce

[+ New custom role](#) [Delete custom role](#) [Download assignments](#) [Refresh](#)

 Get just-in-time access to a role when you need it using PIM. [Learn more about PIM](#)

 **Your Role:** Global Administrator and 2 other roles

Administrative roles

Administrative roles are used for granting access for privileged actions in Microsoft En granting access to manage other parts of Microsoft Entra ID not related to application

[Learn more about Microsoft Entra ID role-based access control](#)

[+ Add filters](#)


Role	↑↓	Description
☐ Application Administrator		Can create and
☐ Application Developer		Can create app

Configure preintegrated (gallery) SaaS apps



Enterprise application properties




- Give the application a name
- Pick the URL that opens for users
- Name/Homepage URL
- ApplicationID/ObjectID
- Terms of Service/Privacy Statement



<https://myapps.microsoft.com>

Configure app properties

~~App Registration~~



Enabled for users
to sign in?

User assignment required?

Visible to users?

Enabled for users to sign in?	User assignment required?	Visible to users?	Behavior for users who have either been assigned to the app or not.
Yes	Yes	Yes	- Assigned users can see the app and sign in. - Unassigned users cannot see the app and cannot sign in.
Yes	Yes	No	- Assigned users cannot see the app but they can sign in. - Unassigned users cannot see the app and cannot sign in.
Yes	No	Yes	- Assigned users can see the app and sign in. - Unassigned users cannot see the app but can sign in.

Custom logo

Home > GitHub-test.com - Properties

GitHub-test.com - Properties

Enterprise Application

Save Discard Delete

Enabled for users to sign-in? ☒ Yes ☐ No

Name

Homepage URL

Logo 
 

User access URL 

Application ID 

Object ID 

Terms of Service URL 

Privacy Statement URL 

Reply URL 

User assignment required? ☒ Yes ☐ No


Visible to users? ☒ Yes ☐ No

Properties

- Overview
- Deployment Plan
- Diagnose and solve problems
- Manage
 - Properties**
 - Owners
 - Users and groups
 - Single sign-on
 - Provisioning
 - Self-service
- Security
 - Conditional Access
 - Permissions
 - Token encryption (Preview)
- Activity
 - Sign-ins
 - Usage & insights (Preview)
 - Audit logs
 - Provisioning logs (Preview)
 - Access reviews
- Troubleshooting + Support

Add notes

Add any information that is relevant for the management of the application



GitHub.com | Properties
Enterprise Application

Save Discard Delete Got feedback?

Overview
Deployment Plan
Diagnose and solve problems

Manage
Properties
Owners
Roles and administrators (Prev...
Users and groups
Single sign-on
Provisioning
Self-service

Security
Conditional Access
Permissions
Token encryption

Name ⓘ GitHub Enterprise Cloud - Organization

Homepage URL ⓘ <https://github.com/business>

Logo ⓘ 

Privacy Statement Url ⓘ Publisher did not provide this information

Reply URL ⓘ Publisher did not provide this information

User assignment required? ⓘ ☒ Yes ☐ No

Visible to users? ⓘ ☒ Yes ☐ No

Notes ⓘ ✓

Implement and monitor the integration of enterprise apps for SSO



Implement token customizations



Token configuration – claims – SAML-based SSO

The screenshot displays the Azure Portal interface for configuring token claims for an application named 'GitHub.com'. The left-hand navigation pane includes sections for 'Overview', 'Quickstart', 'Manage' (with links to Branding, Authentication, Certificates & secrets, Token configuration, API permissions, Expose an API, Owners, Roles and administrators, and Manifest), and 'Support + Troubleshooting' (with a link to Troubleshooting). The 'Token configuration' section is currently selected.

The main content area is titled 'Optional claims' and contains a search bar and a list of claims. Below the search bar, there is a button to '+ Add optional claim'. The list of claims is currently empty, showing 'No results.'

An 'Add optional claim' dialog box is open on the right side of the screen. It features a 'Token type' section with three radio buttons: 'ID' (selected), 'Access', and 'SAML'. Below this, there is a table of available claims with checkboxes for each.

Claim	Description
☐ acct	User's account status in tenant
☐ auth_time	Time when the user last authenticated; See OpenID Con...
☐ ctry	User's country
☐ email	The addressable email for this user, if the user has one
☐ enfpolicyids	Enforced policy IDs; a list of the policy IDs that were eva...
☐ family_name	Provides the last name, surname, or family name of the ...
☐ fwd	IP address
☐ given_name	Provides the first or "given" name of the user, as set on ...
☐ home_oid	For guest users, the object ID of the user in the user's h...

At the bottom of the dialog, there are 'Add' and 'Cancel' buttons.

Implement and configure consent settings




Why is consent important?

A user or admin must grant permissions to an app before it can access company data.

Users can allow apps access to specific information, like a mailbox, but not access to organization servers.

Users may not think through ramifications of granting access; they just want to use an app to do a task



What are Consent Settings?

Consent and permissions | User consent settings ...

Manage

 User consent settings

 Admin consent settings

 Permission classifications



Save



Discard



Got feedback?

Control when end users and group owners are allowed to grant consent to applications, and when they will be required to request administrator review and approval. Allowing users to grant apps access to data helps them acquire useful applications and be productive, but can represent a risk in some situations if it's not monitored and controlled carefully.

User consent for applications

Configure whether users are allowed to consent for applications to access your organization's data. [Learn more](#)



Do not allow user consent

An administrator will be required for all apps.



Allow user consent for apps from verified publishers, for selected permissions

All users can consent for permissions classified as "low impact", for apps from verified publishers or apps registered in this organization.



Let Microsoft manage your consent settings (Recommended)


Automatically update your organization to Microsoft's current user consent guidelines. [Learn more](#)



Enable user consent for popular Mail clients

Users can consent to popular applications for specific Mail permissions. List of applications and permissions allowed for user consent are located [here](#).

User consent settings




Disable user consent

Users cannot grant permissions to applications. Requires an admin to grant.




Users can consent to apps from verified publishers

Users can only consent to apps that were published by a verified publisher.



Users can consent to all apps

Users can consent to any permission.



Custom app consent policy

Users can consent to custom app consent policies.

Integrate on-premises apps by using Microsoft Entra application proxy



What is Application Proxy?

A feature to allow users to access on-premises application.

Proxy service runs in the cloud and has an App Proxy connector running on-premises.

Securely passes sign-on tokens from Microsoft Entra ID to the application.



Value of Application Proxy

Protocol translation to/from modern authentication


Example: Convert Kerberos token to a modern auth token

Use seamless single sign-on to remove user action to log in multiple times

Allows apps to stay on-premises (for whatever reason), but still be securely available to the user



Application Proxy



Application Proxy is a feature of Microsoft Entra ID that enables users to access on-premises web applications from a remote client.


Exercise: Add an on-premises application for remote access through Application Proxy in Microsoft Entra ID



Interactive guide

Enable integrated windows authentication to on-premises applications with Microsoft Entra application proxy.

[Visit this interactive guide in Microsoft Learn](#)




Integrate custom SaaS apps for SSO



SSO for SaaS apps

- You can use Microsoft Entra ID as your identity system for just about any app. Many apps are already preconfigured and can be set up with minimal effort. These pre-configured apps are published in the Microsoft Entra App Gallery.
- You can manually configure most apps for single sign-on if they aren't already in the gallery. Microsoft Entra ID provides several SSO options: SAML-based SSO and OIDC-based SSO.



SaaS App Integration Tutorials

<https://learn.microsoft.com/en-us/azure/active-directory/saas-apps/tutorial-list>

Exercise: Troubleshoot SAML single sign-on for custom SaaS apps



Interactive guide

Integrate an application in Microsoft Entra ID providing the single sign-on experience

[Visit this interactive guide](#)

Dashboard > Enterprise applications | All applications >

ClaimsXRay | Overview

Enterprise Application

Overview

Deployment Plan

Diagnose and solve problems

Manage

- Properties
- Owners
- Users and groups
- Single sign-on**

Properties

Name ⓘ

ClaimsXRay

Application ID ⓘ

69a1e7ec-... ..

Object ID ⓘ


ff9803a4-... ..

Getting Started


Implement application user provisioning



Application user provisioning



Manual vs. automatic provisioning



Manual provisioning


As yet, there is no automatic Microsoft Entra provisioning connector for the app yet. User accounts must be created manually.

Automatic provisioning

A Microsoft Entra provisioning connector has been developed for this application.

System Crossdomain ID Mgmt.

SCIM provisioning overview




Monitor and audit access/sign-on to Microsoft Entra integrated enterprise applications



Usage and insight reports


- What are the most used applications in the organization?
- What applications have the most failed sign-ins?
- What are the top sign-in errors for each application?



Audit Logs (in Microsoft Entra ID)

Record of system activities for compliance

- The date and time of the occurrence
- The service that logged the occurrence
- The category and name of the activity (what)
- The status of the activity (success or failure)
- The initiator/actor (who) of an activity



Download Export Data Settings Refresh Columns Got feedback?


Date : Last 24 hours Show dates as : Local Service : All Category : All Activity : All Add filters

Date	Service	Category	Activity	Status	Status reason	Target(s)	Initiated by (actor)
7/9/2021, 9:38:48 AM	Core Directory	ApplicationManagement	Update service principal	Success		Zoom	
7/9/2021, 9:38:48 AM	Core Directory	ApplicationManagement	Update service principal	Failure	Microsoft.Online.Directory...	Zoom	AAD App Management
7/9/2021, 9:38:48 AM	Core Directory	ApplicationManagement	Update service principal	Success		Zoom	AAD App Management
7/9/2021, 9:36:10 AM	Core Directory	ApplicationManagement	Update application	Success		Zoom	AAD App Management
7/9/2021, 9:36:10 AM	Core Directory	ApplicationManagement	Update service principal	Success		Zoom	AAD App Management
7/9/2021, 9:36:09 AM	Core Directory	ApplicationManagement	Add service principal	Success		Zoom	AAD App Management
7/9/2021, 9:36:09 AM	Core Directory	ApplicationManagement	Add application	Success		Zoom	AAD App Management
7/9/2021, 9:28:02 AM	Core Directory	ApplicationManagement	Add service principal	Success		AAD App Management	

Enterprise applications audit logs

Application-based audit reports

- What applications have been added or updated?
- What applications have been removed?
- Has a service principal for an application changed?
- Have the names of applications been changed?
- Who gave consent to an application?



Create app collections

Create an admin application collection

1. Go to Microsoft Entra ID then select Enterprise Applications.
2. Under Manage, select App Launchers.
3. Select New collection.
4. In the New collection page, enter a Name and Description.
5. Select the Applications tab. Select + Add application to open the Add applications page.
6. Select all the applications you want to add.
7. When you're finished adding applications, select Add.
8. Select the Owners tab. Select + Add users and groups.
9. Select Review + Create. The properties for the new collection appear.

Create a collection using the My Apps portal

1. Open the My Apps portal.
2. Select the ellipsis (...) on the apps screen.
3. Choose Manage collections.
4. Select Create collection.
5. Select the + Add apps option to add all the apps you want in the collection.
6. After picking your apps, select the Add selected apps button.
7. Give the collection a name and choose Create collection.

Implement app registrations



Learning objectives

- 1** Plan your line-of-business application registration strategy
- 2** Implement application registrations
- 3** Configure application permissions
- 4** Implement application authorization
- 5** Manage and monitor applications with app governance

Plan your line-of-business application registration strategy



Why do applications integrate with Microsoft Entra ID?

Add applications to Microsoft Entra ID to leverage one or more of the services it provides, including:

- Application authentication and authorization
- User authentication and authorization
- Single sign-on (SSO) using federation or password
- User provisioning and synchronization
- OAuth authorization services
- Application publishing and proxy
- Directory schema extension attributes
- Role-based access control

Application objects and service principals


Application objects:

- Define and describe the application to Microsoft Entra ID, enabling it to know how to issue tokens based on its settings
- Will only exist in their tenant

Service principals

- Govern an application connecting to Microsoft Entra ID
- Can be considered the instance of the application in your tenant

New app registration



Who has permission to add applications to my Microsoft Entra instance?

- By default, all users in your directory have rights to register application objects they are developing, and they have discretion over which applications they share or give access to their organizational data through consent.
- When the first user in your directory signs into an application and grants consent, that will create a service principal in your tenant; otherwise, the consent grant information will be stored on the existing service principal.

Implement application registrations



Demo: Register and application


App registrations ...

 New registration  Endpoints  Troubleshooting

After your app is registered:

- 1 Add a redirect URI
- 2 Configure platform settings
- 3 Add credentials
- 4 Add a certificate and a client secret
- 5 Register the web API
- 6 Add a scope

OAuth 2.0



Configure application permissions

Emails.Read
Emails.ReadWrite
Users.Read.All

Scope = Permission

Consent



User
Consent

Admin
Consent

Application permissions

Applications that integrate with Microsoft identity platform follow an authorization model that gives users and administrators control over how data can be accessed. Permissions for tasks like these can be controlled:

- Read a user's calendar
- Write to a user's calendar
- Send mail as a user




Permissions and consent: permission types

Delegated permissions

= Scope

- Used by apps that have a signed-in user present
- Either the user or an administrator consents to the permissions that the app requests



Application permissions

= Scope

- Used by apps that run without a signed-in user present
- Only an administrator can consent to application permissions

///
eff. Permissions



OpenID connect scopes




OpenID

By using this permission, an app can receive a unique identifier for the user in the form of the sub claim.




Email

The email claim is included in a token only if an email address is associated with the user account



Profile

It gives the app access to a large amount of information about the user.



Offline access

The app can receive refresh tokens from the Microsoft identity platform token endpoint.


Exercise: Grant tenant-wide admin consent to an application



Grant admin consent in app registrations

For applications your organization has developed, or for those that are registered directly in your Microsoft Entra tenant, you can grant tenant-wide admin consent from app registrations in the Microsoft Entra admin center.

[Launch this Exercise in GitHub](#)



Implement application authorization




Application roles

Application roles are used to assign permissions to users. You define app roles by using the Microsoft Entra admin center. When a user signs into the application, Microsoft Entra ID emits a roles claim for each role that the user has been granted individually and from their group membership.


There are two ways to declare app roles by using the Microsoft Entra admin center:

- App roles UI
 - Found on the App Registration/App roles
- App manifest editor

Demo: Add app roles to an application



Summary



Plan and design single sign-on for apps

- MDCA and ADFS application location
- App discover
- App management roles
- Add on-premises app management

Implement app registration

- Design and app registration strategy
- Register your applications
- Configure app permissions
- Assign app authorization

Implement and monitor enterprise apps

- Consent settings
- Monitor enterprise applications
- Application collections
- Add on-premises app management

Learning path recap

In this learning path, you learned how to:

Configure and implement identity solutions for applications in Azure.

Compare and contrast managed identities and service principals.

Register and manage both apps and enterprise apps.

Labs



Lab	Brief description	Length
17. App discovery	Use Defender for Cloud Apps application discovery and enforce a restriction.	15 minutes
18. App access policies	Configure app access policies in Defender for Cloud Apps.	10 minutes
19. Register an application	Registering your application establishes a trust relationship between your app and the Microsoft identity platform.	10 minutes
20. Implement access management for apps.	Add an enterprise app and assign your administrator account.	5 minutes
21. Grant tenant wide access to an app	For applications registered directly in your Microsoft Entra tenant, grant tenant-wide admin consent from app registrations in the Microsoft Entra admin center.	10 minutes

End of presentation

