



03.07.2026

Tag 10

Von KI erstellt, von Menschen kontrolliert.

Guten Morgen!
8³⁰ – 10³⁰ Theoria
10³⁰ – 13⁰⁰ Ich bin weg
13⁰⁰ – 16³⁰ Ich bin in Mannheim

Pause		Portal	x
Azure for Student	UNet 1	PS	x
		CLI	✓
Mittagspause		Portal	x
	UNet 2	PS	x
		CLI	✓


Lab 06

GitHub Repo <https://github.com/www42/a5>

AZ-104

Learning Paths:

- Manage identities and governance in Azure
- Prerequisites for Azure administrators – CloudShell and templates
- Configure and manage virtual networks for Azure administrators
- Implement and manage storage in Azure
- Deploy and manage Azure compute resources
- Monitor and back up Azure resources



What happened yesterday









Entymologie ist sehr wichtig, finde ich. Nenne 5 Beispiele aus der IT, die griechischen Ursprungs sind. Namen, Begriffe, Protokolle. Z.B. Kerberos.

Recherchierte fünf IT-Begriffe mit griechischen Wurzeln

Gerne! Etymologie ist wirklich spannend, gerade in der IT gibt's viele griechische Wurzeln. Hier fünf Beispiele:

1. **Kerberos** - benannt nach dem dreiköpfigen Höllenhund (Κέρβερος) aus der griechischen Mythologie, der den Eingang zur Unterwelt bewacht. Passend fürs Authentifizierungsprotokoll, das drei Parteien (Client, Server, KDC) absichert.
2. **Hypertext / HTTP** - "hyper" von griechisch ὑπέρ (hypér) = "über, hinaus". Bezeichnet Text, der über die lineare Struktur hinausgeht, also verlinkt ist.
3. **Cryptography (Kryptographie)** - von κρυπτός (kryptós) = "verborgen" und γράφειν (gráphein) = "schreiben". Also wörtlich "verborgenes Schreiben".
4. **Daemon** - kommt von δαίμων (daímōn), ursprünglich ein neutraler Geist oder eine Zwischeninstanz zwischen Göttern und Menschen (nicht zwingend böse, wie später im Christentum umgedeutet). In Unix bezeichnet ein Daemon einen Hintergrundprozess, der quasi "im Hintergrund wirkt", ohne dass man ihn direkt sieht.
5. **Cybernetics / Cyberspace** - von κυβερνήτης (kybernētēs) = "Steuermann". Norbert Wiens "Kybernetik" (1948) leitete daraus den Begriff für Steuerungs- und Regelsysteme ab, und daraus entstand später "Cyberspace".

Als kleinen Bonus, falls es dich interessiert: **Ethernet** trägt "Ether" (αἰθήρ, aithér) im Namen - den "Äther", das antike Konzept eines Mediums, das den ganzen Raum durchdringt. Passend für ein Netzwerkprotokoll, das (theoretisch) alle Geräte im lokalen Netz "durchdringt".



Write a message...



Sonnet 5 Medium ▾



New

Fable 5 is back

Our newest model tackles your biggest challenges with fewer check-ins needed.

Until July 7, you can use up to 50% of your plan's weekly usage limit on Fable 5. If you hit your limit you can continue on Fable 5 with usage credits. Fable 5 draws down usage faster than Opus 4.8.

[Learn more](#)

Try Fable 5

Later

NOW SHOWING



AZ-104

➔ Configure and manage
virtual networks for Azure
administrators *LP 3/6*




Die public IP des Service wird in das private Subnet vom VNet geroutet.


What is a Service Endpoint?

Routing

- A direct connection from your virtual network to supported Azure services
- Restricts the flow of traffic and enables your Azure VMs to access the service directly from your private address space
- Traffic always stays on the Microsoft Azure backbone network




 ExpressRoute public peering or internet



Private Endpoint
= Network Interface (NIC)
IP NSG, Azure FW...

Consumer


What is an Azure Private Endpoint?



Private Endpoint mapped to just one instance



Other instances are not accessible



Uses a private IP address from your virtual network


Granular access to services

Eliminates the potential security risk of a public IP address

LBS = Load Balancer Standard

What is Azure Private Link?

- Build and allow private connections between resources
- To privately connect to a service, create a service endpoint
- To privately render a service, create a private link service or private resources
- All data travels on the Microsoft backend



Compare Service Endpoints and Private Endpoints



Feature	Service Endpoint	Private Endpoint
Use Case	Simple, cost-effective way to secure traffic to Azure services from within VNet	Maximum security, regulatory compliance, hybrid connectivity (on-prem to private IP).
Security	Secures traffic from VNet to service, but the service endpoint remains publicly accessible (can be firewall-restricted).	Highest security; traffic stays within VNet/Microsoft backbone, no public exposure; excellent for data exfiltration prevention.
On-premises access	No direct access (via public IP)	Yes (via VPN/ExpressRoute to private IP)
IP Address	Public IP of service (traffic uses private VNet IP to reach it)	Private IP from your VNet
DNS	No change needed (resolves to public IP)	Requires Private DNS Zone
Cost	Free (no added cost)	Cost for endpoint & data processed

VM Scale Set (vnss)



scale out

Back End (BE)

CPU > 90%

115
115
115

scale in
CPU < 10%

VM 1 2 3

Load Balancer (LB)

AZ-104

Request

Administer Network Traffic

Anfangs verteilung
→ Round Robin

Session
→ Session Persistence (sticky)

HTTP
TCP

Syn

Anfang

Syn Ack
Ack


Choose a Load Balancer Solution

Feature	Application Gateway	Front Door	Load Balancer	Traffic Manager
Usage	Optimize delivery from application server farms while increasing application security with web application firewall.	Scalable, security-enhanced delivery point for global, micro service-based web applications.	Balance inbound and outbound connections and requests to your applications or server endpoints.	Distribute traffic to services across global Azure regions, while providing high availability and responsiveness.
Protocols	HTTP, HTTPS, HTTP2	HTTP, HTTPS, HTTP2	TCP, UDP	Any
Private (regional)	Yes		Yes	
Global		Yes		Yes
Env	Azure, non-Azure cloud, on premises	Azure, non-Azure cloud, on premises	Azure	Azure, non-Azure cloud, on premises
Security	WAF	WAF, NSG	NSG	

Implement a Public Load Balancer

NAT

- Maps public IP addresses and port number of incoming traffic to the VM's private IP address and port number, and vice versa
- Apply load balancing rules to distribute traffic across VMs or services




No NAT

Implement an Internal Load Balancer

Directs traffic only to resources inside a virtual network or that use a VPN to access Azure infrastructure

Frontend IP addresses and virtual networks are never directly exposed to an internet endpoint

Enables load balancing within a virtual network, for cross-premises virtual networks, for multi-tier applications, and for line-of-business applications



Determine Load Balancer SKU

Home > Load balancing and content delivery | Load balancers >

Create load balancer ...

Basics Frontend IP configuration Backend pools

Instance details

Name *

Region *

SKU * ⓘ ☒ Standard (Distribute traffic to backend resources) ☐ Gateway (Direct traffic to network virtual appliances)

Type * ⓘ ☐ Public ☒ Internal


Tier * ☒ Regional ☐ Global

LBS



Feature	Standard Load Balancer
Scenario	High performance, ultra-low latency, and high resiliency
Type	Internal or public
Backend type	IP based or NIC based
Multiple frontends	Inbound and outbound
Health probes	TCP, HTTP, HTTPS
SLA	99.99%

Create load balancer rules



Maps a frontend IP and port combination to a set of backend pool and port combination

Rules can be combined with NAT rules

A NAT rule is explicitly attached to a VM (or network interface) to complete the path to the target

Configure Session Persistence (optional)


Session persistence ⓘ

None

None

Client IP

Client IP and protocol



Session persistence specifies how client traffic is handled

None (default) requests can be handled by any virtual machine

Client IP requests will be handled by the same virtual machine

Client IP and protocol specifies that successive requests from the same address and protocol will be handled by the same virtual machine

App Gw

FE

WAF

www

Tim Berners-Lee
CERN Room 404


App Service

BE
Pool

Introduction to Azure Application Gateway

WAF = Web App Firewall
OWASP

Implement Application Gateway




- Manages web app requests and routes traffic to a backend pool based on the URL

Azure virtual machines, Azure VM scale sets, Azure App Service, and even on-premises servers


Determine Application Gateway Routing

→ AZ-104
Lab 06
Heute Nachmittag

Path-based routing



Multiple-site routing




Load Balancer Layer 4 (TCP)

Introduction to Network Watcher



What is Network Watcher?




- Azure Network Watcher is a suite of tools
- Includes monitoring, network diagnostics, and traffic information
- Automatically enabled for every subscription.
- Can help repair the network health of IaaS products like VMs, VNets, application gateways, load balancers, etc.
- Network Watcher isn't designed or intended for PaaS monitoring or Web analytics.

Review Monitoring Tools

Topology provides a visual representation of your networking configuration



Connection Monitor provides end-to-end connection monitoring for Azure and hybrid endpoints



Review Traffic Tools

Flow Logs shows information on ingress and egress of IP traffic through a NSG or VNet

Create a flow log

Basics Analytics Tags Review + create

Project details

Subscription * Contoso Subscription

Flow log type * ☐ Network security group
☒ Virtual network


+ Select target resource

Flow Log Name	Resource	Resource Group	
myvm36-myresourcegroup-flowlog	myvm36	myresourcegroup	
mySubnet-myResourceGroup-flowlog	mySubnet	myResourceGroup	
myVNet-myresourcegroup-flowlog	myVNet	myresourcegroup	

Raw Logs

Traffic analytics provides visualizations of flow logs data

- Aggregate NSG and VNet flow log records
- Enhance the records with geography, security, and topology information
- Provide analytics – traffic hotspots, traffic distribution ...




Labs



Lab 06 – Implement Traffic Management




Lab 06 – Architecture Diagram (Load Balancer)



Next slide for an application gateway 

Lab 06 – Architecture Diagram (Application Gateway)



End of presentation



