

VSCode 다운로드

1. [다운로드](#) 링크에 접속합니다.
2. 우측 상단 Download 버튼을 눌러 OS에 맞는 Installer를 설치합니다.

Visual Studio Code

Features ▾ Docs ▾ Release Notes Blog Learn Events ⓘ Resources ▾

Download

Rewatch VS Code Live at MS Build 2026

The open source AI code editor

Your home for multi-agent development

 **Download for Windows**

[Web](#), [Insiders edition](#), or [other platforms](#)

By using VS Code, you agree to its [license](#) and [privacy statement](#).

MailList.tsx ×

```
1 import {
2   For,
3   Show,
4   createMemo,
```

REFACTOR MAILLIST COMPONENT

Extract each row in `MailList.tsx` into a standalone `MailListItem` component. Preserve selection


SESSIONS

New Session

☐ Refactor MailList component


VSCode 다운로드

1. 동의합니다를 클릭합니다.
2. 다음 버튼을 클릭합니다.




VSCode 다운로드

1. 바탕화면에 바로가기 만들기(Optional)
2. Code를 지원되는 파일 형식에 대한 편집기로 등록합니다.를 클릭합니다.
3. PATH에 추가를 클릭합니다.
4. 다음 버튼을 클릭합니다.



VSCode 다운로드


모든 과정이 완료되었다면 화면 하단 설치 버튼을 클릭합니다.



Python 다운로드

Python 3.12 버전을 기준으로 강의를 진행합니다.

1. [다운로드](#) 에 접속합니다.
2. Downloads 드롭다운을 열어 OS에 맞는 다운로드 화면으로 이동합니다.



The screenshot shows the Python.org homepage. The top navigation bar includes links for Python, PSF, Docs, PyPI, Jobs, and Community. The main header features the Python logo, a search bar, and a 'Donate' button. Below the header, a secondary navigation bar contains links for About, Downloads, Documentation, Community, Success Stories, News, and Events. The 'Downloads' link is highlighted with a red box. A dropdown menu is open under 'Downloads', listing options: All releases, Source code, Windows, macOS, Android, iOS, Other Platforms, License, and Alternative Implementations. The 'Windows' option is selected, leading to the 'Download for Windows' section. This section includes a 'Python install manager' button, a button for 'Python 3.14.6', and text indicating that Python can be used on many operating systems and environments. A link to 'View the full list of downloads' is also present. On the left side of the page, there is a 'Download Python' button and links for 'Linux/Unix, macOS' and 'Docker images'. At the bottom, there is a section for 'Active Python releases' and a link to the 'Python Developer's Guide'.

Python

PSF

Docs

PyPI

Jobs

Community

python™

Donate

Search

GO

Socialize

About

Downloads

Documentation

Community

Success Stories

News

Events

Download

Download Python

Or get the standalone installer

Looking for Python? Visit the Python website

Linux/Unix, macOS

Want to help test development versions? Visit the Python website

Docker images

All releases

Source code

Windows

macOS

Android

iOS

Other Platforms

License

Alternative Implementations

Download for Windows

Python install manager

Or get the standalone installer for Python 3.14.6

Not the OS you are looking for? Python can be used on many operating systems and environments.

View the full list of downloads.

Active Python releases


For more information visit the Python Developer's Guide.

Python release cycle

<https://www.python.org/downloads/windows/>

Python 다운로드

1. Ctrl + F 를 눌러 3.12.4를 검색합니다.
(Mac OS 기준 Command + f)
2. Installer를 클릭해 설치합니다.




The screenshot shows the Python website's download page. A search bar at the top right contains the text '3.12.4'. Below the search bar, there is a list of download links for Python 3.12.4 and 3.12.3. The links are organized into sections for each version. The first section is for Python 3.12.5 (Aug. 6, 2024), which includes a note that it cannot be used on Windows 7 or earlier. The second section is for Python 3.12.4 (June 6, 2024), which also includes a note that it cannot be used on Windows 7 or earlier. The third section is for Python 3.12.3 (April 9, 2024), which includes a note that it cannot be used on Windows 7 or earlier. The fourth section is for Python 3.13.0b1 (May 8, 2024). The fifth section is for Python 3.13.0a6 (April 9, 2024). The sixth section is for Python 3.13.0a5 (March 12, 2024). The download links are: Download Windows installer (64-bit), Download Windows installer (32-bit), Download Windows installer (ARM64), Download Windows embeddable package (64-bit), Download Windows embeddable package (32-bit), and Download Windows embeddable package (ARM64).

- Download [Windows embeddable package \(64-bit\)](#)
- Download [Windows embeddable package \(32-bit\)](#)
- Download [Windows embeddable package \(ARM64\)](#)
- [Python 3.12.5 - Aug. 6, 2024](#)
Note that Python 3.12.5 cannot be used on Windows 7 or earlier.
 - Download [Windows installer \(64-bit\)](#)
 - Download [Windows installer \(32-bit\)](#)
 - Download [Windows installer \(ARM64\)](#)
 - Download [Windows embeddable package \(64-bit\)](#)
 - Download [Windows embeddable package \(32-bit\)](#)
 - Download [Windows embeddable package \(ARM64\)](#)
- [Python 3.12.4 - June 6, 2024](#)
Note that Python 3.12.4 cannot be used on Windows 7 or earlier.
 - [Download Windows installer \(64-bit\)](#)
 - Download [Windows installer \(32-bit\)](#)
 - Download [Windows installer \(ARM64\)](#)
 - Download [Windows embeddable package \(64-bit\)](#)
 - Download [Windows embeddable package \(32-bit\)](#)
 - Download [Windows embeddable package \(ARM64\)](#)
- [Python 3.12.3 - April 9, 2024](#)
Note that Python 3.12.3 cannot be used on Windows 7 or earlier.
 - Download [Windows installer \(64-bit\)](#)
- [Python 3.13.0b1 - May 8, 2024](#)
 - Download [Windows installer \(64-bit\)](#)
 - Download [Windows installer \(32-bit\)](#)
 - Download [Windows installer \(ARM64\)](#)
 - Download [Windows embeddable package \(64-bit\)](#)
 - Download [Windows embeddable package \(32-bit\)](#)
 - Download [Windows embeddable package \(ARM64\)](#)
- [Python 3.13.0a6 - April 9, 2024](#)
 - Download [Windows installer \(64-bit\)](#)
 - Download [Windows installer \(32-bit\)](#)
 - Download [Windows installer \(ARM64\)](#)
 - Download [Windows embeddable package \(64-bit\)](#)
 - Download [Windows embeddable package \(32-bit\)](#)
 - Download [Windows embeddable package \(ARM64\)](#)
- [Python 3.13.0a5 - March 12, 2024](#)
 - Download [Windows installer \(64-bit\)](#)
 - Download [Windows installer \(32-bit\)](#)

Python 다운로드


1. 다운로드가 완료된 Installer를 실행합니다.
2. 화면 하단 Add python.exe to PATH를 클릭해 시스템 PATH에 Python 3.12.4를 추가합니다.
3. Install Now를 클릭해 설치를 시작합니다.

(Use admin privileges when installing py.exe 옵션은 C 드라이브 하위에 바로 설치하겠다는 옵션입니다.)




VSCode 세팅

1. VSCode를 실행해 좌측 패널 중 Extension을 클릭합니다.
2. Python을 검색해 Microsoft Python Extension을 클릭합니다.
3. Install 버튼을 눌러 설치합니다.




VSCode 세팅

1. 다음으로 Jupyter를 검색합니다.
2. Install 버튼을 클릭해 설치합니다.




VSCode 세팅

1. [실습 링크](#)에 접속해 전체 실습 파일을 다운로드 후 압축해제를 진행합니다.




VSCode 세팅

1. Vscode에서 좌측 상단 File – Open Folder를 클릭합니다.
2. 압축해제를 진행한 프로젝트 폴더를 선택합니다.



VSCode 세팅


1. 화면 우측 상단 Toggle Panel (Ctrl + J) 를 눌러 Terminal을 하단에 표시합니다.
(빨간 네모 박스 좌측에서 세 번째 메뉴)



VSCode 세팅

1. 터미널 창에서 다음과 같이 입력합니다.

py -3.12 -m venv venv


A screenshot of the VS Code terminal interface. The terminal title bar shows 'powershell' and standard window controls. The terminal content shows the command 'py -3.12 -m venv venv' entered at the prompt 'PS C:\Users\kim\Desktop\gsu>'. The terminal is currently empty of output.

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\kim\Desktop\gsu> py -3.12 -m venv venv
```

2. 가상환경이 정상적으로 설치가 되었다면 (좌측 패널에 venv 폴더 확인)
다음과 같이 입력해 가상환경을 실행합니다.

./venv/Scripts/activate.bat


(안되는 분은 ./venv/Scripts/activate 시도)

A screenshot of the VS Code terminal interface. The terminal title bar shows 'powershell' and standard window controls. The terminal content shows the command './venv/Scripts/activate.bat' entered at the prompt 'PS C:\Users\kim\Desktop\gsu>'. The terminal is currently empty of output.


```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\Users\kim\Desktop\gsu> ./venv/Scripts/activate.bat
```

VSCode 세팅

1. environ_test.ipynb 파일을 열어 우측 상단 Select Kernel을 클릭합니다.




2. 목록 중 venv(3.12.4)로 표시되는 옵션을 선택합니다.
(이름 우측에 경로도 표시되니 잘 보고 선택해주세요.)




VSCode 세팅

1. 화면과 같이 경로 좌측에 (venv)가 표시된다면 정상적으로 가상환경이 실행된 것입니다. (색깔은 상관없음)




A screenshot of the VS Code terminal window. The terminal title bar shows 'powershell'. The terminal content shows the prompt '(venv) PS C:\Users\kim\Desktop\gsu>' with a cursor. The terminal tabs at the top are PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, and PORTS.

2. 다음과 같이 입력해 우선 pip를 upgrade 해줍니다.
python -m pip install --upgrade pip



A screenshot of the VS Code terminal window. The terminal title bar shows 'powershell'. The terminal content shows the command 'python -m pip install --upgrade pip' being entered. The terminal tabs at the top are PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, and PORTS.


3. 업그레이드가 완료되었다면 다음과 같이 입력해 라이브러리를 다운받습니다.
pip install -r requirements.txt




A screenshot of the VS Code terminal window. The terminal title bar shows 'powershell'. The terminal content shows the command 'pip install -r requirements.txt' being entered. The terminal tabs at the top are PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, and PORTS.

VSCode 세팅

1. 다음으로 environ_test.ipynb 파일을 열어 코드를 실행시켜봅니다.
2. 실행(Shift + Enter)을 누르면 화면 상단에 커널을 선택하는 옵션이 나옵니다.
Python Environments를 클릭합니다.




3. 목록 중 venv(3.12.4)로 표시되는 옵션을 선택합니다.
(이름 우측에 경로도 표시되니 잘 보고 선택해주세요.)



VSCode 세팅

1. 코드 라인 우측 상단에 Kernel이 venv(3.12.4) (Python 3.12.4)로 표시된다면 정상적으로 설정이 된 것입니다.
2. 코드를 실행시켜 출력 '환경 세팅 완료!'가 출력되는지 확인하세요



The screenshot shows a VS Code Jupyter Notebook interface. The top bar indicates the environment is 'venv (3.12.4) (Python 3.12.4)'. The code cell contains a Python script that imports necessary libraries and prints a success message. The output shows the script executed successfully in 17.6 seconds, displaying the message '환경 세팅 완료!'.

```
try:
    import os
    # .env에서 설정을 불러오는 라이브러리
    from dotenv import load_dotenv
    # watsonx에서 제공하는 LLM 모델을 불러오기 위한 메서드
    from ibm_watson_machine_learning.foundation_models import Model
    # watsonx 기본 제공 parameter 설정을 위한 메서드
    from ibm_watson_machine_learning.metanames import GenTextParamsMetaNames as GenParams

    # 환경 변수 로드 수행
    load_dotenv()

    print("환경 세팅 완료!")

except Exception as e:
    print("환경 세팅에 실패했습니다. 감사님께 도움을 요청하세요.")
    # 상세 에러 확인이 필요할 경우 아래 주석을 해제하여 확인하세요
    # print(f"상세 에러: {e}")
```

[1] ✓ 17.6s Python

... 환경 세팅 완료!