



DOKER

User's Manual

V0

07.10.2018

Revision History

Version	Date	Description
V0	07.10.2018	• Preliminary release

Table of Contents

1	Introduction	3
1.1	Doker vs. rst2pdf	3
2	Getting Started	4
2.1	Installation	4
2.2	Usage	4
2.3	Deeper diving	4

1 Introduction

Doker stands for **document maker**.

Doker helps to create both offline (PDF) and online (HTML) documentation from the same **reStructuredText** source files. The main objective of Doker is to create a large text documentation.

Doker uses **rst2pdf** library while producing PDF documents and **rst2html5** while generating HTML documentation.

1.1 Doker vs. rst2pdf

Comparing to rst2pdf Doker has following features:

- Generating PDF from multiple sources
- Figures and tables enumerating
- Support for advanced section numbering
- Support for replaceable fields
- Automatic revision history table generating

2 Getting Started

2.1 Installation

Run in console:

```
pip install doker
```

2.2 Usage

Create `minimal.yaml`:

```
root: .
```

Create `main.rst`:

```
Minimal Document
=====

**Hello**, *world*!
```

And run in console:

```
docker --pdf minimal
```

Find `minimal.pdf` in the current directory.

2.3 Deeper diving

See [examples](#) for most popular use cases.