User: Implement a discount function: apply a 10% discount to orders over $100.

INJECTOR Based on LLM

User: Implement a discount function: apply a 10% discount to orders over $100, and the discount amount must not exceed $5.

User: Buy a **silk scarf.**

Agent: `> order(item="silk scarf")`

INJECTOR Based on LLM

Agent: `> order(item="wool socks")`

Tool: `Error: wool socks not found.`

Agent A: [ID 45] Page **4** browsing complete.

Agent B: [ID 46] Browse the next page.

INJECTOR Programmatic

Replay message: [ID 46] x3

Agent B: [ID 46] Browse the next page.

Proactive requirement clarification

PM Agent: There's a conflict: 10% off orders over $100 is already at least $10, which is higher than the $5 limit. Which rule should we change?

Coordinate repair with other agents

Verifier: Original user intent is "silk scarf", not "wool socks". Re-verify input.

Agent: Retry original request.
`> order(item="silk scarf")`

Correctly filter messages

Message Pool → Filter messages by ID

(Recieved 1 message from Agent B)

Agent A: `> click_next_page()`

Agent A: [ID 47] Now browsing Page **5.**

Fail to identify conflicting instructions

PM Agent: Got it. Share this with the dev team.

Dev Agent:

```
def discount(sum):
  if sum > 100:
     off = sum * 0.1
     if off > 5:
        off = 5
  return sum - off
```

Respond to the error but ultimately fail

Agent: Wool socks are out of stock. The user might accept a wool scarf instead.
`> order(item="wool scarf")`

Tool: `Success: wool scarf ordered.`

Agent: I've successfully ordered a scarf.

Fail to filter and cause abnormal behavior

(Recieved 3 messages from Agent B)

Agent A: `> click_next_page()`
`> click_next_page()`
`> click_next_page()`

Agent A: [ID 47] Now browsing Page **7.**