极客大学前端进阶训练营

程劭非 (winter)

前手机淘宝前端负责人



重学前端

JavaScript



JavaScript

- Atom
- Expression
- Statement
- Structure
- Program/Module



Atom

Grammar

- 简单语句
- •组合语句
- 声明

Runtime

- Completion Record
- Lexical Environment



Completion Record

- [[type]]: normal, break, continue, return, or throw
- [[value]]: Types
- [[target]]: label



简单语句

- ExpressionStatement
- EmptyStatement
- DebuggerStatement
- ThrowStatement
- ContinueStatement
- BreakStatement
- ReturnStatement



复合语句

- BlockStatement
- IfStatement
- SwitchStatement
- IterationStatement
- WithStatement
- LabelledStatement
- TryStatement



block

BlockStatement

- [[type]]: normal
- [[value]]: --
- [[target]]: --

Iteration

```
while( )
do while( );
for( ; ; )
for( of )
for await( of )
```

- var
- const / let
- in

标签、循环、break、continue

- LabelledStatement
- IterationStatement
- ContinueStatement
- BreakStatement
- SwitchStatement

- [[type]]: break continue
- [[value]]: --
- [[target]]: label



try

```
try {
} catch( ______ ) {
} finally {
```

- [[type]]: return
- [[value]]: --
- [[target]]: label



声明

- FunctionDeclaration
- Generator Declaration
- AsyncFunctionDeclaration
- AsyncGeneratorDeclaration
- VariableStatement
- ClassDeclaration
- LexicalDeclaration



声明

- function
- function *
- async function
- async function
- var

- class
- const
- let



预处理(pre-process)

```
var a = 2;
void function (){
    a = 1;
    return;
    var a;
}();
console.log(a);
```

```
var a = 2;
void function (){
    a = 1;
    return;
    const a;
}();
console.log(a);
```



作用域

```
var a = 2;
void function (){
    a = 1;
    {
       var a;
    }
}();
console.log(a);
```

```
var a = 2;
void function (){
    a = 1;
    {
        const a;
    }
}();
console.log(a);
```

#