

```
DROP DATABASE photoshare;
CREATE DATABASE IF NOT EXISTS photoshare;
USE photoshare;
CREATE TABLE Users (
 user id int4 AUTO INCREMENT,
 firstname varchar(255) DEFAULT "Winni",
 lastname varchar(255) DEFAULT "Yao",
 DOB date NOT NULL,
 gender enum ('female', 'male'),
 hometown varchar(255),
 email varchar(255) UNIQUE NOT NULL,
 password varchar(255) NOT NULL,
constraint users_pk PRIMARY KEY (user_id)
);
CREATE TABLE Albums
 album_id int4 auto_increment,
 title varchar(255),
 date_created DATE,
 user_id int4,
 constraint albums_pk primary key (album_id),
 constraint albums_fk foreign key (user_id) references Users(user_id) ON DELETE
CASCADE
);
CREATE TABLE Pictures
 picture_id int4 AUTO_INCREMENT,
 user_id int4,
 imgdata longblob,
 caption VARCHAR(255),
 INDEX upid_idx (user_id),
 album int4,
 constraint pictures_pk primary key (picture_id),
 constraint pictures_fk foreign key (album) references Albums(album_id) ON DELETE
CASCADE,
 constraint user_fk foreign key (user_id) references Users(user_id) ON DELETE
CASCADE
);
CREATE TABLE Friends
 user_id int4,
 friend_id int4,
 constraint friends_fk1 foreign key (user_id) references Users(user_id) ON DELETE
CASCADE,
 constraint friends_fk2 foreign key (friend_id) references Users(user_id) ON DELETE
CASCADE
);
CREATE TABLE Tags
 singleword varchar(55),
 picture_id int4,
 constraint tags_fk foreign key(picture_id) references Pictures(picture_id)
);
```

```
CREATE TABLE Comments
 comment_id int4 auto_increment,
 comment_text text,
 user_id int4,
 date_created DATE,
 picture_id int4,
 constraint comments_pk primary key (comment_id),
 constraint comments_fk1 foreign key (user_id) references Users(user_id),
 constraint comments_fk2 foreign key (picture_id) references Pictures(picture_id)
ON DELETE CASCADE
);
CREATE TABLE Likes
      picture_id int4,
    user_id int4,
    constraint likes_fk foreign key (picture_id) references Pictures(picture_id) ON
DELETE CASCADE,
    constraint likes_user_id_fk foreign key (user_id) references Users(user_id)
INSERT INTO Users (user_id, email, password, firstName, lastName, hometown, gender,
DOB) VALUES (1, 'test1@bu.edu', 'test', 'Winnie', 'Yoh', 'Allston', 'female',
'1999-09-25');
INSERT INTO Users (email, password, firstName, lastName, hometown, gender, DOB)
VALUES ('test2@bu.edu', 'test', 'Jon', 'Aracena', 'Allston', 'male', '1999-04-29');
```