2026

JANUARY

Projected
Projects



Projected Projects
January 2026

2026 by J. Wyatt Biggs
https://github.com/wyattbiggs/Projected-Projects.git

Manufactured in the United States of America

Editor
J. Wyatt Biggs

Cover Designer
Noah A. Pruitt

Table of Contents

Preface.....iv
Wizard Staff–*Daxton Garner*.....1
Pressed Flowers–*Taylor Chubz*.....4
3D Printed Dragons–*Wyatt Biggs*.....7
4
5

IMRAD Structure

The structure of an article according to IMRAD should look as follows.

– *Introduction*.
  – Why the study was done.
  – What was researched.
  – Purpose of the study.
  – What hypotheses were tested.
– *Methods* (aka *Materials and Methods*, *Theoretical Framework*).
  – When, where, and how the research was conducted.
  – What materials were used.
– *Results*.
  – What answer was found.
  – Whether the hypothesis was tested correctly.
– *Discussion*.
  – What the answer implies and why it matters.
  – How it fits in with what other researchers have found.
  – What are the prospects for research.
– Also included in the article structure are *Title*, *Annotation*, *Keywords*

Preface

WIZARD STAFF

Daxton Garner

PRESSED FLOWERS

Taylor Chubz

3D PRINTED DRAGONS

J.Wyatt Biggs

Project Facts

Time

Labor	1 H
Machine	13 H
Idle	12 H
Active	1 H

Tools

3D Printer

Model: X1C
Mfr: Bambu Lab

3D Printer Auxiliary

Model: AMS
Mfr: Bambu Lab

Materials

Filament

Plastic: PLA
Mfr: MatterHackers
Form: Spool
D: 1.75mm
Type: Silky MH Build Series Magic

1 **PN:** M-247-UEQE
Color 1: Gold
Color 2: Magenta
Qty: ~100 g

2 **PN:** M-AAK-X697
Color 1: Blue
Color 2: Green
Qty: ~100 g

3 **PN:** M-2U9-SZN8
Color 1: Gold
Color 2: Magenta
Qty: ~100 g

Introduction

Because a handful of friends wanted an articulated dragon as a toy, dragons of different sizes and colors were printed in dual-color filament. The quality of the articulation was of interest due to the potential use of articulating components in novel and curr-ently unimagined products. The physical properties and appear-ance of dual-color filaments was of interest as it results in a some-what iridescent surface finish which could prove useful in projects with an aesthetic, rather than purely functional aim. ----------

Method

Results

Discussion

References