




Simio Server Connector Reference Guide

Simio Server Connector Redistribution

In order to build software against the Simio Server Connector, you should be aware of what additional dependencies it requires that must be distributed with it.

▴ Additional Required DLLs

In addition to the main `SimioServerConnector.dll`, when distributing an application that links against the library, you should also distribute:

- `Newtonsoft.Json.dll`
- `SimioAPI.dll`
- `SimioServerAPI.dll`
- `SimioEnums.dll`

Although an application running against `SimioServerConnector.dll` may work without the above dependencies, it is highly recommended you distribute them along side the application.

The `SimioServerConnector.dll` (and its dependencies) can be found in the `[Simio Install Location]\ServerConnector` directory

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

Server Connector Reference

▴ Namespaces

Namespace	Description
SimioServerConnector	

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

SimioServerConnector Namespace

▴ Classes

	Class	Description
	ConnectionFactory	Class which creates new IServerConnection objects

▴ Interfaces

	Interface	Description
	IPublishModelResult	An object containing the result of a publish operation via PublishModel(Stream, String, String, String)
	IServerConnection	An object representing a single connection to a Simio Portal server

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

ConnectionFactory Class

Class which creates new [IServerConnection](#) objects

▴ Inheritance Hierarchy

[System.Object](#) [SimioServerConnector](#) [ConnectionFactory](#)

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▴ Syntax

C#

```
public class ConnectionFactory
```

[Copy](#)

The [ConnectionFactory](#) type exposes the following members.

▴ Constructors

	Name	Description
	ConnectionFactory	Constructs a new ConnectionFactory

[Top](#)

▴ Methods

	Name	Description
	CreateConnection	Creates a new IServerConnection to a Simio Portal server
	Equals	Determines whether the specified object is equal to the current object. (Inherited from Object)
	Finalize	Allows an object to try to free resources and perform other cleanup operations before it is reclaimed by garbage collection. (Inherited from Object)
	GetHashCode	Serves as the default hash function. (Inherited from Object)
	GetType	Gets the Type of the current instance. (Inherited from Object)
	MemberwiseClone	Creates a shallow copy of the current Object . (Inherited from Object)



ToString

Returns a string that represents the current object.
(Inherited from [Object](#))

[Top](#)

▲ See Also

Reference

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

ConnectionFactory Constructor

Constructs a new ConnectionFactory

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▲ Syntax

C#

```
public ConnectionFactory()
```

[Copy](#)

▲ See Also

Reference

[ConnectionFactory Class](#)

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

ConnectionFactory Methods

The [ConnectionFactory](#) type exposes the following members.

Methods

	Name	Description
	CreateConnection	Creates a new IServerConnection to a Simio Portal server
	Equals	Determines whether the specified object is equal to the current object. (Inherited from Object)
	Finalize	Allows an object to try to free resources and perform other cleanup operations before it is reclaimed by garbage collection. (Inherited from Object)
	GetHashCode	Serves as the default hash function. (Inherited from Object)



GetType

Gets the [Type](#) of the current instance.
(Inherited from [Object](#))



MemberwiseClone

Creates a shallow copy of the current [Object](#).
(Inherited from [Object](#))



ToString

Returns a string that represents the current object.
(Inherited from [Object](#))

[Top](#)

See Also

Reference

[ConnectionFactory Class](#)

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

ConnectionFactory.CreateConnection Method

Creates a new [IServerConnection](#) to a Simio Portal server

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▲ Syntax

C#

[Copy](#)

```
public IServerConnection CreateConnection(  
    Uri uri,  
    string personalAccessToken  
)
```

Parameters

uri [Uri](#)

The url to the Simio Portal server

personalAccessToken [String](#)

The personal access token to use to authenticate against the server. This will be null if the server is using Windows (Active Directory) authentication.

Return Value

[IServerConnection](#)

A new server connection object

Example

An example of creating a new connection to a non-Windows authenticated server: `var factory = new`

```
ConnectionFactory(); var personalAccessToken =  
GetAccessToken(); // Access tokens should  
generally not be stored directly in source code.  
Pass it in via a command line argument or other  
means. using (var connection =  
factory.CreateConnection(new  
Uri("https://mysimioportalserver"),  
personalAccessToken)) { // Do things with the  
connection }
```

See Also

Reference

[ConnectionFactory Class](#)

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

IPublishModelResult Interface

An object containing the result of a publish operation via

[PublishModel\(Stream, String, String, String\)](#)

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▲ Syntax

C#

```
public interface IPublishModelResult
```

[Copy](#)

The [IPublishModelResult](#) type exposes the following members.

▲ Properties

	Name	Description
	Error	If the publish operation failed, contains the errors from publishing
	PublishUrl	The URL to the newly published results
	Succeeded	Indicates of the publish succeeded or failed

[Top](#)

▲ See Also

Reference

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

IPublishModelResult Properties

The [IPublishModelResult](#) type exposes the following members.

▲ Properties

	Name	Description
	Error	If the publish operation failed, contains the errors from publishing
	PublishUrl	The URL to the newly published results
	Succeeded	Indicates of the publish succeeded or failed

[Top](#)

▲ See Also

Reference

[IPublishModelResult Interface](#)

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

IPublishModelError Property

If the publish operation failed, contains the errors from publishing

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▲ Syntax

C#

```
string Error { get; }
```

[Copy](#)

Property Value

[String](#)

▲ See Also

Reference

[IPublishModelError Interface](#)

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

IPublishModelResultPublishUrl Property

The URL to the newly published results

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▲ Syntax

C#

```
string PublishUrl { get; }
```

[Copy](#)

Property Value

[String](#)

▲ See Also

Reference

[IPublishModelResult Interface](#)

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

IPublishModelResultSucceeded Property

Indicates of the publish succeeded or failed

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▲ Syntax

C#

```
bool Succeeded { get; }
```

[Copy](#)

Property Value

[Boolean](#)

▲ See Also

Reference

[IPublishModelResult Interface](#)

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

IServerConnection Interface

An object representing a single connection to a Simio Portal server

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▲ Syntax

C#

```
public interface IServerConnection :  
IDisposable
```

[Copy](#)

The [IServerConnection](#) type exposes the following members.

▲ Methods

	Name	Description
	Dispose	Performs application-defined tasks associated with freeing, releasing, or resetting unmanaged resources. (Inherited from IDisposable)
	PublishModel	Publishes a model of a given project file to the portal with a

given publish name and
description

[Top](#)

▲ See Also

Reference

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

IServerConnection Methods

The [IServerConnection](#) type exposes the following members.

Methods

	Name	Description
	Dispose	Performs application-defined tasks associated with freeing, releasing, or resetting unmanaged resources. (Inherited from IDisposable)
	PublishModel	Publishes a model of a given project file to the portal with a given publish name and description

[Top](#)

See Also

Reference

[IServerConnection Interface](#)

[SimioServerConnector Namespace](#)

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)

Simio Server Connector Reference Guide

IServerConnectionPublishModel Method

Publishes a model of a given project file to the portal with a given publish name and description

Namespace: [SimioServerConnector](#)

Assembly: SimioServerConnector (in SimioServerConnector.dll)

Version:

20.290.53766.0+ac931da70090e3c567d67b6f596bba3a79b16a2f

▲ Syntax

C#

[Copy](#)

```
Task<IPublishModelResult> PublishModel(  
    Stream projectFileStream,  
    string modelName,  
    string publishName,  
    string publishDescription  
)
```

Parameters

projectFileStream [Stream](#)

The readable stream of the project file

modelName [String](#)

The name of the model in the project to publish

publishName [String](#)

The name under which to publish the results of the model

publishDescription [String](#)

The description to use for the published results

Return Value

[TaskIPublishModelResult](#)

An [IPublishModelResult](#) object with the result of the publish operation

Example

An example of uploading results from model called 'MyModel' in a file called 'MyFile.spfx' to published results called 'WeeklySchedule' on a Windows (Active Directory) authenticated server:

```
async Task DoPublish() { var
factory = new ConnectionFactory(); using (var
connection = factory.CreateConnection(new
Uri("https://mysimioportalserver"), null /*
windows-authenticated servers need no token */))
{ using (var readStream =
System.IO.File.OpenRead("MyFile.spfx")) {
IPublishModelResult result = await
connection.PublishModel(readStream, "MyModel",
"WeeklySchedule", "This is the weekly schedule");
if (result.Succeeded) { Console.WriteLine($"Model
'MyModel' published to url:
{result.PublishUrl}"); } else {
Console.WriteLine($"Error publishing:
{result.Error ?? String.Empty}"); } } } }
```

See Also

Reference

[IServerConnection Interface](#)

SimioServerConnector Namespace

Copyright 2006-2026, Simio LLC. All Rights Reserved.

Send comments on this topic to [Information](#)