


AT2G37450

novel exon 15,724,032–15,724,094 (63 bp)




bp from locus start · Chr2:15,722,523–15,725,062 (- strand)

TAIR10: 0 of 2 transcripts carry this exon | AtRTD3: 1 identical, 3 splice-site-shared, 4 overlap-only (of 11 tx)

AT4G22540

novel junction 11,864,127–11,865,712




bp from locus start · Chr4:11,860,444–11,866,410 (- strand)

TAIR10: 0 of 4 transcripts use this junction | AtRTD3: 5 identical, 15 splice-site-shared (of 36 tx)

AT3G56730

novel junction 21,014,509–21,014,635




bp from locus start · Chr3:21,013,703–21,015,081 (+ strand)

TAIR10: 0 of 2 transcripts use this junction | AtRTD3: 1 identical, 5 splice-site-shared (of 6 tx)

AT1G78940

novel intron-chain combination each junction occurs in TAIR10; this chain does not




bp from locus start · Chr1:29,680,782–29,684,180 (- strand)

TAIR10: 0 of 2 transcripts have this chain | AtRTD3: exact chain match to AT1G78940.1 (of 2 tx)

AT3G29185

novel intron-chain combination each junction occurs in TAIR10; this chain does not




bp from locus start · Chr3:11,154,929–11,157,275 (- strand)

TAIR10: 0 of 2 transcripts have this chain | AtRTD3: exact chain match to AT3G29185.1 (of 20 tx)

AT3G13740

unspliced intron in predicted UTR 4,505,796–4,505,914



bp from locus start · Chr3:4,504,270–4,506,311 (+ strand)

TAIR10: 0 of 2 transcripts leave this intron unspliced | AtRTD3: 6 leave it unspliced in the UTR, 8 splice it out (of 14 tx)

TAIR10 reference

TransGenic — absent from TAIR10

TransGenic — reproduces a TAIR10 chain

AtRTD3 — confirms the TransGenic chain

AtRTD3 — carries the marked feature

AtRTD3 — other isoforms