

WYNDERZ

WYNDERZ Private Limited

FILAMENT WINDING SYSTEMS

Precision Engineering for
Composite Manufacturing

4 AXIS MULTI-SPINDLE


Horizontal Bed • Low Bed • Gantry



Hyderabad, INDIA

www.wynderz.in

Engineering filament winding machinery since 2013



2013

1–5

SPINDLE CONFIGURATIONS

€ 5000 mm

LARGE WINDING DIAMETER

15000 mm

LONGEST WINDING LENGTH

WHAT WE BUILD

Filament winding machines and accessories for composite manufacturing, at our facility in Bachupal, Hyderabad.

- Gantry, low-bed and horizontal-bed winding machines
- Multi-spindle systems with up to 5 spindles
- Hydraulic extractors and mandrel rotators
- Ovens and winding accessories

Nature of business: manufacturer and exporter.

MANUFACTURING FACILITY



Bachupal, Hyderabad

Telangana, INDIA



MULTI-SPINDLE WINDING

Siemens controllers across the range

828D and 808D CNC Controllers; 2 and 4 axis configurations, with spindle speeds from 30 to 150 RPM.

Three machine families, one engineering focus

Gantry, low-bed and horizontal-bed systems,
configured by diameter, length and spindle
count.

01

Gantry



4 axis

AXES

1–5

10–2000 mm

MAX DIAMETER

1000–10000 mm

MAX LENGTH

02

Low Bed



2 spindles • 4 axis

Ø 10 - 1000 mm

Length-1000mm ,Diameter-15000mm

03

Horizontal Bed



1 spindle • 2 or 4 axis

Ø 500 - 5000 mm

Length-1000mm ,Diameter-15000 mm

**Supporting equipment
and accessories**

Hydraulic extractors • Mandrel rotators • Ovens
Winding accessories for filament winding lines.

Gantry Filament Winding Systems for Negligible Maintenance

4-axis overhead-carriage machines in 1, 2, 3 and 5-spindle configurations.

FEATURED CONFIGURATION FOR LPG, CNG & HYDROGEN CYLINDERS

4-axis · 2-spindle
RO pressure vessels



4 axis

AXES

3 spindles

SPINDLES

1000 mm

MAX DIAMETER

3500 mm

MAX LENGTH

SPINDLE SPEED	CARRIAGE SPEED	CROSS CARRIAGE	PAYOUT EYE	CONTROLLER	APPLICATION
100 RPM	60 m/min	40 m/min	50 RPM	SIEMENS 828D	RO pressure vessels



4-axis · 1-spindle
CNG tanks
Ø 1000 × 3500 mm
150 RPM spindle speed

Gantry range at a glance

Spindles	Max Ø (mm)	Max Length (mm)	Spindle (RPM)	Carriage (m/min)	Cross Carriage (m/min)	Payout Eye (RPM)
1	1000	10000	150	80	50	100
2	800	10000	100	80	50	100
3	600	8000	100	60	50	100
4	400	6000	100	50	50	100
5	300	4000	100	50	50	100

All gantry configurations: 4 axis, SIEMENS 828D controller.

APPLICATIONS
RO pressure vessels · CNG/LPG tanks · Bio Gas, Mileyary Applications

Multi-spindle Winding Systems

Precision solutions for high-quality composite manufacturing.



Low Bed, 4-Axis, 2-Spindle
RO Pressure Tube

Diameter
9 inch

Length
9000 mm



Low Bed, 4-Axis, 2-Spindle
Carbon Tubes

Diameter
50 mm

Length
2500 mm



Low Bed, 4-Axis, 2-Spindle
Insulators

Diameter
300 mm

Length
2500 mm

Specifications

Controller: SIEMENS 828D on all machines shown

Machine	Axis	Spindles	Max Ø (mm)	Max L (mm)	Spindle (RPM)	Carriage (m/min)	Cross (m/min)	Payout (RPM)
Low bed 8 inch	4	2	500	10000	100	50	40	50
Low bed 50 mm	4	2	500	10000	100	50	40	50
Low bed 300 mm	4	2	1200	2000	100	50	40	50

Horizontal-bed systems for pipes, tanks and silos

GRIP / FRP PIPES - 2-AXIS



AXES

2

SPINDLE

1

MAX DIAMETER

5000 mm

SPINDLE SPEED


40 RPM

CARRIAGE

50 m/min

Controller SIEMENS 828D

4-axis · 1 spindle · FRP tanks / silos




Ø2500 6000 30 RPM

Carriage	Cross carriage	Payout eye
50 m/min	40 m/min	50 RPM

Controller SIEMENS 828D

2-axis · 1 spindle · FRP pipes



Ø1000 12000 50 RPM

Carriage	Cross carriage	Payout eye
50 m/min	40 m/min	50 RPM

Controller SIEMENS 828D

Made on WYNDERZ winding machines

Water & Purification



RO Pressure Vessels, Pressure Tubes and Pool Tanks. Solutions for purification systems that withstand harsh chemical environments.

Civil & Agricultural



FRP Irrigation Pipes. High-durability underground infrastructure immune to traditional soil corrosion.

Electrical Infrastructure



FRP Electrical Poles and Insulators. Non-conductive, low-maintenance components that drastically extend service life.

CNG & LPG



Composite gas storage and pressure-vessel solutions.

Hydrogen Gas



High-pressure composite storage solutions for emerging hydrogen applications.

Industrial Ducts



Lightweight, corrosion-resistant FRP ducting and industrial flow systems.

MASTS



Engineered composite masts and industrial components.

Defence Applications



Lightweight, high-strength composite solutions for demanding defence applications.

LPG Composite Cylinders



Advanced composite cylinders for LPG storage, offering safety, durability and lighter weight.

GET IN TOUCH

LET'S ENGINEER YOUR NEXT WINDING SOLUTION

Precision
Composite
Winding Solutions
for a Stronger
Tomorrow.

Tell us your product diameter, length and production requirement. Our **Wynderz** team will respond with a suitable machine configuration.



TELEPHONE
+91 96765 43322



EMAIL
contact@wynderz.in



WEBSITE
www.wynderz.in



ADDRESS
WYNDERZ Pvt. Ltd., Plot No. 32 & 33A, Sy No. 334,
SVCIE, Bachupally, Hyderabad, Telangana, INDIA



Scan to visit
wynderz.in