Disclaimer of Liability

The material and information contained on this website is for general information, reference, and self-learning purposes only. You should not rely upon the material or information on the website as a basis for making any academic, business, legal or any other decisions. You should not copy any material or information on the website into any of your academic, business, legal or any other non-private usages. ZHANG Wengyu will not be responsible for any consequences due to your violations.

Whilst ZHANG Wengyu endeavours to keep the information up to date and correct, ZHANG Wengyu makes no representations or warranties of any kind, express or implied about the completeness, accuracy, reliability, suitability or availability with respect to the website or the information, products, services or related graphics contained on the website for any purpose. Any reliance you place on such material is therefore strictly at your own risk.

ZHANG Wengyu will not be liable for any false, inaccurate, inappropriate or incomplete information presented on the website.

Although every effort is made to keep the website up and running smoothly, due to the nature of the Internet and the technology involved, ZHANG Wengyu takes no responsibility for and will not be liable for the website being temporarily unavailable due to technical issues (or otherwise) beyond its control or for any loss or damage suffered as a result of the use of or access to, or inability to use or access this website whatsoever.

Certain links in this website will lead to websites which are not under the control of ZHANG Wengyu. When you activate these you will leave ZHANG Wengyu's website. ZHANG Wengyu has no control over and accepts no liability in respect of materials, products or services available on any website which is not under the control of ZHANG Wengyu.

To the extent not prohibited by law, in no circumstances shall ZHANG Wengyu be liable to you or any other third parties for any loss or damage (including, without limitation, damage for loss of business or loss of profits) arising directly or indirectly from your use of or inability to use, this site or any of the material contained in it.

1. Huffman Coding

(a) What is the entropy η of the image below, where numbers (0, 20, 40, 88) denote the gray-level intensities? (10 marks)

According to Lecture 5, the Entropy of a source $S = \{s | s \in \{v_1, v_2, ..., v_n\}\}$ is

$$\eta = \sum_{i=1}^n p_i \log_2 rac{1}{p_i} = -\sum_{i=1}^n p_i \log_2 p_i$$

• where p_i is the probability that discrete symbol v_i occurs in S.

In our case, $v_1=0, p_1=0.5; v_2=20, p_2=0.125; v_3=40, p_3=0.25; v_4=88, p_4=0.125.$

Therefore, the entropy $\eta = 1.75$.


(b) Show step by step how to construct the Huffman tree to encode the above four intensity values in the image. Show the resulting code for each intensity. (10 marks)

Based on (a), we have $S = \{0/32, 20/8, 40/16, 88/8\}$


Step 0:




Step 1: Merge 20/8 and 88/8



Step 2: Merge 40/16 and $z_1/16$



Step 3: Merge 0/32 and $z_2/32$



Intensity	\mathbf{Code}
0	0
20	110
40	10
88	111

(c) What is the average number of bits needed for each pixel, using your Huffman code? (10 marks) Based on (a) and (b), we have:

Intensity	Code	Number of bits	Count
0	0	1	32
20	110	3	8
40	10	2	16
88	111	3	8
Total length			64

Average number of bits is

$$\frac{32 \times 1 + 8 \times 3 + 16 \times 2 + 8 \times 3}{64} = 1.75$$

2. DCT

- (a) For an 8×8 grayscale image, each pixel is in the range [0, 255], after applying the above 2D-DCT, we obtain a new 8×8 matrix, what is the largest value an element of that matrix could be? and for what input image? and show all elements of the matrix for that image. (8+8+8=24 marks)
 - 1. the largest value an element of that matrix could be

$$egin{aligned} F(0,0) &= rac{C(0)C(0)}{4} \sum_{i=0}^{7} \sum_{j=0}^{7} \cos rac{((2i+1)0\pi)}{16} \cos rac{((2j+1)0\pi)}{16} f(i,j), ext{where } f(i,j) = 255, orall i, j \ &= rac{\sqrt{2}}{2} imes rac{\sqrt{2}}{2} \sum_{i=0}^{7} \sum_{j=0}^{7} 1 imes 1 imes 255 = rac{1}{8} imes 64 imes 255 = 2040 \end{aligned}$$

- 2. input image should be a white image, where all pixel values are 255.
- 3. all elements of the matrix for that image:

$$F(u,v) = rac{C(u)C(v)}{4} \sum_{i=0}^{7} \sum_{j=0}^{7} (\cosrac{((2i+1)u\pi)}{16} \cosrac{((2j+1)v\pi)}{16} imes 255)$$

Approximate values for all elements of the matrix are as follows, where the DC is 2040, and all of the ACs are near zero.

```
[[ 2.04000000e+03 1.55753172e-13 -1.70826060e-13 1.55753172e-13
  4.01943669e-14 5.67745433e-13 -3.96919374e-13 -2.41166202e-13]
[ 7.03401421e-14 7.10542736e-15 0.00000000e+00 7.10542736e-15
  7.10542736e-15 1.42108547e-14 -3.55271368e-15 -1.24344979e-14]
 [-9.04373256e-14 5.68434189e-14 0.00000000e+00 -7.10542736e-15
 -7.10542736e-15 -1.42108547e-14 0.00000000e+00 -5.32907052e-15]
[ 2.81360569e-13 4.26325641e-14 -7.10542736e-15 7.10542736e-15
  0.00000000e+00 -1.77635684e-14 0.00000000e+00 5.32907052e-15]
[ 8.03887339e-14 2.84217094e-14 7.10542736e-15 -1.42108547e-14
  2.13162821e-14 1.77635684e-14 -7.10542736e-15 7.10542736e-15]
[ 5.12478179e-13 -7.81597009e-14 -1.42108547e-14 -3.55271368e-14
  3.55271368e-15 -1.06581410e-14 -8.88178420e-15 -2.57571742e-14]
 [-3.76822190e-13 3.55271368e-15 -1.77635684e-14 1.06581410e-14
 -7.10542736e-15 -1.95399252e-14 -8.88178420e-15 0.00000000e+00]
[-2.61263385e-13 4.08562073e-14 -5.32907052e-15 -5.32907052e-15
  1.06581410e-14 -1.50990331e-14 8.88178420e-16 8.88178420e-15]]
```

(b) For that image in (a), if we first subtract the value 128 from each pixel of the whole image and then carry out the 2D-DCT, what is the effect on the DCT value F[2,3]? (6 marks)

The original DCT value F[2,3] is -7.10542736e-15. If we first subtract the value 128 from each pixel of the whole image, the F(u,v) becomes

$$F(u,v) = rac{C(u)C(v)}{4} \sum_{i=0}^{7} \sum_{j=0}^{7} (\cosrac{((2i+1)u\pi)}{16} \cosrac{((2j+1)v\pi)}{16} imes 127)$$

Therefore, the DCT value F[2,3] becomes -1.06581410e-14. Compared with the original value, the effect on the F[2,3] is small, since the F[2,3] is high frequency AC coefficient, the subtraction of 128 will not affect the value significantly.

3. Implementation of LZ

To compress the following string of zeros/ones, we consider the dictionary-based LZW com- pression algorithm. Suppose the initial dictionary is {'0':0, '1':1}. Implement the LZW compression and decompression algorithms using two separate functions.

011001100111000

- (a) Show the constructed dictionaries for both compression and decompression stages. (10 marks)
 - constructed dictionaries for compression:

```
{'0': 0, '1': 1, '01': 2, '11': 3, '10': 4, '00': 5, '011': 6, '100': 7, '0111': 8, '1000': 9}
```

• constructed dictionaries for decompression:

```
{0: '0', 1: '1', 2: '01', 3: '11', 4: '10', 5: '00', 6: '011', 7: '100', 8: '0111', 9: '1000'}
```

- (b) Calculate the compression rate. (5 marks)
 - Original string: **0110 0110 0111 000** (15 length)
 - Compress result: **0110 2467 0** (9 length)
 - compression rate: $\frac{15}{9} = 1.67$
- (c) Show the full and correct python code in a separate .py file. (25 marks)
 - Please refer to the file.