W2 PRACTICE TEST – G2

- **Any document, previous code is ALLOWED**
- **AI usage is forbidden**
- **Wi-Fi forbidden**
- **Any cheating action will conduct to a 0 score**

How to start?

✓ Download and extract `TEST.ZIP` from LMS
  - `test.dart + vs code settings`

✓ Open VS Code from the extracted folder

✓ To run your code:


```
dart test.dart
```

✓ **Turn off WIFI !!!**

How to submit?

✓ **Turn on WIFI**

✓ Submit `test.dart` on LMS



Delivery Charges

An online shop wants to calculate **the delivery price for several orders**.

1. Implement calculateDelivery

The delivery price depends on the order price.

Parameter	Requirement	Example
orderPrice	Required	40
deliveryFee	Optional, can be null	deliveryFee: 5
freeDeliveryLimit	Required	50

💡 Note : Choose the appropriate parameter types and parameter syntax.

Rules:

- If orderPrice >= freeDeliveryLimit, delivery is free.
- Otherwise, use deliveryFee.
- If deliveryFee is null, use 0.

The function returns the delivery price. As example:

```
orderPrice          = 40
deliveryFee         = 5
freeDeliveryLimit   = 50
→ delivery price    = 5
```

2. Process orders

The main contains a map:

```
void main() {
  Map<String, int> orders = {
    "ORD001": 40,
    "ORD002": 60,
    "ORD003": 25,
    "ORD004": 80,
  };
  int? deliveryFee = 5;
  int freeDeliveryLimit = 50;

  // For each order, compute the delivery price
  // with your function and print it.
}
```

Expected output:

```
ORD001: 5
ORD002: 0
ORD003: 5
ORD004: 0
```