

CSE 489/589

Programming Assignment 2

Reliable Transport Protocols

Notes: (IMPORTANT)

- One of your group members select <File> - <Make a copy> to make a copy of this report for your group, and share that Google Doc copy with your teammates so that they can also edit it.
- Report your work in each section. Describe the method you used, the obstacles you met, how you solved them, and the results. You can take screenshots at key points. There are NO hard requirements for your description.
- For a certain test, if you successfully implemented it, **take a screenshot of the result from the grader as required in section 5 (required)**. You can just provide the overall result for each test.
- For a certain test, if you tried but failed to implement it, properly describe your work. We will partially grade it based on the work you did.
- **Do NOT claim anything you didn't implement.** If you didn't try on a certain protocol or test, leave that section blank. We will randomly check your code, and if it does not match the work you claimed, you and your group won't get any partial grade score for this WHOLE assignment.
- There will be **15.0** points for this report. These are NOT bonus points and will be given based on the completion of the analysis part (section 6.1).
- If you decide not to attempt the analysis part (section 6.1) of the assignment, you will still NEED to submit this report with the requirements stated in section 6.
- After you finish, export this report as a PDF file and submit it to the UBLearn. For each group, only one member needs to make the submission.

1 - Academic Integrity Policy Statement

[Your submission will NOT be graded without this statement.]

I have read and understood the course's academic integrity policy.

2 - Group and Contributions

- Name of member 1: Weicheng Zhou
 - UBITName: wzhou29
 - Contributions
- Name of member 2: Haifeng Xiao
 - UBITName:haifengx

- Contributions

3 - SANITY Tests

[2.0] ABT

(Put screenshots of the grader here...)

```
underground [/local/Spring_2022/wzhou29/CSE489-FA2/cse489589_assignment2/grader] > ./sanity_tests -p ..//wzhou29/abt -r ./run_experiments
Testing with MESSAGES:1000, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
run#1 [seed=1234] ... Done!
run#2 [seed=1111] ... Done!
run#3 [seed=2222] ... Done!
run#4 [seed=3333] ... Done!
run#5 [seed=4444] ... Done!
run#6 [seed=5555] ... Done!
run#7 [seed=6666] ... Done!
run#8 [seed=7777] ... Done!
run#9 [seed=8888] ... Done!
run#10 [seed=9999] ... Done!
?ASSI
Testing with MESSAGES:1000, LOSS:0.2, CORRUPTION:0.0, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
run#1 [seed=1234] ... Done!
run#2 [seed=1111] ... Done!
run#3 [seed=2222] ... Done!
run#4 [seed=3333] ... Done!
run#5 [seed=4444] ... Done!
run#6 [seed=5555] ... Done!
run#7 [seed=6666] ... Done!
run#8 [seed=7777] ... Done!
run#9 [seed=8888] ... Done!
run#10 [seed=9999] ... Done!
?ASSI
Testing with MESSAGES:1000, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:50, WINDOW:0 ...
```



```

Testing with MESSAGES:20, LOSS:1.0, CORRUPTION:0.0, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:1.0, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
SANITY TESTS: PASS

```

[5.0] GBN

(Put screenshots of the grader here...)

```

haifengx@haifengx-virtual-machine:~/CSE489-PA2/cse489589_assignment2/grader$ ./sanity_tests -p ..//wzhou29/gbn -r ./run_experiments
Testing with MESSAGES:1000, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.2, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.6, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.8, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!

```


[8.0] SR

(Put screenshots of the grader here...)

```
underground {local/Spring_2022/wzhou29/CSE489-PA2/cse489sp9_assignment2/grader} > ./sanity_tests -p ..//wzhou29/sr -r ./run_experiments
Testing with MESSAGES:1000, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.2, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.6, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.8, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.1, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.2, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
```

```

Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.6, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:1.0, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:1.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
SANITY TESTS: PASS

```

[No further grading for the protocol that fails a SANITY test.]

4 - BASIC Tests

[5.0] ABT

(Put screenshots of the grader here...)

```

underground {/local/Spring_2022/wzhou29/CSE489-PA2/cse489589_assignment2/grader} > ./basic_tests -p .. /wzhou29/abt -r ./run_experiments
Testing with MESSAGES:20, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.8, CORRUPTION:0.0, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.1, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:1000, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
BASIC TESTS: PASS

```

[12.0] GBN

(Put screenshots of the grader here...)

```
underground (/local/Spring_2022/wzhou29/CSE489-PA2/cse489589_assignment2/grader) > ./basic_tests -p .. /wzhou29/gbn -r ./run_experiments
Testing with MESSAGES:20, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.8, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.1, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
BASIC TESTS: PASS
underground (/local/Spring_2022/wzhou29/CSE489-PA2/cse489589_assignment2/grader) > █
```

[18.0] SR

(Put screenshots of the grader here...)

```
underground {/local/Spring_2022/wzhou29/CSE489-PA2/cse489589_assignment2/grader} > ./basic_tests -p .. /wzhou29/sr -r ./run_experiments
Testing with MESSAGES:20, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.8, CORRUPTION:0.0, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.1, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:20, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:50, WINDOW:50 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
BASIC TESTS: PASS
```

[No further grading for the protocol that fails a BASIC test.]

5 - ADVANCED Tests

[5.0] ABT

(Put screenshots of the grader here...)

```
underground {/local/Spring_2022/wzhou29/CSE489-PA2/cse489589_assignment2/grader} > ./advanced_tests -p ..//wzhou29/abt -r ./run_experiments
Testing with MESSAGES:1000, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.2, CORRUPTION:0.0, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.6, CORRUPTION:0.0, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.8, CORRUPTION:0.0, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.1, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
```

```

Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.2, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.6, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:50, WINDOW:0 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
ADVANCED TESTS: PASS
underground:~/local/Spring_2022/wzhou29/CSE489-PA2/cse489589_assignment2/grader1> █

```

[10.0] GBN

(Put screenshots of the grader here...)

```

haifengx@haifengx-virtual-machine:~/CSE489-PA2/cse489589_assignment2/grader$ ./advanced_tests -p .. /wzhou29/gbn -r ./run_experiments
Testing with MESSAGES:1000, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.2, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.6, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...

```

```

Testing with MESSAGES:1000, LOSS:0.6, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.8, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.1, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.2, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.6, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
ADVANCED TESTS: PASS

```

[20.0] SR

(Put screenshots of the grader here...)

```
underground (/local/Spring_2022/wzhou29/CSE489-PA2/cse489589_assignment2/grader) > ./advanced_tests -p .. /wzhou29/sr -r ./run_experiments
Testing with MESSAGES:1000, LOSS:0.1, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.2, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.4, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.6, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.8, CORRUPTION:0.0, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
```

```

Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.1, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.2, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.4, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.6, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
Testing with MESSAGES:1000, LOSS:0.0, CORRUPTION:0.8, ARRIVAL:50, WINDOW:10 ...
Running simulator [10 Runs] ...
Run#1 [seed=1234] ... Done!
Run#2 [seed=1111] ... Done!
Run#3 [seed=2222] ... Done!
Run#4 [seed=3333] ... Done!
Run#5 [seed=4444] ... Done!
Run#6 [seed=5555] ... Done!
Run#7 [seed=6666] ... Done!
Run#8 [seed=7777] ... Done!
Run#9 [seed=8888] ... Done!
Run#10 [seed=9999] ... Done!
PASS!
ADVANCED TESTS: PASS

```

6 - ANALYSIS & REPORT [15.0]

(We expect you to use graphs to show your results for each of the experiments in 6.1 and then write down your observations. Further, your report, at the very least, should answer questions like: What variations did you expect for throughput by changing those parameters and why? Do you agree with your measurements; if not then why?)