


EDU-Platform

这里是武科大生产实习项目。


开发中使用的工具

1. IDEA 2017
2. Navicat
3. Visual Studio Code
4. Github Desktop

GitHub仓库



Github Desktop初步使用



我们在对仓库中的文件进行修改后，就可以打开GitHub Desktop，先输入“提交描述”——这是说明你这次的修改的原因和目的，然后“Commit to main”，再“Push Origin”。

当然了，没有“Commit to main”前，右上角那个区域是“Fetch Origin”，它的功能是从远处仓库拉取所有修改。

“Push Origin”和“Fetch Origin”的使用顺序应该没有影响。

GitHub访问慢的解决

进入“C:\Windows\System32\drivers\etc”路径下的`hosts文件，

修改GitHub相关域名解析，添加如下行

```
140.82.113.3 github.com
```

```
185.199.108.153 assets-cdn.github.com
```

上面的IP是通过 <https://www.ipaddress.com/> 这个网站得到的

最后，cmd执行

```
ipconfig/flushdns
```

```
ping github.com
```

这种方式，有时依然很慢甚至打不开。

这时就需要 科学上网 了。大家应该都了解吧。

我用的igg谷歌助手插件，**会员** 能翻出去。

需要插件地址的跟我说一下。

分组的问题

暂时不知。

项目有四个页面要做，可以分为两人小组，每组一个页面的前后端开发，

记得自己新写的方法、变量等等都需加注释，不然别的小伙伴不知道。

开发记录

启动Redis

```
redis-server.exe redis.windows.conf
```

```
D:\Environment\redis>redis-server.exe redis.windows.conf

Redis 3.2.100 (00000000/0) 64 bit
Running in standalone mode
Port: 6379
PID: 3964

http://redis.io

[3964] 22 Jul 15:05:06.801 # Server started, Redis version 3.2.100
[3964] 22 Jul 15:05:06.805 * DB loaded from disk: 0.000 seconds
[3964] 22 Jul 15:05:06.805 * The server is now ready to accept connections on port 6379
```

`npm i` 报错: Cannot read properties of null (reading 'pickAlgorithm')

`npm cache clear -force`