



Cover Page

Please find enclosed a selection of documents of the underneath operation :

Client	: Aramco Trading Limited
Client Reference #	: 1429150
Operation	: Petroleum Discharging
Vessel	: TORM SUBLIME
Product	: Naphtha
Location	: Vesta Terminal Antwerp NV
AmSpec File #	: 632-25-10300
Calculation Method	: Table 54 B

If you require any more information regarding above operation which are not included in this report, please let us know and we will inform you promptly and accordingly

Be advised that Field Documents with both signatures from the AmSpec Surveyor, Vessel's Representative and/or Installation are not always included in this report. Also the Certificate of Quality is not included in this Report and will be send to you, if applicable and/or on request, seperately by your designated AmSpec Representative.

Whenever you have a complaint or if you are not satisfied with our services, please contact us immediately at

compliance@amspecgroup.com

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec, LLC cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners and operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.



Summary Report - Petroleum Discharging

Client : Aramco Trading Limited
Client Reference : 1429150

Jobfile # : 632-25-10300

Vessel : TORM SUBLIME
Product : Naphtha
Location : Vesta Terminal Antwerp NV

Date : 8/07/2025

Method used for calculation : Table 54

B

Bill of lading

Bill of lading	Bill of lading date (*)	Dens 15°C vac	m ³ at 15°C	mton vac*	mton air	bbls at 60°F
# 1	1/07/2025	0.6837	34,502.719	23,591.115	23,553.269	217,195.00
Total		0.6837	34,502.719	23,591.115	23,553.269	217,195.00

* Calculated by AmSpec for comparison only

OUTTURN COMPARISON

	Dens 15°C vac	m ³ at 15°C	mton vac	mton air	bbls at 60°F
Bill of lading	0.6837	34,502.719	23,591.115	23,553.269	217,195.00
Outturn	0.6840	34,465.679	23,573.303	23,535.499	216,948.57
Difference	0.0002	-37.040	-17.812	-17.770	-246.43
as percentage	0.03%	-0.11%	-0.08%	-0.08%	-0.11%

Received Quantity / Shore Measurements

Received units	Dens 15°C vac	m ³ at 15°C	mton vac	mton air	bbls at 60°F
SHT 303	0.6841	21,618.318	14,788.752	14,765.040	136,078.61
SHT 305	0.6838	12,847.361	8,784.551	8,770.459	80,869.96
Total	0.6840	34,465.679	23,573.303	23,535.499	216,948.57

Ship's Figures

	Dens 15°C vac	m ³ at 15°C	mton vac	mton air	bbls at 60°F
Ship's figures before discharge	0.6838	34,483.576	23,579.869	23,542.045	217,062.31
Ship's figures after discharge (ROB)					
Ship's figures discharged	0.6838	34,483.576	23,579.869	23,542.045	217,062.31
Ship's figures discharged VEF applied	0.6838	34,528.463	23,610.563	23,572.689	217,344.85

Cargo stowed in tanks : 1P,1S,2P,2S,3P,3S,4P,4S,5P,5S

Please refer to Vessel Experience Factor for VEF data - Qualified voyages 18 / 16

VOYAGE Comparison

	Measured	VEF Corr.		Measured	VEF Corr.
Loadport	m ³ at 15°C	m ³ at 15°C	Voyage	m ³ at 15°C	m ³ at 15°C
Bill of Lading	34,502.719	34,502.719	Ship after loading	34,452.107	34,496.953
Ship loaded	34,452.107	34,496.953	Ship before discharge	34,483.576	34,528.463
Difference	-50.612	-5.766	Difference	31.469	31.510
as percentage	-0.15%	-0.02%	as percentage	0.09%	0.09%
Disport	m ³ at 15°C	m ³ at 15°C	Extra comparison	m ³ at 15°C	m ³ at 15°C
Bill of Lading	34,502.719	34,502.719	Ship discharged	34,483.576	34,528.463
Ship discharged	34,483.576	34,528.463	Outturn	34,465.679	34,465.679
Difference	-19.143	25.744	Difference	-17.897	-62.784
as percentage	-0.06%	0.07%	as percentage	-0.05%	-0.18%



Summary Report - Petroleum Discharging

Client : Aramco Trading Limited
Client Reference : 1429150

Jobfile # : 632-25-10300

Vessel : TORM SUBLIME
Product : Naphtha
Location : Vesta Terminal Antwerp NV

Date : 8/07/2025

Method used for calculation : Table 54 B

Time Log

<u>Date</u>	<u>Time</u>	<u>Event</u>	<u>Remarks</u>
04-07-2025	07:12	Notice of Readiness Tendered	
07-07-2025	09:18	All Fast	
07-07-2025	11:30	Completed calculations	
07-07-2025	11:50	Arm(s)/hose(s) connected	
07-07-2025	13:24	COMMENCED DISCHARGE	
08-07-2025	10:18	COMPLETED DISCHARGE	
08-07-2025	11:00	Completed final inspection	
08-07-2025	11:18	Arm(s)/Hose(s) disconnected	
08-07-2025	18:00	Vessel unmoored (ETD)	Pilot not confirmed yet

Delays

<u>From</u>	<u>Until</u>	<u>Event</u>	<u>Remarks</u>
07-07-2025 11:30	07-07-2025 13:24	Awaiting shore readiness	

Samples

<u>Sample Phase</u>	<u>Sample description</u>	<u>Tank #</u>	<u>Amount</u>		<u>Volume (Litre)</u>	<u>Distribution</u>
Before discharge	Running	1-5 P/S	10	X	0.5	Retain
Before discharge	Running	1-5 P/S	20	X	0.25	Retain
During discharge	End Of ShoreLine	N/A	2	X	0.5	Retain
During discharge	Manifold	N/A	2	X	0.5	Retain
After discharge	T, U, M, L, B, 2R	SHT 303	7	X	1	Analyse
After discharge	T, U, M, L, B, 2R	SHT 305	7	X	1	Analyse
Total			48			

Letters of Protests

Closed procedure

Remarks

Additional information and original signed forms are kept on file and will be made available upon first request.

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec B.V. cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners and operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.



Time Log

Client Aramco Trading Limited
Client Reference 1429150

Jobfile # : 632-25-10300

Vessel : TORM SUBLIME
Product : Naphtha
Location : Vesta Terminal Antwerp NV

Date : 8/07/2025

TIME LOG

Date	Time	Event	Remark
04-07-2025	05:30	End of Sea Passage	
04-07-2025	07:12	Notice of Readiness Tendered	
04-07-2025	07:12	Dropped anchor	
05-07-2025	08:24	Anchor aweigh	
07-07-2025	07:24	Pilot On board	
07-07-2025	08:42	First Line ashore	
07-07-2025	09:18	All Fast	
07-07-2025	09:30	Surveyor notified initial inspection	
07-07-2025	09:30	Gangway down	
07-07-2025	09:30	Surveyor arrived at location initial inspection	
07-07-2025	09:40	Surveyor on board initial inspection	
07-07-2025	11:30	Notice of Readiness Received/Accepted	
07-07-2025	10:00	Commenced initial inspection	
07-07-2025	11:00	Completed initial inspection	
07-07-2025	11:00	Commenced sampling	
07-07-2025	12:00	Completed sampling	
07-07-2025	11:30	Completed calculations	
07-07-2025	11:50	Arm(s)/hose(s) connected	
07-07-2025	13:24	COMMENCED DISCHARGE	
08-07-2025	10:18	COMPLETED DISCHARGE	
08-07-2025	10:30	Surveyor notified final inspection	
08-07-2025	10:30	Surveyor arrived at location	
08-07-2025	10:40	Surveyor on board final inspection	
08-07-2025	10:42	Commenced final inspection	
08-07-2025	11:00	Completed final inspection	
08-07-2025	11:18	Arm(s)/Hose(s) disconnected	
08-07-2025	12:00	Surveyor documents on board/signed	
08-07-2025	18:00	Vessel unmoored (ETD)	Pilot not confirmed yet

DELAYS

From	Until	Delay	Remark
07-07-2025 11:30	07-07-2025 13:24	Awaiting shore readiness	

Signed by Vessel:

Signed by AmSpec :

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec, LLC cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners and operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.



Jobfile # : 632-25-10300

Method used for calculation : Table 54 B

Density in VAC (kg/l 15°C) :	0.6838
------------------------------	--------

Gauge Equipment :	UTI	Draft Fwd (m) :	9.30	Trim (m) :	0.00	Weather condition :	Calm
Equipment number :	G23968	Draft Aft (m) :	9.30	List (° P/S) :	0	Calibration table valid from :	**

Remarks : _____

Signed by AmSpec :

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec, LLC cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners and operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.



Jobfile # : 632-25-10300

Date : 8/07/2025
Time : 11:00
Method used for calculation : Table 54

ULLAGE REPORT AFTER DISCHARGE/ROB REPORT

Density in VAC (kg/l 15°C) :

[illegible]

Gauge Equipment :	UTI	Draft Fwd (m) :	6.50	Trim (m) :	2.00	Weather condition :	Calm
Equipment number :	G23968	Draft Aft (m) :	8.50	List (" P/S) :	Nil	Calibration table valid from :	*

TOTAL FIGURES	<i>Litres 15°C</i>	<i>mt vac</i>	<i>mt air</i>	<i>Density at 15°C VAC</i>	<i>Bbls 60°F</i>	<i>Gallons 60°F</i>	<i>Long Tons</i>
Ship's figures after discharge							
Ship's figures before discharge	34,483,576	23,579.869	23,542.045	0.6838	217,062.31	9,116,618	23,170.234
Ship's figures discharged	34,483,576	23,579.869	23,542.045	0.6838	217,062.31	9,116,618	23,170.234
Ship's figures disch. VEF applied	34,528,463	23,610.563	23,572.689		217,344.85	9,128,486	23,200.394

Remarks : _____

Signed by Vessel:

Signed by AmSpec :

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec, LLC cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners or operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.



Empty Tank Inspection

Client : Aramco Trading Limited
Client Reference : 1429150

Jobfile # : 632-25-10300

Vessel : TORM SUBLIME
Product : Naphtha
Location : Vesta Terminal Antwerp NV

Date : 8/07/2025
Time : 11:00

EMPTY TANK INSPECTION

The undersigned AmSpec representative declares hereby that below stated cargo tanks have been inspected upon completion of discharge.

The following cargotanks have been inspected for emptiness

Tank(s) # : 1P,1S,2P,2S,3P,3S,4P,4S,5P,5S

Inspection has been taken place by means of :

- ☐ **A visual inspection was carried out from deck-level.**
The cargotanks were found, as far as could be seen, satisfactorily drained.
- ☒ **An inspection was carried out by means of hand/UTI measurement at the available measuring points.**
See our seperate Ullage-/ROB report.
- ☐ **An inspection was carried out by means of ATG system.**
See our Letter of Protest for Closed gauging (and sampling).

Comments

Signed by Vessel:

Signed by AmSpec :

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec, LLC cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners and operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.



Vessel Experience Factor

Client: Aramco Trading Limited
Client Ref.: #

Jobfile #: 632-25-10300

Vessel: TORM SUBLIME
Product: Naphtha
Location: Vesta Terminal Antwerp NV

Date: 8-Jul-2025

VESSEL EXPERIENCE REPORT

Seq #	Voyage No.	Date	Port	Cargo	TCV Ship Sailing	OBQ	TCV Ship Loaded	TCV Load (B/L)	Diff.	B/L Basis	Ship/Shore Ratio	Rejected voyage	Qualifying voyage	Comments
					metric tons		metric tons	metric tons						
1	50	14/06/2025			35,231,620		35,231,620	35,254,480	-22,860.000	Shore	0.99935	No	Yes	
2	49	19/05/2025			36,591,120		36,591,120	36,639,650	-48,530.000	Ship	0.99868	Yes	No	Ship figures
3	48	03/05/2025			35,318,090		35,318,090	35,361,070	-42,980.000	Ship	0.99878	Yes	Yes	Ship figures
4	45	19/01/2025			37,631,070		37,631,070	37,648,200	-17,130.000	Shore	0.99954	No	Yes	
5	44	10/12/2024			37,692,750		37,692,750	37,747,600	-54,850.000	Shore	0.99855	No	Yes	
6	43	14-17/11/2024			42,747,140		42,747,140	42,777,180	-30,040.000	Shore	0.99930	No	Yes	
7	42	01-02/10/2024			33,685,650		33,685,650	33,722,130	-36,480.000	Shore	0.99892	No	Yes	
8	41	23-30/08/2024			33,096,780		33,096,780	33,109,670	-12,890.000	Shore	0.99961	No	Yes	
9	40	16/08/2024			37,089,940		37,089,940	37,176,240	-86,300.000	Shore	0.99768	No	Yes	
10	39	06/06/2024			34,750,750		34,750,750	34,760,440	-9,690.000	Shore	0.99972	No	Yes	
11	38	28/03/2024			33,292,790		33,292,790	33,373,290	-80,500.000	Shore	0.99759	No	Yes	
12	37	02/02/2024			35,442,040		35,442,040	35,509,360	-67,320.000	Shore	0.99810	No	Yes	
13	36	04/12/2023			27,970,720		27,970,720	28,030,700	-59,980.000	Shore	0.99786	No	Yes	
14	35	08/11/2023			39,157,620		39,157,620	39,195,230	-37,610.000	Shore	0.99904	No	Yes	
15	34	05/10/2023			36,281,800		36,281,800	36,323,870	-42,070.000	Shore	0.99884	No	Yes	
16	32	31/08/2023			35,581,100		35,581,100	35,624,660	-43,560.000	Shore	0.99878	No	Yes	
17	30	29/07/2023			36,396,890		36,396,890	36,510,230	-113,340.000	Shore	0.99690	No	Yes	
18	29	01/07/2023			39,656,100		39,656,100	39,712,140	-56,040.000	Shore	0.99859	No	Yes	
19	28	06/06/2023			40,234,470		40,234,470	40,198,900	35,570.000	Shore	1.00349	No	No	
20	27	03/05/2023			24,167,840		24,167,840	24,282,190	-114,350.000	Shore	0.99529	No	No	

Total of all non-rejected quantities 610,107,070 0 610,107,070 610,956,510

Mean Vessel/Shore Ratio

0.99861

+/- 0.30% of the Mean Vessel/Shore Ratio

0.99561

1.00161

Total of all qualifying quantities

575,704,760

576,475,420

Vessel Experience Factor

0.9987

18 Total number of non-rejected voyages

16 Total number of qualified voyages


Last Dry Dock

Date

The voyage data used to compile the VEF was supplied by the vessel. The AmSpec inspector was not able to verify the accuracy of this data. Vessel experience factor will be applied for purposes of determining Custody Transfer quantities only "when agreed by interested parties". Vessel Experience Factor calculated as per API MPMS Chapter 17.9 / EI HM 49, 3rd Edition, July 2019 guideline. VEF must consist of at least 5 (five) qualified voyages. Rejected voyages. The following voyages shall not be used in the calculation:

- Gross error voyages
- Voyages where only vessel tank measurements were available (i.e. STS transfers, active shore tanks) except where quantities are determined onboard FPSOs using meters in accordance with globally standards.
- All voyages prior to any changes to measurement equipment, tables, vessel's structure, or other changes requiring the issuance of new capacity tables.

No voyages shall be excluded beyond the reasons given above, unless specifically agreed by all interested parties.



Remarks :

Signed by Vessel:

Signed by AmSpec:

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners and operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.



Shore Measurements

Client	: Aramco Trading Limited	Jobfile #	: 632-25-10300
Client Reference	: 1429150		
Vessel	: TORM SUBLIME	Date	: 8/07/2025
Product	: Naphtha		
Location	: Vesta Terminal Antwerp NV	Method used for calculation	: Table 54 B

Shore Measurements

Receiving Unit	Innage/Ullage	Temp	TOV	water dip	water vol.	Density 15°C	Roof corr.	GOV	GSV	mt vac	mt air
SHT 303	mm	°C	Litres observed	mm	Litres	kg/l 15° vac	Litres	Litres observed	Litres 15°C	metric tons	metric tons
Open	4665	20.10	9,099,846	40	2,052	0.7341	202,184	8,895,610	8,839,568	6,489.127	6,479.498
Close	16102	23.10	31,009,050	40	2,052	0.6986	213,462	30,793,536	30,457,886	21,277.879	21,244.538
Manual / A - ATG measurements						Received quantity :		21,897,926	21,618,318	14,788.752	14,765.040

Receiving Unit	Innage/Ullage	Temp	TOV	water dip	water vol.	Density 15°C	Roof corr.	GOV	GSV	mt vac	mt air
SHT 305	mm	°C	Litres observed	mm	Litres	kg/l 15° vac	Litres	Litres observed	Litres 15°C	metric tons	metric tons
Open	5352	19.70	10,014,146	35	1,753	0.7125	208,281	9,804,112	9,744,307	6,942.819	6,932.172
Close	12127	21.50	23,007,751	35	1,753	0.6962	213,758	22,792,240	22,591,668	15,727.370	15,702.631
Manual / A - ATG measurements						Received quantity :		12,988,128	12,847,361	8,784.551	8,770.459

ADDITIONAL RECEIPTS

Received Unit description	Temp °C	kg/l 15° vac	Litres observed	Litres 15°C	metric tons vac	metric tons air

TOTAL RECEIVED QUANTITY

Temp °C	kg/l 15° vac	Litres observed	Litres 15°C	metric tons vac	metric tons air
23.8	0.6840	34,886,054	34,465,679	23,573.303	23,535.499
			US Barrels 60°F	US Gallons 60°F	Long Tons
			216,948.57	9,111,840	23,163.791

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec, LLC cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners and operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.



Recommendation - Closed Inspection, Gauging and Sampling

Client : Aramco Trading Limited

Jobfile # : 632-25-10300

Client Ref. : 1429150

Ship : TORM SUBLIME

Date : 7/07/2025

Product : Naphtha

Location : Vesta Terminal Antwerp NV

Closed Inspection, Gauging and Sampling

This is to advise that we, as Independent Surveyors, on behalf of our principals, are unable to perform a visual inspection, take measurements or samples through open tank hatches, due to

☒ The presence of unreleased inert gas pressure

☐ In order to maintain the oxygen / dewpoint content in the cargotank atmosphere

☒ Terminal Regulation / Ship Policy

☒ In order to avoid emissions of cargo vapours

Therefore we are obliged to perform the inspection or obtain the measurements and samples by closed gauging/sampling systems.

Remarks : *AmSpec can not be held responsible for those areas beyond visual inspection and/or the effectiveness of the cleaning method.*

RECOMMENDATION - Closed Sampling

This is to advise, in accordance to standard sampling procedures, the options to take the most appropriate/representative samples.

We will follow the underneath sampling hierarchy, in order of the most to the least preferred method :

- 1 Open sampling allowed by ship / terminal and safe to perform
- 2 Restricted sampling using Surveyor equipment
- 3 Restricted sampling using Ship's equipment
- 4 Re-circulating and sampling from cargo pump

Due to Terminal/Vessel policy or the nature of the cargo, we are unable to take samples by open hatch, therefore the cargotanks must be sampled by Closed Procedure.

Previous cargo : **ULSD**

Cleaning method : **Washed, vent, mop, dry**

Following is the agreed closed sampling method :

☒ Closed portable sampler using **Ship** equipment

Model : **Hermetic**

- *Please rinse the sample tube prior to sampling, in order to take representative samples.*

☐ A portable sampling pump (Dopak system)

☐ The ship's circulation pump/line

- *Please circulate the cargotanks after completion of the loading operation, prior sampling*

- *Please circulate each cargotank for minimum 5 minutes, prior sampling.*

Remarks : *In the event of using circulation pump or dopak system, ship's crew is requested to assist surveyor with proper flushing of these points.*

RECOMMENDATION - Closed Gauging

This is to advise, in accordance to standard gauging procedures, the options to obtain the most accurate gauges.

We will follow the underneath gauging hierarchy, in order of the most to the least preferred method :

- 1 Open gauging allowed by ship / terminal and safe to perform
- 2 Restricted gauging using Surveyor equipment
- 3 Restricted gauging using Ship's equipment
- 4 Automatic tank gauging system

Following is the agreed closed gauging method :

☒ Restricted gauging by use of **Ship** equipment

Connection type : **UTI**

Amspec Equipment:

Serial nr : **H5600/37248**

Temp check : **24.6**

Length check : **5000mm**

Ship Equipment:

Serial nr : **G23968**

Temp check : **24.6**

Length check : **5000mm**

☐ Automatic gauging system

Remarks :

Our mutual customers require the use of independent certified equipment for sampling and gauging services and we encourage a suitability inspection by the vessel prior to use. Vessel warrants that all tank access points are in good operational condition and tank spaces below the access point are free and clear of obstructions irrespective of trim and/or list conditions. AmSpec disclaims any and all liability for equipment trapped or lost in this manner and any resulting retrieval costs, demurrage fees and lost time.

Signed by Vessel / Barge :

Signed by Terminal / Installation :

Signed by AmSpec :

Version Date : 20/05/2025

Version # : 3

Doc No : DOC-206.07

Any and all information and data contained in AmSpec's final report(s) are obtained as a result of inspection and testing protocols undertaken according to the nominated instructions of the client, the results of which are based on industry technical standards and protocols. AmSpec warrants that it has exercised due diligence and care with respect to the information, opinions and professional judgments embodied in this report. The report reflects the findings at the time and place of inspection. AmSpec, LLC cannot attest to the veracity of any information or data supplied by third parties and as a consequence, cannot be held liable for same. AmSpec personnel do not release vessels. This responsibility solely remains with terminals, principals, charterers, owners and operators. Note: All of the above was performed in accordance with API Chapters 3, 7, 8, 11.1, 12 & 17 guidelines.