



워크플로우 비교분석

- 1. 사용한 도구 : Make, Zapier
- 2. 구현 과정 :

Make 구현 과정

- 1. Trigger: Webhooks – Custom Webhook
- 2. AI Action: Gemini AI / HTTP – Make a Request
- 3. Router: FAN_ON / FAN_OFF 분기
- 4. Action 1: 선풍기 ON
- 5. Action 2: Tools – Sleep, 10초 대기
- 6. Action 3: 선풍기 OFF
- 7. Action 4: Google Sheets – Add a Row, 결과 기록





Zapier 구현과정


1. 앗음

Trigger: Webhooks by Zapier – Catch Hook

Action 1: Webhooks by Zapier – Custom Request

Action 2: Delay by Zapier – Delay For

Action 3: Google Sheets – Create Spreadsheet Row



A	B	C	D	E
시간	이벤트	AI에게 보낸 질문	AI 답변	상태
2026. 7. 23 오후 1:53:57	있음	있아 있는지 판단해서 짧게 한국어로 답해줘	있음	ON

2. 일어난

Trigger: Google Sheets – New Spreadsheet Row(*Google Forms* 응답 시트 연동)


Action 1: Webhooks by Zapier – Custom Request

Filter: Webhooks by Zapier – 2. Candidates Content Parts Text → exactly matches → away

Action 2: Delay by Zapier – Delay For

Action 3: Code by Zapier – Date / Time

Action 4: Google Sheets – Create Spreadsheet Row



1. New Spreadsheet Row

Found 1 new Spreadsheet Row in Google Sheets.

✓  Webhooks by Zapier

2. Custom Request

Sent 1 new request to Webhooks by Zapier.

 Filter by Zapier

3. Filter conditions

Your run passed the rules for this filter.

 Delay by Zapier

4. Delay For

Sent 1 new Time to Delay by Zapier.

 Code by Zapier

5. Date / Time

Sent 1 new data to Code by Zapier.

 Google Sheets

6. Create Spreadsheet Row

응답 ▾

📄

타임스탬프 ▾

지금 상태를 한 문장으로 적어주세요 ▾

2026. 7. 24 오후 1:41:43	나 잠시만 일어날게
2026. 7. 24 오후 1:43:19	일어남
2026. 7. 24 오후 1:46:26	away
2026. 7. 24 오후 1:47:19	away
2026. 7. 24 오후 1:50:05	away
2026. 7. 24 오후 1:50:41	away
2026. 7. 24 오후 1:57:45	away
2026. 7. 24 오후 1:58:10	away

1	시간	상태	AI 요약
2	2026. 7. 24 오후 1:46:30	OFF	away
3	2026. 7. 24 오후 1:50:53	OFF	away
4	2026. 7. 24 오후 1:58:27	OFF	away
5	2026. 7. 24 오후 1:59:22	OFF	away
6	2026. 7. 24 오후 1:59:22	OFF	away
7			

※구글폼 질문 :

<https://docs.google.com/forms/d/1Uqm-pvWwnu3aBGwAeMEUUOU5GyPYYwTZf2pdp9OYMTI/edit?pli=1>

※ 구글폼 질문 응답 :

https://docs.google.com/forms/d/e/1FAIpQLSc_ZKd5z24azpEM0ssx9g54NowdowhO7QuzjJDqEVnv4X70DA/viewform

3. Make와 Zapier 비교

1. UI : Make는 표현이 동그라미로 되어 있고, 색깔도 여러가지로 표현되어있어서 재밌고 좋다. Zapier는 표현이 네모이고 색이 한가지로 고정되어있어서 아쉽다.
2. 설정 난이도 : Make와 Zapier나 난이도는 처음하는사람입장에서는 어렵다. 그래도 비교한다면 나의 기준으로는 Zapier가 빨리끝냈고 조금 쉬웠다.
3. 연동 서비스 범위 : 눈에서 볼때는 Make는 약 1,800이고 Zapier는 약 7000개이다.
4. 무료 플랜 범위 : Make는 1달이고 코인이 1천코인이며 무제한 시나리오를 만들수 있고, Zapier는 월 100테스크이고 5개 Zap을 만들수있게 되어있다.

5. 실행 로그 확인 방식 : **Make**는 간편하게 밑에 창에서 끄고 켜서 잘보여서 좋다. **Zapirer**는 왼쪽에 시계마크로 클릭하거나 **Zap**을 테스트하면 왼쪽에 창이 뜨는데 어떤문제가 나타나면 아래쪽에 나타나는게 아쉽다.

4. 각 도구의 장단점

Make의 **장점**은 어떻게 실행되는지 색깔도 있고 보기좋게 되어있어서 좋다. 단점은 처음 배우는 것에 있어서는 조금 어렵지만 들어갈수록 재밌고 익숙해지는 느낌이다.

단점은 다른거는 다 괜찮은데 연동 가능한 앱이 적어서 아쉽다.

Zapirer의 **단점**은 처음하는사람에게 배우는것에 쉽지만 나중에 오류가 나거나 이렇게 왜 나는지 어떻게 해야 잘 진행되는지 그게 어려워서 아쉽다. 그리고 모듈을 만들면서 테스트할때 순서가 꼬이거나 하는점도 있어서 아쉽다.

장점은 위에서 비교표에서 보면 알수있듯이 연동 가능한 앱이 **Make**에 비해 많아서 좋다.

5. 어떤 상황에서 적합한가

무더운 여름날 밖에있다가 안으로왔을 때 바로 시원해지고 싶을때 사용하면 적합할 것 같다.