



Program Code: J620-002-4:2020

Program Name: FRONT-END SOFTWARE DEVELOPMENT

Title : Regular Expressions - Part 2

Name: Chuay Xiang Ze

IC Number: 021224070255

Date : 6/7/2023

Introduction : Learning how to extract data using regex

Conclusion : Managed to complete tasks relating to the topic.

P12 - Regular Expressions - Part 2

Extract Email using Regex



In [1]:

```
import requests
import re

url='https://www.selangor.gov.my/index.php/pages/view/339'

# get the data
data = requests.get(url, verify=False)

emails = re.findall(r'([\d\w\.-]+@[ \d\w\.-]+\.\w+)', data.text)

print(emails)
```

```
D:\Anaconda3\envs\python-dscourse\lib\site-packages\urllib3\connectionpool
l.py:981: InsecureRequestWarning: Unverified HTTPS request is being made t
o host 'www.selangor.gov.my'. Adding certificate verification is strongly
advised. See: https://urllib3.readthedocs.io/en/latest/advanced-usage.html
#ssl-warnings (https://urllib3.readthedocs.io/en/latest/advanced-usage.htm
l#ssl-warnings)
  warnings.warn(
```

```
['cccsel@rmp.gov.my', 'pertanyaan@icu.gov.my', 'jpn.selangor@moe.gov.my',
'cprc_sel@moh.gov.my', 'hqweb@jupem.gov.my', 'p.selangor@jppj.gov.my', 'pin
sel@imi.gov.my', 'pppselangor@jpn.gov.my', 'pensei@inform.gov.my', 'jbssel
angor@gmail.com', 'kamarudin@hasil.gov.my', 'sel@sprm.gov.my', 'prn_selang
or@moha.gov.my', 'webmaster@jp-ph.gov.my', 'penduduk@lppkn.gov.my', 'ppn_se
langor@dof.gov.my', 'ppnselangor@perpaduan.gov.my', 'kemas_selangor2@kema
s.gov.my', 'jbaudit@audit.gov.my', 'pneg_sgr@anm.gov.my', 'pjlwt@marine.go
v.my', 'pro@jako.gov.my', 'wpkl@prison.gov.my', 'zikril@kpdnhep.gov.my',
'korporat@bomba.gov.my', 'webmaster@spr.gov.my', 'selangor@wildlife.gov.m
y', 'webmaster@mkn.gov.my', 'jmgsselwp@jmg.gov.my', 'jhekssgor@mohr.gov.m
y', 'pmssubang@met.gov.my', 'ccc@customs.gov.my', 'jtknselangor@mohr.gov.m
y', 'jppmsel@mohr.gov.my', 'info@jkkn.gov.my', 'jpselangor@dosm.gov.my',
'pengarah_selangor@adk.gov.my', 'jkkpsl@mohr.gov.my', 'ppwnselangor@jpw.go
v.my', 'pro@civildefence.gov.my']
```

Extract Phone Number using Regex

In [2]:

```
import requests
import re

url='https://www.selangor.gov.my/index.php/pages/view/339'

# get the data
data = requests.get(url, verify=False)

phones = re.findall(r'[0-9]{2}\-[0-9]{8}', data.text)
print(phones)
```

```
['03-55145004', '03-55195175', '03-55213600', '03-55213700', '03-55186500', '03-55102133', '03-51237333', '03-51237209', '03-55144000', '03-55132613', '03-55669555', '03-55432202', '03-55190653', '03-55107255', '03-55117355', '03-55136755', '03-55192196', '03-55121411', '03-55192326', '03-55192231', '03-55215200', '03-55103500', '03-55256500', '03-55256514', '03-55256515', '03-55103436', '03-55103436', '03-55184603', '03-55197825', '03-55107397', '03-55110915', '03-55100575', '03-55190169', '03-55190690', '03-55132655', '03-55184617', '03-55184618', '03-55195114', '03-55195319', '03-55102376', '03-55193044', '03-55193175', '03-55199533', '03-55147400', '03-55147404', '03-55147405', '03-55205200', '03-55105049', '03-31695100', '03-31695190', '03-55190375', '03-55111063', '03-87328299', '03-55144300', '03-55195255', '03-78464444', '03-78469892', '03-55194273', '03-55400717', '03-55193915', '03-55101830', '03-55218790', '03-55218794', '03-55218791', '03-55447828', '03-55109705', '03-55101833', '03-55101918', '03-55193233', '03-55193551', '03-55193457', '03-55199059', '03-78463114', '03-78464982', '03-31693888', '03-31693600', '03-56328800', '03-56361605', '03-56361625', '03-56361573', '03-56361534', '03-56501600', '03-56361534', '03-55102664', '03-55102791', '03-55102839', '03-55150200', '03-55180408', '03-79568512', '03-79576396', '03-56236400', '03-56389159', '03-55118891', '03-55118706', '03-33411031', '03-33410506', '03-33410443', '03-33411894', '03-55447000']
```

```
D:\Anaconda3\envs\python-dscourse\lib\site-packages\urllib3\connectionpool.py:981: InsecureRequestWarning: Unverified HTTPS request is being made to host 'www.selangor.gov.my'. Adding certificate verification is strongly advised. See: https://urllib3.readthedocs.io/en/latest/advanced-usage.html#ssl-warnings (https://urllib3.readthedocs.io/en/latest/advanced-usage.html#ssl-warnings)
  warnings.warn(
```

Quiz

Quiz 1

Extract the Emails and Phone numbers from this page using RegEx

<https://www.ksn.gov.my/mengenai-pejabat/direktori-pejabat> (<https://www.ksn.gov.my/mengenai-pejabat/direktori-pejabat>)

In [34]:

```
import requests
import re

url='https://www.ksn.gov.my/mengenai-pejabat/direktori-pejabat'

# get the data
data = requests.get(url, verify=False)

phones = re.findall(r'[0-9]{3}\-[0-9 ]{9}', data.text)
emails = re.findall(r'([\d\w\.\-]+[at])+[\d\w\.\-]+\.\w+', data.text)

print(phones)
print(emails)
```

C:\Anaconda\envs\python-dscourse\lib\site-packages\urllib3\connectionpool.py:1056: InsecureRequestWarning: Unverified HTTPS request is being made to host 'www.ksn.gov.my'. Adding certificate verification is strongly advised. See: <https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings> (<https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings>)

```
warnings.warn(
```

```
['603-8872 7321', '603-8872 7329', '603-8872 7327', '603-8872 7223', '603-8872 7200', '603-8872 7216', '603-8872 7224', '603-8872 7218', '603-8872 7211', '603-8872 7321', '603-8872 7212']
```

```
['zuki[at]jpm.gov.my', 'zuki[at]jpm.gov.my', 'dr.haniff[at]jpm.gov.my', 'hasnah[at]jpm.gov.my', 'akram[at]jpm.gov.my', 'zulamri[at]jpm.gov.my', 'ahmadnizam[at]jpm.gov.my', 'nor.izuan[at]jpm.gov.my', 'mohd.abduh[at]jpm.gov.my', 'hasif[at]jpm.gov.my', 'hanisah[at]jpm.gov.my', 'faizah.bastamam[at]jpm.gov.my']
```

C:\Users\Xiang Ze\AppData\Local\Temp\ipykernel_21844\1649087138.py:10: FutureWarning: Possible nested set at position 2

```
emails = re.findall(r'([\d\w\.\-]+[at])+[\d\w\.\-]+\.\w+', data.text)
```

Quiz 2

Extract the Emails and Phone numbers from this page using RegEx

<https://www.jpn.gov.my/my/hubungi-kami/direktori-kakitangan/bahagian-kewarganegaraan>
(<https://www.jpn.gov.my/my/hubungi-kami/direktori-kakitangan/bahagian-kewarganegaraan>)

In [36]:

```
import requests
import re

url='https://www.jpn.gov.my/my/hubungi-kami/direktori-kakitangan/bahagian-kewarganegaraa

# get the data
data = requests.get(url, verify=False)

phones = re.findall(r'[0-9]{2}\-[0-9 ]{9}', data.text)

print(phones)
```

```
C:\Anaconda\envs\python-dscourse\lib\site-packages\urllib3\connectionpool.py:1056: InsecureRequestWarning: Unverified HTTPS request is being made to host 'www.jpn.gov.my'. Adding certificate verification is strongly advised. See: https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings (https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings)
```

```
warnings.warn(
```

```
['03-8880 7023', '03-8880 8185', '03-8880 8179', '03-8880 8185', '03-8880 8143', '03-8880 8185', '03-8880 7042', '03-8880 8185', '03-8880 8117', '03-8880 8185', '03-8000 8000', '03-8880 8288']
```

Quiz 3

Extract the Emails and Phone Numbers from this page using RegEx

<https://www.ptptn.gov.my/hubungi-ptptn> (<https://www.ptptn.gov.my/hubungi-ptptn>)

In [60]:

```
import requests
import re

url='https://www.ptptn.gov.my/hubungi-ptptn'

# get the data
data = requests.get(url, verify=False)

phones = re.findall(r'[0-9]{2}\-[0-9 ]{9}|[0-9]{2}\-[0-9 ]{8}|[0-9]{3}\-[0-9 ]{8}|[0-9]'
print(phones)
```

```
C:\Anaconda\envs\python-dscourse\lib\site-packages\urllib3\connectionpool.py:1056: InsecureRequestWarning: Unverified HTTPS request is being made to host 'www.ptptn.gov.my'. Adding certificate verification is strongly advised. See: https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings (https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings)
```

```
warnings.warn(
C:\Anaconda\envs\python-dscourse\lib\site-packages\urllib3\connectionpool.py:1056: InsecureRequestWarning: Unverified HTTPS request is being made to host 'www.ptptn.gov.my'. Adding certificate verification is strongly advised. See: https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings (https://urllib3.readthedocs.io/en/1.26.x/advanced-usage.html#ssl-warnings)
```

```
warnings.warn(

['03-21931177', '03-21931197', '011-51813747', '03-21931179', '03-21931184', '011-21326228', '011-12327988', '011-10952566', '011-11567607', '011-33518922', '011-17911236', '011-14201982', '011-40224241', '011-14201829', '011-62016403', '011-14201832', '011-23718675', '011-12834055', '011-14202056', '011-33178276', '011-1140 576', '011-1420 191', '011-11181518', '011-27765184', '011-28932548', '03-55231630', '011-73449057', '011-14202017', '011-11913055', '011-27282150', '011-21178900', '011-33091677', '011-25489744', '011-14202063', '011-23637492', '011-37030877', '011-11294543', '011-14202084', '011-31715313', '011-21106861', '011-12294739', '011-12379899', '011-37711539', '011-35065884', '011-28013600', '011-31929187', '011-12849088', '019-218 9132', '011-23625105', '011-31749310', '07-237 1088', '011-26421223', '011-26384286', '011-28767644', '011-21349402', '012-265 7306', '011-74120538', '011-10707204', '011-17471051', '011-24047600', '011-51488755', '011-11318943', '05-801 2398', '012- 4690670', '011-35134245', '04-226 2430', '011-14709963', '011-40737367', '011-36306991', '011-54251470', '011-37846617', '011-12350288', '011-88880690', '011-19909159', '011-14201934', '011-25519411', '011-16121236', '09-960 2800', '011-37533717', '011-31212003', '011-6363 300', '011-12171847', '011-20668682', '013-365 2998', '011-23749448', '011-11163836', '011-25779475', '011-10069030', '011-31735788', '011-29993920', '011-16037479', '011-31449144', '011-33329492', '011-36016122', '011-31725631', '011-31236318']
```

In [38]:

```
# Method 1

import requests
import re

url='https://www.ksn.gov.my/mengenai-pejabat/direktori-pejabat'

# get the data
```

In [40]:

```
# Method 2

import requests
import re

url='https://www.ksn.gov.my/mengenai-pejabat/direktori-pejabat'

# get the data
```

In [41]:

```
# Method 3

import requests
import re

url='https://www.ksn.gov.my/mengenai-pejabat/direktori-pejabat'

# get the data
```

In [39]:

```
# Answer to Exercise 2

import requests
import re

user_agent = 'user-agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (
headers={'User-Agent':user_agent}

url='https://www.jpn.gov.my/my/hubungi-kami/direktori-kakitangan/bahagian-kewarganegaraa

# get the data
# disable SSL cert verification
```



In [9]:

```
data.text
```

Out[9]:

```
'<!DOCTYPE html>\n<html lang="ms-my" dir="ltr" vocab="http://schema.org/">\n  <head>\n    <meta http-equiv="X-UA-Compatible" content="IE=edge">\n    <meta name="viewport" content="width=device-width, initial-scale=1">\n    <link rel="shortcut icon" href="/images/logojpgn40px.png">\n    <link rel="apple-touch-icon" href="/images/logojpgn40px.png">\n    <meta charset="utf-8" />\n    <base href="https://www.jpn.gov.my/my/hubungi-kami/direktori-kakitangan/bahagian-kewarganegaraan" />\n    <meta name="description" content="Portal Rasmi JPN" />\n    <meta name="generator" content="XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX" />\n    <title>Portal JPN - Bahagian Kewarganegaraan</title>\n    <link href="/my/hubungi-kami/direktori-kakitangan/bahagian-kewarganegaraan?format=feed&type=rss" rel="alternate" type="application/rss+xml" title="RSS 2.0" />\n    <link href="/my/hubungi-kami/direktori-kakitangan/bahagian-kewarganegaraan?format=feed&type=atom" rel="alternate" type="application/atom+xml" title="Atom 1.0" />\n    <link href="https://www.jpn.gov.my/my/hubungi-kami/direktori-kakitangan/bahagian-kewarganegaraan" rel="alternate" hreflang="ms-MY" />\n    <link href="https://www.jpn.gov.my/en/contact-us/direktori-kakitangan/citizenship-division" rel="altern
```

In [37]:

```
# Answer to Exercise 3
```

```
import requests
import re
```

```
url='https://www.ptptn.gov.my/hubungi-ptptn'
```

```
# get the data
```

```
D:\Anaconda3\envs\python-dscourse\lib\site-packages\urllib3\connectionpool.py:981: InsecureRequestWarning: Unverified HTTPS request is being made to host 'www.ptptn.gov.my'. Adding certificate verification is strongly advised. See: https://urllib3.readthedocs.io/en/latest/advanced-usage.html#ssl-warnings (https://urllib3.readthedocs.io/en/latest/advanced-usage.html#ssl-warnings)
  warnings.warn(
```

```
['ahmadshahril@ptptn.gov.my', 'sarah@ptptn.gov.my', 'umminadira@ptptn.gov.my', 'nabillah@ptptn.gov.my', 'noorshaheera@ptptn.gov.my', 'fadzlina@ptptn.gov.my', 'nurulhusna@ptptn.gov.my', 'nurul_atiqah@ptptn.gov.my', 'nur_atikah@ptptn.gov.my', 'nadhirah@ptptn.gov.my', 'noorehan@ptptn.gov.my', 'ismail.m@ptptn.gov.my', 'norzaidah@ptptn.gov.my', 'farahanim_a@ptptn.gov.my', 'masliana@ptptn.gov.my', 'arif_h@ptptn.gov.my', 'kamarul_a@ptptn.gov.my', 'fazaitum@ptptn.gov.my', 'wan_norasyikin@ptptn.gov.my', 'karthinee@ptptn.gov.my', 'izzasuria@ptptn.gov.my', 's.nurul@ptptn.gov.my', 'nursyafira@ptptn.gov.my', 'hafsoh@ptptn.gov.my', 'nuraishah@ptptn.gov.my', 'norhidayati@ptptn.gov.my', 's.nurhaishah@ptptn.gov.my', 'roslan@ptptn.gov.my', 'haslida@ptptn.gov.my', 'md_ismail@ptptn.gov.my', 'amani@ptptn.gov.my', 'malissa@ptptn.gov.my', 'm.shafik@ptptn.gov.my']
```


In []:

```
data.text
```

Need to use Selenium because of the Javascript on the page.

Discussion

Is regex good for scraping non regular texts from Web pages?

Eg. Look for all text between

- and

can work? yes but how usable?

Eg. Look for all names starting with Mr. and then extract the name. How?

We need a better way to extract the meta data and elements about the web page.

r'

<https://docs.python.org/3/library/re.html> (<https://docs.python.org/3/library/re.html>)

Regular expressions use the backslash character ('\') to indicate special forms or to allow special characters to be used without invoking their special meaning. This collides with Python's usage of the same character for the same purpose in string literals; for example, to match a literal backslash, one might have to write '\\\\' as the pattern string, because the regular expression must be \\, and each backslash must be expressed as \\ inside a regular Python string literal. Also, please note that any invalid escape sequences in Python's usage of the backslash in string literals now generate a DeprecationWarning and in the future this will become a SyntaxError. This behaviour will happen even if it is a valid escape sequence for a regular expression.

The solution is to use Python's raw string notation for regular expression patterns; backslashes are not handled in any special way in a string literal prefixed with 'r'. So r"\n" is a two-character string containing '\' and 'n', while "\n" is a one-character string containing a newline. Usually patterns will be expressed in Python code using this raw string notation.

Note:

Alternative 3rd party regex implementation

<https://pypi.org/project/regex/> (<https://pypi.org/project/regex/>)

Try it out own your own

In [8]:

```
# Example
```

```
teststring = 'this is \n a test'
print(teststring)
```

```
this is
a test
```

In [16]:

```
# Example escape character \ is now a raw string not an escape char
```

```
teststring = r'this is \n a test'
print(teststring)
```

```
this is \n a test
```

In [18]:

```
# \b Word boundary, allow to perform "whole words only" search
```

```
import re
```

```
re.findall('\btest\b', 'test this is a test') # the backslash gets consumed by the python
```

Out[18]:

```
[]
```

In [19]:

```
re.findall('\\btest\\b', 'test this is a test') # backslash is explicitly escaped and is
```

Out[19]:

```
['test', 'test']
```

In [14]:

```
re.findall(r'\btest\b', 'test this is a test') # often this syntax is easier
```

Out[14]:

```
['test', 'test']
```

In [21]:

```
# some example using regex to extract the URL

import re

x="""<!DOCTYPE html>

<html itemscope itemtype="http://schema.org/QAPage">

<head>
"""

matching = re.findall(r"[a-zA-Z0-9\-\.\.]+\.(?:com|org|net|mil|edu|COM|ORG|NET|MIL|EDU)+(?"
```

```
print(matching)

[ 'schema.org/QAPage' ]
```