

Title: Identifying Conditions Favouring Multiplicative Heterogeneity Models in Network Meta-Analysis

Author: Xinlei Xu, Caitlin H. Daly, Audrey Béliveau

Corresponding Author for Code:

Name: Xinlei Xu Email: xinlei.xu@uwaterloo.ca

Configurations:

R version 4.5.1 (2025-06-13)

Platform: aarch64-apple-darwin20

Running under: macOS Tahoe 26.3.1

Matrix products: default

BLAS:

/System/Library/Frameworks/Accelerate.framework/Versions/A/Frameworks
/vecLib.framework/Versions/A/libBLAS.dylib

LAPACK:

/Library/Frameworks/R.framework/Versions/4.5-arm64/Resources/lib
/libRlapack.dylib; LAPACK version 3.12.1

locale: [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8

time zone: America/Toronto tzcode source: internal

attached base packages: [1] stats graphics grDevices utils datasets methods base

other attached packages: [1] purrr_1.1.0 nmadb_1.2.0 metafor_4.8-0

[4] numDeriv_2016.8-1.1 Matrix_1.7-3 xtable_1.8-4

[7] patchwork_1.3.2 ggpattern_1.3.1 ggplot2_4.0.3

[10] tibble_3.3.0 dplyr_1.1.4 netmeta_3.4-0

[13] meta_8.3-0 metadat_1.4-0 metabook_0.2-0

loaded via a namespace (and not attached): [1] gtable_0.3.6 xfun_0.54 CompQuadForm_1.4.4 lattice_0.22-7

[5] mathjaxr_1.8-0 tzdb_0.5.0 vctrs_0.6.5 tools_4.5.1

[9] Rdpack_2.6.4 generics_0.1.4 pkgconfig_2.0.3 RColorBrewer_1.1-3 [13] S7_0.2.0 lifecycle_1.0.4 compiler_4.5.1 farver_2.1.2

[17] stringr_1.5.2 htmltools_0.5.8.1 yaml_2.3.10 pillar_1.11.1

[21] nloptr_2.2.1 MASS_7.3-65 reformulas_0.4.1 boot_1.3-31

[25] abind_1.4-8 nlme_3.1-168 tidyselect_1.2.1 digest_0.6.37

[29] mvtnorm_1.3-3 stringi_1.8.7 splines_4.5.1 magic_1.6-1

[33] fastmap_1.2.0 grid_4.5.1 colorspace_2.1-1 cli_3.6.5

[37] magrittr_2.0.4 readr_2.1.5 withr_3.0.2 scales_1.4.0

[41] rmarkdown_2.29 igraph_2.1.4 lme4_1.1-37 hms_1.1.3

[45] evaluate_1.0.5 knitr_1.50 rbibutils_2.3 rlang_1.1.6

[49] Rcpp_1.1.0 glue_1.8.0 xml2_1.4.0 rstudioapi_0.17.1 [53] minqa_1.2.8 R6_2.6.1

Code execution process:

Before running any scripts, set the folder **Code Supplement** as the working directory.

The following scripts can be executed independently and do not require a specific order:

- **compare_AICs.R**
Reproduces the histogram in Figures 1, Appendix A.3 Table 1, Appendix A.4 Figure 10, Table 2
- **run_four_case_studies.R**
Reproduces the results for Case Studies 1–4, including Figures 2–8 and Appendix A.6 Tables 3–6.

- `run_appendix_case_study.R`
Reproduces the Appendix A.5 case study illustrating the correct calculation of standard errors.
- `run_appendix_case_study.R`
Reproduces the Appendix A.5 case study illustrating the correct calculation of standard errors.
- `example/fit_RE_ME_models_example.R`
Provides example code showing how to fit the additive random-effects model and the multiplicative heterogeneity model for an individual network meta-analysis dataset.

Source of data:

The `nmadb` package does not contain the datasets directly. Instead, it provides functions for retrieving data from an external REDCap database hosted at the Institute of Social and Preventive Medicine (ISPM), University of Bern, as described in the package documentation.

The package source code is archived on CRAN:

<https://cran.r-project.org/src/contrib/Archive/nmadb/?C=D;O=A>

Since the `nmadb` package is no longer actively maintained and relies on online access to the external database, we downloaded and locally saved all datasets used in this paper to ensure long-term reproducibility. The script `save_data.R` contains the code used to retrieve and store these datasets locally using an archived version of `nmadb`.

The datasets are stored in `nmadb_twoarm_data_all.rds`

License: Codes in this project are licensed under the GNU General Public License v3.0 (GPL-3.0). See `LICENSE.txt` for details.