

# rk port development board technology related informa

latest comment

Qiming Cloud Sharing | Attention, althoug...

origin. . : I bought an esp8266-12S modul...

e, but I don't know how to use it, can yo ...

Qiming cloud sharing | sigmastar SSD20...

jiarui0213: Hello, I just learned about this pl...

atform recently, where is the LCD reset ...

ESP32 color screen GUI demo

weixin\_47568318: Within 8ms, WT32-SC0...

1 has two options, landscape and portra...

Qiming Cloud Sharing | How much can t...

S\_deng: How to do the boot animation

Qimingxian recommends: low-cost 86-bo...

Fork Road ko: where to buy

Favorites 11

copyright

Article tags: SSD201 SSD202D

59 Subscribe 44 articles Subscribe to the column

ent materials are organized by Qiming Cloud

directory

Hardware dev...

Quick start of f...

Environment C...

-xvf gcc-arm-l...

~/bashrc

port PATH=/hc...

urce ~/bashrc

ich arm-linux-g...

-jxvf boot.tar.t...

-jxvf kernel.ta...

-jxvf project.ta...

-jxvf sdk.tar.b...

do chown indu...

stall ssh for ea...

stall the xz con...

stall python

stall git

stall make

stall gcc

stall g++

Source code c...

elease\_to\_cus...

-jxvf buildroot


buildroot-2020...

RCH=arm maki...

ake

out later upda...

Would you like to recommend the Blog  
Detail Page to a friend?



latest articles

4068

552

174

342

691

Qiming Cloud Sharing | Demonstrate the integral fan

Liked

Comment

collect

switch to control the light on and off through

protocol example

Private letter

focus on

g | 2.8-inch handheld

central control screen application solution

Search blogger articles  
SSD202D solution SDK

popular articles  
29 articles in 2022 138 articles in 2021  
Exhibition Express | Qiming Cloud debuts  
59 articles in 2020  
at AWE2021: Look at the application, new  
technologies lead the intelligent upgrade of  
home appliances—Qiming Cloud's one-stop

Table of contents  
solution for WIFI/Bluetooth smart screen  
Install ssh for easy debugging  
wins attention; Look at the product—4-inch  
install the xz compression tool  
Installation of AWE2021 24336  
Consumption upgrade, color screen may  
become a new outlet in the home  
install python  
Appraise industry market 22497

install make  
Qiming Cloud Sharing | 86 Box Serial  
Screen Burning Instructions 8295  
install gcc  
Problems that may be encountered during  
install g++ 6514

4. Source code compilation  
screen application on fitness equipment  
./Release\_to\_customer.sh -f nand -p ss...  
6346  
tar -jxvf buildroot-2020.05.tar.bz2 -C .

category column  
ARCS=arm make rom use nfig 95 articles  
make SSD201 series dev... 44 articles  
About later updates such as system pro...  
Android core board s... 4 articles

## 'dware de

ar.gz -C .  
8.08-x86\_64-arm-linux-gnueabi/h/bin:\$PATH

debugging, etc.

https://blog.csdn.net/ami82/article/details/119214397?ops\_request\_misc=%257B%2522request%255Fid%2522%253A%2522165658145416781... 1/11





11

1 article

search

### latest comment

Qiming Cloud Sharing|Attention, although...

Qiming cloud sharing | sigmastar SSD20...  
 jiarui0213: Hello, I just learned about this pl  
 atform recently, where is the LCD reset ...

ESP32 color screen GUI demo  
weixin\_47568318: Within 8ms, WT32-SC01 has two options, landscape and portrait

S deng: How to do the boot animation

Qimingxian recommends: low-cost 86-bo...  
Fork Road ko: where to buy

**Would you like to recommend the Blog**

**Detail Page to a friend?**

 226 strongly original  
 10,000+ Not Weekly  
 6923 so so Overall  
 350,000+ recommend access  
 highly recommend

## latest articles

4068 552 174 342 691

Timing Cloud Sharing | Demonstrate the  
integral fan Liked Comment collect  
switch to control the light on and off through

the last protocol example

Private letter **focus on** 2.8-inch handheld

central control screen application solution

Search blogger articles 

SSD202D solution SDK

## popular articles

29 articles in 2022      138 articles in 2021

Exhibition Express | Qiming Cloud debuts  
59 articles in 2020  
at AWE2021: Look at the application, new  
technologies lead the intelligent upgrade of

home appliances--Qiming Cloud's one-stop  
**Table of contents**  
solution for WIFI\Bluetooth\smart screen  
Install ssh for easy debugging  
wins attention: Look at the product--4-inch

Install the xz compression tool 1 24336

Installation upgrade, color screen may become a new outlet in the home appliance industry market 22497

Install, Make and Sharing | 86 Box Serial

Screen Burning Instructions 8295

install gcc  
Problems that may be encountered during  
install g++  
the use of ESP32-CAM 6514

#### # Source code compilation

```
tar -jxvf buildroot-2020.05.tar.bz2 -C .
```

## Category column

ARCH=arm make menuconfig 95 articles

make SSD201 series dev... 44 articles

About later updates such as system pro...  
Android core board s 4 articles

UART RX—UART0 RX PM UART RX

UART0\_RX,

M UART RX

UART0 RX



ig tool

 **Kai Mingxian** 

2 1 11 Colum





件 - IDO-SBC2D06 - source

r.bz2

se\_to\_customer.sh

t.tar.bz2

.tar.bz2

m-8.2-2018.08-x86\_64-arm-linux-g

net-2020.05.tar.bz2

ar.bz2

source code

件 - IDO-SBC2D06 - source

.tar.bz2

se\_to\_customer.sh

ject.tar.bz2

nel.tar.bz2

-arm-8.2-2018.08-x86\_64-arm-lin

ldroot-2020.05.tar.bz2

it.tar.bz2

source code

件 - IDO-SBC2D06 - source

bz2

t\_to\_customer.sh

tar.bz2

ar.bz2

v-8.2-2018.08-x86\_64-arm-linux-gn

it-2020.05.tar.bz2

r.bz2

件 - IDO-SBC2D06 - source

ir.bz2

se\_to\_customer.sh

t.tar.bz2

l.tar.bz2

rm-8.2-2018.08-x86\_64-arm-linux-

oot-2020.05.tar.bz2

ar.bz2

to\_customer.s

11

1 article

latest comment

Qiming Cloud Sharing|Attention, althoug...  
origin. . : I bought an esp8266-12S modul  
e, but I don't know how to use it, can yo ...

Qiming cloud sharing | sigmastar SSD20...  
jiaui0213: Hello, I just learned about this pl  
atfform recently, where is the LCD reset ...

ESP32 color screen GUI demo  
weixin\_47568318: Within 8ms, WT32-SC0  
1 has two options, landscape and portra ...

Qiming Cloud Sharing | How much can t...  
S\_deng: How to do the boot animation

Qimingxian recommends: low-cost 86-bo...  
Fork Road ko: where to buy

Would you like to recommend the Blog  
Detail Page to a friend?

226

10,000+

6923

350,000+

highly

strongly

Not

so so

recomme

highly

original

Weekly

Overall

access

grade

Rank

ranking

latest articles

4068

552

174

342

691

Qiming Cloud Sharing | Demonstrate the  
integral fan Liked Comment collect  
switch to control the light on and off through  
t a or pl u e e  
protocol example

Private letter | 2.8-inch handheld  
central control screen application solution

Search blogger articles  
SSD202D solution SDK

popular articles

29 articles in 2022

138 articles in 2021

Exhibition Express | Qiming Cloud debuts  
59 articles in 2020  
at AWE2021: Look at the application, new  
technologies lead the intelligent upgrade of  
home appliances--Qiming Cloud's one-stop  
Table of contents  
solution for WIFI/Bluetooth/smart screen  
Install ssh for easy debugging  
wins attention; Look at the product--4-inch  
Install the xz compression tool  
Consumption upgrade, color screen may  
become a new outlet in the home  
approach industry market  
Install the Qiming Cloud Sharing | 86 Box Serial  
Screen Burning Instructions  
install gcc  
Problems that may be encountered during  
install g++  
the use of ESP32-CAM  
Source code compilation  
screen application on fitness equipment  
./Release\_to\_customer.sh -f hand -p ss...  
tar -jxvf buildroot-2020.05.tar.bz2 -C .  
category column

ARC=esp make esp8266 95 articles

make SSD201 series dev... 44 articles

About later updates such as system pro...  
Android core board s... 4 articles

search

大小

修改日期

344M

2021-04-25 17:54

4KB

2021-04-25 17:54

863.6M

2021-04-25 17:54

572.8M

2021-04-25 17:54

408.9M

2021-04-25 17:54

418.8M

2021-04-25 17:54

24.3M

2021-04-25 17:54

大小

修改日期

344M

2021-04-25 17:54

4KB

2021-04-25 17:54

863.6M

2021-04-25 17:54

572.8M

2021-04-25 17:54

408.9M

2021-04-25 17:54

418.8M

2021-04-25 17:54

24.3M

2021-04-25 17:54

大小

修改日期

344M

2021-04-25 17:54

4KB

2021-04-25 17:54

863.6M

2021-04-25 17:54

572.8M

2021-04-25 17:54

408.9M

2021-04-25 17:54

418.8M

2021-04-25 17:54

24.3M

2021-04-25 17:54

大小

修改日期

344M

2021-04-25 17:54

4KB

2021-04-25 17:54

863.6M

2021-04-25 17:54

572.8M

2021-04-25 17:54

408.9M

2021-04-25 17:54

418.8M

2021-04-25 17:54

24.3M

2021-04-25 17:54

大小

修改日期

344M

2021-04-25 17:54

4KB

2021-04-25 17:54

863.6M

2021-04-25 17:54

572.8M

2021-04-25 17:54

408.9M

2021-04-25 17:54

418.8M

2021-04-25 17:54

24.3M

2021-04-25 17:54

2

1

11

Column

Kai Mingxian focus on

https://blog.csdn.net/ami82/article/details/119214397?ops\_request\_misc=%257B%2522request%255Fid%2522%253A%2522165658145416781... 5/11









```
boot
sed -i -e 's|ARCH="arm"|ARCH="aarch64"|g' boot
sed -i -e 's|CROSS_COMPILE="aarch64-linux-gnu-gcc"|CROSS_COMPILE="aarch64-linux-gnu-gcc"|g' boot
sed -i -e 's|.infinity2m_defconfig|.infinity2m_defconfig|g' boot
sed -i -e 's|.infinity2m_spinand|.infinity2m_spinand|g' boot
in
sed -i -e 's|.ashtype="nor"|.ashtype="nor"|g' boot
sed -i -e 's|d ../project/boar|d ../project/boar|g' boot
sed -i -e 's|u-boot.xz.img.bi|u-boot_spinand.xz|g' boot
```

```

mel
$DIR)/kernel
: ARCH="arm"
: CROSS_COMPILE="a
ashtype)" = "nor"
'$({fastboot})' = "f
ike infinity2m_ssc
ike infinity2m_ssc

'$({fastboot})' = "f
ike infinity2m_spi
ake infinity2m_sp
ike $(KERNEL_DEFCO
in

```

```
project
SEDIR)/project
ashtype)" = "nor"
'${fastboot}" = "f
who test fastboot
```

figuring the kernel  
if the kernel, re  
ou need to cop  
g ./arch/arm/co

g buildroot Rel  
d separately.

```
vf buildroot
buildroot-2020.02
l=arm ma
```

itions->

```
et Arch
et Bina
et Arch
et ABI
ting po
instruc
```

1->

11 1 article

### latest comment

Qiming Cloud Sharing|Attention, although...  
origin. . : I bought an esp8266-12S modul  
e, but I don't know how to use it, can yo ...

Qiming cloud sharing | sigmastar SSD20...  
 jiarui0213: Hello, I just learned about this pl  
 atform recently, where is the LCD reset ...

ESP32 color screen GUI demo  
weixin\_47568318: Within 8ms, WT32-SC01 has two options, landscape and portra...

S\_deng: How to do the boot animation

Qimingxian recommends: low-cost 86-bo...  
Fork Road ko: where to buy

**Would you like to recommend the Blog**

**Detail Page to a friend?**

226 10,000+ 6923 350,000+ 

original Weekly so so recomm highly  
not recom Overall nd recomme  
Rank ranking

## latest articles

4068 552 174 342 691

Qiming Cloud Sharing I Demonstrate the  
integral fan Liked Comment collect  
switch to control the light on and off through

protocol example

Private letter | 2.8-inch focus on  
central control screen application solution

Search blogger articles  
SSD202D solution SDK

## popular articles

29 articles in 2022      138 articles in 2021  
Exhibition Express | Qiming Cloud debuts  
59 articles in 2020  
at AWE2021: Look at the application, new  
technologies lead the intelligent upgrade of

## Table of contents

Install the xz compression tool

Installation upgrade, color screen may become a new outlet in the home

Install glibc | 86 Box Serial

Screen Burning Instructions 8295

install gcc

Problems that may be encountered during

install g++

the use of ESP32-CAM 6514

```
# Source code compilation
Ka Mingxin sharing | 2.14 inch knob serial
screen application on fitness equipment
./Release_to_customer.sh -f nand -p ss...
6346
```

```
tar -jxvf buildroot-2020.05.tar.bz2 -C .
```

## Category column

ARCH=arm make menuconfig 95 articles

make SSD201 series dev... 44 articles

About later updates such as system pro...  
Android core board s... 4 articles

stomer.sh script will overwrite and modify the . Therefore, after each modification of the (try):

```
minigui double net defconfig -f
```

droot's configuration, so buildroot needs to be

```
endian)) --->
tex-A7) --->
--->
```

 **Kai Mingxian**  focus on

2 1 11 Colum



