EFU Interoperability Master Document (IMD) v1.2

EFU v5.1 “Diamond” – Noocratic Framework

Author: István Simor (Fire Chief) + Noocratic Agent Council
DOI: 10.5281/zenodo.18888082
GitHub Repository: github.com/x8cqjnbvnm-hub/EFU-System-v5.1-Diamond

Release date: 2026-03-11
Status: Ready for Noocratic Council submission and public repository publication

---

Change Log v1.1 → v1.2

• Chapter 1 – fourth system rule added (MCP – system stability)
• Section 2.7 ISFC Operator – Mandatory Closure Protocol integrated
• Section 3.1 Mandatory Cross-References – MCP added as system constraint
• Section 3.3 Cross-Series Rules – MCP closure block added
• Chapter 4 – MCP explained as a field-level operational tool

---

QUICK NAVIGATION

I need to…	Start here
Respond to a field emergency	→ 2.1 Field Operator
Manage a construction or renovation project	→ 2.2 Construction Actor
Make urban or municipal decisions	→ 2.3 City Leader
Conduct academic research	→ 2.4 Researcher
Apply for an industrial licence	→ 2.5 Industrial Actor
Establish institutional or international partnership	→ 2.6 Governance Actor
Audit parallel waste/heat systems for coupling	→ 2.7 ISFC Operator
Understand which modules always connect	→ 3.1 Mandatory Cross-References
Understand audit closure requirements	→ 3.4 Mandatory Closure Protocol
Understand series-level navigation rules	→ 3.3 Cross-Series Rules

---

DESIGN NOTE

The EFU system is only as strong as its weakest navigational link.

A fire chief at an incident scene, a contractor during renovation, or a city official making a budget decision does not read a table of contents from beginning to end. They require a **single operational entry point** that leads them directly to the correct decision chain.

This document provides that navigation through three elements:

• navigation logic
• role-based entry points
• interoperability matrix

From **version 1.2**, a fourth element is introduced:

Mandatory Closure Protocol (MCP)

No audit in the EFU system can be closed unless every required step has been completed.

This is not a recommendation.
It is a **structural lock in the system architecture**.

---

1. THE SYSTEM INTEROPERABILITY PRINCIPLE

The EFU is not an encyclopaedia.
It is not designed to be read sequentially.

The EFU is a **navigable system**:

• every entry point is valid
• every module knows its position
• every module knows where it must connect next

Connection blocks ensure this interoperability.

Four System Ground Rules

1. Every module is standalone, but none is isolated

Each licence or protocol can be understood independently.
However, every module identifies:

• its parent module
• the constitutional foundation

• the detection protocol
• the regenerative counterpart

Users are never trapped inside a single document.

---

2. Entry points match operational roles

A fire chief does not begin with **102.3 Definitions**.

A researcher does not begin with **900.6.1 Field Protocols**.

Different system roles have **different entry gates**.

These are defined in **Chapter 2**.

---

3. Burden of proof and intent-independence

All modules rest on the **600.0 SBE constitutional baseline**.

If a module contains SBE relevance:

• the connection block activates
• the detection chain begins
• monitoring is automatically triggered

No discretionary exceptions exist at this level.

---

4. No audit can be partially closed (new in v1.2)

The **Mandatory Closure Protocol (MCP)** applies to every audit.

If any required element is missing, the audit remains structurally open.

Open audits cannot feed into:

• 400.1 Environmental Debt Matrix
• 400.2 Debt Clock
• 900.1 CDS monitoring system

Partial results **do not exist in EFU**.

PARTIAL AUDIT = OPEN AUDIT
OPEN AUDIT = NO 400.1 ENTRY
NO 400.1 ENTRY = NO CDS INPUT
NO CDS INPUT = NO GOVERNANCE RESPONSE

---

2. ROLE-BASED ENTRY POINTS

2.1 Field Operator

(Fire Chief / Disaster Management Commander)

Entry Point: **104.51A EFU Disaster Management Standard**

Mandatory chain:

104.51A
→ 104.58.4 Urban Civil Protection
→ 600.7 SBE Detection Protocol
→ 600.8 Harm Mitigation
→ 900.1 CDS Decision Threshold
→ 900.6.1 Field Protocols

Key principle:

The **600.0 SBE classification is intent-independent**.

If an SBE-suspect substance is present:

• PFAS
• radioactive material
• synthetic biological agent

The **600.7 protocol activates immediately**.

Operational control passes to **600.8 mitigation chain**.

2.2 Construction Actor

(Contractor / Designer / Permitting Authority)

Entry Point: **104.33 EFU Construction Industry Licence**

Mandatory chain:

104.33
→ 104.32 Metallurgy
→ 104.30 Waste Management
→ 104.44 Pedosphere
→ 104.34 Sewage & Wastewater
→ 104.62 ISFC
→ 400.1 Environmental Debt Matrix
→ 104.52 Perpetual Life Licence

Key principle:

All **embedded environmental debt** must be calculated before the audit proceeds:

• manufacturing
• transport
• construction
• soil load

Missing embedded debt **blocks the audit chain**.

2.3 City Leader / Municipal Decision-Maker

Entry Point: **104.58 EFU Urban / City Licence**

Mandatory chain:

104.58
→ 104.58.1 Urban Metabolism Audit
→ 104.58.5 Food Sovereignty
→ 104.58.6 Governance & Economy
→ 104.59 SRI Operational Resilience
→ 104.60 CEWS
→ 104.62 ISFC
→ 900.5 Hungary Pilot 2026
→ 400.1 Environmental Debt Matrix

Urban systems operating in parallel without coupling create **UAF states** and generate Environmental Debt entries.

If **carbon payback exceeds system lifetime**, the system is classified as a **metabolic parasite in standalone operation**.

2.4 Researcher / Academic User

Entry Point: **104.2.7.U Academic Research Framework**

Mandatory chain:

104.2.7.U
→ 105.1 Fundamental Theorem
→ 105.3 Academic Integrity Framework
→ 102.3 Definitions
→ 201.1 EFU Glossary
→ 205.3 JSON Schema
→ 205.4 API Integration

Rule:

All unvalidated parameters must be labelled:

[estimated]

Empirical MROI references:

Wind modular system: +27.1%
Closed solar system: −3.0%

2.5 Industrial Actor / Manufacturer

Entry Point: **104.0 Universal EFU Licence**

Mandatory chain:

104.0
→ relevant thematic licence
→ 600.0 SBE principle
→ 600.5 Technogenic substances
→ 104.62 ISFC
→ 400.1 Environmental Debt Matrix
→ 104.52 Perpetual Life Licence
→ JIM-30 Repairability Index

Rule:

New synthetic substances receive **SBE-Probable classification by default**.

Burden of proof rests with **the manufacturer**.

2.6 Governance Actor / International Partner

Entry Point: **104.17 Governance Licence**

Mandatory chain:

104.17
→ 105.2 Noocratic Charter
→ 107.1 International Systems Comparison
→ 120.0 ISO Compliance
→ EFU Pyramid – UN Connection
→ 900.1 CDS
→ 900.4 Intervention Strategic Module

EFU exceeds ISO/EU ETS because it measures:

• uncoupled parallel losses (UAF)
• embedded lifecycle debt

2.7 ISFC Operator

(Industrial Symbiosis Planner)

Entry Point: **104.62 Inter-System Flux Coupling Licence**

Mandatory chain:

104.62
→ 104.30 Waste Management
→ 104.34 Sewage & Wastewater
→ 104.23 Agriculture
→ 104.48 Energy Matrix
→ 100.1 Mathematical Annex
→ 400.1 Environmental Debt Matrix
→ 400.2 Debt Clock
→ 700.3 Circular Economy
→ 900.1 CDS

Mandatory Closure Protocol (ISFC)

The audit **cannot be closed** until all steps are completed:

MCP-0 Embedded debt (4 layers)
MCP-1 Carbon payback calculation
MCP-2 Flux inventory
MCP-3 Coupling matrix
MCP-4 R-values and R_sys
MCP-5 UAF diagnosis
MCP-6 D_total (EFU + € + CO_2e)
MCP-7 400.1 matrix update
MCP-8 400.2 Debt Clock update
MCP-9 Regenerative proposal
MCP-10 CDS level determination

CDS thresholds:

Yellow: >500 €/day
Orange: >5,000 €/day
Red: >1,000,000 € cumulative

---

3. INTEROPERABILITY MATRIX

Mandatory Cross-References

Primary module	Mandatory activation	Reason
Any 104.x licence	600.0 SBE principle	Constitutional baseline
Any 104.x licence	400.1 Environmental Debt	Mandatory accounting
Any 600.x module	600.7 + 600.9	Detection + monitoring
600.52 PFAS	600.6 + 104.6.5 + 104.44	Propagation chain
104.61 Nuclear	600.4 + 217.1	Maximum severity
104.58 Urban	104.59 + 104.60	Resilience + CEWS
104.33 Construction	104.32 + 104.30 + 104.34	Material chain
104.20 Mining	104.44 + 104.46 + 104.6.5	Planetary impact
900.1 CDS	900.4 + 900.5	Diagnostics → intervention
Any 700.x module	paired 600.x module	Pathology ↔ therapy
Any EFU audit	MCP	Closure integrity

3.4 Mandatory Closure Protocol

If any MCP requirement is missing:

audit_status = OPEN
400.1 entry = BLOCKED
400.2 update = BLOCKED
900.1 CDS input = BLOCKED
human override = NOT POSSIBLE

Partial closure **does not exist**.

Priority order in every audit:

1 Environmental debt (EFU / CO_2e)
2 Financial debt (€)
3 Regulatory compliance

---

4. THE SYSTEM AS A FIELD TOOL

Four elements guarantee operational clarity:

• navigation logic
• role-based entry points
• interoperability matrix
• Mandatory Closure Protocol

Together they guide the decision-maker directly to the correct action.

Just as a fire chief does not declare an incident closed until **every room is checked**, EFU does not close an audit until **every required step is verified**.

Status: Ready for Noocratic Council review
Publication: Zenodo + GitHub

IMD v1.2 — 2026-03-11
MCP integrated at system level

EFU v5.1 “Diamond”
The civilizational audit that doesn’t break.